

Sherburne County, Zimmerman Area Community Health Data Book

*Detailed results from the 2013 Central
Minnesota Community Health Survey*

A P R I L 2 0 1 4

For more information, contact:

Nicole MartinRogers
Senior Research Manager, Wilder Research
651-280-2682
nicole.martinrogers@wilder.org

*This report was prepared by Wilder Research
www.wilderresearch.org*

Contents

Introduction and methods	1
Survey instrument	1
Sample.....	1
Data collection	1
Weighting and analysis	2
Talking points about the study methods	6
How to use this data book.....	7
Survey findings – Data tables	8
General health and health care	8
Health habits	35
Community concerns	87
About you.....	155
Appendix.....	169
Survey instrument	170
Codebook for open ended comments.....	178

Figures and data tables

1. Central Minnesota Adult Health Survey sample and respondents.....	3
2. Central Minnesota Adult Health Survey area	4
3. Map of respondent locations in the participating counties	5
4. In general, would you say that your health is	8
5. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?.....	9
6. During the past 12 months, was there a time when you thought you needed medical care but did not get it or delayed getting it?.....	10
7. (Of those who said they had delayed getting medical care they needed in the past 12 months) Why did you not get or delay getting the medical care you thought you needed?	11
8. How would you rate your overall level of stress?.....	13
9. During the past 30 days, for about how many days have you felt sad, blue, or depressed?	14
10. During the past 12 months, was there a time when you wanted to talk with or seek help from a health professional about emotional problems such as stress, depression, excess worrying, troubling thoughts, or emotional problems, but did not or delayed talking with someone?	15
11. (Of those who said they had delayed getting care they needed for emotional problems in the past 12 months) Why did you not get or delay getting the care you thought you needed?	16
12. Which statement best describes the medications prescribed for you in the past 6 months?	18
13. (Of those who said they had not filled at least one of their prescriptions in the past 6 months) Why did you not fill at least one prescription?.....	19
14. Do you currently have any kind of health care coverage, including health insurance or government plans such as Medicaid, Medicare, or Indian Health Services?	21
15. (Of those who said they have health insurance) Is your health insurance a high deductible plan?	22
16. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Health insurance or coverage through your employer or your spouse/partner, parent, or someone else's employer.....	23
17. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Health insurance or coverage bought directly by you or your family	24

Figures and data tables (continued)

18. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Indian or Tribal Health Service	25
19. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Medicare	26
20. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Medicaid, Medical Assistance (MA), or Prepaid Medical Assistance Program (PMAP)	27
21. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Minnesota Comprehensive Health Association (MCHA)	28
22. (Of those who said they have health insurance) Which of the following types of health insurance do you have? MinnesotaCare	29
23. (Of those who said they have health insurance) Which of the following types of health insurance do you have? CHAMPUS, TRICARE, or Veterans' benefits	30
24. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Other health insurance or coverage	31
25. Have you ever been told by a doctor or other health care professional that you have diabetes?	32
26. Have you ever been told by a doctor or other health care professional that you have high blood pressure?	33
27. Have you ever been told by a doctor or other health care professional that you have high blood cholesterol?	34
28. About how often do you drink pop or soda (regular)?	35
29. About how often do you drink pop or soda (diet)?	36
30. About how often do you drink energy drinks such as Red Bull, 5-hour Energy, or Monster?	37
31. About how often do you drink other sugar-sweetened drinks such as sweet tea, coffee drinks, juice drinks, Kool-Aid, or Gatorade?	38
32. About how often do you drink water?	39
33. About how often do you drink milk?	40
34. A serving of fruit is one medium sized fruit, or a half cup chopped, cut, or canned fruit. Yesterday, how many servings of fruit did you eat?	41
35. Yesterday, how many 6 ounce servings of 100% fruit juice did you drink?	42
36. A serving of vegetables is a half cup of any vegetable or one cup of salad greens. Yesterday, how many servings of vegetables did you eat?	43

Figures and data tables (continued)

37. Number of fruits and vegetables eaten yesterday (Mean, calculated variable)	44
38. Number of fruits and vegetables eaten yesterday (calculated variable)	45
39. During the past 7 days, how many times did you eat from a fast food restaurant, including carry-out or delivery?.....	46
40. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies? (Mean)	47
41. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies?.....	48
42. During an average week, whether at work, at home, or anywhere else, on how many days do you get at least 30 minutes of moderate physical activity? (Moderate exercise 3+ days)	50
43. During an average week, whether at work, at home, or anywhere else, on how many days do you get at least 30 minutes of moderate physical activity? (Moderate exercise 5+ days)	51
44. How often do you feel safe in your community?.....	52
45. Are you in a relationship where you are (or have ever been) physically hurt, threatened, or made to feel afraid?.....	53
46. How often do you wear a seat belt when you drive or ride in a car or other vehicle? ...	54
47. Do you ever drive a car or other vehicle?	55
48. (Of those who said they drive) When driving a car or other vehicle, how often do you read incoming text messages or emails?	56
49. (Of those who said they drive) When driving a car or other vehicle, how often do you send text messages or emails?.....	57
50. (Of those who said they drive) When driving a car or other vehicle, how often do you make or answer a phone call?	58
51. (Of those who said they drive) When driving a car or other vehicle, how often do you do other activities such as eat, read, or apply makeup or shave?.....	59
52. In general, how often do you smoke cigarettes?.....	60
53. Smoking status (calculated variable)	61
54. In general, how often do you chew tobacco?.....	62
55. Chewing tobacco user status (calculated variable)	63
56. In general, how often do you smoke cigars, cigarillos, or little cigars?	64

Figures and data tables (continued)

57. Cigars, cigarillos, or little cigar smoking status (calculated variable)	65
58. In general, how often do you use marijuana?	66
59. Marijuana user status (calculated variable).....	67
60. In general, how often do you use other illegal drugs such as cocaine, heroin, or meth?	68
61. Other illegal drugs such as cocaine, heroin, or meth user status (calculated variable) ..	69
62. In general, how often do you use prescription drugs that are not prescribed for you or that you take only to get high?.....	70
63. Prescription drugs (that are not prescribed for you or that you take only to get high) user status (calculated variable)	71
64. During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage, or liquor?	72
65. (Of those who said they had at least one alcoholic beverage in the past 30 days) During the past 30 days, on how many days did you have at least one drink of any alcoholic beverage? (Mean)	73
66. (Of those who said they had at least one alcoholic beverage in the past 30 days) During the past 30 days, on the days when you drank, about how many drinks did you drink on average? (Mean)	74
67. (Of those who said they had at least one alcoholic beverage in the past 30 days) Total number of drinks in past 30 days (Mean, calculated variable).....	75
68. During the past 30 days, on the days when you drank, about how many drinks did you drink on average? ^a (calculated variable)	76
69. Chronic drinking (calculated variable, gender specific) ^a	77
70. (Of those who said they had at least one alcoholic beverage in the past 30 days) Considering all types of alcoholic beverages, how many times during the past 30 days did you have 4 or more drinks on one occasion (binge drinking—females ^a) (Mean).....	78
71. (Of those who said they had at least one alcoholic beverage in the past 30 days) Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks on one occasion (binge drinking—males ^a) (Mean).....	79
72. Binge drinking (calculated variable, gender specific) ^a	80
73. During the past 30 days, how many times have you driven when you've had perhaps too much to drink?.....	81

Figures and data tables (continued)

74. Do you perform monthly self-exams for cancer (self-breast exam or self-testicular exam)?	82
75. Do you get a yearly flu shot or flu immunization?	83
76. Do you need medication to control a chronic physical or mental condition?.....	84
77. Do you have a family emergency plan?.....	85
78. Do you live with someone who smokes?.....	86
79. In your opinion, how much of a problem is each of these issues in your county? People without health insurance or medical coverage	87
80. In your opinion, how much of a problem is each of these issues in your county? People not getting needed care because of inadequate health insurance or high deductibles	88
81. In your opinion, how much of a problem is each of these issues in your county? Too few health care providers.....	89
82. In your opinion, how much of a problem is each of these issues in your county? Too few dental providers	90
83. In your opinion, how much of a problem is each of these issues in your county? Language barriers in getting health care.....	91
84. In your opinion, how much of a problem is each of these issues in your county? Lack of provider knowledge about the health care needs of people of different cultures	92
85. In your opinion, how much of a problem is each of these issues in your county? Ambulance/rescue squad response time to 911	93
86. In your opinion, how much of a problem is each of these issues in your county? County government's lack of preparation for a disaster, disease outbreak, or terrorist event	94
87. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining family planning services	95
88. In your opinion, how much of a problem is each of these issues in your county? Lack of services to allow people to continue living at home.....	96
89. In your opinion, how much of a problem is each of these issues in your county? Crime.....	97
90. In your opinion, how much of a problem is each of these issues in your county? Unemployment	98
91. In your opinion, how much of a problem is each of these issues in your county? Children in poverty	99

Figures and data tables (continued)

92. In your opinion, how much of a problem is each of these issues in your county? Families experiencing financial stress	100
93. In your opinion, how much of a problem is each of these issues in your county? Youth not graduating high school	101
94. In your opinion, how much of a problem is each of these issues in your county? Parents with inadequate or poor parenting skills	102
95. In your opinion, how much of a problem is each of these issues in your county? Teen pregnancy	103
96. In your opinion, how much of a problem is each of these issues in your county? Unplanned pregnancy	104
97. In your opinion, how much of a problem is each of these issues in your county? Infant death or premature birth	105
98. In your opinion, how much of a problem is each of these issues in your county? Adults not getting their immunizations such as flu, tetanus, or pneumonia	106
99. In your opinion, how much of a problem is each of these issues in your county? Children not getting their immunizations such as pertussis, flu, or tetanus	107
100. In your opinion, how much of a problem is each of these issues in your county? Infectious diseases such as flu, pneumonia, or whooping cough	108
101. In your opinion, how much of a problem is each of these issues in your county? Sexually transmitted diseases such as chlamydia, syphilis, or HIV/AIDS	109
102. In your opinion, how much of a problem is each of these issues in your county? Insect-borne diseases such as Lyme disease or West Nile virus	110
103. In your opinion, how much of a problem is each of these issues in your county? Indoor air pollution related to radon	111
104. In your opinion, how much of a problem is each of these issues in your county? Unsafe drinking water	112
105. In your opinion, how much of a problem is each of these issues in your county? Unsafe food in restaurants	113
106. In your opinion, how much of a problem is each of these issues in your county? Extreme heat – days of high heat and humidity	114
107. In your opinion, how much of a problem is each of these issues in your county? Extreme weather such as drought, floods, or tornadoes	115
108. In your opinion, how much of a problem is each of these issues in your county? Lack of access to public space for no-cost recreational use	116

Figures and data tables (continued)

109. In your opinion, how much of a problem is each of these issues in your county? Lack of safe places to walk or bike.....	117
110. In your opinion, how much of a problem is each of these issues in your county? Smoking or other tobacco use.....	118
111. In your opinion, how much of a problem is each of these issues in your county? Abuse of prescription drugs	119
112. In your opinion, how much of a problem is each of these issues in your county? Alcohol abuse among those aged 21 or over	120
113. In your opinion, how much of a problem is each of these issues in your county? Alcohol use among those under 21	121
114. In your opinion, how much of a problem is each of these issues in your county? Adults allowing or tolerating youth alcohol use	122
115. In your opinion, how much of a problem is each of these issues in your county? Drinking and driving.....	123
116. In your opinion, how much of a problem is each of these issues in your county? Illegal drug use among youth.....	124
117. In your opinion, how much of a problem is each of these issues in your county? Illegal drug use among adults	125
118. In your opinion, how much of a problem is each of these issues in your county? Asthma	126
119. In your opinion, how much of a problem is each of these issues in your county? Cancer	127
120. In your opinion, how much of a problem is each of these issues in your county? Chronic pain.....	128
121. In your opinion, how much of a problem is each of these issues in your county? Diabetes.....	129
122. In your opinion, how much of a problem is each of these issues in your county? Heart disease and stroke.....	130
123. In your opinion, how much of a problem is each of these issues in your county? Mental illness	131
124. In your opinion, how much of a problem is each of these issues in your county? Obesity among adults.....	132
125. In your opinion, how much of a problem is each of these issues in your county? Obesity among children	133

Figures and data tables (continued)

126. In your opinion, how much of a problem is each of these issues in your county?	
Lack of physical exercise.....	134
127. In your opinion, how much of a problem is each of these issues in your county?	
Unhealthy eating habits.....	135
128. In your opinion, how much of a problem is each of these issues in your county?	
Lack of access to healthy food.....	136
129. In your opinion, how much of a problem is each of these issues in your county?	
Falls among the elderly	137
130. In your opinion, how much of a problem is each of these issues in your county?	
Motor vehicle crashes	138
131. In your opinion, how much of a problem is each of these issues in your county?	
Improper use of or not using child car seats	139
132. In your opinion, how much of a problem is each of these issues in your county?	
Bullying.....	140
133. In your opinion, how much of a problem is each of these issues in your county?	
Abuse and neglect of children.....	141
134. In your opinion, how much of a problem is each of these issues in your county?	
Abuse and neglect of adults	142
135. In your opinion, how much of a problem is each of these issues in your county?	
Domestic violence.....	143
136. In your opinion, how much of a problem is each of these issues in your county?	
Rape and sexual assault	144
137. In your opinion, how much of a problem is each of these issues in your county?	
Depression among youth.....	145
138. In your opinion, how much of a problem is each of these issues in your county?	
Depression among adults	146
139. In your opinion, how much of a problem is each of these issues in your county?	
Suicide among youth.....	147
140. In your opinion, how much of a problem is each of these issues in your county?	
Suicide among adults	148
141. In your opinion, how much of a problem is each of these issues in your county?	
Eating disorders such as anorexia, bulimia, or binge eating.....	149
142. In your opinion, how much of a problem is each of these issues in your county?	
Difficulty obtaining mental health services for youth	150

Figures and data tables (continued)

143. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining mental health services for adults.....	151
144. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining alcohol and other drug abuse treatment for youth.....	152
145. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining alcohol and other drug abuse treatment for adults	153
146. In your opinion, how much of a problem is each of these issues in your county? People not taking prescribed medication for mental health problems	154
147. What is your gender?	155
148. What is your age? (Mean).....	156
149. What is your age?.....	157
150. How many adults (including you) and children live in your household? Number of adults age 18 or older (including you).....	158
151. How many adults (including you) and children live in your household? Number of children under age 18	159
152. Body mass index (BMI) ^a (Mean, calculated variable)	160
153. Weight status according to BMI (calculated variable)	161
154. Race/Ethnicity for Sherburne County Zimmerman area ^a	162
155. Which of the following best describes your current relationship status?	163
156. Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit?	164
157. What is the highest level of education you have completed?	165
158. What was your household's total income from all earners and all sources in 2012? ..	167

Acknowledgments

Wilder Research would like to thank the members of the Central Minnesota Community Health Survey working group, who advised us on all aspects of the study design and reporting. This includes: Benton County, Chisago County, Mille Lacs County, Sherburne County, Stearns County, Albany Area Hospital and Medical Center, CentraCare Health—Melrose, CentraCare Health—Paynesville, CentraCare Health—Sauk Centre, CentraCare Health—St. Cloud Hospital, and CentraCare Health—Long Prairie.

It is important to note that at the time of the study, Paynesville Area Health Care had not yet been acquired by CentraCare Health, but the decision to affiliate had been made by the Paynesville Area Health Center Board.

We would also like to thank Ann Kinney, from the Minnesota Department of Health, and Mansour Fahimi, of GfK, for their assistance with the technical aspects of instrument design, sampling, weighting, and analysis.

This study was conducted in part with generous funding from:

- Benton, Chisago, Mille Lacs, Sherburne, and Stearns counties.
- Albany Area Hospital and Medical Center
- CentraCare Health
- Otto Bremer Foundation
- Medica Foundation
- UCare Foundation
- Fiscal Agency was provided by CentraCare Health Foundation with the support of CentraCare Health which paid the administrative costs of serving as fiscal agent.

The following Wilder Research staff contributed to the completion of this project:

Mark Anton
Jennifer Bohlke
Marilyn Conrad
Madeline Hansen
Denise Huynh
Sophak Mom

And finally, we would like to thank the 2,930 residents of Central Minnesota who participated in this survey. Without them, this report would not be possible!

CATHOLIC HEALTH
INITIATIVES

Albany Area Hospital
& Medical Center

OTTO BREMER FOUNDATION



Public Health
Prevent. Promote. Protect.

CENTRA CARE
Health System



Statewide Health Improvement Program | **SHIP**
HEALTH REFORM

MEDICA®
FOUNDATION

MILLE LACS
COUNTY



U Care

Health care that starts with you.®

Introduction and methods

In spring and summer 2013, Wilder Research was contracted to conduct a survey of adults in five counties in Central Minnesota (Benton, Chisago, Mille Lacs, Sherburne, and Stearns) to learn more about their health status and health behaviors, as well as their perceptions of health concerns in their communities. The public health agencies in each of the participating counties, CentraCare Health System, and Albany Area Hospital and Medical Center all provided representatives to participate in the study's working group, which advised Wilder Research on the development of the survey instrument and data collection methods. This group also provided final approvals on project decisions.

Survey instrument

The survey instrument was designed by Wilder Research in collaboration with the Central Minnesota Community Health Survey working group. Previous community health surveys conducted by Wilder and other counties were also used as examples when designing the survey. The survey instrument was developed for paper self-administration and was conducted in English only. See the Appendix for the complete survey instrument.

Sample

We used address-based sampling, to ensure all households were included in the sampling frame regardless of their phone status. The sample was purchased from Marketing Systems Group. See Figure 1 for an illustration of the number of sampled addresses, number of completed surveys, response rate, and margin of error for each of the sampling areas.

Data collection

Sampled addresses were contacted three times by mail, using the “modified Dillman” method of survey mailing, whereby sampled addresses are sent an initial survey packet including a cover letter, survey, and postage-paid return envelope. After two weeks, all households that did not return their completed survey were sent a post card reminder. After an additional two weeks, all sampled households that still did not complete the survey were sent a final survey packet. Of note, the survey was conducted during winter and early spring in Minnesota. Therefore, caution should be used when interpreting the results, especially related to physical activity and consumption of fresh produce, as these measures vary by season. Seasonality should be taken into consideration when comparing these survey data to other data sources across time.

There was one exception to this mailing sequence in the Sherburne County portion of zip code 56304, which is in Reporting Area #1. The initial study sample mistakenly did not include sample from this area so a remedial follow-up mailing was sent to sampled addresses in this area. Enough sample was released in this case so that only one mailing of the survey packet was needed to obtain the desired number of completes to correct for the initial error.

Adults were randomly selected from within the sampled households using the “most recent birthday” method (asking the adult who most recently had a birthday to fill out the one survey for that household) to ensure gender balance in survey respondents.

Weighting and analysis

Survey data are weighted to produce reliable estimates of population parameters. Weighting also compensates for practical limitations of a sample survey, such as differential nonresponse and under-coverage. By taking advantage of demographic information about the target population, weighting can reduce the variability of survey estimates.

The weighting process entails three steps. The first step consists of the computation of *design* or *base weights* to reflect any differential selection based on number of adults in the sampled household. In the second step, base weights are adjusted so that the resulting weights can aggregate to reported totals for the target population. For this study, survey weights were calculated using the method of *Iterative Proportional Fitting*, which is commonly referred to as *Raking*. Finally, adjusted weights are put through a series of quality control checks to detect extreme outliers and to prevent any computational or procedural errors.

Given the sample size and the demographic composition of the adult population of the five county region, design weights were adjusted by age and gender. Survey data for these demographic questions included missing values. All such missing values were first imputed using a hot-deck procedure before construction of the survey weights. The data were weighted against the U.S. Census Bureau’s March Supplement of the Current Population Survey (CPS) 2012.

Coding was completed to categorize responses to the open-ended questions. See the Appendix for the codebook.


1. Central Minnesota Adult Health Survey sample and respondents

Area No.	Reporting area (County and Zip Code)	Adult (age 18+) population of area ^a	Number of addresses sampled	Number of completed surveys	Response rate	Margin of error ^b
1	St. Cloud metro (56301, 56303, 56304, 56374, 56377, 56379, and 56387)	97,949	3,352	597	17.8%	5.9%
2	Stearns county whole	117,563	2,073	497	24.0%	6.5%
3	Stearns County “rural” (Stearns excluding 56301, 56303, 56374, 56377, and 56387)	44,970	1,200	289	24.1%	8.5%
4	Benton County whole	27,130	2,179	517	23.7%	6.3%
5	Benton County “rural” (Benton excluding 56304, 56379 and 56377)	9,485	1,200	315	26.3%	8.0%
6	Sherburne County whole	62,722	7,500	1,392	18.6%	3.8%
7	Sherburne County 55308 (Becker)	6,037	1,200	247	20.6%	9.0%
8	Sherburne County 55309 (Big Lake)	12,177	1,200	223	18.6%	9.6%
9	Sherburne County 55330 (Elk River)	19,076	1,200	243	20.3%	9.3%
10	Sherburne County 55398 (Zimmerman)	10,107	1,200	244	20.3%	9.2%
11	Sherburne County balance (Sherburne excluding 55308, 55309, 55330, and 55398, but including the Sherburne portion of 56304)	15,235	2,700	435	16.1%	6.9%
12	Chisago County	40,040	1,200	256	21.3%	9.0%
13	Mille Lacs County	19,482	1,200	268	22.3%	8.8%
All	Five county region	266,937	14,152	2,930	20.7%	2.7%


^a Source: US Census Bureau, Decennial Census, 2010, SF 1.

^b The margins of error are adjusted due to the statistical weighting procedures used to adjust age and gender.

2. Central Minnesota Adult Health Survey area



3. Map of respondent locations in the participating counties



Talking points about the study methods

To assist the representatives from the participating public health agencies and health care systems in communicating with their stakeholders (including their Community Health Boards, other organizational leadership, the media, and the general public) about this study, the following “talking points” can be used to help explain the study methods:

- This is a mailed survey. According to best practices in survey research (i.e., best response rate for lowest cost), we used a three-mailing sequence for all sampled households, which includes an initial survey packet, a reminder post card, and a final packet.
- The survey was sent to a random sample of households in the five counties. All households had an equal chance of being sampled, regardless of their phone status (i.e., households without landlines were not excluded, and households with more than one phone were not more likely to be sampled).
- The response rate for this survey is within the expected range for surveys using the three mailing sequence, and with no incentive offered for participation.
- The survey data are corrected with post-stratification and design weighting, which are statistical techniques commonly used to adjust for nonresponse bias (whereby certain types of people are more or less likely to respond to surveys).
- These methods ultimately produced a sample that is statistically representative of the adult population. (Because we obtained fewer completed surveys than was originally targeted, the margin of error has increased somewhat in each of the sampling areas. However, these data are still representative of the population.)

How to use this data book

The “area of focus” for this data book is Sherburne County, Zimmerman (55398). Data books using this same format have been developed for each of 13 reporting areas, which correspond to the reporting areas described above, as shown in Figure 1.

Please see the other data books in this series for more detailed information about these other areas. (Some summary information on some of these areas may be shown in this data book, as noted below). For every table in this data book, results are displayed for sub-groups of respondents from the Sherburne County, Zimmerman area based on:

- Gender including male and female
- Age, including adults ages 18-34, 35-44, 45-54, 55-64, 65-74, and 75+
- Highest level of education including less than high school diploma/GED, high school diploma/GED, some college or AA degree, and bachelor’s degree or higher
- Annual household income ranges including less than \$20,000, \$20,000-34,999, \$35,000-49,000, \$50,000-99,999, and \$100,000 or more.
- Household type, including single adults with no children, 2+ adults with no children, single adults with 1+ children, and 2+ adults with 1+ children
- Totals for each of the five participating counties and the entire five county region

The columns in each table correspond to the response options respondents were given on the survey (see Appendix for the survey instrument). If a table presents a survey question with fixed response categories, each column indicates the percentage of respondents who gave that response to the question. Some answer categories are combined because of the low number of responses in those categories. The last column in each row of the table always presents the number of people (weighted up to the total population of the area) related to the percentages in that row. Some questions apply only to certain types of respondents (due to skip patterns in the survey). In these cases, the total includes only the proportion of residents in the area (weighted up from the number of respondents) for whom the question was applicable.

Some questions were open-ended, such that respondents wrote their own answers. Responses were grouped according to theme in order to reveal which trends are most notable. In some cases, respondents were allowed to provide more than one answer. The number of residents in the selected area that the percentages represent (based on the responses weighted up to the population level using inflationary weights) can be seen in each table. Where fewer than ten respondents submitted an answer fitting a particular theme, that theme is grouped with other answers in an “Other” category.

Survey findings – Data tables

General health and health care

4. In general, would you say that your health is ...

	Excellent	Very good	Good	Fair	Poor	N
Sherburne County, Zimmerman area total	6.3%	56.6%	29.0%	6.2%	1.9%	10,066
Gender						
Female	10.6%	50.6%	29.9%	8.0%	0.9%	4,886
Male	2.2%	62.2%	28.3%	4.5%	2.9%	5,156
Age						
18-34	3.3%	83.6%	13.1%	0.0%	0.0%	3,232
35-44	8.3%	52.5%	29.7%	6.0%	3.4%	2,464
45-54	9.0%	47.8%	35.3%	7.8%	0.0%	2,270
55-64	7.1%	29.5%	45.0%	16.6%	1.8%	1,252
65-74	4.7%	25.7%	47.8%	10.4%	11.4%	569
75+	0.0%	30.7%	49.3%	10.7%	9.3%	255
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	67.8%	32.2%	0.0%	290
High school diploma/GED	5.7%	61.6%	22.5%	9.9%	0.3%	2,222
Some college or AA degree	4.2%	53.6%	32.8%	5.6%	3.9%	4,866
Bachelor's degree or higher	11.3%	64.5%	22.7%	1.4%	0.0%	2,669
Household income (in 2012)						
Less than \$20,000	0.0%	6.5%	68.3%	22.0%	3.2%	473
\$20,000 - \$34,999	7.6%	26.5%	25.9%	27.3%	12.7%	668
\$35,000 - \$49,999	3.4%	53.9%	35.0%	6.3%	1.5%	1,630
\$50,000 - \$99,999	6.8%	57.4%	29.8%	4.4%	1.5%	4,668
\$100,000+	6.8%	79.7%	12.4%	1.2%	0.0%	2,311
Household type						
Single adult, no children	7.2%	61.1%	14.1%	3.5%	14.1%	825
2+ adults, no children	3.2%	51.6%	36.5%	7.1%	1.6%	5,092
Single adult, 1+ children	3.9%	63.4%	28.8%	3.9%	0.0%	474
2+ adults, 1+ children	10.6%	61.7%	21.9%	5.8%	0.0%	3,675
All areas included in the study						
Benton County	13.1%	39.5%	37.7%	8.6%	1.0%	26,930
Chisago County	17.1%	44.3%	27.9%	9.7%	1.1%	39,822
Mille Lacs County	10.0%	35.6%	33.3%	17.1%	4.0%	19,289
Sherburne County	16.2%	41.2%	33.1%	7.8%	1.7%	62,180
Stearns County	13.6%	47.8%	30.9%	4.7%	3.1%	117,219
Entire five-county region	14.4%	44.0%	31.8%	7.5%	2.3%	265,440

5. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?

	Within the past year	Within the past 2 years	Within the past 5 years	5 or more years ago	Never	N
Sherburne County, Zimmerman area total	63.0%	22.5%	5.5%	9.0%	0.0%	10,095
Gender						
Female	80.5%	15.6%	2.8%	1.1%	0.0%	4,914
Male	46.2%	29.3%	8.1%	16.5%	0.0%	5,156
Age						
18-34	54.5%	26.0%	4.9%	14.6%	0.0%	3,232
35-44	49.3%	33.9%	9.2%	7.6%	0.0%	2,464
45-54	71.5%	16.7%	1.0%	10.8%	0.0%	2,270
55-64	79.7%	9.7%	10.6%	0.0%	0.0%	1,267
65-74	86.4%	11.3%	2.3%	0.0%	0.0%	582
75+	89.3%	10.7%	0.0%	0.0%	0.0%	255
Highest level of education						
Less than high school diploma/GED	41.5%	58.5%	0.0%	0.0%	0.0%	290
High school diploma/GED	60.3%	14.2%	8.9%	16.6%	0.0%	2,251
Some college or AA degree	67.2%	16.7%	6.2%	10.0%	0.0%	4,866
Bachelor's degree or higher	59.9%	36.4%	2.0%	1.7%	0.0%	2,669
Household income (in 2012)						
Less than \$20,000	50.9%	12.2%	36.9%	0.0%	0.0%	461
\$20,000 - \$34,999	93.7%	3.6%	0.0%	2.7%	0.0%	682
\$35,000 - \$49,999	53.1%	11.0%	10.4%	25.5%	0.0%	1,642
\$50,000 - \$99,999	55.8%	36.3%	2.6%	5.4%	0.0%	4,683
\$100,000+	75.9%	10.7%	4.1%	9.3%	0.0%	2,311
Household type						
Single adult, no children	57.0%	3.3%	19.1%	20.6%	0.0%	825
2+ adults, no children	63.7%	23.7%	5.5%	7.1%	0.0%	5,120
Single adult, 1+ children	69.4%	21.8%	4.9%	3.9%	0.0%	474
2+ adults, 1+ children	62.6%	25.2%	2.5%	9.7%	0.0%	3,675
All areas included in the study						
Benton County	62.0%	14.0%	11.1%	10.2%	2.6%	27,085
Chisago County	66.0%	16.1%	3.2%	10.5%	4.1%	40,040
Mille Lacs County	80.8%	10.1%	3.0%	5.7%	0.3%	19,464
Sherburne County	72.4%	13.8%	7.0%	6.0%	0.7%	62,606
Stearns County	63.4%	15.9%	9.4%	8.1%	3.1%	117,563
Entire five-county region	67.1%	14.8%	7.6%	8.0%	2.5%	266,757

6. During the past 12 months, was there a time when you thought you needed medical care but did not get it or delayed getting it?

	Yes	No	N
Sherburne County, Zimmerman area total	33.3%	66.7%	10,069
Gender			
Female	36.9%	63.1%	4,889
Male	30.1%	69.9%	5,156
Age			
18-34	31.0%	69.0%	3,232
35-44	36.9%	63.1%	2,464
45-54	37.3%	62.7%	2,258
55-64	38.7%	61.3%	1,267
65-74	19.6%	80.4%	569
75+	0.0%	100.0%	255
Highest level of education			
Less than high school diploma/GED	63.7%	36.3%	290
High school diploma/GED	22.1%	77.9%	2,251
Some college or AA degree	37.9%	62.1%	4,840
Bachelor's degree or higher	31.3%	68.7%	2,669
Household income (in 2012)			
Less than \$20,000	32.9%	67.1%	473
\$20,000 - \$34,999	56.8%	43.2%	682
\$35,000 - \$49,999	28.9%	71.1%	1,629
\$50,000 - \$99,999	40.9%	59.1%	4,683
\$100,000+	17.0%	83.0%	2,311
Household type			
Single adult, no children	41.2%	58.8%	837
2+ adults, no children	31.3%	68.7%	5,107
Single adult, 1+ children	17.8%	82.2%	474
2+ adults, 1+ children	36.3%	63.7%	3,650
All areas included in the study			
Benton County	38.9%	61.1%	26,922
Chisago County	34.4%	65.6%	39,980
Mille Lacs County	35.6%	64.4%	19,401
Sherburne County	32.1%	67.9%	62,552
Stearns County	29.7%	70.3%	116,370
Entire five-county region	32.4%	67.6%	265,225

7. (Of those who said they had delayed getting medical care they needed in the past 12 months) Why did you not get or delay getting the medical care you thought you needed?

	Cost of care	Insurance issues/lack of insurance coverage	Self-care or other healing approaches	Transportation or personal scheduling barriers	Clinical access or scheduling barriers	Mistrust or fear of health care	Other reasons	N
Sherburne County, Zimmerman area total	44.3%	31.2%	39.6%	5.5%	2.1%	0.4%	1.2%	3,353
Gender								
Female	45.9%	37.5%	27.7%	8.4%	3.9%	0.8%	2.2%	1,802
Male	42.4%	23.8%	53.5%	2.1%	0.0%	0.0%	0.0%	1,551
Age								
18-34	47.4%	21.1%	54.2%	7.0%	0.0%	0.0%	0.0%	1,001
35-44	39.2%	21.6%	53.5%	0.0%	0.0%	0.0%	0.0%	908
45-54	47.7%	49.1%	15.5%	4.3%	5.8%	0.0%	2.9%	842
55-64	36.7%	40.1%	20.1%	7.7%	3.1%	3.1%	3.1%	490
65-74	65.0%	24.0%	63.9%	35.0%	6.0%	0.0%	0.0%	112
75+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0
Highest level of education								
Less than high school diploma/GED	91.9%	8.1%	0.0%	8.1%	0.0%	0.0%	0.0%	185
High school diploma/GED	50.6%	37.7%	17.8%	30.9%	1.4%	3.0%	0.0%	497
Some college or AA degree	46.8%	33.3%	40.6%	0.8%	2.7%	0.0%	2.1%	1,836
Bachelor's degree or higher	24.5%	27.7%	59.4%	0.0%	1.8%	0.0%	0.0%	835
Household income (in 2012)								
Less than \$20,000	9.7%	70.9%	14.5%	14.5%	0.0%	0.0%	9.7%	155
\$20,000 - \$34,999	19.0%	57.7%	36.0%	10.1%	8.0%	0.0%	6.3%	387
\$35,000 - \$49,999	71.8%	46.2%	23.7%	0.0%	0.0%	0.0%	0.0%	471
\$50,000 - \$99,999	49.2%	23.7%	41.4%	6.4%	1.3%	0.0%	0.0%	1,913
\$100,000+	29.7%	10.0%	58.9%	0.0%	3.8%	3.8%	0.0%	393

7. (Of those who said they had delayed getting medical care they needed in the past 12 months) Why did you not get or delay getting the medical care you thought you needed?

	Cost of care	Insurance issues/lack of insurance coverage	Self-care or other healing approaches	Transportation or personal scheduling barriers	Clinical access or scheduling barriers	Mistrust or fear of health care	Other reasons	N
Household type								
Single adult, no children	53.9%	40.6%	53.4%	4.1%	1.9%	0.0%	0.0%	345
2+ adults, no children	43.3%	23.3%	33.4%	6.2%	0.9%	0.9%	0.9%	1,598
Single adult, 1+ children	78.0%	58.3%	0.0%	0.0%	0.0%	0.0%	0.0%	85
2+ adults, 1+ children	40.8%	36.5%	46.1%	5.3%	3.7%	0.0%	1.8%	1,326
All areas included in the study								
Benton County	54.3%	25.8%	45.4%	7.5%	9.8%	10.7%	2.5%	10,281
Chisago County	44.0%	25.5%	51.6%	5.5%	5.7%	5.0%	0.5%	13,761
Mille Lacs County	50.2%	20.2%	39.0%	9.8%	5.3%	8.4%	0.7%	6,898
Sherburne County	46.3%	29.3%	39.2%	8.7%	5.1%	1.1%	1.3%	20,056
Stearns County	46.9%	28.0%	45.9%	10.3%	5.9%	1.5%	3.4%	34,262
Entire five-county region	47.5%	27.0%	44.6%	8.8%	6.1%	3.7%	2.1%	85,258

8. How would you rate your overall level of stress?

	High	Medium	Low	N
Sherburne County, Zimmerman area total	17.9%	51.4%	30.7%	10,054
Gender				
Female	20.0%	56.6%	23.4%	4,874
Male	16.1%	46.6%	37.3%	5,156
Age				
18-34	14.7%	51.6%	33.7%	3,232
35-44	29.3%	41.7%	29.0%	2,464
45-54	11.6%	71.6%	16.8%	2,258
55-64	23.0%	44.5%	32.5%	1,252
65-74	9.7%	30.2%	60.1%	569
75+	0.0%	48.0%	52.0%	255
Highest level of education				
Less than high school diploma/GED	5.2%	67.8%	27.0%	290
High school diploma/GED	9.9%	56.8%	33.3%	2,251
Some college or AA degree	22.9%	50.6%	26.4%	4,853
Bachelor's degree or higher	17.1%	45.9%	37.0%	2,641
Household income (in 2012)				
Less than \$20,000	63.9%	16.3%	19.8%	473
\$20,000 - \$34,999	34.5%	44.4%	21.1%	668
\$35,000 - \$49,999	10.8%	66.7%	22.4%	1,642
\$50,000 - \$99,999	20.6%	49.0%	30.4%	4,683
\$100,000+	5.5%	53.5%	41.0%	2,272
Household type				
Single adult, no children	33.5%	49.2%	17.3%	837
2+ adults, no children	11.4%	52.5%	36.1%	5,092
Single adult, 1+ children	17.8%	31.5%	50.7%	474
2+ adults, 1+ children	23.6%	52.8%	23.6%	3,650
All areas included in the study				
Benton County	22.1%	56.5%	21.4%	26,988
Chisago County	21.7%	57.1%	21.2%	39,578
Mille Lacs County	15.9%	64.0%	20.1%	19,002
Sherburne County	17.6%	58.0%	24.4%	62,292
Stearns County	18.7%	54.3%	27.0%	116,678
Entire five-county region	19.1%	56.5%	24.4%	264,538

9. During the past 30 days, for about how many days have you felt sad, blue, or depressed?

	0 days	1-9 days	10-19 days	20-29 days	All 30 days	Total
Sherburne County, Zimmerman area total	30.4%	48.2%	11.6%	7.4%	2.5%	9,658
Gender						
Female	27.7%	49.6%	12.5%	9.3%	0.8%	4,722
Male	32.6%	47.1%	10.7%	5.5%	4.1%	4,912
Age						
18-34	22.9%	61.7%	3.4%	6.9%	5.1%	3,075
35-44	28.9%	31.1%	26.3%	12.2%	1.5%	2,464
45-54	30.3%	55.2%	10.4%	4.2%	0.0%	2,209
55-64	42.1%	40.7%	8.8%	6.2%	2.2%	1,207
65-74	48.1%	38.2%	4.9%	5.9%	2.9%	550
75+	42.1%	57.9%	0.0%	0.0%	0.0%	129
Highest level of education						
Less than high school diploma/GED	0.0%	29.8%	64.5%	5.7%	0.0%	263
High school diploma/GED	38.3%	46.9%	8.7%	4.2%	1.8%	2,042
Some college or AA degree	24.6%	46.3%	13.9%	11.0%	4.2%	4,721
Bachelor's degree or higher	37.9%	55.0%	3.5%	3.6%	0.0%	2,613
Household income (in 2012)						
Less than \$20,000	3.6%	37.2%	9.2%	49.9%	0.0%	416
\$20,000 - \$34,999	7.5%	51.9%	21.5%	12.4%	6.8%	634
\$35,000 - \$49,999	34.9%	44.1%	13.4%	7.5%	0.0%	1,409
\$50,000 - \$99,999	21.4%	57.7%	9.7%	6.9%	4.2%	4,629
\$100,000+	51.9%	35.9%	12.2%	0.0%	0.0%	2,311
Household type						
Single adult, no children	14.1%	40.0%	16.0%	3.5%	26.5%	656
2+ adults, no children	34.5%	47.7%	10.6%	6.6%	0.5%	4,922
Single adult, 1+ children	11.4%	76.9%	7.8%	3.9%	0.0%	474
2+ adults, 1+ children	30.2%	46.7%	12.5%	9.6%	1.0%	3,605
All areas included in the study						
Benton County	34.9%	43.3%	13.7%	4.3%	3.7%	25,346
Chisago County	36.6%	48.2%	8.9%	4.6%	1.6%	38,382
Mille Lacs County	32.2%	51.3%	6.3%	5.3%	4.9%	18,517
Sherburne County	36.6%	45.0%	10.1%	6.2%	2.1%	60,587
Stearns County	36.8%	44.6%	7.4%	6.8%	4.4%	113,146
Entire five-county region	36.2%	45.6%	8.8%	6.0%	3.4%	255,977

10. During the past 12 months, was there a time when you wanted to talk with or seek help from a health professional about emotional problems such as stress, depression, excess worrying, troubling thoughts, or emotional problems, but did not or delayed talking with someone?

	Yes	No	N
Sherburne County, Zimmerman area total	20.3%	79.7%	10,027
Gender			
Female	21.2%	78.8%	4,846
Male	19.6%	80.4%	5,156
Age			
18-34	14.7%	85.3%	3,232
35-44	38.6%	61.4%	2,408
45-54	13.6%	86.4%	2,258
55-64	23.0%	77.0%	1,267
65-74	6.2%	93.8%	582
75+	0.0%	100.0%	255
Highest level of education			
Less than high school diploma/GED	58.5%	41.5%	290
High school diploma/GED	14.3%	85.7%	2,251
Some college or AA degree	24.3%	75.7%	4,798
Bachelor's degree or higher	14.2%	85.8%	2,669
Household income (in 2012)			
Less than \$20,000	58.8%	41.2%	473
\$20,000 - \$34,999	29.8%	70.2%	682
\$35,000 - \$49,999	15.4%	84.6%	1,642
\$50,000 - \$99,999	23.3%	76.7%	4,628
\$100,000+	9.7%	90.3%	2,311
Household type			
Single adult, no children	41.3%	58.7%	837
2+ adults, no children	15.8%	84.2%	5,065
Single adult, 1+ children	7.8%	92.2%	474
2+ adults, 1+ children	23.4%	76.6%	3,650
All areas included in the study			
Benton County	22.3%	77.7%	26,544
Chisago County	19.6%	80.4%	39,800
Mille Lacs County	19.8%	80.2%	19,385
Sherburne County	17.5%	82.5%	62,497
Stearns County	22.4%	77.6%	116,931
Entire five-county region	20.6%	79.4%	265,156

11. (Of those who said they had delayed getting care they needed for emotional problems in the past 12 months) Why did you not get or delay getting the care you thought you needed?

	Cost of care	Insurance issues/lack of insurance coverage	Self-care or other healing approaches	Transportation or personal scheduling barriers	Clinical access or scheduling barriers	Mistrust or fear of health care	Other reasons	N
Sherburne County, Zimmerman area total	38.1%	33.3%	33.8%	9.9%	19.1%	29.8%	3.2%	2,023
Gender								
Female	42.1%	28.8%	40.7%	19.5%	20.0%	24.5%	6.2%	1,029
Male	34.1%	38.0%	26.7%	0.0%	18.2%	35.3%	0.0%	994
Age								
18-34	14.9%	14.9%	37.1%	29.7%	62.9%	62.9%	0.0%	475
35-44	42.3%	39.4%	34.3%	4.0%	0.0%	30.3%	0.0%	929
45-54	61.2%	30.4%	38.3%	0.0%	7.5%	7.5%	15.8%	308
55-64	36.5%	49.4%	24.7%	7.8%	15.5%	0.0%	5.2%	291
65-74	66.7%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	20
75+	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0
Highest level of education								
Less than high school diploma/GED	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	170
High school diploma/GED	46.4%	31.6%	24.2%	24.2%	26.0%	21.9%	15.1%	323
Some college or AA degree	36.2%	35.1%	29.2%	7.4%	16.9%	23.4%	1.3%	1,152
Bachelor's degree or higher	54.2%	44.5%	71.4%	9.8%	28.7%	24.7%	0.0%	379
Household income (in 2012)								
Less than \$20,000	78.6%	78.6%	2.7%	2.7%	13.2%	0.0%	0.0%	278
\$20,000 - \$34,999	36.3%	81.7%	4.0%	0.0%	0.0%	0.0%	0.0%	187
\$35,000 - \$49,999	81.8%	34.3%	67.2%	0.0%	9.1%	9.1%	0.0%	254
\$50,000 - \$99,999	25.7%	20.0%	25.5%	17.9%	28.9%	53.7%	3.7%	1,080
\$100,000+	0.0%	0.0%	100.0%	0.0%	6.7%	0.0%	10.9%	224

11. (Of those who said they had delayed getting care they needed for emotional problems in the past 12 months) Why did you not get or delay getting the care you thought you needed? (continued)

	Cost of care	Insurance issues/lack of insurance coverage	Self-care or other healing approaches	Transportation or personal scheduling barriers	Clinical access or scheduling barriers	Mistrust or fear of health care	Other reasons	N
Household type								
Single adult, no children	11.5%	32.7%	22.2%	2.3%	59.0%	54.7%	0.0%	330
2+ adults, no children	60.7%	36.5%	22.0%	1.9%	12.4%	30.0%	6.1%	801
Single adult, 1+ children	100.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	37
2+ adults, 1+ children	24.6%	27.7%	50.9%	20.8%	10.9%	21.3%	1.8%	855
All areas included in the study								
Benton County	39.0%	25.7%	47.1%	17.0%	24.1%	25.9%	4.4%	5,680
Chisago County	39.7%	23.8%	43.9%	0.9%	11.3%	24.7%	10.6%	7,810
Mille Lacs County	34.0%	16.8%	33.1%	22.9%	10.9%	13.5%	1.8%	3,757
Sherburne County	37.8%	23.6%	38.4%	9.2%	19.2%	31.0%	5.7%	10,767
Stearns County	32.0%	20.1%	43.6%	6.7%	16.4%	37.5%	1.4%	26,154
Entire five-county region	35.1%	21.7%	42.3%	8.6%	16.7%	31.5%	3.9%	54,167

12. Which statement best describes the medications prescribed for you in the past 6 months?

	I had no medications prescribed for me	I had medications prescribed for me and I filled them all	I had medications prescribed for me and I did not fill at least one of them	N
Sherburne County, Zimmerman area total	45.7%	48.4%	5.9%	10,053
Gender				
Female	34.3%	57.4%	8.3%	4,872
Male	56.2%	40.1%	3.7%	5,156
Age				
18-34	64.6%	32.1%	3.3%	3,232
35-44	48.3%	48.0%	3.8%	2,464
45-54	39.4%	53.3%	7.2%	2,283
55-64	25.5%	60.9%	13.6%	1,267
65-74	7.0%	82.7%	10.3%	575
75+	13.1%	86.9%	0.0%	207
Highest level of education				
Less than high school diploma/GED	9.2%	90.8%	0.0%	290
High school diploma/GED	60.2%	35.8%	4.0%	2,251
Some college or AA degree	34.6%	56.5%	8.9%	4,823
Bachelor's degree or higher	57.0%	40.2%	2.8%	2,669
Household income (in 2012)				
Less than \$20,000	46.2%	48.0%	5.8%	466
\$20,000 - \$34,999	12.1%	75.0%	12.9%	634
\$35,000 - \$49,999	52.2%	41.0%	6.8%	1,642
\$50,000 - \$99,999	49.5%	44.0%	6.5%	4,683
\$100,000+	44.3%	52.7%	3.1%	2,311
Household type				
Single adult, no children	33.7%	63.3%	3.1%	831
2+ adults, no children	50.2%	43.4%	6.5%	5,073
Single adult, 1+ children	45.9%	51.6%	2.6%	474
2+ adults, 1+ children	42.2%	51.6%	6.2%	3,675
All areas included in the study				
Benton County	47.3%	45.6%	7.1%	26,828
Chisago County	37.7%	55.1%	7.1%	39,719
Mille Lacs County	32.7%	62.4%	5.0%	19,284
Sherburne County	38.6%	53.1%	8.3%	62,421
Stearns County	48.9%	47.2%	3.9%	117,103
Entire five-county region	43.5%	50.7%	5.8%	265,356

13. (Of those who said they had not filled at least one of their prescriptions in the past 6 months) Why did you not fill at least one prescription?

	Cost or insurance issues	Concerns about medications	Used alternatives to prescription medication	Concerns about staff or clinic / Provider access barrier	Other issues	N
Sherburne County, Zimmerman area total	71.8%	23.6%	17.8%	0.0%	2.5%	596
Gender						
Female	66.4%	26.7%	26.2%	0.0%	3.7%	404
Male	83.1%	16.9%	0.0%	0.0%	0.0%	191
Age						
18-34	0.0%	0.0%	100.0%	0.0%	0.0%	106
35-44	100.0%	100.0%	0.0%	0.0%	0.0%	93
45-54	100.0%	0.0%	0.0%	0.0%	0.0%	165
55-64	82.5%	8.7%	0.0%	0.0%	8.7%	172
65-74	45.4%	54.6%	0.0%	0.0%	0.0%	59
75+	0.0%	0.0%	0.0%	0.0%	0.0%	0
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	0.0%	0.0%	0.0%	0
High school diploma/GED	46.9%	53.1%	0.0%	0.0%	0.0%	89
Some college or AA degree	72.0%	21.6%	24.5%	0.0%	3.5%	431
Bachelor's degree or higher	100.0%	0.0%	0.0%	0.0%	0.0%	75
Household income (in 2012)						
Less than \$20,000	44.7%	0.0%	0.0%	0.0%	55.3%	27
\$20,000 - \$34,999	60.4%	39.6%	0.0%	0.0%	0.0%	82
\$35,000 - \$49,999	100.0%	0.0%	0.0%	0.0%	0.0%	112
\$50,000 - \$99,999	60.3%	35.5%	34.8%	0.0%	0.0%	304
\$100,000+	100.0%	0.0%	0.0%	0.0%	0.0%	70

13. (Of those who said they had not filled at least one of their prescriptions in the past 6 months) Why did you not fill at least one prescription? (continued)

	Cost or insurance issues	Concerns about medications	Used alternatives to prescription medication	Concerns about staff or clinic / Provider access barrier	Other issues	N
Household type						
Single adult, no children	100.0%	0.0%	0.0%	0.0%	0.0%	26
2+ adults, no children	81.0%	31.4%	0.0%	0.0%	4.6%	328
Single adult, 1+ children	100.0%	0.0%	0.0%	0.0%	0.0%	12
2+ adults, 1+ children	53.9%	16.2%	46.1%	0.0%	0.0%	229
All areas included in the study						
Benton County	62.1%	35.1%	2.0%	1.1%	2.1%	1,781
Chisago County	44.7%	58.7%	21.7%	0.0%	0.0%	2,839
Mille Lacs County	68.8%	61.0%	0.0%	0.0%	17.6%	889
Sherburne County	63.3%	22.7%	16.4%	1.5%	4.5%	4,831
Stearns County	65.2%	41.0%	4.9%	0.9%	13.8%	4,526
Entire five-county region	60.5%	38.9%	11.2%	0.9%	6.9%	14,866

14. Do you currently have any kind of health care coverage, including health insurance or government plans such as Medicaid, Medicare, or Indian Health Services?

	Yes	No	N
Sherburne County, Zimmerman area total	85.2%	14.8%	10,083
Gender			
Female	84.5%	15.5%	4,902
Male	85.9%	14.1%	5,156
Age			
18-34	95.6%	4.4%	3,232
35-44	71.4%	28.6%	2,464
45-54	82.2%	17.8%	2,258
55-64	83.1%	16.9%	1,267
65-74	95.4%	4.6%	582
75+	100.0%	0.0%	255
Highest level of education			
Less than high school diploma/GED	94.8%	5.2%	290
High school diploma/GED	94.1%	5.9%	2,251
Some college or AA degree	77.7%	22.3%	4,853
Bachelor's degree or higher	90.3%	9.7%	2,669
Household income (in 2012)			
Less than \$20,000	52.7%	47.3%	473
\$20,000 - \$34,999	83.7%	16.3%	682
\$35,000 - \$49,999	83.0%	17.0%	1,642
\$50,000 - \$99,999	87.8%	12.2%	4,683
\$100,000+	87.0%	13.0%	2,311
Household type			
Single adult, no children	86.0%	14.0%	837
2+ adults, no children	86.3%	13.7%	5,120
Single adult, 1+ children	78.6%	21.4%	474
2+ adults, 1+ children	84.4%	15.6%	3,650
All areas included in the study			
Benton County	87.2%	12.8%	27,021
Chisago County	87.9%	12.1%	39,980
Mille Lacs County	88.7%	11.3%	19,350
Sherburne County	85.9%	14.1%	62,644
Stearns County	88.2%	11.8%	117,368
Entire five-county region	87.6%	12.4%	266,363

15. (Of those who said they have health insurance) Is your health insurance a high deductible plan?

	Yes	No	N
Sherburne County, Zimmerman area total	41.7%	58.3%	8,210
Gender			
Female	45.7%	54.3%	3,945
Male	38.1%	61.9%	4,240
Age			
18-34	39.3%	60.7%	2,863
35-44	38.3%	61.7%	1,760
45-54	57.4%	42.6%	1,807
55-64	50.0%	50.0%	1,008
65-74	15.4%	84.6%	516
75+	0.0%	100.0%	231
Highest level of education			
Less than high school diploma/GED	71.4%	28.6%	275
High school diploma/GED	35.6%	64.4%	1,874
Some college or AA degree	47.0%	53.0%	3,739
Bachelor's degree or higher	34.8%	65.2%	2,302
Household income (in 2012)			
Less than \$20,000	14.6%	85.4%	235
\$20,000 - \$34,999	11.7%	88.3%	514
\$35,000 - \$49,999	40.8%	59.2%	1,181
\$50,000 - \$99,999	40.3%	59.7%	4,087
\$100,000+	60.7%	39.3%	1,901
Household type			
Single adult, no children	35.3%	64.7%	517
2+ adults, no children	40.9%	59.1%	4,332
Single adult, 1+ children	16.1%	83.9%	373
2+ adults, 1+ children	47.1%	52.9%	2,987
All areas included in the study			
Benton County	41.3%	58.7%	22,030
Chisago County	39.2%	60.8%	32,818
Mille Lacs County	50.5%	49.5%	15,917
Sherburne County	42.7%	57.3%	50,789
Stearns County	41.0%	59.0%	95,177
Entire five-county region	41.9%	58.1%	216,731

16. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Health insurance or coverage through your employer or your spouse/partner, parent, or someone else's employer

	Checked	Not checked	N
Sherburne County, Zimmerman area total	77.8%	22.2%	8,468
Gender			
Female	69.4%	30.6%	4,014
Male	85.4%	14.6%	4,430
Age			
18-34	94.2%	5.8%	3,020
35-44	78.9%	21.1%	1,760
45-54	80.4%	19.6%	1,831
55-64	65.8%	34.2%	1,045
65-74	22.3%	77.7%	555
75+	22.1%	77.9%	231
Highest level of education			
Less than high school diploma/GED	61.7%	38.3%	275
High school diploma/GED	75.6%	24.4%	2,087
Some college or AA degree	75.3%	24.7%	3,770
Bachelor's degree or higher	86.5%	13.5%	2,317
Household income (in 2012)			
Less than \$20,000	3.1%	96.9%	241
\$20,000 - \$34,999	22.8%	77.2%	571
\$35,000 - \$49,999	68.4%	31.6%	1,339
\$50,000 - \$99,999	86.9%	13.1%	4,110
\$100,000+	93.6%	6.4%	1,916
Household type			
Single adult, no children	85.5%	14.5%	689
2+ adults, no children	77.9%	22.1%	4,395
Single adult, 1+ children	74.4%	25.6%	373
2+ adults, 1+ children	76.5%	23.5%	3,011
All areas included in the study			
Benton County	66.1%	33.9%	22,951
Chisago County	71.5%	28.5%	33,651
Mille Lacs County	62.5%	37.5%	16,222
Sherburne County	73.2%	26.8%	51,852
Stearns County	71.1%	28.9%	96,375
Entire five-county region	70.5%	29.5%	221,051

17. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Health insurance or coverage bought directly by you or your family

	Checked	Not checked	N
Sherburne County, Zimmerman area total	9.2%	90.8%	8,468
Gender			
Female	10.9%	89.1%	4,014
Male	7.7%	92.3%	4,430
Age			
18-34	5.8%	94.2%	3,020
35-44	2.1%	97.9%	1,760
45-54	10.4%	89.6%	1,831
55-64	4.7%	95.3%	1,045
65-74	43.6%	56.4%	555
75+	35.3%	64.7%	231
Highest level of education			
Less than high school diploma/GED	19.8%	80.2%	275
High school diploma/GED	9.6%	90.4%	2,087
Some college or AA degree	10.6%	89.4%	3,770
Bachelor's degree or higher	5.4%	94.6%	2,317
Household income (in 2012)			
Less than \$20,000	14.0%	86.0%	241
\$20,000 - \$34,999	10.6%	89.4%	571
\$35,000 - \$49,999	22.2%	77.8%	1,339
\$50,000 - \$99,999	6.5%	93.5%	4,110
\$100,000+	2.5%	97.5%	1,916
Household type			
Single adult, no children	2.9%	97.1%	689
2+ adults, no children	13.2%	86.8%	4,395
Single adult, 1+ children	6.2%	93.8%	373
2+ adults, 1+ children	5.2%	94.8%	3,011
All areas included in the study			
Benton County	16.6%	83.4%	22,951
Chisago County	13.4%	86.6%	33,651
Mille Lacs County	16.1%	83.9%	16,222
Sherburne County	11.3%	88.7%	51,852
Stearns County	13.6%	86.4%	96,375
Entire five-county region	13.5%	86.5%	221,051

18. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Indian or Tribal Health Service

	Checked	Not checked	N
Sherburne County, Zimmerman area total	0.0%	100.0%	8,468
Gender			
Female	0.0%	100.0%	4,014
Male	0.0%	100.0%	4,430
Age			
18-34	0.0%	100.0%	3,020
35-44	0.0%	100.0%	1,760
45-54	0.0%	100.0%	1,831
55-64	0.0%	100.0%	1,045
65-74	0.0%	100.0%	555
75+	0.0%	100.0%	231
Highest level of education			
Less than high school diploma/GED	0.0%	100.0%	275
High school diploma/GED	0.0%	100.0%	2,087
Some college or AA degree	0.0%	100.0%	3,770
Bachelor's degree or higher	0.0%	100.0%	2,317
Household income (in 2012)			
Less than \$20,000	0.0%	100.0%	241
\$20,000 - \$34,999	0.0%	100.0%	571
\$35,000 - \$49,999	0.0%	100.0%	1,339
\$50,000 - \$99,999	0.0%	100.0%	4,110
\$100,000+	0.0%	100.0%	1,916
Household type			
Single adult, no children	0.0%	100.0%	689
2+ adults, no children	0.0%	100.0%	4,395
Single adult, 1+ children	0.0%	100.0%	373
2+ adults, 1+ children	0.0%	100.0%	3,011
All areas included in the study			
Benton County	0.1%	99.9%	22,951
Chisago County	0.0%	100.0%	33,651
Mille Lacs County	3.1%	96.9%	16,222
Sherburne County	0.1%	99.9%	51,852
Stearns County	0.0%	100.0%	96,375
Entire five-county region	0.3%	99.7%	221,051

19. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Medicare

	Checked	Not checked	N
Sherburne County, Zimmerman area total	10.9%	89.1%	8,468
Gender			
Female	11.6%	88.4%	4,014
Male	10.4%	89.6%	4,430
Age			
18-34	0.0%	100.0%	3,020
35-44	3.2%	96.8%	1,760
45-54	3.8%	96.2%	1,831
55-64	9.0%	91.0%	1,045
65-74	95.2%	4.8%	555
75+	76.5%	23.5%	231
Highest level of education			
Less than high school diploma/GED	29.5%	70.5%	275
High school diploma/GED	15.0%	85.0%	2,087
Some college or AA degree	11.2%	88.8%	3,770
Bachelor's degree or higher	3.9%	96.1%	2,317
Household income (in 2012)			
Less than \$20,000	31.4%	68.6%	241
\$20,000 - \$34,999	51.1%	48.9%	571
\$35,000 - \$49,999	13.5%	86.5%	1,339
\$50,000 - \$99,999	5.6%	94.4%	4,110
\$100,000+	0.0%	100.0%	1,916
Household type			
Single adult, no children	13.1%	86.9%	689
2+ adults, no children	16.9%	83.1%	4,395
Single adult, 1+ children	5.0%	95.0%	373
2+ adults, 1+ children	2.5%	97.5%	3,011
All areas included in the study			
Benton County	18.2%	81.8%	22,951
Chisago County	15.7%	84.3%	33,651
Mille Lacs County	25.8%	74.2%	16,222
Sherburne County	15.1%	84.9%	51,852
Stearns County	18.4%	81.6%	96,375
Entire five-county region	17.7%	82.3%	221,051

20. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Medicaid, Medical Assistance (MA), or Prepaid Medical Assistance Program (PMAP)

	Checked	Not checked	N
Sherburne County, Zimmerman area total	3.9%	96.1%	8,468
Gender			
Female	8.3%	91.7%	4,014
Male	0.0%	100.0%	4,430
Age			
18-34	5.8%	94.2%	3,020
35-44	5.3%	94.7%	1,760
45-54	2.7%	97.3%	1,831
55-64	1.4%	98.6%	1,045
65-74	0.0%	100.0%	555
75+	0.0%	100.0%	231
Highest level of education			
Less than high school diploma/GED	8.9%	91.1%	275
High school diploma/GED	1.8%	98.2%	2,087
Some college or AA degree	6.7%	93.3%	3,770
Bachelor's degree or higher	0.0%	100.0%	2,317
Household income (in 2012)			
Less than \$20,000	30.9%	69.1%	241
\$20,000 - \$34,999	18.9%	81.1%	571
\$35,000 - \$49,999	0.0%	100.0%	1,339
\$50,000 - \$99,999	3.2%	96.8%	4,110
\$100,000+	0.0%	100.0%	1,916
Household type			
Single adult, no children	0.0%	100.0%	689
2+ adults, no children	1.5%	98.5%	4,395
Single adult, 1+ children	14.4%	85.6%	373
2+ adults, 1+ children	7.2%	92.8%	3,011
All areas included in the study			
Benton County	6.6%	93.4%	22,951
Chisago County	6.5%	93.5%	33,651
Mille Lacs County	8.5%	91.5%	16,222
Sherburne County	6.0%	94.0%	51,852
Stearns County	7.0%	93.0%	96,375
Entire five-county region	6.8%	93.2%	221,051

21. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Minnesota Comprehensive Health Association (MCHA)

	Checked	Not checked	N
Sherburne County, Zimmerman area total	0.4%	99.6%	8,468
Gender			
Female	0.6%	99.4%	4,014
Male	0.3%	99.7%	4,430
Age			
18-34	0.0%	100.0%	3,020
35-44	0.0%	100.0%	1,760
45-54	0.0%	100.0%	1,831
55-64	3.4%	96.6%	1,045
65-74	0.0%	100.0%	555
75+	0.0%	100.0%	231
Highest level of education			
Less than high school diploma/GED	0.0%	100.0%	275
High school diploma/GED	0.0%	100.0%	2,087
Some college or AA degree	0.4%	99.6%	3,770
Bachelor's degree or higher	0.9%	99.1%	2,317
Household income (in 2012)			
Less than \$20,000	0.0%	100.0%	241
\$20,000 - \$34,999	0.0%	100.0%	571
\$35,000 - \$49,999	0.0%	100.0%	1,339
\$50,000 - \$99,999	0.7%	99.3%	4,110
\$100,000+	0.4%	99.6%	1,916
Household type			
Single adult, no children	3.0%	97.0%	689
2+ adults, no children	0.3%	99.7%	4,395
Single adult, 1+ children	0.0%	100.0%	373
2+ adults, 1+ children	0.0%	100.0%	3,011
All areas included in the study			
Benton County	0.7%	99.3%	22,951
Chisago County	0.8%	99.2%	33,651
Mille Lacs County	0.6%	99.4%	16,222
Sherburne County	0.6%	99.4%	51,852
Stearns County	0.3%	99.7%	96,375
Entire five-county region	0.5%	99.5%	221,051

22. (Of those who said they have health insurance) Which of the following types of health insurance do you have? MinnesotaCare

	Checked	Not checked	N
Sherburne County, Zimmerman area total	5.2%	94.8%	8,468
Gender			
Female	9.2%	90.8%	4,014
Male	1.6%	98.4%	4,430
Age			
18-34	0.0%	100.0%	3,020
35-44	11.6%	88.4%	1,760
45-54	4.5%	95.5%	1,831
55-64	9.0%	91.0%	1,045
65-74	2.4%	97.6%	555
75+	20.6%	79.4%	231
Highest level of education			
Less than high school diploma/GED	0.0%	100.0%	275
High school diploma/GED	9.3%	90.7%	2,087
Some college or AA degree	6.1%	93.9%	3,770
Bachelor's degree or higher	0.0%	100.0%	2,317
Household income (in 2012)			
Less than \$20,000	40.8%	59.2%	241
\$20,000 - \$34,999	33.6%	66.4%	571
\$35,000 - \$49,999	6.2%	93.8%	1,339
\$50,000 - \$99,999	0.9%	99.1%	4,110
\$100,000+	0.0%	100.0%	1,916
Household type			
Single adult, no children	1.8%	98.2%	689
2+ adults, no children	2.3%	97.7%	4,395
Single adult, 1+ children	10.0%	90.0%	373
2+ adults, 1+ children	9.6%	90.4%	3,011
All areas included in the study			
Benton County	4.9%	95.1%	22,951
Chisago County	2.4%	97.6%	33,651
Mille Lacs County	3.0%	97.0%	16,222
Sherburne County	2.1%	97.9%	51,852
Stearns County	2.4%	97.6%	96,375
Entire five-county region	2.6%	97.4%	221,051

23. (Of those who said they have health insurance) Which of the following types of health insurance do you have? CHAMPUS, TRICARE, or Veterans' benefits

	Checked	Not checked	N
Sherburne County, Zimmerman area total	3.1%	96.9%	8,468
Gender			
Female	0.9%	99.1%	4,014
Male	5.0%	95.0%	4,430
Age			
18-34	0.0%	100.0%	3,020
35-44	0.0%	100.0%	1,760
45-54	7.6%	92.4%	1,831
55-64	5.1%	94.9%	1,045
65-74	2.4%	97.6%	555
75+	23.5%	76.5%	231
Highest level of education			
Less than high school diploma/GED	0.0%	100.0%	275
High school diploma/GED	1.9%	98.1%	2,087
Some college or AA degree	2.8%	97.2%	3,770
Bachelor's degree or higher	5.0%	95.0%	2,317
Household income (in 2012)			
Less than \$20,000	0.0%	100.0%	241
\$20,000 - \$34,999	4.7%	95.3%	571
\$35,000 - \$49,999	2.0%	98.0%	1,339
\$50,000 - \$99,999	3.4%	96.6%	4,110
\$100,000+	3.6%	96.4%	1,916
Household type			
Single adult, no children	0.0%	100.0%	689
2+ adults, no children	4.9%	95.1%	4,395
Single adult, 1+ children	0.0%	100.0%	373
2+ adults, 1+ children	1.5%	98.5%	3,011
All areas included in the study			
Benton County	3.5%	96.5%	22,951
Chisago County	2.2%	97.8%	33,651
Mille Lacs County	5.1%	94.9%	16,222
Sherburne County	3.6%	96.4%	51,852
Stearns County	3.5%	96.5%	96,375
Entire five-county region	3.4%	96.6%	221,051

24. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Other health insurance or coverage

	Checked	Not checked	N
Sherburne County, Zimmerman area total	5.4%	94.6%	8,468
Gender			
Female	7.7%	92.3%	4,014
Male	3.3%	96.7%	4,430
Age			
18-34	2.3%	97.7%	3,020
35-44	5.3%	94.7%	1,760
45-54	2.0%	98.0%	1,831
55-64	9.0%	91.0%	1,045
65-74	15.7%	84.3%	555
75+	33.8%	66.2%	231
Highest level of education			
Less than high school diploma/GED	9.9%	90.1%	275
High school diploma/GED	4.7%	95.3%	2,087
Some college or AA degree	6.0%	94.0%	3,770
Bachelor's degree or higher	4.6%	95.4%	2,317
Household income (in 2012)			
Less than \$20,000	11.3%	88.7%	241
\$20,000 - \$34,999	0.0%	100.0%	571
\$35,000 - \$49,999	13.8%	86.2%	1,339
\$50,000 - \$99,999	4.1%	95.9%	4,110
\$100,000+	3.5%	96.5%	1,916
Household type			
Single adult, no children	4.4%	95.6%	689
2+ adults, no children	6.0%	94.0%	4,395
Single adult, 1+ children	0.0%	100.0%	373
2+ adults, 1+ children	5.4%	94.6%	3,011
All areas included in the study			
Benton County	6.2%	93.8%	22,951
Chisago County	5.1%	94.9%	33,651
Mille Lacs County	10.2%	89.8%	16,222
Sherburne County	6.4%	93.6%	51,852
Stearns County	7.3%	92.7%	96,375
Entire five-county region	6.8%	93.2%	221,051

25. Have you ever been told by a doctor or other health care professional that you have diabetes?

	Yes	No	N
Sherburne County, Zimmerman area total	6.8%	93.2%	9,188
Gender			
Female	5.7%	94.3%	4,643
Male	7.9%	92.1%	4,521
Age			
18-34	0.0%	100.0%	3,075
35-44	4.9%	95.1%	2,276
45-54	0.0%	100.0%	1,980
55-64	23.8%	76.2%	1,142
65-74	30.4%	69.6%	535
75+	50.0%	50.0%	156
Highest level of education			
Less than high school diploma/GED	57.8%	42.2%	93
High school diploma/GED	9.0%	91.0%	1,944
Some college or AA degree	7.0%	93.0%	4,547
Bachelor's degree or higher	3.0%	97.0%	2,585
Household income (in 2012)			
Less than \$20,000	20.1%	79.9%	416
\$20,000 - \$34,999	20.8%	79.2%	575
\$35,000 - \$49,999	3.8%	96.2%	1,324
\$50,000 - \$99,999	7.2%	92.8%	4,338
\$100,000+	1.2%	98.8%	2,227
Household type			
Single adult, no children	4.8%	95.2%	635
2+ adults, no children	10.4%	89.6%	4,512
Single adult, 1+ children	0.0%	100.0%	456
2+ adults, 1+ children	3.5%	96.5%	3,585
All areas included in the study			
Benton County	9.1%	90.9%	24,738
Chisago County	9.1%	90.9%	36,432
Mille Lacs County	14.6%	85.4%	16,828
Sherburne County	7.5%	92.5%	57,275
Stearns County	6.4%	93.6%	105,950
Entire five-county region	7.9%	92.1%	241,223

26. Have you ever been told by a doctor or other health care professional that you have high blood pressure?

	Yes	No	N
Sherburne County, Zimmerman area total	23.3%	76.7%	9,756
Gender			
Female	17.9%	82.1%	4,876
Male	28.8%	71.2%	4,856
Age			
18-34	2.3%	97.7%	3,075
35-44	25.2%	74.8%	2,464
45-54	16.4%	83.6%	2,167
55-64	49.0%	51.0%	1,203
65-74	76.6%	23.4%	569
75+	78.7%	21.3%	255
Highest level of education			
Less than high school diploma/GED	90.8%	9.2%	264
High school diploma/GED	24.8%	75.2%	2,079
Some college or AA degree	21.4%	78.6%	4,795
Bachelor's degree or higher	18.2%	81.8%	2,600
Household income (in 2012)			
Less than \$20,000	29.3%	70.7%	431
\$20,000 - \$34,999	42.8%	57.2%	674
\$35,000 - \$49,999	22.3%	77.7%	1,439
\$50,000 - \$99,999	22.3%	77.7%	4,662
\$100,000+	16.4%	83.6%	2,242
Household type			
Single adult, no children	22.5%	77.5%	659
2+ adults, no children	30.0%	70.0%	4,994
Single adult, 1+ children	7.8%	92.2%	474
2+ adults, 1+ children	16.3%	83.7%	3,629
All areas included in the study			
Benton County	25.6%	74.4%	26,016
Chisago County	30.8%	69.2%	38,934
Mille Lacs County	34.3%	65.7%	17,966
Sherburne County	26.4%	73.6%	60,214
Stearns County	30.6%	69.4%	114,709
Entire five-county region	29.4%	70.6%	257,839

27. Have you ever been told by a doctor or other health care professional that you have high blood cholesterol?

	Yes	No	N
Sherburne County, Zimmerman area total	27.3%	72.7%	9,415
Gender			
Female	26.3%	73.7%	4,688
Male	28.4%	71.6%	4,702
Age			
18-34	8.0%	92.0%	3,075
35-44	21.4%	78.6%	2,238
45-54	35.0%	65.0%	2,212
55-64	45.2%	54.8%	1,096
65-74	80.1%	19.9%	562
75+	60.7%	39.3%	207
Highest level of education			
Less than high school diploma/GED	100.0%	0.0%	94
High school diploma/GED	27.5%	72.5%	2,027
Some college or AA degree	23.3%	76.7%	4,658
Bachelor's degree or higher	31.2%	68.8%	2,617
Household income (in 2012)			
Less than \$20,000	28.0%	72.0%	416
\$20,000 - \$34,999	40.8%	59.2%	589
\$35,000 - \$49,999	29.9%	70.1%	1,394
\$50,000 - \$99,999	22.1%	77.9%	4,404
\$100,000+	28.7%	71.3%	2,296
Household type			
Single adult, no children	37.1%	62.9%	680
2+ adults, no children	29.5%	70.5%	4,688
Single adult, 1+ children	26.8%	73.2%	456
2+ adults, 1+ children	22.6%	77.4%	3,591
All areas included in the study			
Benton County	29.1%	70.9%	26,248
Chisago County	27.4%	72.6%	37,894
Mille Lacs County	40.2%	59.8%	17,722
Sherburne County	28.5%	71.5%	60,276
Stearns County	24.3%	75.7%	109,453
Entire five-county region	27.4%	72.6%	251,593

Health habits

28. About how often do you drink pop or soda (regular)?

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	N
Sherburne County, Zimmerman area total	26.6%	37.5%	17.2%	10.6%	8.1%	9,967
Gender						
Female	34.2%	33.1%	17.0%	8.6%	7.1%	4,919
Male	18.8%	42.0%	17.4%	12.7%	9.1%	5,024
Age						
18-34	16.4%	44.5%	20.7%	9.2%	9.2%	3,232
35-44	30.1%	24.3%	19.4%	14.9%	11.4%	2,464
45-54	29.9%	36.4%	15.8%	11.5%	6.4%	2,237
55-64	40.4%	37.8%	10.9%	6.9%	4.0%	1,233
65-74	19.3%	64.1%	5.9%	4.9%	5.9%	550
75+	35.8%	32.8%	20.9%	10.4%	0.0%	228
Highest level of education						
Less than high school diploma/GED	74.9%	0.0%	5.7%	0.0%	19.4%	263
High school diploma/GED	15.7%	54.2%	12.2%	12.7%	5.3%	2,211
Some college or AA degree	26.1%	32.3%	20.8%	11.9%	8.9%	4,851
Bachelor's degree or higher	31.9%	36.6%	15.9%	7.7%	7.8%	2,623
Household income (in 2012)						
Less than \$20,000	13.0%	18.5%	11.1%	39.1%	18.3%	473
\$20,000 - \$34,999	21.1%	34.6%	35.2%	6.0%	3.0%	615
\$35,000 - \$49,999	14.6%	46.6%	18.8%	14.7%	5.4%	1,642
\$50,000 - \$99,999	28.4%	33.6%	22.2%	10.9%	4.9%	4,683
\$100,000+	38.6%	41.5%	1.1%	1.8%	17.0%	2,238
Household type						
Single adult, no children	9.0%	17.9%	22.7%	29.0%	21.4%	830
2+ adults, no children	25.8%	43.2%	17.3%	9.6%	4.1%	4,988
Single adult, 1+ children	30.2%	21.8%	11.4%	17.9%	18.8%	474
2+ adults, 1+ children	31.2%	36.3%	16.6%	6.9%	9.1%	3,675
All areas included in the study						
Benton County	30.8%	28.6%	15.7%	14.4%	10.5%	26,189
Chisago County	32.2%	36.5%	10.8%	7.9%	12.6%	38,039
Mille Lacs County	29.2%	42.9%	15.4%	6.6%	5.9%	18,979
Sherburne County	32.0%	33.0%	17.1%	9.6%	8.4%	60,770
Stearns County	33.0%	30.8%	21.4%	11.5%	3.3%	115,006
Entire five-county region	32.2%	32.8%	17.8%	10.5%	6.8%	258,982

29. About how often do you drink pop or soda (diet)?

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	N
Sherburne County, Zimmerman area total	55.0%	22.0%	7.5%	7.0%	8.6%	9,678
Gender						
Female	48.0%	24.5%	10.3%	11.2%	5.8%	4,842
Male	61.8%	19.5%	4.6%	2.7%	11.4%	4,812
Age						
18-34	52.7%	28.8%	6.5%	8.7%	3.3%	3,232
35-44	63.3%	8.1%	4.1%	7.3%	17.2%	2,294
45-54	56.7%	19.9%	9.5%	5.6%	8.2%	2,143
55-64	52.9%	21.1%	15.3%	5.7%	5.0%	1,210
65-74	42.8%	38.1%	0.0%	7.2%	11.9%	543
75+	23.5%	52.9%	11.8%	0.0%	11.8%	231
Highest level of education						
Less than high school diploma/GED	25.3%	0.0%	10.3%	0.0%	64.4%	264
High school diploma/GED	67.0%	15.2%	5.1%	5.6%	7.1%	2,160
Some college or AA degree	56.9%	21.0%	9.4%	5.5%	7.1%	4,792
Bachelor's degree or higher	43.4%	32.5%	5.4%	11.9%	6.8%	2,443
Household income (in 2012)						
Less than \$20,000	79.9%	11.7%	6.8%	0.0%	1.7%	446
\$20,000 - \$34,999	48.3%	29.4%	4.0%	4.7%	13.6%	682
\$35,000 - \$49,999	60.0%	20.1%	14.2%	0.0%	5.7%	1,586
\$50,000 - \$99,999	49.6%	21.5%	6.9%	9.9%	12.1%	4,591
\$100,000+	58.4%	23.4%	5.3%	8.8%	4.1%	2,057
Household type						
Single adult, no children	38.8%	36.4%	5.6%	.8%	18.3%	807
2+ adults, no children	59.8%	19.7%	6.4%	6.9%	7.2%	4,916
Single adult, 1+ children	40.6%	26.2%	11.4%	0.0%	21.8%	474
2+ adults, 1+ children	53.9%	21.3%	8.8%	9.6%	6.4%	3,481
All areas included in the study						
Benton County	40.7%	22.9%	19.1%	7.2%	10.2%	25,929
Chisago County	34.8%	26.4%	12.6%	11.8%	14.5%	37,938
Mille Lacs County	37.6%	29.3%	13.3%	11.9%	7.9%	18,728
Sherburne County	49.1%	19.0%	12.2%	8.6%	11.1%	60,855
Stearns County	45.1%	26.5%	13.5%	8.4%	6.4%	112,846
Entire five-county region	43.5%	24.6%	13.6%	9.1%	9.2%	256,296

30. About how often do you drink energy drinks such as Red Bull, 5-hour Energy, or Monster?

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	N
Sherburne County, Zimmerman area total	72.6%	22.8%	3.0%	1.7%	0.0%	10,050
Gender						
Female	89.6%	5.8%	4.6%	0.0%	0.0%	4,912
Male	56.1%	39.1%	1.4%	3.3%	0.0%	5,113
Age						
18-34	57.2%	37.4%	5.5%	0.0%	0.0%	3,232
35-44	71.3%	21.8%	0.0%	6.9%	0.0%	2,464
45-54	76.1%	19.8%	4.2%	0.0%	0.0%	2,283
55-64	95.0%	2.8%	2.2%	0.0%	0.0%	1,233
65-74	94.2%	5.8%	0.0%	0.0%	0.0%	559
75+	90.7%	9.3%	0.0%	0.0%	0.0%	255
Highest level of education						
Less than high school diploma/GED	35.6%	64.4%	0.0%	0.0%	0.0%	264
High school diploma/GED	51.4%	46.5%	2.1%	0.0%	0.0%	2,243
Some college or AA degree	74.3%	18.5%	3.7%	3.5%	0.0%	4,855
Bachelor's degree or higher	90.8%	6.5%	2.6%	0.0%	0.0%	2,669
Household income (in 2012)						
Less than \$20,000	88.1%	5.9%	6.0%	0.0%	0.0%	446
\$20,000 - \$34,999	80.8%	19.2%	0.0%	0.0%	0.0%	658
\$35,000 - \$49,999	60.5%	34.6%	5.0%	0.0%	0.0%	1,642
\$50,000 - \$99,999	81.0%	16.9%	2.0%	0.0%	0.0%	4,683
\$100,000+	55.1%	33.4%	4.1%	7.4%	0.0%	2,311
Household type						
Single adult, no children	68.4%	31.6%	0.0%	0.0%	0.0%	807
2+ adults, no children	69.8%	27.9%	2.4%	0.0%	0.0%	5,094
Single adult, 1+ children	65.9%	26.7%	7.4%	0.0%	0.0%	474
2+ adults, 1+ children	78.3%	13.2%	3.8%	4.6%	0.0%	3,675
All areas included in the study						
Benton County	75.1%	15.6%	5.9%	1.1%	2.3%	26,720
Chisago County	77.0%	13.6%	7.8%	1.6%	0.0%	38,890
Mille Lacs County	89.8%	7.5%	0.9%	1.8%	0.0%	19,040
Sherburne County	78.5%	17.9%	2.5%	0.7%	0.4%	61,958
Stearns County	86.2%	8.3%	1.7%	3.7%	0.1%	115,655
Entire five-county region	82.1%	12.0%	3.2%	2.3%	0.4%	262,263

31. About how often do you drink other sugar-sweetened drinks such as sweet tea, coffee drinks, juice drinks, Kool-Aid, or Gatorade?

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	N
Sherburne County, Zimmerman area total	24.1%	31.3%	17.2%	21.4%	5.9%	10,033
Gender						
Female	33.8%	29.5%	15.3%	14.6%	6.8%	4,896
Male	14.5%	33.2%	19.2%	28.0%	5.1%	5,113
Age						
18-34	4.4%	31.6%	28.8%	34.2%	1.1%	3,232
35-44	19.6%	35.4%	14.9%	15.6%	14.4%	2,464
45-54	37.1%	29.0%	7.4%	19.2%	7.3%	2,258
55-64	38.1%	32.4%	14.3%	12.1%	3.0%	1,240
65-74	47.1%	29.6%	10.6%	12.8%	0.0%	559
75+	78.7%	10.7%	10.7%	0.0%	0.0%	255
Highest level of education						
Less than high school diploma/GED	20.6%	0.0%	64.4%	0.0%	15.0%	264
High school diploma/GED	28.7%	14.4%	18.1%	33.2%	5.5%	2,251
Some college or AA degree	21.8%	38.2%	15.9%	18.8%	5.4%	4,830
Bachelor's degree or higher	25.1%	36.5%	13.7%	18.3%	6.4%	2,669
Household income (in 2012)						
Less than \$20,000	13.9%	63.5%	7.9%	1.7%	13.0%	446
\$20,000 - \$34,999	44.0%	28.2%	10.5%	10.6%	6.7%	666
\$35,000 - \$49,999	23.4%	23.7%	24.0%	23.6%	5.3%	1,642
\$50,000 - \$99,999	24.3%	29.4%	20.9%	22.1%	3.3%	4,683
\$100,000+	17.0%	37.5%	6.8%	27.7%	10.9%	2,287
Household type						
Single adult, no children	22.1%	29.8%	25.2%	22.0%	0.9%	815
2+ adults, no children	25.4%	27.3%	17.9%	25.6%	3.8%	5,094
Single adult, 1+ children	12.3%	15.3%	43.2%	17.9%	11.4%	474
2+ adults, 1+ children	24.4%	39.4%	11.1%	15.8%	9.2%	3,650
All areas included in the study						
Benton County	21.4%	32.7%	21.1%	19.2%	5.6%	26,368
Chisago County	29.5%	26.9%	13.8%	23.2%	6.6%	39,118
Mille Lacs County	31.4%	29.9%	12.7%	17.0%	9.0%	19,121
Sherburne County	25.9%	35.5%	15.9%	15.2%	7.6%	61,733
Stearns County	25.2%	35.1%	17.8%	15.3%	6.6%	116,742
Entire five-county region	26.1%	33.4%	16.7%	17.0%	6.9%	263,083

32. About how often do you drink water?

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	N
Sherburne County, Zimmerman area total	0.5%	0.7%	4.5%	29.7%	64.7%	10,068
Gender						
Female	0.0%	1.4%	5.2%	17.6%	75.8%	4,888
Male	0.9%	0.0%	3.8%	41.3%	54.0%	5,156
Age						
18-34	0.0%	1.1%	2.2%	46.1%	50.6%	3,232
35-44	0.0%	0.8%	12.2%	30.2%	56.9%	2,464
45-54	2.0%	0.0%	1.1%	14.1%	82.8%	2,283
55-64	0.0%	1.2%	4.5%	20.4%	73.9%	1,252
65-74	0.0%	0.0%	0.0%	26.6%	73.4%	582
75+	0.0%	0.0%	0.0%	11.8%	88.2%	231
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	9.2%	58.5%	32.3%	290
High school diploma/GED	0.0%	0.0%	1.2%	48.2%	50.6%	2,236
Some college or AA degree	0.9%	1.4%	7.4%	18.4%	71.9%	4,878
Bachelor's degree or higher	0.0%	0.0%	1.4%	32.1%	66.5%	2,646
Household income (in 2012)						
Less than \$20,000	0.0%	10.6%	5.7%	42.3%	41.4%	473
\$20,000 - \$34,999	0.0%	2.7%	0.0%	8.8%	88.5%	682
\$35,000 - \$49,999	0.0%	0.0%	4.2%	53.6%	42.2%	1,618
\$50,000 - \$99,999	1.0%	0.0%	3.2%	26.4%	69.4%	4,668
\$100,000+	0.0%	0.0%	9.0%	25.7%	65.3%	2,311
Household type						
Single adult, no children	0.0%	0.0%	3.0%	33.0%	64.0%	814
2+ adults, no children	0.9%	0.3%	1.1%	38.3%	59.4%	5,105
Single adult, 1+ children	0.0%	11.4%	0.0%	32.8%	55.9%	474
2+ adults, 1+ children	0.0%	0.0%	10.1%	16.7%	73.3%	3,675
All areas included in the study						
Benton County	0.9%	0.8%	3.7%	11.9%	82.7%	26,612
Chisago County	1.2%	0.9%	3.0%	12.9%	82.0%	39,801
Mille Lacs County	0.6%	0.9%	3.5%	11.6%	83.3%	19,369
Sherburne County	0.2%	1.8%	5.0%	13.5%	79.5%	62,412
Stearns County	0.6%	1.4%	1.9%	14.6%	81.6%	117,225
Entire five-county region	0.6%	1.3%	3.1%	13.6%	81.4%	265,419

33. About how often do you drink milk?

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	N
Sherburne County, Zimmerman area total	9.4%	12.3%	20.2%	30.0%	28.0%	10,041
Gender						
Female	7.7%	9.5%	19.7%	35.0%	28.1%	4,888
Male	11.1%	15.1%	20.8%	25.0%	28.1%	5,129
Age						
18-34	9.7%	19.0%	26.6%	19.6%	25.0%	3,232
35-44	5.3%	4.5%	14.4%	43.4%	32.3%	2,464
45-54	9.2%	10.8%	17.6%	34.9%	27.5%	2,283
55-64	18.4%	18.0%	15.8%	18.2%	29.6%	1,225
65-74	6.9%	7.9%	24.3%	32.8%	28.2%	582
75+	11.8%	0.0%	30.9%	33.8%	23.5%	231
Highest level of education						
Less than high school diploma/GED	16.0%	0.0%	9.2%	74.7%	0.0%	264
High school diploma/GED	18.1%	19.6%	17.6%	23.4%	21.2%	2,236
Some college or AA degree	5.1%	12.7%	18.8%	32.3%	31.1%	4,878
Bachelor's degree or higher	9.6%	6.8%	26.1%	26.5%	31.0%	2,646
Household income (in 2012)						
Less than \$20,000	3.4%	5.1%	22.6%	13.9%	55.1%	446
\$20,000 - \$34,999	18.1%	0.0%	35.9%	28.2%	17.8%	682
\$35,000 - \$49,999	2.3%	24.8%	27.1%	36.5%	9.3%	1,618
\$50,000 - \$99,999	8.6%	10.3%	18.4%	32.5%	30.2%	4,668
\$100,000+	16.2%	10.4%	15.1%	24.6%	33.7%	2,311
Household type						
Single adult, no children	5.4%	21.8%	26.7%	32.6%	13.5%	814
2+ adults, no children	12.8%	13.7%	18.7%	25.6%	29.2%	5,079
Single adult, 1+ children	0.0%	4.9%	19.2%	31.8%	44.1%	474
2+ adults, 1+ children	6.9%	9.3%	20.9%	35.4%	27.5%	3,675
All areas included in the study						
Benton County	15.7%	15.1%	14.0%	33.6%	21.6%	26,761
Chisago County	11.1%	7.2%	16.6%	38.1%	26.9%	39,966
Mille Lacs County	7.8%	12.2%	11.1%	37.2%	31.6%	19,381
Sherburne County	10.5%	12.1%	19.9%	31.7%	25.9%	62,390
Stearns County	8.9%	9.9%	29.9%	29.0%	22.4%	116,984
Entire five-county region	10.2%	10.7%	22.6%	32.1%	24.5%	265,483

34. A serving of fruit is one medium sized fruit, or a half cup chopped, cut, or canned fruit. Yesterday, how many servings of fruit did you eat?

	0 servings	1-2 servings	3-4 servings	5 or more servings	N
Sherburne County, Zimmerman area total	28.9%	57.5%	12.2%	1.4%	10,083
Gender					
Female	17.9%	64.5%	15.3%	2.2%	4,902
Male	39.5%	50.6%	9.4%	0.5%	5,156
Age					
18-34	28.2%	65.2%	6.5%	0.0%	3,232
35-44	51.2%	34.1%	12.5%	2.3%	2,464
45-54	19.4%	62.3%	17.2%	1.1%	2,258
55-64	17.6%	63.6%	16.4%	2.4%	1,267
65-74	13.6%	66.1%	20.3%	0.0%	582
75+	0.0%	89.3%	0.0%	10.7%	255
Highest level of education					
Less than high school diploma/GED	72.1%	18.7%	9.2%	0.0%	290
High school diploma/GED	32.4%	60.1%	6.6%	0.8%	2,251
Some college or AA degree	33.6%	56.3%	8.8%	1.4%	4,853
Bachelor's degree or higher	12.2%	62.1%	23.7%	2.0%	2,669
Household income (in 2012)					
Less than \$20,000	50.6%	36.6%	8.8%	3.9%	473
\$20,000 - \$34,999	34.6%	56.0%	9.4%	0.0%	682
\$35,000 - \$49,999	25.5%	68.5%	3.8%	2.3%	1,642
\$50,000 - \$99,999	25.0%	64.7%	8.9%	1.4%	4,659
\$100,000+	36.2%	38.5%	24.6%	0.7%	2,311
Household type					
Single adult, no children	55.1%	36.5%	8.4%	0.0%	837
2+ adults, no children	23.1%	65.3%	10.3%	1.3%	5,120
Single adult, 1+ children	21.8%	48.9%	25.3%	3.9%	474
2+ adults, 1+ children	32.0%	52.5%	14.1%	1.4%	3,650
All areas included in the study					
Benton County	21.7%	66.2%	11.8%	0.3%	26,854
Chisago County	31.7%	47.8%	16.5%	4.0%	39,714
Mille Lacs County	15.9%	69.7%	14.1%	0.4%	19,368
Sherburne County	25.0%	58.8%	14.5%	1.7%	62,306
Stearns County	21.9%	60.7%	16.3%	1.1%	116,415
Entire five-county region	23.6%	59.5%	15.3%	1.5%	264,657

35. Yesterday, how many 6 ounce servings of 100% fruit juice did you drink?

	0 servings	1-2 servings	3-4 servings	5 or more servings	N
Sherburne County, Zimmerman area total	69.8%	24.2%	2.6%	3.5%	10,002
Gender					
Female	78.5%	18.0%	2.9%	0.6%	4,895
Male	61.2%	30.2%	2.3%	6.2%	5,083
Age					
18-34	76.7%	11.4%	2.2%	9.7%	3,232
35-44	67.6%	32.4%	0.0%	0.0%	2,464
45-54	73.4%	21.3%	5.3%	0.0%	2,212
55-64	56.7%	35.0%	5.8%	2.4%	1,233
65-74	62.3%	37.7%	0.0%	0.0%	582
75+	49.3%	50.7%	0.0%	0.0%	255
Highest level of education					
Less than high school diploma/GED	89.7%	10.3%	0.0%	0.0%	264
High school diploma/GED	55.9%	23.5%	6.3%	14.3%	2,197
Some college or AA degree	76.1%	22.8%	0.5%	0.6%	4,853
Bachelor's degree or higher	67.5%	28.9%	3.6%	0.0%	2,669
Household income (in 2012)					
Less than \$20,000	44.0%	49.2%	0.0%	6.8%	446
\$20,000 - \$34,999	56.0%	44.0%	0.0%	0.0%	674
\$35,000 - \$49,999	74.7%	25.3%	0.0%	0.0%	1,596
\$50,000 - \$99,999	76.3%	19.3%	4.5%	0.0%	4,659
\$100,000+	60.9%	23.3%	2.2%	13.6%	2,311
Household type					
Single adult, no children	49.5%	50.5%	0.0%	0.0%	830
2+ adults, no children	66.8%	21.9%	5.1%	6.2%	5,094
Single adult, 1+ children	48.9%	51.1%	0.0%	0.0%	474
2+ adults, 1+ children	81.3%	17.8%	0.0%	0.8%	3,604
All areas included in the study					
Benton County	64.6%	31.5%	3.8%	0.1%	26,110
Chisago County	68.4%	30.1%	1.2%	0.4%	39,725
Mille Lacs County	58.5%	40.0%	0.5%	1.0%	19,428
Sherburne County	63.3%	32.5%	2.8%	1.3%	62,146
Stearns County	69.2%	29.6%	0.8%	0.5%	116,222
Entire five-county region	66.4%	31.3%	1.6%	0.7%	263,631

36. A serving of vegetables is a half cup of any vegetable or one cup of salad greens. Yesterday, how many servings of vegetables did you eat?

	0 servings	1-2 servings	3-4 servings	5 or more servings	N
Sherburne County, Zimmerman area total	12.7%	69.2%	17.4%	0.6%	10,107
Gender					
Female	9.9%	66.6%	22.4%	1.0%	4,927
Male	15.0%	72.0%	12.7%	0.3%	5,156
Age					
18-34	16.3%	67.9%	15.8%	0.0%	3,232
35-44	14.9%	73.8%	11.3%	0.0%	2,464
45-54	5.6%	73.1%	19.7%	1.6%	2,283
55-64	12.5%	57.6%	27.7%	2.2%	1,267
65-74	5.6%	65.1%	29.3%	0.0%	582
75+	20.0%	80.0%	0.0%	0.0%	255
Highest level of education					
Less than high school diploma/GED	8.4%	91.6%	0.0%	0.0%	290
High school diploma/GED	5.3%	77.4%	17.3%	0.0%	2,251
Some college or AA degree	11.5%	73.2%	15.3%	0.0%	4,878
Bachelor's degree or higher	21.9%	53.1%	22.6%	2.4%	2,669
Household income (in 2012)					
Less than \$20,000	13.1%	79.7%	7.2%	0.0%	473
\$20,000 - \$34,999	21.8%	56.4%	21.7%	0.0%	682
\$35,000 - \$49,999	14.0%	67.2%	18.8%	0.0%	1,642
\$50,000 - \$99,999	15.3%	68.0%	16.4%	0.3%	4,683
\$100,000+	4.2%	76.4%	17.7%	1.7%	2,311
Household type					
Single adult, no children	13.9%	55.4%	27.6%	3.1%	837
2+ adults, no children	12.9%	69.2%	17.6%	0.3%	5,120
Single adult, 1+ children	10.0%	62.4%	27.6%	0.0%	474
2+ adults, 1+ children	12.7%	73.2%	13.4%	0.7%	3,675
All areas included in the study					
Benton County	14.8%	63.5%	20.1%	1.5%	26,925
Chisago County	13.7%	62.9%	16.8%	6.6%	39,753
Mille Lacs County	9.3%	70.8%	17.6%	2.2%	19,238
Sherburne County	14.6%	61.9%	18.5%	5.0%	62,350
Stearns County	21.3%	55.2%	21.5%	2.0%	116,446
Entire five-county region	17.1%	59.9%	19.7%	3.3%	264,713

37. Number of fruits and vegetables eaten yesterday (Mean, calculated variable)

	Mean	N
Sherburne County, Zimmerman area total	3.9	10,002
Gender		
Female	3.8	4,895
Male	4.0	5,083
Age		
18-34	4.5	3,232
35-44	3.0	2,464
45-54	3.8	2,212
55-64	4.3	1,233
65-74	4.2	582
75+	3.3	255
Highest level of education		
Less than high school diploma/GED	1.9	264
High school diploma/GED	5.6	2,197
Some college or AA degree	3.2	4,853
Bachelor's degree or higher	4.0	2,669
Household income (in 2012)		
Less than \$20,000	3.7	446
\$20,000 - \$34,999	3.3	674
\$35,000 - \$49,999	3.3	1,596
\$50,000 - \$99,999	3.3	4,659
\$100,000+	5.7	2,311
Household type		
Single adult, no children	3.6	830
2+ adults, no children	4.4	5,094
Single adult, 1+ children	4.3	474
2+ adults, 1+ children	3.2	3,604
All areas included in the study		
Benton County	3.5	25,997
Chisago County	3.9	39,472
Mille Lacs County	3.8	19,113
Sherburne County	3.9	61,828
Stearns County	3.5	115,025
Entire five-county region	3.7	261,435

38. Number of fruits and vegetables eaten yesterday (calculated variable)

	0 servings	1-2 servings	3-4 servings	5 or more servings	N
Sherburne County, Zimmerman area total	5.1%	29.4%	32.3%	33.2%	10,002
Gender					
Female	3.9%	23.4%	36.8%	35.9%	4,895
Male	6.2%	34.8%	28.1%	30.8%	5,083
Age					
18-34	2.2%	27.7%	41.3%	28.8%	3,232
35-44	9.9%	33.2%	28.5%	28.5%	2,464
45-54	5.3%	32.0%	25.7%	36.9%	2,212
55-64	6.2%	20.0%	25.2%	48.6%	1,233
65-74	0.0%	24.7%	36.9%	38.3%	582
75+	0.0%	41.3%	38.7%	20.0%	255
Highest level of education					
Less than high school diploma/GED	9.2%	80.4%	10.3%	0.0%	264
High school diploma/GED	2.7%	22.6%	27.9%	46.8%	2,197
Some college or AA degree	4.7%	31.7%	39.7%	24.0%	4,853
Bachelor's degree or higher	7.4%	26.1%	24.2%	42.3%	2,669
Household income (in 2012)					
Less than \$20,000	7.2%	8.4%	64.0%	20.4%	446
\$20,000 - \$34,999	4.0%	33.9%	30.6%	31.5%	674
\$35,000 - \$49,999	3.8%	28.5%	44.5%	23.2%	1,596
\$50,000 - \$99,999	6.2%	34.0%	33.6%	26.2%	4,659
\$100,000+	4.2%	22.7%	17.4%	55.7%	2,311
Household type					
Single adult, no children	0.9%	39.5%	21.4%	38.2%	830
2+ adults, no children	2.7%	31.5%	32.1%	33.7%	5,094
Single adult, 1+ children	0.0%	10.0%	44.5%	45.5%	474
2+ adults, 1+ children	10.0%	26.8%	33.4%	29.8%	3,604
All areas included in the study					
Benton County	4.9%	29.2%	34.5%	31.4%	25,997
Chisago County	7.3%	28.0%	30.7%	34.0%	39,472
Mille Lacs County	4.3%	18.0%	46.9%	30.7%	19,113
Sherburne County	6.2%	24.4%	33.0%	36.4%	61,828
Stearns County	9.0%	26.9%	30.2%	33.9%	115,025
Entire five-county region	7.3%	26.0%	32.6%	34.0%	261,435

39. During the past 7 days, how many times did you eat from a fast food restaurant, including carry-out or delivery?

	0 times	1-2 times	3-6 times	7-10 times	11-14 times	15 or more times	N
Sherburne County, Zimmerman area total	28.4%	59.9%	9.7%	0.2%	0.2%	1.6%	10,107
Gender							
Female	31.2%	60.2%	8.6%	0.0%	0.0%	0.0%	4,927
Male	25.4%	60.0%	10.8%	0.3%	0.4%	3.1%	5,156
Age							
18-34	10.9%	79.9%	4.4%	0.0%	0.0%	4.9%	3,232
35-44	32.8%	54.6%	12.6%	0.0%	0.0%	0.0%	2,464
45-54	35.2%	49.7%	14.1%	0.0%	1.0%	0.0%	2,283
55-64	40.1%	48.2%	11.7%	0.0%	0.0%	0.0%	1,267
65-74	34.2%	52.9%	10.2%	2.8%	0.0%	0.0%	582
75+	69.3%	30.7%	0.0%	0.0%	0.0%	0.0%	255
Highest level of education							
Less than high school diploma/GED	23.9%	76.1%	0.0%	0.0%	0.0%	0.0%	290
High school diploma/GED	24.5%	73.5%	2.0%	0.0%	0.0%	0.0%	2,251
Some college or AA degree	28.8%	53.0%	14.6%	0.3%	0.0%	3.2%	4,878
Bachelor's degree or higher	31.6%	59.2%	8.3%	0.0%	0.9%	0.0%	2,669
Household income (in 2012)							
Less than \$20,000	64.1%	35.9%	0.0%	0.0%	0.0%	0.0%	473
\$20,000 - \$34,999	36.2%	59.5%	2.0%	2.4%	0.0%	0.0%	682
\$35,000 - \$49,999	16.3%	76.1%	6.2%	0.0%	1.4%	0.0%	1,642
\$50,000 - \$99,999	22.9%	59.1%	14.6%	0.0%	0.0%	3.4%	4,683
\$100,000+	36.3%	56.9%	6.8%	0.0%	0.0%	0.0%	2,311
Household type							
Single adult, no children	29.5%	45.4%	1.6%	1.9%	2.8%	18.8%	837
2+ adults, no children	26.9%	66.7%	6.4%	0.0%	0.0%	0.0%	5,120
Single adult, 1+ children	3.9%	78.2%	17.9%	0.0%	0.0%	0.0%	474
2+ adults, 1+ children	33.4%	51.5%	15.1%	0.0%	0.0%	0.0%	3,675
All areas included in the study							
Benton County	32.9%	51.5%	14.1%	1.4%	0.0%	0.0%	27,028
Chisago County	31.4%	59.7%	7.9%	0.6%	0.3%	0.0%	40,040
Mille Lacs County	38.6%	48.1%	9.9%	3.3%	0.0%	0.0%	19,482
Sherburne County	32.5%	50.7%	14.4%	1.5%	0.6%	0.3%	62,493
Stearns County	28.3%	51.7%	18.9%	1.0%	0.0%	0.1%	117,390
Entire five-county region	31.0%	52.4%	15.1%	1.3%	0.2%	0.1%	266,433

40. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies? (Mean)

	Mean	N
Sherburne County, Zimmerman area total	177.1	10,080
Gender		
Female	182.3	4,927
Male	170.5	5,129
Age		
18-34	179.2	3,232
35-44	180.8	2,464
45-54	161.8	2,283
55-64	187.3	1,267
65-74	181.8	582
75+	155.1	228
Highest level of education		
Less than high school diploma/GED	214.0	263
High school diploma/GED	208.3	2,251
Some college or AA degree	184.8	4,878
Bachelor's degree or higher	132.9	2,669
Household income (in 2012)		
Less than \$20,000	209.9	446
\$20,000 - \$34,999	196.6	682
\$35,000 - \$49,999	214.3	1,642
\$50,000 - \$99,999	179.1	4,683
\$100,000+	142.8	2,311
Household type		
Single adult, no children	145.4	837
2+ adults, no children	188.4	5,093
Single adult, 1+ children	130.5	474
2+ adults, 1+ children	174.6	3,675
All areas included in the study		
Benton County	194.6	26,598
Chisago County	154.5	39,944
Mille Lacs County	172.9	19,280
Sherburne County	182.1	62,170
Stearns County	191.8	115,040
Entire five-county region	182.7	263,032

41. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies?

	0 minutes	Less than 1 hour	1 hour to less than 2 hours	2 hour to less than 3 hours	3 hour to less than 4 hours	4 hour to less than 5 hours	5 or more hours	N
Sherburne County, Zimmerman area total	2.0%	7.6%	16.6%	19.4%	29.9%	9.6%	15.0%	10,080
Gender								
Female	2.4%	8.1%	15.9%	25.0%	22.9%	7.3%	18.4%	4,927
Male	1.6%	7.1%	17.4%	14.0%	36.7%	11.9%	11.2%	5,129
Age								
18-34	0.0%	3.3%	15.8%	18.0%	41.2%	6.5%	15.2%	3,232
35-44	0.0%	1.5%	19.1%	20.5%	36.1%	13.8%	9.1%	2,464
45-54	1.6%	19.0%	18.0%	19.2%	16.7%	9.1%	16.3%	2,283
55-64	7.8%	6.5%	13.1%	16.9%	26.2%	11.4%	18.1%	1,267
65-74	2.3%	13.4%	20.3%	23.8%	9.0%	11.3%	19.9%	582
75+	22.4%	10.4%	0.0%	32.8%	11.9%	0.0%	22.4%	228
Highest level of education								
Less than high school diploma/GED	10.3%	0.0%	0.0%	0.0%	74.7%	0.0%	15.0%	263
High school diploma/GED	3.7%	9.6%	5.8%	21.1%	23.8%	8.3%	27.6%	2,251
Some college or AA degree	1.5%	6.4%	15.0%	19.4%	32.6%	9.6%	15.5%	4,878
Bachelor's degree or higher	0.6%	8.8%	30.4%	19.8%	25.3%	11.8%	3.4%	2,669
Household income (in 2012)								
Less than \$20,000	0.0%	5.1%	7.6%	16.6%	45.6%	11.8%	13.3%	446
\$20,000 - \$34,999	7.3%	3.6%	23.0%	19.1%	22.4%	6.7%	17.8%	682
\$35,000 - \$49,999	1.4%	6.2%	5.0%	24.9%	20.4%	9.2%	32.8%	1,642
\$50,000 - \$99,999	1.8%	6.1%	15.1%	19.2%	34.5%	10.8%	12.5%	4,683
\$100,000+	1.8%	10.1%	28.0%	16.8%	25.5%	9.3%	8.5%	2,311

41. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies? (continued)

	0 minutes	Less than 1 hour	1 hour to less than 2 hours	2 hour to less than 3 hours	3 hour to less than 4 hours	4 hour to less than 5 hours	5 or more hours	N
Household type								
Single adult, no children	3.7%	2.8%	41.3%	34.7%	3.2%	1.7%	12.5%	837
2+ adults, no children	3.0%	10.0%	8.7%	14.9%	38.4%	3.9%	21.1%	5,093
Single adult, 1+ children	0.0%	7.4%	30.6%	18.8%	35.7%	7.4%	0.0%	474
2+ adults, 1+ children	0.4%	5.2%	20.2%	22.1%	23.5%	19.7%	9.0%	3,675
All areas included in the study								
Benton County	5.5%	11.2%	16.1%	21.4%	15.7%	10.9%	19.3%	26,598
Chisago County	2.4%	7.4%	26.3%	26.7%	15.9%	9.8%	11.5%	39,944
Mille Lacs County	7.9%	4.5%	17.6%	27.3%	13.8%	11.5%	17.5%	19,280
Sherburne County	2.2%	7.3%	17.9%	26.9%	18.7%	8.6%	18.5%	62,170
Stearns County	3.5%	4.9%	19.1%	28.2%	19.7%	9.3%	15.3%	115,040
Entire five-county region	3.6%	6.5%	19.5%	26.9%	18.0%	9.5%	16.0%	263,032

42. During an average week, whether at work, at home, or anywhere else, on how many days do you get at least 30 minutes of moderate physical activity? (Moderate exercise 3+ days)

	Moderate exercise on 0-2 days per week	Moderate exercise on 3 or more days per week	N
Sherburne County, Zimmerman area total	32.1%	67.9%	10,072
Gender			
Female	36.4%	63.6%	4,891
Male	27.8%	72.2%	5,156
Age			
18-34	35.1%	64.9%	3,197
35-44	29.2%	70.8%	2,464
45-54	27.2%	72.8%	2,283
55-64	33.2%	66.8%	1,267
65-74	30.5%	69.5%	582
75+	58.7%	41.3%	255
Highest level of education			
Less than high school diploma/GED	17.8%	82.2%	290
High school diploma/GED	32.0%	68.0%	2,251
Some college or AA degree	33.6%	66.4%	4,842
Bachelor's degree or higher	31.5%	68.5%	2,669
Household income (in 2012)			
Less than \$20,000	12.9%	87.1%	473
\$20,000 - \$34,999	25.4%	74.6%	682
\$35,000 - \$49,999	38.2%	61.8%	1,607
\$50,000 - \$99,999	37.9%	62.1%	4,683
\$100,000+	24.2%	75.8%	2,311
Household type			
Single adult, no children	16.7%	83.3%	837
2+ adults, no children	35.4%	64.6%	5,120
Single adult, 1+ children	26.4%	73.6%	439
2+ adults, 1+ children	31.9%	68.1%	3,675
All areas included in the study			
Benton County	33.6%	66.4%	26,641
Chisago County	31.7%	68.3%	39,791
Mille Lacs County	39.0%	61.0%	19,387
Sherburne County	32.4%	67.6%	62,254
Stearns County	29.1%	70.9%	115,181
Entire five-county region	31.5%	68.5%	263,254

43. During an average week, whether at work, at home, or anywhere else, on how many days do you get at least 30 minutes of moderate physical activity? (Moderate exercise 5+ days)

	Moderate exercise on 0-4 days per week	Moderate exercise on 5 or more days per week	N
Sherburne County, Zimmerman area total	62.4%	37.6%	10,072
Gender			
Female	66.5%	33.5%	4,891
Male	58.4%	41.6%	5,156
Age			
18-34	63.7%	36.3%	3,197
35-44	62.7%	37.3%	2,464
45-54	57.6%	42.4%	2,283
55-64	59.9%	40.1%	1,267
65-74	69.7%	30.3%	582
75+	78.7%	21.3%	255
Highest level of education			
Less than high school diploma/GED	90.6%	9.4%	290
High school diploma/GED	66.9%	33.1%	2,251
Some college or AA degree	58.2%	41.8%	4,842
Bachelor's degree or higher	63.6%	36.4%	2,669
Household income (in 2012)			
Less than \$20,000	34.0%	66.0%	473
\$20,000 - \$34,999	65.8%	34.2%	682
\$35,000 - \$49,999	60.0%	40.0%	1,607
\$50,000 - \$99,999	67.7%	32.3%	4,683
\$100,000+	61.9%	38.1%	2,311
Household type			
Single adult, no children	38.3%	61.7%	837
2+ adults, no children	64.9%	35.1%	5,120
Single adult, 1+ children	74.5%	25.5%	439
2+ adults, 1+ children	63.1%	36.9%	3,675
All areas included in the study			
Benton County	60.9%	39.1%	26,641
Chisago County	52.2%	47.8%	39,791
Mille Lacs County	61.7%	38.3%	19,387
Sherburne County	60.6%	39.4%	62,254
Stearns County	65.3%	34.7%	115,181
Entire five-county region	61.5%	38.5%	263,254

44. How often do you feel safe in your community?

	Always	Often	Sometimes	Never	N
Sherburne County, Zimmerman area total	80.4%	17.9%	1.4%	0.2%	10,036
Gender					
Female	77.7%	21.8%	0.5%	0.0%	4,856
Male	83.4%	13.9%	2.3%	0.4%	5,156
Age					
18-34	90.0%	10.0%	0.0%	0.0%	3,161
35-44	79.4%	20.6%	0.0%	0.0%	2,464
45-54	73.4%	20.5%	5.1%	1.0%	2,283
55-64	78.5%	19.4%	2.1%	0.0%	1,267
65-74	68.6%	31.4%	0.0%	0.0%	582
75+	80.0%	20.0%	0.0%	0.0%	255
Highest level of education					
Less than high school diploma/GED	85.5%	14.5%	0.0%	0.0%	290
High school diploma/GED	82.3%	14.6%	3.1%	0.0%	2,251
Some college or AA degree	76.5%	22.0%	1.5%	0.0%	4,807
Bachelor's degree or higher	86.0%	13.2%	0.0%	0.9%	2,669
Household income (in 2012)					
Less than \$20,000	44.0%	56.0%	0.0%	0.0%	473
\$20,000 - \$34,999	76.9%	23.1%	0.0%	0.0%	682
\$35,000 - \$49,999	68.9%	26.9%	2.8%	1.4%	1,642
\$50,000 - \$99,999	86.1%	11.8%	2.1%	0.0%	4,613
\$100,000+	86.4%	13.6%	0.0%	0.0%	2,311
Household type					
Single adult, no children	81.7%	15.6%	0.0%	2.8%	837
2+ adults, no children	79.2%	18.0%	2.8%	0.0%	5,120
Single adult, 1+ children	80.8%	19.2%	0.0%	0.0%	474
2+ adults, 1+ children	81.9%	18.1%	0.0%	0.0%	3,604
All areas included in the study					
Benton County	54.3%	39.4%	5.8%	0.5%	27,101
Chisago County	66.9%	30.9%	1.8%	0.4%	40,004
Mille Lacs County	62.9%	33.6%	2.8%	0.6%	19,430
Sherburne County	67.5%	28.7%	2.6%	1.2%	62,486
Stearns County	52.9%	38.9%	7.3%	0.8%	116,842
Entire five-county region	59.3%	35.0%	4.9%	0.8%	265,863

45. Are you in a relationship where you are (or have ever been) physically hurt, threatened, or made to feel afraid?

	Yes	No	N
Sherburne County, Zimmerman area total	4.7%	95.3%	10,107
Gender			
Female	4.2%	95.8%	4,927
Male	5.2%	94.8%	5,156
Age			
18-34	0.0%	100.0%	3,232
35-44	8.4%	91.6%	2,464
45-54	5.2%	94.8%	2,283
55-64	9.8%	90.2%	1,267
65-74	0.0%	100.0%	582
75+	9.3%	90.7%	255
Highest level of education			
Less than high school diploma/GED	5.2%	94.8%	290
High school diploma/GED	3.1%	96.9%	2,251
Some college or AA degree	6.4%	93.6%	4,878
Bachelor's degree or higher	2.1%	97.9%	2,669
Household income (in 2012)			
Less than \$20,000	12.7%	87.3%	473
\$20,000 - \$34,999	10.6%	89.4%	682
\$35,000 - \$49,999	2.5%	97.5%	1,642
\$50,000 - \$99,999	1.6%	98.4%	4,683
\$100,000+	8.8%	91.2%	2,311
Household type			
Single adult, no children	6.5%	93.5%	837
2+ adults, no children	2.6%	97.4%	5,120
Single adult, 1+ children	7.8%	92.2%	474
2+ adults, 1+ children	6.8%	93.2%	3,675
All areas included in the study			
Benton County	3.9%	96.1%	27,057
Chisago County	5.4%	94.6%	40,040
Mille Lacs County	3.2%	96.8%	19,482
Sherburne County	2.7%	97.3%	62,490
Stearns County	5.0%	95.0%	117,451
Entire five-county region	4.3%	95.7%	266,520

46. How often do you wear a seat belt when you drive or ride in a car or other vehicle?

	Always	Often	Sometimes	Never	N
Sherburne County, Zimmerman area total	95.3%	2.4%	2.0%	0.3%	10,094
Gender					
Female	95.6%	1.2%	3.2%	0.0%	4,913
Male	95.0%	3.6%	0.8%	0.6%	5,156
Age					
18-34	91.9%	4.9%	3.3%	0.0%	3,232
35-44	99.2%	0.8%	0.0%	0.0%	2,464
45-54	97.9%	0.5%	1.6%	0.0%	2,283
55-64	91.2%	4.5%	4.4%	0.0%	1,267
65-74	94.3%	0.0%	0.0%	5.7%	569
75+	100.0%	0.0%	0.0%	0.0%	255
Highest level of education					
Less than high school diploma/GED	100.0%	0.0%	0.0%	0.0%	290
High school diploma/GED	90.9%	7.7%	0.0%	1.4%	2,251
Some college or AA degree	95.4%	0.6%	4.1%	0.0%	4,864
Bachelor's degree or higher	99.0%	1.0%	0.0%	0.0%	2,669
Household income (in 2012)					
Less than \$20,000	100.0%	0.0%	0.0%	0.0%	473
\$20,000 - \$34,999	100.0%	0.0%	0.0%	0.0%	682
\$35,000 - \$49,999	78.6%	10.4%	9.0%	2.0%	1,629
\$50,000 - \$99,999	99.4%	0.3%	0.3%	0.0%	4,683
\$100,000+	96.6%	1.8%	1.6%	0.0%	2,311
Household type					
Single adult, no children	81.2%	18.8%	0.0%	0.0%	837
2+ adults, no children	94.4%	1.1%	3.9%	0.6%	5,107
Single adult, 1+ children	93.5%	6.5%	0.0%	0.0%	474
2+ adults, 1+ children	100.0%	0.0%	0.0%	0.0%	3,675
All areas included in the study					
Benton County	95.3%	3.5%	0.9%	0.2%	26,836
Chisago County	87.1%	5.0%	6.4%	1.5%	39,858
Mille Lacs County	93.5%	4.5%	1.2%	0.8%	19,186
Sherburne County	94.6%	3.5%	1.4%	0.6%	62,551
Stearns County	94.4%	3.8%	0.7%	1.2%	117,471
Entire five-county region	93.4%	3.9%	1.8%	1.0%	265,902

47. Do you ever drive a car or other vehicle?

	Yes	No	N
Sherburne County, Zimmerman area total	98.7%	1.3%	10,094
Gender			
Female	98.5%	1.5%	4,913
Male	98.8%	1.2%	5,156
Age			
18-34	100.0%	0.0%	3,232
35-44	100.0%	0.0%	2,464
45-54	96.8%	3.2%	2,283
55-64	100.0%	0.0%	1,267
65-74	94.3%	5.7%	569
75+	89.3%	10.7%	255
Highest level of education			
Less than high school diploma/GED	82.2%	17.8%	290
High school diploma/GED	100.0%	0.0%	2,251
Some college or AA degree	98.3%	1.7%	4,864
Bachelor's degree or higher	100.0%	0.0%	2,669
Household income (in 2012)			
Less than \$20,000	89.1%	10.9%	473
\$20,000 - \$34,999	100.0%	0.0%	682
\$35,000 - \$49,999	100.0%	0.0%	1,629
\$50,000 - \$99,999	98.3%	1.7%	4,683
\$100,000+	100.0%	0.0%	2,311
Household type			
Single adult, no children	100.0%	0.0%	837
2+ adults, no children	98.4%	1.6%	5,107
Single adult, 1+ children	100.0%	0.0%	474
2+ adults, 1+ children	98.7%	1.3%	3,675
All areas included in the study			
Benton County	94.8%	5.2%	27,116
Chisago County	98.4%	1.6%	40,040
Mille Lacs County	94.0%	6.0%	19,186
Sherburne County	97.0%	3.0%	62,689
Stearns County	96.5%	3.5%	117,359
Entire five-county region	96.6%	3.4%	266,390

48. (Of those who said they drive) When driving a car or other vehicle, how often do you read incoming text messages or emails?

	Often	Sometimes	Never	N
Sherburne County, Zimmerman area total	4.4%	46.4%	49.1%	9,728
Gender				
Female	6.4%	42.7%	50.9%	4,737
Male	2.6%	50.2%	47.2%	4,966
Age				
18-34	7.6%	64.1%	28.3%	3,232
35-44	2.3%	58.9%	38.8%	2,464
45-54	5.4%	34.7%	59.9%	2,125
55-64	1.1%	19.0%	79.9%	1,172
65-74	0.0%	6.6%	93.4%	509
75+	0.0%	0.0%	100.0%	201
Highest level of education				
Less than high school diploma/GED	0.0%	80.1%	19.9%	212
High school diploma/GED	0.0%	35.9%	64.1%	2,197
Some college or AA degree	7.3%	45.8%	47.0%	4,631
Bachelor's degree or higher	3.5%	53.9%	42.6%	2,669
Household income (in 2012)				
Less than \$20,000	0.0%	17.4%	82.6%	379
\$20,000 - \$34,999	8.7%	3.8%	87.5%	642
\$35,000 - \$49,999	8.8%	45.4%	45.8%	1,603
\$50,000 - \$99,999	5.2%	56.8%	38.1%	4,551
\$100,000+	0.0%	46.8%	53.2%	2,237
Household type				
Single adult, no children	5.9%	56.2%	37.9%	825
2+ adults, no children	2.2%	42.9%	54.9%	4,849
Single adult, 1+ children	7.8%	57.3%	34.9%	451
2+ adults, 1+ children	6.7%	47.6%	45.7%	3,602
All areas included in the study				
Benton County	4.4%	40.4%	55.2%	24,465
Chisago County	9.7%	40.2%	50.1%	38,155
Mille Lacs County	2.5%	37.8%	59.7%	16,894
Sherburne County	5.2%	44.4%	50.4%	58,353
Stearns County	7.9%	49.1%	43.0%	108,369
Entire five-county region	6.8%	45.0%	48.2%	246,236

49. (Of those who said they drive) When driving a car or other vehicle, how often do you send text messages or emails?

	Often	Sometimes	Never	N
Sherburne County, Zimmerman area total	3.6%	30.9%	65.5%	9,728
Gender				
Female	4.9%	28.4%	66.7%	4,737
Male	2.3%	33.4%	64.2%	4,966
Age				
18-34	5.5%	57.0%	37.5%	3,232
35-44	2.3%	30.4%	67.3%	2,464
45-54	5.4%	14.0%	80.6%	2,125
55-64	0.0%	8.1%	91.9%	1,172
65-74	0.0%	3.9%	96.1%	509
75+	0.0%	0.0%	100.0%	201
Highest level of education				
Less than high school diploma/GED	0.0%	0.0%	100.0%	212
High school diploma/GED	0.0%	25.0%	75.0%	2,197
Some college or AA degree	5.7%	30.0%	64.2%	4,631
Bachelor's degree or higher	3.0%	39.9%	57.1%	2,669
Household income (in 2012)				
Less than \$20,000	0.0%	17.4%	82.6%	379
\$20,000 - \$34,999	8.7%	0.0%	91.3%	642
\$35,000 - \$49,999	8.8%	27.6%	63.6%	1,603
\$50,000 - \$99,999	3.3%	41.9%	54.8%	4,551
\$100,000+	0.0%	23.2%	76.8%	2,237
Household type				
Single adult, no children	4.3%	31.0%	64.7%	825
2+ adults, no children	2.2%	28.9%	68.9%	4,849
Single adult, 1+ children	7.8%	30.3%	61.9%	451
2+ adults, 1+ children	4.7%	33.6%	61.7%	3,602
All areas included in the study				
Benton County	1.2%	22.8%	75.9%	24,484
Chisago County	8.5%	20.3%	71.2%	38,155
Mille Lacs County	0.9%	15.9%	83.2%	16,894
Sherburne County	3.2%	30.4%	66.4%	58,397
Stearns County	7.0%	33.9%	59.2%	108,202
Entire five-county region	5.3%	28.6%	66.1%	246,133

50. (Of those who said they drive) When driving a car or other vehicle, how often do you make or answer a phone call?

	Often	Sometimes	Never	N
Sherburne County, Zimmerman area total	25.0%	67.3%	7.7%	9,726
Gender				
Female	29.0%	63.4%	7.5%	4,736
Male	21.2%	70.9%	7.9%	4,966
Age				
18-34	28.3%	71.7%	0.0%	3,232
35-44	41.1%	49.0%	9.9%	2,464
45-54	15.4%	84.6%	0.0%	2,162
55-64	13.9%	73.4%	12.7%	1,134
65-74	2.6%	51.5%	45.9%	509
75+	0.0%	37.3%	62.7%	201
Highest level of education				
Less than high school diploma/GED	80.1%	7.1%	12.8%	212
High school diploma/GED	11.6%	74.6%	13.8%	2,209
Some college or AA degree	27.3%	66.2%	6.5%	4,655
Bachelor's degree or higher	27.8%	67.9%	4.3%	2,632
Household income (in 2012)				
Less than \$20,000	0.0%	49.3%	50.7%	379
\$20,000 - \$34,999	0.0%	71.3%	28.7%	642
\$35,000 - \$49,999	25.1%	65.4%	9.5%	1,615
\$50,000 - \$99,999	28.6%	68.5%	2.9%	4,513
\$100,000+	29.7%	68.4%	1.8%	2,261
Household type				
Single adult, no children	50.5%	36.4%	13.1%	837
2+ adults, no children	14.4%	74.2%	11.4%	4,849
Single adult, 1+ children	31.7%	68.3%	0.0%	451
2+ adults, 1+ children	32.4%	65.1%	2.4%	3,588
All areas included in the study				
Benton County	28.2%	58.3%	13.5%	24,490
Chisago County	33.8%	53.6%	12.6%	37,896
Mille Lacs County	25.3%	58.2%	16.5%	16,822
Sherburne County	28.0%	61.4%	10.5%	58,291
Stearns County	25.5%	62.3%	12.1%	107,813
Entire five-county region	27.7%	60.1%	12.2%	245,312

51. (Of those who said they drive) When driving a car or other vehicle, how often do you do other activities such as eat, read, or apply makeup or shave?

	Often	Sometimes	Never	N
Sherburne County, Zimmerman area total	6.5%	43.6%	49.9%	9,926
Gender				
Female	4.5%	56.3%	39.2%	4,828
Male	8.6%	31.6%	59.8%	5,073
Age				
18-34	7.1%	28.4%	64.6%	3,232
35-44	5.3%	61.6%	33.1%	2,464
45-54	12.7%	48.4%	38.8%	2,174
55-64	1.2%	41.2%	57.6%	1,267
65-74	0.0%	45.4%	54.6%	536
75+	0.0%	31.3%	68.7%	228
Highest level of education				
Less than high school diploma/GED	0.0%	71.1%	28.9%	239
High school diploma/GED	2.1%	19.5%	78.4%	2,239
Some college or AA degree	7.2%	48.0%	44.8%	4,760
Bachelor's degree or higher	9.7%	53.0%	37.2%	2,669
Household income (in 2012)				
Less than \$20,000	0.0%	23.7%	76.3%	421
\$20,000 - \$34,999	8.2%	51.8%	40.0%	682
\$35,000 - \$49,999	4.3%	24.7%	71.1%	1,617
\$50,000 - \$99,999	10.6%	47.2%	42.2%	4,602
\$100,000+	1.6%	47.2%	51.2%	2,288
Household type				
Single adult, no children	21.9%	26.3%	51.8%	825
2+ adults, no children	2.1%	36.8%	61.1%	5,023
Single adult, 1+ children	0.0%	73.4%	26.6%	451
2+ adults, 1+ children	10.0%	53.2%	36.8%	3,626
All areas included in the study				
Benton County	5.2%	34.5%	60.3%	25,277
Chisago County	10.8%	43.2%	46.0%	38,729
Mille Lacs County	4.9%	41.7%	53.4%	17,770
Sherburne County	5.8%	43.1%	51.0%	60,006
Stearns County	5.4%	44.0%	50.6%	110,553
Entire five-county region	6.3%	42.6%	51.2%	252,336

52. In general, how often do you smoke cigarettes?

	Everyday	Some days	Never	N
Sherburne County, Zimmerman area total	10.6%	6.0%	83.4%	10,094
Gender				
Female	10.7%	3.3%	86.0%	4,913
Male	10.5%	8.5%	80.9%	5,156
Age				
18-34	3.3%	7.1%	89.7%	3,232
35-44	18.6%	9.2%	72.2%	2,464
45-54	14.4%	2.0%	83.5%	2,283
55-64	10.5%	5.9%	83.6%	1,267
65-74	7.1%	1.2%	91.7%	569
75+	0.0%	9.3%	90.7%	255
Highest level of education				
Less than high school diploma/GED	13.6%	0.0%	86.4%	290
High school diploma/GED	13.3%	9.3%	77.4%	2,251
Some college or AA degree	14.4%	2.8%	82.8%	4,864
Bachelor's degree or higher	1.0%	9.0%	90.0%	2,669
Household income (in 2012)				
Less than \$20,000	62.0%	0.0%	38.0%	473
\$20,000 - \$34,999	33.0%	0.0%	67.0%	682
\$35,000 - \$49,999	11.5%	17.9%	70.6%	1,629
\$50,000 - \$99,999	5.6%	6.3%	88.1%	4,683
\$100,000+	4.2%	0.0%	95.8%	2,311
Household type				
Single adult, no children	16.2%	23.4%	60.5%	837
2+ adults, no children	10.8%	1.3%	87.9%	5,107
Single adult, 1+ children	15.3%	3.9%	80.8%	474
2+ adults, 1+ children	8.4%	8.8%	82.8%	3,675
All areas included in the study				
Benton County	13.8%	6.8%	79.4%	27,116
Chisago County	13.2%	4.5%	82.3%	39,790
Mille Lacs County	12.9%	5.4%	81.7%	19,113
Sherburne County	11.4%	3.2%	85.4%	62,549
Stearns County	7.4%	1.6%	91.0%	116,859
Entire five-county region	10.3%	3.2%	86.5%	265,426

53. Smoking status (calculated variable)

	Non-smoker ^a	Current smoker ^b	N
Sherburne County, Zimmerman area total	83.4%	16.6%	10,094
Gender			
Female	86.0%	14.0%	4,913
Male	80.9%	19.1%	5,156
Age			
18-34	89.7%	10.3%	3,232
35-44	72.2%	27.8%	2,464
45-54	83.5%	16.5%	2,283
55-64	83.6%	16.4%	1,267
65-74	91.7%	8.3%	569
75+	90.7%	9.3%	255
Highest level of education			
Less than high school diploma/GED	86.4%	13.6%	290
High school diploma/GED	77.4%	22.6%	2,251
Some college or AA degree	82.8%	17.2%	4,864
Bachelor's degree or higher	90.0%	10.0%	2,669
Household income (in 2012)			
Less than \$20,000	38.0%	62.0%	473
\$20,000 - \$34,999	67.0%	33.0%	682
\$35,000 - \$49,999	70.6%	29.4%	1,629
\$50,000 - \$99,999	88.1%	11.9%	4,683
\$100,000+	95.8%	4.2%	2,311
Household type			
Single adult, no children	60.5%	39.5%	837
2+ adults, no children	87.9%	12.1%	5,107
Single adult, 1+ children	80.8%	19.2%	474
2+ adults, 1+ children	82.8%	17.2%	3,675
All areas included in the study			
Benton County	79.4%	20.6%	27,116
Chisago County	82.3%	17.7%	39,790
Mille Lacs County	81.7%	18.3%	19,113
Sherburne County	85.4%	14.6%	62,549
Stearns County	91.0%	9.0%	116,859
Entire five-county region	86.5%	13.5%	265,426

^a Note: A respondent was determined to be a "non-smoker" if they answered "never" to question 25a: "In general, how often do you smoke cigarettes?"

^b Note: A respondent was determined to be a "current smoker" if they answered "every day" or "some days" to question 25a: "In general, how often do you smoke cigarettes?"

54. In general, how often do you chew tobacco?

	Everyday	Some days	Never	N
Sherburne County, Zimmerman area total	6.7%	4.7%	88.6%	10,081
Gender				
Female	0.5%	0.0%	99.5%	4,901
Male	12.7%	9.2%	78.1%	5,156
Age				
18-34	9.7%	14.6%	75.6%	3,232
35-44	6.9%	0.0%	93.1%	2,464
45-54	7.2%	0.0%	92.8%	2,270
55-64	0.0%	0.0%	100.0%	1,267
65-74	5.7%	0.0%	94.3%	569
75+	0.0%	0.0%	100.0%	255
Highest level of education				
Less than high school diploma/GED	66.9%	0.0%	33.1%	290
High school diploma/GED	0.0%	14.1%	85.9%	2,239
Some college or AA degree	10.0%	3.2%	86.8%	4,864
Bachelor's degree or higher	0.0%	0.0%	100.0%	2,669
Household income (in 2012)				
Less than \$20,000	5.2%	0.0%	94.8%	473
\$20,000 - \$34,999	0.0%	0.0%	100.0%	682
\$35,000 - \$49,999	0.0%	0.0%	100.0%	1,617
\$50,000 - \$99,999	14.0%	3.4%	82.6%	4,683
\$100,000+	0.0%	13.6%	86.4%	2,311
Household type				
Single adult, no children	2.8%	19.1%	78.1%	825
2+ adults, no children	11.5%	6.2%	82.3%	5,107
Single adult, 1+ children	0.0%	0.0%	100.0%	474
2+ adults, 1+ children	1.9%	0.0%	98.1%	3,675
All areas included in the study				
Benton County	0.2%	4.9%	94.9%	26,827
Chisago County	3.6%	3.1%	93.3%	39,851
Mille Lacs County	1.3%	1.2%	97.5%	19,091
Sherburne County	2.5%	3.2%	94.2%	62,505
Stearns County	2.3%	0.8%	96.9%	116,951
Entire five-county region	2.3%	2.2%	95.6%	265,225

55. Chewing tobacco user status (calculated variable)

	Non-user ^a	Current user ^b	N
Sherburne County, Zimmerman area total	88.6%	11.4%	10,081
Gender			
Female	99.5%	0.5%	4,901
Male	78.1%	21.9%	5,156
Age			
18-34	75.6%	24.4%	3,232
35-44	93.1%	6.9%	2,464
45-54	92.8%	7.2%	2,270
55-64	100.0%	0.0%	1,267
65-74	94.3%	5.7%	569
75+	100.0%	0.0%	255
Highest level of education			
Less than high school diploma/GED	33.1%	66.9%	290
High school diploma/GED	85.9%	14.1%	2,239
Some college or AA degree	86.8%	13.2%	4,864
Bachelor's degree or higher	100.0%	0.0%	2,669
Household income (in 2012)			
Less than \$20,000	94.8%	5.2%	473
\$20,000 - \$34,999	100.0%	0.0%	682
\$35,000 - \$49,999	100.0%	0.0%	1,617
\$50,000 - \$99,999	82.6%	17.4%	4,683
\$100,000+	86.4%	13.6%	2,311
Household type			
Single adult, no children	78.1%	21.9%	825
2+ adults, no children	82.3%	17.7%	5,107
Single adult, 1+ children	100.0%	0.0%	474
2+ adults, 1+ children	98.1%	1.9%	3,675
All areas included in the study			
Benton County	94.9%	5.1%	26,827
Chisago County	93.3%	6.7%	39,851
Mille Lacs County	97.5%	2.5%	19,091
Sherburne County	94.2%	5.8%	62,505
Stearns County	96.9%	3.1%	116,951
Entire five-county region	95.6%	4.4%	265,225

^a Note: A respondent was determined to be a "non-user" if they answered "never" to question 25b: "In general, how often do you chew tobacco?"

^b Note: A respondent was determined to be a "current user" if they answered "every day" or "some days" to question 25b: "In general, how often do you chew tobacco?"

56. In general, how often do you smoke cigars, cigarillos, or little cigars?

	Everyday	Some days	Never	N
Sherburne County, Zimmerman area total	0.1%	1.1%	98.7%	10,081
Gender				
Female	0.3%	0.0%	99.7%	4,901
Male	0.0%	2.2%	97.8%	5,156
Age				
18-34	0.0%	0.0%	100.0%	3,232
35-44	0.0%	0.0%	100.0%	2,464
45-54	0.0%	5.1%	94.9%	2,270
55-64	1.2%	0.0%	98.8%	1,267
65-74	0.0%	0.0%	100.0%	569
75+	0.0%	0.0%	100.0%	255
Highest level of education				
Less than high school diploma/GED	0.0%	0.0%	100.0%	290
High school diploma/GED	0.0%	2.1%	97.9%	2,239
Some college or AA degree	0.3%	1.4%	98.3%	4,864
Bachelor's degree or higher	0.0%	0.0%	100.0%	2,669
Household income (in 2012)				
Less than \$20,000	3.2%	0.0%	96.8%	473
\$20,000 - \$34,999	0.0%	0.0%	100.0%	682
\$35,000 - \$49,999	0.0%	0.0%	100.0%	1,617
\$50,000 - \$99,999	0.0%	2.5%	97.5%	4,683
\$100,000+	0.0%	0.0%	100.0%	2,311
Household type				
Single adult, no children	0.0%	0.0%	100.0%	825
2+ adults, no children	0.3%	2.3%	97.4%	5,107
Single adult, 1+ children	0.0%	0.0%	100.0%	474
2+ adults, 1+ children	0.0%	0.0%	100.0%	3,675
All areas included in the study				
Benton County	0.1%	3.4%	96.6%	27,111
Chisago County	0.2%	4.0%	95.9%	38,918
Mille Lacs County	0.6%	0.9%	98.5%	19,091
Sherburne County	0.4%	5.0%	94.7%	62,505
Stearns County	0.1%	5.5%	94.4%	117,204
Entire five-county region	0.2%	4.6%	95.2%	264,829

57. Cigars, cigarillos, or little cigar smoking status (calculated variable)

	Non-smoker ^a	Current smoker ^b	N
Sherburne County, Zimmerman area total	98.7%	1.3%	10,081
Gender			
Female	99.7%	0.3%	4,901
Male	97.8%	2.2%	5,156
Age			
18-34	100.0%	0.0%	3,232
35-44	100.0%	0.0%	2,464
45-54	94.9%	5.1%	2,270
55-64	98.8%	1.2%	1,267
65-74	100.0%	0.0%	569
75+	100.0%	0.0%	255
Highest level of education			
Less than high school diploma/GED	100.0%	0.0%	290
High school diploma/GED	97.9%	2.1%	2,239
Some college or AA degree	98.3%	1.7%	4,864
Bachelor's degree or higher	100.0%	0.0%	2,669
Household income (in 2012)			
Less than \$20,000	96.8%	3.2%	473
\$20,000 - \$34,999	100.0%	0.0%	682
\$35,000 - \$49,999	100.0%	0.0%	1,617
\$50,000 - \$99,999	97.5%	2.5%	4,683
\$100,000+	100.0%	0.0%	2,311
Household type			
Single adult, no children	100.0%	0.0%	825
2+ adults, no children	97.4%	2.6%	5,107
Single adult, 1+ children	100.0%	0.0%	474
2+ adults, 1+ children	100.0%	0.0%	3,675
All areas included in the study			
Benton County	96.6%	3.4%	27,111
Chisago County	95.9%	4.1%	38,918
Mille Lacs County	98.5%	1.5%	19,091
Sherburne County	94.7%	5.3%	62,505
Stearns County	94.4%	5.6%	117,204
Entire five-county region	95.2%	4.8%	264,829

^a Note: A respondent was determined to be a "non-smoker" if they answered "never" to question 25c: "In general, how often do you smoke cigars, cigarillos, or little cigars?"

^b Note: A respondent was determined to be a "current smoker" if they answered "every day" or "some days" to question 25c: "In general, how often do you smoke cigars, cigarillos, or little cigars?"

58. In general, how often do you use marijuana?

	Everyday	Some days	Never	N
Sherburne County, Zimmerman area total	2.6%	6.9%	90.5%	10,081
Gender				
Female	1.4%	3.0%	95.6%	4,901
Male	3.7%	10.8%	85.5%	5,156
Age				
18-34	2.2%	7.1%	90.8%	3,232
35-44	6.9%	13.4%	79.7%	2,464
45-54	1.0%	5.1%	93.9%	2,270
55-64	0.0%	2.1%	97.9%	1,267
65-74	0.0%	0.0%	100.0%	569
75+	0.0%	0.0%	100.0%	255
Highest level of education				
Less than high school diploma/GED	0.0%	58.5%	41.5%	290
High school diploma/GED	0.0%	14.2%	85.8%	2,239
Some college or AA degree	1.9%	2.5%	95.6%	4,864
Bachelor's degree or higher	6.4%	2.6%	91.0%	2,669
Household income (in 2012)				
Less than \$20,000	0.0%	3.9%	96.1%	473
\$20,000 - \$34,999	0.0%	12.5%	87.5%	682
\$35,000 - \$49,999	0.0%	9.7%	90.3%	1,617
\$50,000 - \$99,999	4.1%	6.7%	89.2%	4,683
\$100,000+	3.1%	4.6%	92.3%	2,311
Household type				
Single adult, no children	2.8%	29.4%	67.8%	825
2+ adults, no children	0.0%	6.8%	93.2%	5,107
Single adult, 1+ children	0.0%	7.8%	92.2%	474
2+ adults, 1+ children	6.5%	1.9%	91.5%	3,675
All areas included in the study				
Benton County	0.4%	5.4%	94.2%	27,036
Chisago County	0.2%	4.7%	95.1%	39,851
Mille Lacs County	0.5%	2.1%	97.4%	19,161
Sherburne County	1.4%	4.2%	94.4%	62,472
Stearns County	1.0%	3.0%	96.0%	117,563
Entire five-county region	0.9%	3.7%	95.4%	266,083

59. Marijuana user status (calculated variable)

	Non-user ^a	Current user ^b	N
Sherburne County, Zimmerman area total	90.5%	9.5%	10,081
Gender			
Female	95.6%	4.4%	4,901
Male	85.5%	14.5%	5,156
Age			
18-34	90.8%	9.2%	3,232
35-44	79.7%	20.3%	2,464
45-54	93.9%	6.1%	2,270
55-64	97.9%	2.1%	1,267
65-74	100.0%	0.0%	569
75+	100.0%	0.0%	255
Highest level of education			
Less than high school diploma/GED	41.5%	58.5%	290
High school diploma/GED	85.8%	14.2%	2,239
Some college or AA degree	95.6%	4.4%	4,864
Bachelor's degree or higher	91.0%	9.0%	2,669
Household income (in 2012)			
Less than \$20,000	96.1%	3.9%	473
\$20,000 - \$34,999	87.5%	12.5%	682
\$35,000 - \$49,999	90.3%	9.7%	1,617
\$50,000 - \$99,999	89.2%	10.8%	4,683
\$100,000+	92.3%	7.7%	2,311
Household type			
Single adult, no children	67.8%	32.2%	825
2+ adults, no children	93.2%	6.8%	5,107
Single adult, 1+ children	92.2%	7.8%	474
2+ adults, 1+ children	91.5%	8.5%	3,675
All areas included in the study			
Benton County	94.2%	5.8%	27,036
Chisago County	95.1%	4.9%	39,851
Mille Lacs County	97.4%	2.6%	19,161
Sherburne County	94.4%	5.6%	62,472
Stearns County	96.0%	4.0%	117,563
Entire five-county region	95.4%	4.6%	266,083

60. In general, how often do you use other illegal drugs such as cocaine, heroin, or meth?

	Everyday	Some days	Never	N
Sherburne County, Zimmerman area total	0.0%	0.0%	100.0%	10,081
Gender				
Female	0.0%	0.0%	100.0%	4,901
Male	0.0%	0.0%	100.0%	5,156
Age				
18-34	0.0%	0.0%	100.0%	3,232
35-44	0.0%	0.0%	100.0%	2,464
45-54	0.0%	0.0%	100.0%	2,270
55-64	0.0%	0.0%	100.0%	1,267
65-74	0.0%	0.0%	100.0%	569
75+	0.0%	0.0%	100.0%	255
Highest level of education				
Less than high school diploma/GED	0.0%	0.0%	100.0%	290
High school diploma/GED	0.0%	0.0%	100.0%	2,239
Some college or AA degree	0.0%	0.0%	100.0%	4,864
Bachelor's degree or higher	0.0%	0.0%	100.0%	2,669
Household income (in 2012)				
Less than \$20,000	0.0%	0.0%	100.0%	473
\$20,000 - \$34,999	0.0%	0.0%	100.0%	682
\$35,000 - \$49,999	0.0%	0.0%	100.0%	1,617
\$50,000 - \$99,999	0.0%	0.0%	100.0%	4,683
\$100,000+	0.0%	0.0%	100.0%	2,311
Household type				
Single adult, no children	0.0%	0.0%	100.0%	825
2+ adults, no children	0.0%	0.0%	100.0%	5,107
Single adult, 1+ children	0.0%	0.0%	100.0%	474
2+ adults, 1+ children	0.0%	0.0%	100.0%	3,675
All areas included in the study				
Benton County	0.0%	1.5%	98.5%	27,111
Chisago County	0.0%	0.0%	100.0%	39,851
Mille Lacs County	0.0%	0.0%	100.0%	19,057
Sherburne County	0.1%	0.6%	99.2%	62,578
Stearns County	0.6%	0.0%	99.4%	117,563
Entire five-county region	0.3%	0.3%	99.4%	266,159

61. Other illegal drugs such as cocaine, heroin, or meth user status (calculated variable)

	Non-user ^a	Current user ^b	N
Sherburne County, Zimmerman area total	100.0%	0.0%	10,081
Gender			
Female	100.0%	0.0%	4,901
Male	100.0%	0.0%	5,156
Age			
18-34	100.0%	0.0%	3,232
35-44	100.0%	0.0%	2,464
45-54	100.0%	0.0%	2,270
55-64	100.0%	0.0%	1,267
65-74	100.0%	0.0%	569
75+	100.0%	0.0%	255
Highest level of education			
Less than high school diploma/GED	100.0%	0.0%	290
High school diploma/GED	100.0%	0.0%	2,239
Some college or AA degree	100.0%	0.0%	4,864
Bachelor's degree or higher	100.0%	0.0%	2,669
Household income (in 2012)			
Less than \$20,000	100.0%	0.0%	473
\$20,000 - \$34,999	100.0%	0.0%	682
\$35,000 - \$49,999	100.0%	0.0%	1,617
\$50,000 - \$99,999	100.0%	0.0%	4,683
\$100,000+	100.0%	0.0%	2,311
Household type			
Single adult, no children	100.0%	0.0%	825
2+ adults, no children	100.0%	0.0%	5,107
Single adult, 1+ children	100.0%	0.0%	474
2+ adults, 1+ children	100.0%	0.0%	3,675
All areas included in the study			
Benton County	98.5%	1.5%	27,111
Chisago County	100.0%	0.0%	39,851
Mille Lacs County	100.0%	0.0%	19,057
Sherburne County	99.2%	0.8%	62,578
Stearns County	99.4%	0.6%	117,563
Entire five-county region	99.4%	0.6%	266,159

^a Note: A respondent was determined to be a "non-user" if they answered "never" to question 25e: "In general, how often do you use other illegal drugs such as cocaine, heroin, or meth?"

^b Note: A respondent was determined to be a "current user" if they answered "every day" or "some days" to question 25e: "In general, how often do you use other illegal drugs such as cocaine, heroin, or meth?"

62. In general, how often do you use prescription drugs that are not prescribed for you or that you take only to get high?

	Everyday	Some days	Never	N
Sherburne County, Zimmerman area total	0.0%	0.7%	99.3%	10,081
Gender				
Female	0.0%	0.5%	99.5%	4,901
Male	0.0%	0.9%	99.1%	5,156
Age				
18-34	0.0%	0.0%	100.0%	3,232
35-44	0.0%	0.0%	100.0%	2,464
45-54	0.0%	3.1%	96.9%	2,270
55-64	0.0%	0.0%	100.0%	1,267
65-74	0.0%	0.0%	100.0%	569
75+	0.0%	0.0%	100.0%	255
Highest level of education				
Less than high school diploma/GED	0.0%	0.0%	100.0%	290
High school diploma/GED	0.0%	2.1%	97.9%	2,239
Some college or AA degree	0.0%	0.5%	99.5%	4,864
Bachelor's degree or higher	0.0%	0.0%	100.0%	2,669
Household income (in 2012)				
Less than \$20,000	0.0%	0.0%	100.0%	473
\$20,000 - \$34,999	0.0%	0.0%	100.0%	682
\$35,000 - \$49,999	0.0%	0.0%	100.0%	1,617
\$50,000 - \$99,999	0.0%	1.5%	98.5%	4,683
\$100,000+	0.0%	0.0%	100.0%	2,311
Household type				
Single adult, no children	0.0%	0.0%	100.0%	825
2+ adults, no children	0.0%	0.9%	99.1%	5,107
Single adult, 1+ children	0.0%	0.0%	100.0%	474
2+ adults, 1+ children	0.0%	0.7%	99.3%	3,675
All areas included in the study				
Benton County	0.0%	1.9%	98.1%	27,036
Chisago County	0.0%	0.9%	99.1%	39,718
Mille Lacs County	0.0%	0.0%	100.0%	19,028
Sherburne County	0.0%	1.0%	98.9%	62,337
Stearns County	0.0%	1.9%	98.1%	117,341
Entire five-county region	0.0%	1.4%	98.6%	265,460

63. Prescription drugs (that are not prescribed for you or that you take only to get high) user status (calculated variable)

	Non-user ^a	Current user ^b	N
Sherburne County, Zimmerman area total	99.3%	0.7%	10,081
Gender			
Female	99.5%	0.5%	4,901
Male	99.1%	0.9%	5,156
Age			
18-34	100.0%	0.0%	3,232
35-44	100.0%	0.0%	2,464
45-54	96.9%	3.1%	2,270
55-64	100.0%	0.0%	1,267
65-74	100.0%	0.0%	569
75+	100.0%	0.0%	255
Highest level of education			
Less than high school diploma/GED	100.0%	0.0%	290
High school diploma/GED	97.9%	2.1%	2,239
Some college or AA degree	99.5%	0.5%	4,864
Bachelor's degree or higher	100.0%	0.0%	2,669
Household income (in 2012)			
Less than \$20,000	100.0%	0.0%	473
\$20,000 - \$34,999	100.0%	0.0%	682
\$35,000 - \$49,999	100.0%	0.0%	1,617
\$50,000 - \$99,999	98.5%	1.5%	4,683
\$100,000+	100.0%	0.0%	2,311
Household type			
Single adult, no children	100.0%	0.0%	825
2+ adults, no children	99.1%	0.9%	5,107
Single adult, 1+ children	100.0%	0.0%	474
2+ adults, 1+ children	99.3%	0.7%	3,675
All areas included in the study			
Benton County	98.1%	1.9%	27,036
Chisago County	99.1%	0.9%	39,718
Mille Lacs County	100.0%	0.0%	19,028
Sherburne County	98.9%	1.1%	62,337
Stearns County	98.1%	1.9%	117,341
Entire five-county region	98.6%	1.4%	265,460

^a Note: A respondent was determined to be a "non-user" if they answered "never" to question 25f: "In general, how often do you use prescription drugs that are not prescribed for you or that you take only to get high?"

^b Note: A respondent was determined to be a "current user" if they answered "every day" or "some days" to question 25f: "In general, how often do you use prescription drugs that are not prescribed for you or that you take only to get high?"

64. During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage, or liquor?

	Yes	No	N
Sherburne County, Zimmerman area total	76.9%	23.1%	10,094
Gender			
Female	75.0%	25.0%	4,913
Male	79.0%	21.0%	5,156
Age			
18-34	76.1%	23.9%	3,232
35-44	84.5%	15.5%	2,464
45-54	76.5%	23.5%	2,283
55-64	63.2%	36.8%	1,267
65-74	82.3%	17.7%	569
75+	80.0%	20.0%	255
Highest level of education			
Less than high school diploma/GED	85.6%	14.4%	290
High school diploma/GED	64.7%	35.3%	2,251
Some college or AA degree	78.6%	21.4%	4,864
Bachelor's degree or higher	83.5%	16.5%	2,669
Household income (in 2012)			
Less than \$20,000	66.8%	33.2%	473
\$20,000 - \$34,999	77.4%	22.6%	682
\$35,000 - \$49,999	61.2%	38.8%	1,629
\$50,000 - \$99,999	75.3%	24.7%	4,683
\$100,000+	91.5%	8.5%	2,311
Household type			
Single adult, no children	83.5%	16.5%	837
2+ adults, no children	75.2%	24.8%	5,107
Single adult, 1+ children	55.5%	44.5%	474
2+ adults, 1+ children	80.5%	19.5%	3,675
All areas included in the study			
Benton County	72.4%	27.6%	27,063
Chisago County	66.0%	34.0%	40,040
Mille Lacs County	71.6%	28.4%	19,137
Sherburne County	72.3%	27.7%	62,676
Stearns County	73.0%	27.0%	117,436
Entire five-county region	71.6%	28.4%	266,353

65. (Of those who said they had at least one alcoholic beverage in the past 30 days) During the past 30 days, on how many days did you have at least one drink of any alcoholic beverage? (Mean)

	Mean	N
Sherburne County, Zimmerman area total	8.2	7,734
Gender		
Female	6.7	3,661
Male	9.6	4,073
Age		
18-34	5.3	2,459
35-44	9.6	2,082
45-54	9.1	1,721
55-64	11.2	800
65-74	4.7	468
75+	17.2	204
Highest level of education		
Less than high school diploma/GED	23.1	224
High school diploma/GED	8.6	1,457
Some college or AA degree	7.7	3,822
Bachelor's degree or higher	7.3	2,230
Household income (in 2012)		
Less than \$20,000	10.4	292
\$20,000 - \$34,999	4.8	527
\$35,000 - \$49,999	12.1	996
\$50,000 - \$99,999	7.0	3,528
\$100,000+	9.2	2,115
Household type		
Single adult, no children	10.6	700
2+ adults, no children	9.5	3,814
Single adult, 1+ children	4.8	263
2+ adults, 1+ children	6.3	2,957
All areas included in the study		
Benton County	9.1	19,571
Chisago County	10.1	26,363
Mille Lacs County	9.6	13,671
Sherburne County	8.1	45,120
Stearns County	8.3	85,357
Entire five-county region	8.7	190,082

66. (Of those who said they had at least one alcoholic beverage in the past 30 days) During the past 30 days, on the days when you drank, about how many drinks did you drink on average? (Mean)

	Mean	N
Sherburne County, Zimmerman area total	3.0	7,758
Gender		
Female	2.5	3,685
Male	3.4	4,073
Age		
18-34	3.8	2,459
35-44	2.8	2,082
45-54	2.7	1,746
55-64	2.7	800
65-74	1.5	468
75+	1.7	204
Highest level of education		
Less than high school diploma/GED	4.6	249
High school diploma/GED	2.9	1,457
Some college or AA degree	2.7	3,822
Bachelor's degree or higher	3.3	2,230
Household income (in 2012)		
Less than \$20,000	2.0	316
\$20,000 - \$34,999	1.8	527
\$35,000 - \$49,999	2.5	996
\$50,000 - \$99,999	3.5	3,528
\$100,000+	2.5	2,115
Household type		
Single adult, no children	2.8	700
2+ adults, no children	3.3	3,839
Single adult, 1+ children	3.7	263
2+ adults, 1+ children	2.6	2,957
All areas included in the study		
Benton County	2.5	19,403
Chisago County	3.2	26,372
Mille Lacs County	2.5	13,671
Sherburne County	2.6	45,189
Stearns County	2.5	85,412
Entire five-county region	2.6	190,047

67. (Of those who said they had at least one alcoholic beverage in the past 30 days) Total number of drinks in past 30 days (Mean, calculated variable)

	Mean	N
Sherburne County, Zimmerman area total	27.3	7,734
Gender		
Female	20.5	3,661
Male	33.4	4,073
Age		
18-34	19.3	2,459
35-44	32.3	2,082
45-54	29.5	1,721
55-64	43.3	800
65-74	8.8	468
75+	33.2	204
Highest level of education		
Less than high school diploma/GED	121.9	224
High school diploma/GED	27.4	1,457
Some college or AA degree	23.1	3,822
Bachelor's degree or higher	24.9	2,230
Household income (in 2012)		
Less than \$20,000	21.7	292
\$20,000 - \$34,999	9.9	527
\$35,000 - \$49,999	39.0	996
\$50,000 - \$99,999	27.3	3,528
\$100,000+	26.8	2,115
Household type		
Single adult, no children	29.0	700
2+ adults, no children	33.8	3,814
Single adult, 1+ children	17.6	263
2+ adults, 1+ children	19.3	2,957
All areas included in the study		
Benton County	25.8	19,403
Chisago County	33.3	26,303
Mille Lacs County	29.4	13,637
Sherburne County	23.4	45,068
Stearns County	23.8	85,299
Entire five-county region	25.7	189,710

68. During the past 30 days, on the days when you drank, about how many drinks did you drink on average?^a (calculated variable)

	No drinking	Drinking, not chronic – gender specific	Chronic drinking gender specific	N
Sherburne County, Zimmerman area total	23.2%	61.7%	15.2%	10,069
Gender				
Female	25.1%	59.4%	15.5%	4,889
Male	21.0%	64.1%	14.9%	5,156
Age				
18-34	23.9%	63.6%	12.5%	3,232
35-44	15.5%	62.4%	22.1%	2,464
45-54	23.8%	62.5%	13.7%	2,258
55-64	36.8%	52.4%	10.8%	1,267
65-74	17.7%	77.6%	4.7%	569
75+	20.0%	38.7%	41.3%	255
Highest level of education				
Less than high school diploma/GED	15.7%	10.2%	74.1%	266
High school diploma/GED	35.3%	47.2%	17.5%	2,251
Some college or AA degree	21.4%	66.0%	12.6%	4,864
Bachelor's degree or higher	16.5%	71.5%	12.1%	2,669
Household income (in 2012)				
Less than \$20,000	35.0%	60.0%	5.0%	448
\$20,000 - \$34,999	22.6%	70.6%	6.7%	682
\$35,000 - \$49,999	38.8%	34.9%	26.2%	1,629
\$50,000 - \$99,999	24.7%	63.5%	11.8%	4,683
\$100,000+	8.5%	74.5%	17.0%	2,311
Household type				
Single adult, no children	16.5%	56.2%	27.3%	837
2+ adults, no children	25.0%	59.5%	15.5%	5,083
Single adult, 1+ children	44.5%	36.7%	18.8%	474
2+ adults, 1+ children	19.5%	69.0%	11.4%	3,675
All areas included in the study				
Benton County	27.8%	56.2%	16.0%	26,881
Chisago County	34.1%	54.2%	11.7%	39,910
Mille Lacs County	28.5%	56.9%	14.6%	19,069
Sherburne County	27.8%	61.0%	11.2%	62,420
Stearns County	27.1%	62.4%	10.5%	116,960
Entire five-county region	28.5%	59.8%	11.7%	265,240

^a Note: The values in this table were based on respondent answers to survey questions 26, 27, and 28. Chronic drinking is defined for males of having 60 or more drinks in a 30 day period. For females, chronic drinking is defined as having 30 or more drinks in a 30 day period. "Drinking—not chronic, gender specific" is the percentage of respondents who drank in the last 30 days, but are not considered chronic drinkers (less than 60 drinks in a 30 day period for men and less than 30 drinks in a 30 day period for women). "No drinking" represents the respondents who reported not drinking in the past 30 days.

69. Chronic drinking (calculated variable, gender specific)^a

	Chronic drinking	No drinking or, not chronic	N
Sherburne County, Zimmerman area total	15.2%	84.8%	10,069
Gender			
Female	15.5%	84.5%	4,889
Male	14.9%	85.1%	5,156
Age			
18-34	12.5%	87.5%	3,232
35-44	22.1%	77.9%	2,464
45-54	13.7%	86.3%	2,258
55-64	10.8%	89.2%	1,267
65-74	4.7%	95.3%	569
75+	41.3%	58.7%	255
Highest level of education			
Less than high school diploma/GED	74.1%	25.9%	266
High school diploma/GED	17.5%	82.5%	2,251
Some college or AA degree	12.6%	87.4%	4,864
Bachelor's degree or higher	12.1%	87.9%	2,669
Household income (in 2012)			
Less than \$20,000	5.0%	95.0%	448
\$20,000 - \$34,999	6.7%	93.3%	682
\$35,000 - \$49,999	26.2%	73.8%	1,629
\$50,000 - \$99,999	11.8%	88.2%	4,683
\$100,000+	17.0%	83.0%	2,311
Household type			
Single adult, no children	27.3%	72.7%	837
2+ adults, no children	15.5%	84.5%	5,083
Single adult, 1+ children	18.8%	81.2%	474
2+ adults, 1+ children	11.4%	88.6%	3,675
All areas included in the study			
Benton County	16.0%	84.0%	26,881
Chisago County	11.7%	88.3%	39,910
Mille Lacs County	14.6%	85.4%	19,069
Sherburne County	11.2%	88.8%	62,420
Stearns County	10.5%	89.5%	116,960
Entire five-county region	11.7%	88.3%	265,240

^a Note: The values in this table were based on respondent answers to survey questions 26, 27, and 28. Chronic drinking is defined for males of having 60 or more drinks in a 30 day period. For females, chronic drinking is defined as having 30 or more drinks in a 30 day period. "No drinking or, not chronic" represents the respondents who reported not drinking in the past 30 days and the percentage of respondents who drank in the last 30 days, but are not considered chronic drinkers (less than 60 drinks in a 30 day period for men and less than 30 drinks in a 30 day period for women).

70. (Of those who said they had at least one alcoholic beverage in the past 30 days) Considering all types of alcoholic beverages, how many times during the past 30 days did you have 4 or more drinks on one occasion (binge drinking—females^a) (Mean)

	Mean	N
Sherburne County, Zimmerman area total	0.9	3,660
Gender		
Female	0.9	3,660
Male		0
Age		
18-34	0.7	1,199
35-44	1.0	893
45-54	1.4	927
55-64	0.4	399
65-74	0.4	148
75+	0.0	95
Highest level of education		
Less than high school diploma/GED	0.0	24
High school diploma/GED	1.0	537
Some college or AA degree	0.9	2,072
Bachelor's degree or higher	0.8	1,026
Household income (in 2012)		
Less than \$20,000	0.7	92
\$20,000 - \$34,999	0.1	367
\$35,000 - \$49,999	1.1	455
\$50,000 - \$99,999	0.7	1,826
\$100,000+	1.6	812
Household type		
Single adult, no children	0.9	221
2+ adults, no children	1.2	1,259
Single adult, 1+ children	1.0	155
2+ adults, 1+ children	0.7	2,024
All areas included in the study		
Benton County	1.4	9,775
Chisago County	1.8	11,016
Mille Lacs County	0.5	6,586
Sherburne County	1.1	20,883
Stearns County	0.8	39,960
Entire five-county region	1.0	88,221

^a Note: Binge drinking for females is consuming four or more drinks on one occasion.

71. (Of those who said they had at least one alcoholic beverage in the past 30 days) Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks on one occasion (binge drinking–males^a) (Mean)

	Mean	N
Sherburne County, Zimmerman area total	2.6	4,046
Gender		
Female		0
Male	2.6	4,046
Age		
18-34	1.8	1,260
35-44	4.4	1,189
45-54	2.3	807
55-64	3.1	401
65-74	0.0	307
75+	0.3	82
Highest level of education		
Less than high school diploma/GED	21.7	197
High school diploma/GED	0.9	907
Some college or AA degree	2.2	1,750
Bachelor's degree or higher	1.4	1,192
Household income (in 2012)		
Less than \$20,000	0.3	197
\$20,000 - \$34,999	0.2	161
\$35,000 - \$49,999	5.5	541
\$50,000 - \$99,999	3.8	1,702
\$100,000+	0.7	1,303
Household type		
Single adult, no children	2.2	466
2+ adults, no children	2.7	2,539
Single adult, 1+ children	0.4	108
2+ adults, 1+ children	2.7	933
All areas included in the study		
Benton County	2.4	9,662
Chisago County	3.2	15,313
Mille Lacs County	1.7	7,027
Sherburne County	1.9	24,171
Stearns County	1.7	44,431
Entire five-county region	2.0	100,603

^a Note: Binge drinking for males is consuming five or more drinks on one occasion.

72. Binge drinking (calculated variable, gender specific)^a

	No drinking or no binge drinking	Any binge drinking	N
Sherburne County, Zimmerman area total	71.3%	28.7%	10,041
Gender			
Female	74.8%	25.2%	4,888
Male	67.8%	32.2%	5,129
Age			
18-34	68.5%	31.5%	3,232
35-44	62.7%	37.3%	2,464
45-54	71.8%	28.2%	2,270
55-64	80.8%	19.2%	1,267
65-74	94.0%	6.0%	555
75+	88.1%	11.9%	228
Highest level of education			
Less than high school diploma/GED	25.1%	74.9%	263
High school diploma/GED	82.0%	18.0%	2,237
Some college or AA degree	73.3%	26.7%	4,864
Bachelor's degree or higher	63.0%	37.0%	2,657
Household income (in 2012)			
Less than \$20,000	88.9%	11.1%	446
\$20,000 - \$34,999	93.3%	6.7%	682
\$35,000 - \$49,999	69.4%	30.6%	1,629
\$50,000 - \$99,999	65.4%	34.6%	4,683
\$100,000+	76.2%	23.8%	2,311
Household type			
Single adult, no children	49.1%	50.9%	825
2+ adults, no children	77.1%	22.9%	5,066
Single adult, 1+ children	76.4%	23.6%	474
2+ adults, 1+ children	67.7%	32.3%	3,675
All areas included in the study			
Benton County	67.1%	32.9%	26,916
Chisago County	72.8%	27.2%	39,936
Mille Lacs County	73.7%	26.3%	19,045
Sherburne County	75.1%	24.9%	62,406
Stearns County	69.7%	30.3%	116,051
Entire five-county region	71.5%	28.5%	264,354

^a Binge drinking is defined as consuming four or more drinks on one occasion for females and five or more drinks on one occasion for males.

73. During the past 30 days, how many times have you driven when you've had perhaps too much to drink?

	No drinking or no drinking and driving	Any drinking and driving	N
Sherburne County, Zimmerman area total	96.5%	3.5%	10,080
Gender			
Female	97.1%	2.9%	4,900
Male	95.9%	4.1%	5,156
Age			
18-34	96.7%	3.3%	3,232
35-44	91.6%	8.4%	2,464
45-54	100.0%	0.0%	2,283
55-64	96.8%	3.2%	1,267
65-74	100.0%	0.0%	555
75+	100.0%	0.0%	255
Highest level of education			
Less than high school diploma/GED	100.0%	0.0%	290
High school diploma/GED	100.0%	0.0%	2,237
Some college or AA degree	94.0%	6.0%	4,864
Bachelor's degree or higher	97.7%	2.3%	2,669
Household income (in 2012)			
Less than \$20,000	100.0%	0.0%	473
\$20,000 - \$34,999	100.0%	0.0%	682
\$35,000 - \$49,999	100.0%	0.0%	1,629
\$50,000 - \$99,999	96.1%	3.9%	4,683
\$100,000+	92.6%	7.4%	2,311
Household type			
Single adult, no children	94.2%	5.8%	837
2+ adults, no children	99.5%	0.5%	5,094
Single adult, 1+ children	100.0%	0.0%	474
2+ adults, 1+ children	92.4%	7.6%	3,675
All areas included in the study			
Benton County	93.2%	6.8%	26,367
Chisago County	97.0%	3.0%	39,908
Mille Lacs County	93.6%	6.4%	19,027
Sherburne County	96.7%	3.3%	62,535
Stearns County	95.3%	4.7%	116,523
Entire five-county region	95.5%	4.5%	264,360

74. Do you perform monthly self-exams for cancer (self-breast exam or self-testicular exam)?

	Yes	No	N
Sherburne County, Zimmerman area total	28.2%	71.8%	10,053
Gender			
Female	44.0%	56.0%	4,927
Male	12.5%	87.5%	5,102
Age			
18-34	19.6%	80.4%	3,232
35-44	17.8%	82.2%	2,464
45-54	36.7%	63.3%	2,283
55-64	49.5%	50.5%	1,240
65-74	32.1%	67.9%	582
75+	41.8%	58.2%	228
Highest level of education			
Less than high school diploma/GED	6.4%	93.6%	237
High school diploma/GED	20.2%	79.8%	2,251
Some college or AA degree	28.8%	71.2%	4,878
Bachelor's degree or higher	35.2%	64.8%	2,669
Household income (in 2012)			
Less than \$20,000	8.3%	91.7%	419
\$20,000 - \$34,999	36.3%	63.7%	682
\$35,000 - \$49,999	32.1%	67.9%	1,642
\$50,000 - \$99,999	23.7%	76.3%	4,683
\$100,000+	35.2%	64.8%	2,311
Household type			
Single adult, no children	24.6%	75.4%	837
2+ adults, no children	31.3%	68.7%	5,067
Single adult, 1+ children	44.5%	55.5%	474
2+ adults, 1+ children	22.6%	77.4%	3,675
All areas included in the study			
Benton County	41.5%	58.5%	26,941
Chisago County	32.4%	67.6%	39,892
Mille Lacs County	43.2%	56.8%	19,229
Sherburne County	35.1%	64.9%	62,294
Stearns County	35.5%	64.5%	116,139
Entire five-county region	36.1%	63.9%	264,495

75. Do you get a yearly flu shot or flu immunization?

	Yes	No	N
Sherburne County, Zimmerman area total	44.3%	55.7%	10,107
Gender			
Female	51.0%	49.0%	4,927
Male	37.5%	62.5%	5,156
Age			
18-34	26.2%	73.8%	3,232
35-44	43.7%	56.3%	2,464
45-54	49.3%	50.7%	2,283
55-64	51.8%	48.2%	1,267
65-74	88.5%	11.5%	582
75+	89.3%	10.7%	255
Highest level of education			
Less than high school diploma/GED	23.8%	76.2%	290
High school diploma/GED	40.7%	59.3%	2,251
Some college or AA degree	40.8%	59.2%	4,878
Bachelor's degree or higher	56.2%	43.8%	2,669
Household income (in 2012)			
Less than \$20,000	31.7%	68.3%	473
\$20,000 - \$34,999	57.2%	42.8%	682
\$35,000 - \$49,999	41.1%	58.9%	1,642
\$50,000 - \$99,999	40.6%	59.4%	4,683
\$100,000+	50.4%	49.6%	2,311
Household type			
Single adult, no children	41.4%	58.6%	837
2+ adults, no children	39.4%	60.6%	5,120
Single adult, 1+ children	84.7%	15.3%	474
2+ adults, 1+ children	46.5%	53.5%	3,675
All areas included in the study			
Benton County	47.2%	52.8%	27,043
Chisago County	53.7%	46.3%	39,870
Mille Lacs County	56.3%	43.7%	19,258
Sherburne County	54.8%	45.2%	62,574
Stearns County	48.9%	51.1%	117,120
Entire five-county region	51.4%	48.6%	265,865

76. Do you need medication to control a chronic physical or mental condition?

	Yes	No	N
Sherburne County, Zimmerman area total	13.3%	86.7%	10,043
Gender			
Female	20.7%	79.3%	4,889
Male	6.4%	93.6%	5,129
Age			
18-34	6.5%	93.5%	3,232
35-44	2.3%	97.7%	2,427
45-54	12.8%	87.2%	2,283
55-64	39.1%	60.9%	1,267
65-74	35.6%	64.4%	582
75+	32.8%	67.2%	228
Highest level of education			
Less than high school diploma/GED	35.5%	64.5%	263
High school diploma/GED	6.7%	93.3%	2,251
Some college or AA degree	16.4%	83.6%	4,841
Bachelor's degree or higher	11.3%	88.7%	2,669
Household income (in 2012)			
Less than \$20,000	38.8%	61.2%	446
\$20,000 - \$34,999	29.8%	70.2%	682
\$35,000 - \$49,999	12.9%	87.1%	1,605
\$50,000 - \$99,999	13.4%	86.6%	4,683
\$100,000+	5.1%	94.9%	2,311
Household type			
Single adult, no children	19.8%	80.2%	837
2+ adults, no children	13.4%	86.6%	5,093
Single adult, 1+ children	13.9%	86.1%	474
2+ adults, 1+ children	11.6%	88.4%	3,638
All areas included in the study			
Benton County	21.6%	78.4%	26,906
Chisago County	23.0%	77.0%	39,820
Mille Lacs County	33.1%	66.9%	19,161
Sherburne County	26.3%	73.7%	62,435
Stearns County	20.0%	80.0%	115,823
Entire five-county region	23.1%	76.9%	264,145

77. Do you have a family emergency plan?

	Yes	No	N
Sherburne County, Zimmerman area total	22.3%	77.7%	10,042
Gender			
Female	27.2%	72.8%	4,889
Male	17.7%	82.3%	5,129
Age			
18-34	16.4%	83.6%	3,232
35-44	21.7%	78.3%	2,464
45-54	25.7%	74.3%	2,258
55-64	29.3%	70.7%	1,267
65-74	31.2%	68.8%	569
75+	20.9%	79.1%	228
Highest level of education			
Less than high school diploma/GED	5.7%	94.3%	263
High school diploma/GED	19.4%	80.6%	2,237
Some college or AA degree	26.9%	73.1%	4,853
Bachelor's degree or higher	17.6%	82.4%	2,669
Household income (in 2012)			
Less than \$20,000	20.0%	80.0%	446
\$20,000 - \$34,999	15.8%	84.2%	682
\$35,000 - \$49,999	17.7%	82.3%	1,629
\$50,000 - \$99,999	20.8%	79.2%	4,659
\$100,000+	29.1%	70.9%	2,311
Household type			
Single adult, no children	16.5%	83.5%	837
2+ adults, no children	19.4%	80.6%	5,056
Single adult, 1+ children	44.1%	55.9%	474
2+ adults, 1+ children	24.8%	75.2%	3,675
All areas included in the study			
Benton County	32.1%	67.9%	26,917
Chisago County	26.4%	73.6%	39,597
Mille Lacs County	31.6%	68.4%	19,127
Sherburne County	31.1%	68.9%	62,164
Stearns County	23.9%	76.1%	116,559
Entire five-county region	27.4%	72.6%	264,364

78. Do you live with someone who smokes?

	Yes	No	N
Sherburne County, Zimmerman area total	21.3%	78.7%	10,080
Gender			
Female	24.7%	75.3%	4,927
Male	18.1%	81.9%	5,129
Age			
18-34	27.7%	72.3%	3,232
35-44	19.7%	80.3%	2,464
45-54	15.7%	84.3%	2,283
55-64	23.2%	76.8%	1,267
65-74	15.0%	85.0%	582
75+	11.9%	88.1%	228
Highest level of education			
Less than high school diploma/GED	16.1%	83.9%	263
High school diploma/GED	22.9%	77.1%	2,251
Some college or AA degree	29.8%	70.2%	4,878
Bachelor's degree or higher	5.1%	94.9%	2,669
Household income (in 2012)			
Less than \$20,000	63.7%	36.3%	446
\$20,000 - \$34,999	32.8%	67.2%	682
\$35,000 - \$49,999	34.3%	65.7%	1,642
\$50,000 - \$99,999	19.0%	81.0%	4,683
\$100,000+	7.4%	92.6%	2,311
Household type			
Single adult, no children	20.3%	79.7%	837
2+ adults, no children	24.2%	75.8%	5,093
Single adult, 1+ children	11.4%	88.6%	474
2+ adults, 1+ children	18.9%	81.1%	3,675
All areas included in the study			
Benton County	14.3%	85.7%	27,029
Chisago County	22.2%	77.8%	39,996
Mille Lacs County	15.7%	84.3%	19,357
Sherburne County	16.8%	83.2%	62,355
Stearns County	15.6%	84.4%	116,982
Entire five-county region	16.8%	83.2%	265,718

Community concerns

Health care delivery

79. In your opinion, how much of a problem is each of these issues in your county? People without health insurance or medical coverage

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	4.9%	13.9%	26.3%	32.1%	22.8%	9,982
Gender						
Female	0.5%	10.3%	33.7%	39.3%	16.3%	4,880
Male	9.1%	17.4%	19.3%	25.3%	28.9%	5,102
Age						
18-34	9.7%	27.1%	17.5%	15.3%	30.4%	3,232
35-44	0.0%	0.8%	24.7%	53.6%	21.0%	2,464
45-54	4.1%	15.6%	32.2%	33.6%	14.5%	2,283
55-64	6.5%	6.3%	40.7%	29.6%	17.0%	1,240
65-74	0.0%	11.1%	25.9%	34.4%	28.7%	535
75+	0.0%	0.0%	34.3%	32.8%	32.8%	228
Highest level of education						
Less than high school diploma/GED	19.4%	0.0%	16.1%	64.5%	0.0%	263
High school diploma/GED	16.2%	8.1%	17.9%	20.4%	37.3%	2,224
Some college or AA degree	0.6%	14.7%	24.8%	38.6%	21.3%	4,806
Bachelor's degree or higher	1.9%	18.6%	37.3%	27.3%	14.9%	2,669
Household income (in 2012)						
Less than \$20,000	11.5%	5.1%	21.7%	52.2%	9.5%	446
\$20,000 - \$34,999	0.0%	16.2%	40.3%	37.6%	6.0%	668
\$35,000 - \$49,999	4.3%	6.4%	18.7%	27.1%	43.5%	1,622
\$50,000 - \$99,999	0.0%	21.1%	24.5%	31.5%	22.9%	4,632
\$100,000+	15.9%	5.0%	31.6%	31.8%	15.6%	2,311
Household type						
Single adult, no children	2.8%	10.9%	17.1%	19.4%	49.7%	837
2+ adults, no children	8.4%	17.5%	21.3%	31.5%	21.3%	4,995
Single adult, 1+ children	0.0%	0.0%	30.2%	38.0%	31.8%	474
2+ adults, 1+ children	1.3%	11.5%	34.7%	35.1%	17.4%	3,675
All areas included in the study						
Benton County	7.3%	14.2%	30.3%	30.0%	18.2%	26,542
Chisago County	9.1%	13.0%	23.7%	35.0%	19.2%	39,360
Mille Lacs County	4.0%	7.0%	29.4%	45.3%	14.3%	19,211
Sherburne County	5.7%	13.8%	27.1%	33.9%	19.4%	61,930
Stearns County	4.7%	11.9%	29.6%	35.8%	18.1%	116,201
Entire five-county region	5.8%	12.4%	28.2%	35.3%	18.3%	263,244

80. In your opinion, how much of a problem is each of these issues in your county? People not getting needed care because of inadequate health insurance or high deductibles

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	8.5%	8.6%	24.4%	36.6%	21.9%	9,957
Gender						
Female	2.0%	6.9%	29.0%	47.6%	14.5%	4,855
Male	14.8%	10.3%	19.9%	26.1%	28.9%	5,102
Age						
18-34	21.7%	13.0%	17.5%	17.5%	30.4%	3,232
35-44	0.0%	2.3%	24.0%	54.2%	19.5%	2,464
45-54	4.1%	12.1%	31.0%	39.2%	13.6%	2,258
55-64	4.3%	4.1%	29.1%	46.7%	15.8%	1,240
65-74	0.0%	6.0%	29.9%	37.9%	26.2%	535
75+	0.0%	11.9%	22.4%	32.8%	32.8%	228
Highest level of education						
Less than high school diploma/GED	9.3%	0.0%	74.9%	5.7%	10.2%	263
High school diploma/GED	16.2%	8.5%	14.0%	27.2%	34.0%	2,224
Some college or AA degree	2.0%	11.8%	21.3%	44.1%	20.8%	4,782
Bachelor's degree or higher	13.7%	4.1%	33.6%	34.3%	14.4%	2,669
Household income (in 2012)						
Less than \$20,000	5.5%	5.1%	18.3%	55.6%	15.5%	446
\$20,000 - \$34,999	0.0%	3.6%	38.9%	51.5%	6.0%	668
\$35,000 - \$49,999	4.3%	2.4%	12.3%	39.1%	41.9%	1,622
\$50,000 - \$99,999	8.4%	13.9%	23.9%	32.7%	21.0%	4,608
\$100,000+	15.9%	3.8%	29.2%	35.4%	15.6%	2,311
Household type						
Single adult, no children	2.8%	10.2%	19.3%	19.4%	48.3%	837
2+ adults, no children	14.2%	12.3%	17.7%	35.0%	20.8%	4,971
Single adult, 1+ children	0.0%	0.0%	27.9%	42.8%	29.3%	474
2+ adults, 1+ children	3.2%	4.5%	34.1%	41.9%	16.4%	3,675
All areas included in the study						
Benton County	4.5%	15.6%	29.5%	33.2%	17.1%	26,758
Chisago County	6.3%	12.3%	20.1%	44.3%	17.0%	39,236
Mille Lacs County	4.0%	7.8%	27.9%	44.2%	16.1%	19,150
Sherburne County	4.6%	11.9%	30.2%	35.9%	17.5%	61,386
Stearns County	5.5%	14.5%	25.6%	38.1%	16.4%	115,417
Entire five-county region	5.2%	13.2%	26.4%	38.4%	16.8%	261,947

81. In your opinion, how much of a problem is each of these issues in your county?
Too few health care providers

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	38.2%	27.8%	12.1%	3.7%	18.1%	10,016
Gender						
Female	35.2%	33.5%	16.3%	5.1%	9.9%	4,863
Male	41.3%	22.0%	8.2%	2.5%	26.0%	5,129
Age						
18-34	39.1%	34.8%	4.4%	0.0%	21.7%	3,232
35-44	43.4%	18.1%	12.2%	4.5%	21.8%	2,464
45-54	35.2%	30.3%	21.8%	1.6%	11.1%	2,246
55-64	37.0%	17.4%	17.8%	8.2%	19.6%	1,267
65-74	28.6%	47.0%	2.4%	16.7%	5.3%	555
75+	34.3%	10.4%	20.9%	11.9%	22.4%	228
Highest level of education						
Less than high school diploma/GED	19.6%	0.0%	80.4%	0.0%	0.0%	263
High school diploma/GED	38.0%	17.3%	6.9%	5.1%	32.7%	2,224
Some college or AA degree	37.4%	33.0%	9.9%	2.4%	17.2%	4,878
Bachelor's degree or higher	42.0%	29.9%	13.9%	5.4%	8.7%	2,633
Household income (in 2012)						
Less than \$20,000	28.9%	11.2%	15.2%	3.2%	41.5%	446
\$20,000 - \$34,999	38.3%	30.6%	13.6%	7.6%	10.0%	668
\$35,000 - \$49,999	30.1%	31.7%	0.9%	6.3%	31.0%	1,642
\$50,000 - \$99,999	33.5%	34.3%	12.6%	1.7%	17.9%	4,647
\$100,000+	56.4%	16.6%	16.7%	4.0%	6.4%	2,311
Household type						
Single adult, no children	28.0%	9.4%	13.1%	3.2%	46.3%	837
2+ adults, no children	33.1%	27.1%	16.2%	4.9%	18.7%	5,066
Single adult, 1+ children	39.3%	18.8%	16.2%	0.0%	25.7%	474
2+ adults, 1+ children	47.6%	34.1%	5.7%	2.7%	9.9%	3,638
All areas included in the study						
Benton County	34.3%	31.3%	13.1%	6.3%	15.0%	26,596
Chisago County	38.7%	30.1%	11.9%	6.7%	12.5%	38,803
Mille Lacs County	32.9%	23.6%	18.6%	14.3%	10.6%	19,169
Sherburne County	42.0%	25.4%	12.6%	5.1%	15.0%	61,755
Stearns County	35.5%	30.8%	15.0%	6.0%	12.8%	115,293
Entire five-county region	37.2%	28.9%	14.0%	6.5%	13.3%	261,616

82. In your opinion, how much of a problem is each of these issues in your county?
Too few dental providers

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	40.7%	23.4%	10.8%	7.2%	18.0%	10,023
Gender						
Female	35.1%	28.9%	16.8%	9.5%	9.6%	4,870
Male	46.2%	17.7%	5.1%	5.0%	26.0%	5,129
Age						
18-34	40.2%	29.4%	6.5%	2.2%	21.7%	3,232
35-44	39.6%	13.6%	10.6%	13.7%	22.5%	2,464
45-54	40.2%	30.0%	15.1%	3.7%	10.9%	2,283
55-64	41.1%	19.1%	11.5%	10.7%	17.6%	1,237
65-74	49.6%	20.1%	13.1%	11.9%	5.3%	555
75+	44.8%	0.0%	20.9%	11.9%	22.4%	228
Highest level of education						
Less than high school diploma/GED	10.3%	9.3%	10.2%	70.2%	0.0%	263
High school diploma/GED	41.0%	12.2%	8.2%	6.9%	31.7%	2,194
Some college or AA degree	41.3%	23.0%	12.4%	6.3%	16.9%	4,878
Bachelor's degree or higher	42.6%	34.7%	9.2%	2.9%	10.6%	2,669
Household income (in 2012)						
Less than \$20,000	8.7%	13.4%	14.6%	21.8%	41.5%	446
\$20,000 - \$34,999	36.8%	23.4%	20.6%	9.2%	10.0%	668
\$35,000 - \$49,999	38.6%	15.4%	5.3%	7.4%	33.3%	1,642
\$50,000 - \$99,999	38.0%	28.4%	9.2%	7.6%	16.9%	4,653
\$100,000+	56.4%	22.6%	11.8%	2.3%	7.0%	2,311
Household type						
Single adult, no children	31.6%	5.9%	13.0%	3.2%	46.3%	837
2+ adults, no children	38.8%	25.5%	10.3%	7.3%	18.2%	5,036
Single adult, 1+ children	27.9%	26.2%	20.1%	3.9%	21.8%	474
2+ adults, 1+ children	47.1%	24.1%	9.6%	8.4%	10.8%	3,675
All areas included in the study						
Benton County	40.9%	28.0%	8.5%	6.6%	16.0%	26,695
Chisago County	43.1%	26.0%	11.1%	6.2%	13.6%	39,001
Mille Lacs County	33.8%	16.4%	20.7%	17.5%	11.5%	19,230
Sherburne County	44.2%	22.4%	12.5%	6.2%	14.6%	61,707
Stearns County	41.0%	27.8%	11.6%	4.7%	14.9%	116,164
Entire five-county region	41.5%	25.5%	12.1%	6.4%	14.5%	262,798

83. In your opinion, how much of a problem is each of these issues in your county? Language barriers in getting health care

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	33.2%	21.0%	9.9%	2.0%	33.9%	9,926
Gender						
Female	25.1%	32.0%	10.7%	2.0%	30.3%	4,825
Male	40.9%	10.7%	9.1%	2.0%	37.3%	5,102
Age						
18-34	34.8%	19.6%	14.1%	0.0%	31.5%	3,232
35-44	17.4%	22.0%	7.7%	2.3%	50.7%	2,427
45-54	37.8%	26.0%	7.3%	4.1%	24.8%	2,258
55-64	40.3%	21.5%	8.1%	1.2%	28.9%	1,267
65-74	56.8%	2.5%	13.4%	6.0%	21.3%	542
75+	39.0%	23.7%	0.0%	0.0%	37.3%	201
Highest level of education						
Less than high school diploma/GED	85.0%	0.0%	15.0%	0.0%	0.0%	263
High school diploma/GED	43.1%	5.9%	6.9%	2.6%	41.4%	2,160
Some college or AA degree	26.1%	24.7%	14.5%	2.6%	32.1%	4,816
Bachelor's degree or higher	33.1%	28.9%	3.6%	0.6%	33.8%	2,669
Household income (in 2012)						
Less than \$20,000	32.6%	9.5%	13.0%	0.0%	44.9%	446
\$20,000 - \$34,999	47.0%	13.9%	23.5%	0.0%	15.6%	668
\$35,000 - \$49,999	29.0%	11.5%	5.5%	0.0%	54.0%	1,602
\$50,000 - \$99,999	33.7%	24.0%	11.6%	1.0%	29.7%	4,597
\$100,000+	32.9%	26.6%	6.4%	3.1%	31.1%	2,311
Household type						
Single adult, no children	36.4%	8.9%	0.9%	2.8%	51.0%	837
2+ adults, no children	37.0%	18.1%	12.8%	2.4%	29.8%	5,001
Single adult, 1+ children	36.2%	30.2%	3.9%	0.0%	29.7%	474
2+ adults, 1+ children	26.9%	26.7%	8.8%	1.5%	36.2%	3,613
All areas included in the study						
Benton County	25.7%	27.8%	17.5%	5.7%	23.4%	26,731
Chisago County	44.1%	25.8%	7.0%	1.3%	21.8%	38,906
Mille Lacs County	54.7%	17.2%	4.5%	2.2%	21.5%	19,037
Sherburne County	35.5%	22.8%	13.7%	2.7%	25.4%	61,688
Stearns County	30.7%	21.6%	23.3%	5.8%	18.6%	115,758
Entire five-county region	35.1%	22.8%	16.7%	4.1%	21.3%	262,120

84. In your opinion, how much of a problem is each of these issues in your county? Lack of provider knowledge about the health care needs of people of different cultures

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	28.7%	21.9%	8.6%	1.0%	39.7%	9,884
Gender						
Female	19.2%	34.3%	7.3%	0.9%	38.3%	4,731
Male	37.2%	10.6%	9.8%	1.2%	41.2%	5,129
Age						
18-34	30.0%	22.3%	14.4%	0.0%	33.3%	3,161
35-44	18.6%	25.4%	3.1%	0.8%	52.2%	2,427
45-54	33.3%	25.1%	9.2%	0.0%	32.4%	2,283
55-64	34.0%	12.0%	7.5%	1.8%	44.8%	1,267
65-74	32.5%	17.1%	2.5%	6.0%	41.9%	542
75+	28.3%	15.1%	0.0%	15.1%	41.5%	180
Highest level of education						
Less than high school diploma/GED	74.7%	10.3%	0.0%	0.0%	15.0%	263
High school diploma/GED	34.9%	10.3%	6.4%	2.7%	45.8%	2,224
Some college or AA degree	23.1%	23.7%	11.3%	0.5%	41.4%	4,709
Bachelor's degree or higher	29.2%	29.7%	6.6%	0.0%	34.5%	2,669
Household income (in 2012)						
Less than \$20,000	16.6%	1.7%	5.9%	0.0%	75.8%	446
\$20,000 - \$34,999	19.6%	35.7%	11.4%	3.6%	29.7%	621
\$35,000 - \$49,999	21.9%	21.5%	0.0%	1.7%	54.9%	1,629
\$50,000 - \$99,999	30.8%	21.4%	13.1%	0.0%	34.8%	4,576
\$100,000+	35.6%	25.3%	4.7%	0.0%	34.3%	2,311
Household type						
Single adult, no children	22.2%	23.3%	1.8%	0.0%	52.7%	837
2+ adults, no children	36.3%	15.3%	13.8%	1.6%	33.0%	5,005
Single adult, 1+ children	18.8%	30.2%	7.8%	3.9%	39.3%	474
2+ adults, 1+ children	21.1%	29.8%	3.0%	0.0%	46.1%	3,567
All areas included in the study						
Benton County	23.3%	26.2%	17.8%	3.3%	29.5%	26,656
Chisago County	32.4%	26.6%	10.3%	1.4%	29.3%	39,144
Mille Lacs County	41.5%	20.0%	11.6%	1.0%	25.9%	19,056
Sherburne County	30.0%	18.6%	12.9%	3.7%	34.9%	61,796
Stearns County	26.0%	22.0%	21.0%	4.7%	26.3%	115,525
Entire five-county region	28.7%	22.2%	16.5%	3.6%	29.1%	262,177

85. In your opinion, how much of a problem is each of these issues in your county?
Ambulance/rescue squad response time to 911

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	52.8%	13.7%	5.9%	0.9%	26.7%	9,977
Gender						
Female	45.6%	18.0%	6.0%	0.8%	29.7%	4,875
Male	59.6%	9.6%	5.9%	1.1%	23.9%	5,102
Age						
18-34	69.5%	5.5%	2.2%	0.0%	22.8%	3,232
35-44	25.1%	23.2%	16.4%	1.5%	33.8%	2,464
45-54	51.0%	17.9%	4.2%	0.0%	26.8%	2,258
55-64	60.6%	10.0%	1.8%	2.1%	25.5%	1,267
65-74	63.9%	10.7%	0.0%	0.0%	25.4%	555
75+	61.0%	13.6%	0.0%	13.6%	11.9%	201
Highest level of education						
Less than high school diploma/GED	25.1%	10.3%	64.5%	0.0%	0.0%	263
High school diploma/GED	58.7%	9.0%	2.0%	1.2%	29.1%	2,224
Some college or AA degree	52.5%	14.1%	6.4%	0.6%	26.5%	4,802
Bachelor's degree or higher	51.3%	17.3%	2.6%	1.4%	27.3%	2,669
Household income (in 2012)						
Less than \$20,000	34.2%	10.1%	1.7%	0.0%	53.9%	446
\$20,000 - \$34,999	30.2%	13.4%	12.7%	0.0%	43.7%	668
\$35,000 - \$49,999	58.5%	9.2%	0.0%	1.7%	30.6%	1,642
\$50,000 - \$99,999	52.9%	11.4%	8.8%	0.6%	26.4%	4,607
\$100,000+	61.6%	21.6%	2.1%	1.6%	13.1%	2,311
Household type						
Single adult, no children	68.2%	5.8%	11.0%	0.0%	15.0%	837
2+ adults, no children	58.6%	8.7%	5.6%	1.8%	25.2%	4,991
Single adult, 1+ children	10.0%	34.1%	0.0%	0.0%	55.9%	474
2+ adults, 1+ children	46.8%	19.6%	6.0%	0.0%	27.6%	3,675
All areas included in the study						
Benton County	45.3%	23.1%	4.8%	1.1%	25.7%	26,702
Chisago County	51.3%	17.1%	9.7%	1.4%	20.5%	39,202
Mille Lacs County	50.8%	13.0%	12.1%	2.5%	21.6%	19,261
Sherburne County	51.2%	15.8%	4.4%	2.4%	26.2%	61,766
Stearns County	46.5%	20.1%	4.7%	1.8%	27.0%	116,385
Entire five-county region	48.5%	18.4%	5.9%	1.8%	25.3%	263,316

86. In your opinion, how much of a problem is each of these issues in your county? County government's lack of preparation for a disaster, disease outbreak, or terrorist event

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	27.4%	19.6%	9.3%	1.8%	41.9%	9,997
Gender						
Female	19.0%	24.8%	11.6%	2.7%	41.9%	4,843
Male	35.4%	14.8%	7.2%	0.5%	42.1%	5,129
Age						
18-34	40.1%	17.5%	6.5%	0.0%	35.9%	3,232
35-44	6.1%	21.8%	12.3%	3.0%	56.8%	2,445
45-54	28.3%	23.6%	11.0%	1.1%	36.0%	2,258
55-64	38.8%	13.5%	5.1%	2.4%	40.2%	1,267
65-74	19.6%	19.4%	10.9%	0.0%	50.1%	542
75+	22.4%	22.4%	20.9%	11.9%	22.4%	228
Highest level of education						
Less than high school diploma/GED	10.2%	10.3%	73.8%	0.0%	5.7%	263
High school diploma/GED	35.0%	8.2%	9.2%	1.2%	46.3%	2,224
Some college or AA degree	20.8%	24.7%	8.0%	2.4%	44.1%	4,821
Bachelor's degree or higher	34.8%	20.8%	5.4%	1.4%	37.6%	2,669
Household income (in 2012)						
Less than \$20,000	24.2%	1.7%	7.2%	6.8%	60.2%	446
\$20,000 - \$34,999	11.7%	21.9%	21.4%	0.0%	45.0%	650
\$35,000 - \$49,999	22.7%	16.0%	0.0%	1.7%	59.6%	1,629
\$50,000 - \$99,999	33.9%	15.8%	14.7%	1.3%	34.3%	4,659
\$100,000+	25.0%	30.6%	3.2%	2.7%	38.5%	2,311
Household type						
Single adult, no children	21.2%	6.8%	8.2%	0.0%	63.8%	837
2+ adults, no children	38.3%	13.6%	9.9%	1.5%	36.7%	5,029
Single adult, 1+ children	7.7%	31.4%	4.1%	0.0%	56.8%	456
2+ adults, 1+ children	16.2%	29.2%	9.4%	2.8%	42.3%	3,675
All areas included in the study						
Benton County	26.5%	22.5%	13.3%	7.2%	30.5%	26,613
Chisago County	26.7%	14.8%	15.4%	6.4%	36.7%	38,945
Mille Lacs County	29.4%	14.7%	16.1%	7.3%	32.5%	19,169
Sherburne County	30.2%	16.9%	11.0%	5.0%	37.0%	62,016
Stearns County	23.1%	26.2%	9.1%	7.4%	34.2%	115,404
Entire five-county region	26.1%	21.1%	11.4%	6.6%	34.7%	262,146

87. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining family planning services

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	36.2%	16.3%	2.9%	2.3%	42.3%	9,883
Gender						
Female	32.0%	17.4%	4.3%	3.3%	43.0%	4,754
Male	40.1%	15.2%	1.7%	1.4%	41.6%	5,129
Age						
18-34	54.3%	5.5%	2.2%	1.1%	36.9%	3,232
35-44	11.6%	25.1%	6.6%	3.1%	53.7%	2,427
45-54	36.6%	23.7%	0.5%	2.6%	36.6%	2,246
55-64	35.9%	16.8%	1.8%	1.8%	43.6%	1,222
65-74	33.4%	16.0%	0.0%	2.5%	48.1%	528
75+	44.8%	0.0%	10.4%	11.9%	32.8%	228
Highest level of education						
Less than high school diploma/GED	29.8%	64.5%	0.0%	0.0%	5.7%	263
High school diploma/GED	37.8%	11.8%	0.9%	2.4%	47.1%	2,173
Some college or AA degree	35.2%	15.9%	2.3%	1.4%	45.2%	4,795
Bachelor's degree or higher	37.6%	15.9%	6.1%	4.2%	36.4%	2,633
Household income (in 2012)						
Less than \$20,000	18.2%	13.7%	0.0%	0.0%	68.1%	416
\$20,000 - \$34,999	28.6%	21.1%	11.7%	3.4%	35.2%	668
\$35,000 - \$49,999	18.0%	11.2%	2.2%	5.3%	63.3%	1,615
\$50,000 - \$99,999	40.4%	19.1%	0.3%	2.7%	37.5%	4,570
\$100,000+	47.2%	10.9%	6.9%	0.0%	35.0%	2,311
Household type						
Single adult, no children	21.9%	15.5%	5.2%	1.5%	56.0%	837
2+ adults, no children	41.9%	17.2%	1.0%	2.2%	37.6%	5,000
Single adult, 1+ children	7.4%	16.2%	17.9%	7.4%	51.0%	474
2+ adults, 1+ children	35.3%	15.1%	3.0%	2.1%	44.5%	3,571
All areas included in the study						
Benton County	41.0%	15.5%	9.3%	1.9%	32.3%	26,740
Chisago County	40.1%	18.0%	5.6%	1.1%	35.1%	39,203
Mille Lacs County	34.8%	15.7%	7.7%	4.1%	37.8%	19,150
Sherburne County	40.5%	13.6%	5.9%	2.7%	37.3%	61,735
Stearns County	34.6%	18.6%	7.0%	1.6%	38.3%	116,385
Entire five-county region	37.5%	16.8%	6.8%	2.0%	36.9%	263,213

88. In your opinion, how much of a problem is each of these issues in your county? Lack of services to allow people to continue living at home

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	23.1%	14.3%	16.3%	6.6%	39.7%	9,980
Gender						
Female	13.2%	18.6%	22.4%	5.8%	40.0%	4,888
Male	32.6%	10.2%	10.4%	7.4%	39.4%	5,092
Age						
18-34	39.1%	14.2%	5.5%	0.0%	41.3%	3,232
35-44	8.4%	7.5%	26.9%	5.7%	51.4%	2,464
45-54	21.9%	22.4%	13.4%	13.6%	28.6%	2,247
55-64	17.5%	11.5%	20.9%	13.6%	36.4%	1,254
65-74	17.7%	23.7%	27.1%	2.4%	29.1%	555
75+	11.9%	0.0%	31.3%	11.9%	44.8%	228
Highest level of education						
Less than high school diploma/GED	10.2%	0.0%	64.5%	9.3%	16.1%	263
High school diploma/GED	31.8%	9.7%	8.8%	5.1%	44.6%	2,212
Some college or AA degree	20.0%	15.2%	15.1%	9.2%	40.5%	4,830
Bachelor's degree or higher	23.1%	17.9%	20.0%	2.9%	36.2%	2,656
Household income (in 2012)						
Less than \$20,000	8.7%	11.1%	1.7%	16.4%	62.1%	446
\$20,000 - \$34,999	1.0%	11.2%	40.0%	22.1%	25.7%	668
\$35,000 - \$49,999	12.2%	8.4%	14.5%	4.5%	60.4%	1,630
\$50,000 - \$99,999	29.5%	14.1%	14.8%	5.2%	36.4%	4,646
\$100,000+	26.7%	20.7%	17.2%	2.3%	33.1%	2,288
Household type						
Single adult, no children	7.6%	9.2%	8.7%	17.1%	57.4%	812
2+ adults, no children	30.9%	13.7%	18.1%	7.4%	29.9%	5,042
Single adult, 1+ children	0.0%	15.6%	30.8%	4.1%	49.5%	451
2+ adults, 1+ children	18.7%	16.0%	13.7%	3.5%	48.1%	3,675
All areas included in the study						
Benton County	20.7%	24.7%	21.3%	7.3%	26.0%	26,720
Chisago County	22.0%	25.8%	16.7%	7.8%	27.6%	38,901
Mille Lacs County	24.9%	16.0%	25.2%	9.6%	24.4%	19,218
Sherburne County	23.7%	19.3%	16.1%	7.4%	33.5%	61,880
Stearns County	21.6%	27.0%	18.2%	6.5%	26.6%	115,968
Entire five-county region	22.3%	24.0%	18.3%	7.2%	28.2%	262,687

Social conditions

89. In your opinion, how much of a problem is each of these issues in your county? Crime

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	15.4%	45.1%	19.2%	8.5%	11.8%	10,029
Gender						
Female	13.0%	49.5%	22.1%	9.0%	6.4%	4,875
Male	17.8%	40.5%	16.5%	8.1%	17.0%	5,129
Age						
18-34	21.7%	46.8%	10.9%	0.0%	20.6%	3,232
35-44	14.9%	38.8%	19.7%	15.2%	11.4%	2,464
45-54	8.8%	46.9%	29.1%	10.4%	4.7%	2,258
55-64	15.8%	46.6%	18.5%	12.5%	6.5%	1,267
65-74	9.4%	49.4%	25.7%	15.5%	0.0%	555
75+	11.9%	44.8%	20.9%	0.0%	22.4%	228
Highest level of education						
Less than high school diploma/GED	10.2%	0.0%	70.2%	9.3%	10.3%	263
High school diploma/GED	13.4%	37.4%	14.7%	8.4%	26.1%	2,224
Some college or AA degree	12.2%	46.9%	19.1%	12.9%	8.9%	4,853
Bachelor's degree or higher	23.7%	52.9%	17.3%	0.6%	5.5%	2,669
Household income (in 2012)						
Less than \$20,000	16.6%	16.1%	9.4%	16.4%	41.5%	446
\$20,000 - \$34,999	9.6%	38.3%	30.9%	13.6%	7.6%	668
\$35,000 - \$49,999	11.5%	33.0%	17.3%	3.6%	34.6%	1,642
\$50,000 - \$99,999	23.1%	45.9%	18.3%	6.5%	6.1%	4,683
\$100,000+	4.3%	62.7%	20.7%	9.7%	2.6%	2,287
Household type						
Single adult, no children	9.5%	37.2%	10.1%	2.8%	40.5%	837
2+ adults, no children	12.1%	47.5%	20.5%	8.7%	11.2%	5,066
Single adult, 1+ children	25.3%	36.7%	20.1%	7.8%	10.0%	474
2+ adults, 1+ children	20.2%	44.5%	19.2%	9.7%	6.4%	3,650
All areas included in the study						
Benton County	10.0%	39.9%	33.0%	12.9%	4.1%	26,749
Chisago County	15.1%	46.2%	27.7%	7.1%	4.0%	39,104
Mille Lacs County	11.3%	34.7%	33.2%	16.2%	4.8%	19,196
Sherburne County	14.6%	44.6%	28.0%	7.7%	5.0%	62,376
Stearns County	9.7%	34.4%	42.7%	9.9%	3.3%	116,334
Entire five-county region	11.8%	39.2%	35.3%	9.7%	4.0%	263,758

90. In your opinion, how much of a problem is each of these issues in your county? Unemployment

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	5.7%	21.6%	28.1%	31.8%	12.8%	9,714
Gender						
Female	2.2%	18.3%	41.5%	30.6%	7.5%	4,875
Male	9.3%	24.5%	14.7%	33.3%	18.2%	4,814
Age						
18-34	14.4%	28.9%	19.3%	17.5%	19.8%	2,917
35-44	0.0%	25.2%	23.4%	43.0%	8.4%	2,464
45-54	2.0%	17.8%	28.3%	39.7%	12.1%	2,258
55-64	2.1%	11.9%	46.8%	32.3%	6.9%	1,267
65-74	5.8%	4.8%	42.6%	39.0%	7.7%	555
75+	11.9%	11.9%	52.2%	0.0%	23.9%	228
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	0.0%	89.7%	10.3%	263
High school diploma/GED	6.8%	9.7%	22.0%	28.2%	33.2%	1,909
Some college or AA degree	0.0%	25.4%	25.3%	38.8%	10.5%	4,853
Bachelor's degree or higher	15.9%	25.4%	39.8%	16.3%	2.7%	2,669
Household income (in 2012)						
Less than \$20,000	0.0%	7.9%	11.0%	77.7%	3.4%	446
\$20,000 - \$34,999	0.0%	7.6%	32.7%	53.3%	6.5%	668
\$35,000 - \$49,999	1.7%	10.3%	26.2%	29.5%	32.3%	1,642
\$50,000 - \$99,999	10.0%	26.9%	29.2%	28.7%	5.1%	4,683
\$100,000+	1.4%	28.8%	29.5%	21.6%	18.7%	1,972
Household type						
Single adult, no children	4.2%	7.3%	26.2%	37.2%	25.1%	837
2+ adults, no children	8.4%	16.9%	24.2%	37.4%	13.1%	4,751
Single adult, 1+ children	0.0%	55.5%	15.3%	19.2%	10.0%	474
2+ adults, 1+ children	3.2%	26.5%	35.3%	25.0%	9.9%	3,650
All areas included in the study						
Benton County	1.9%	27.3%	41.0%	23.6%	6.3%	26,700
Chisago County	8.2%	17.7%	37.5%	28.8%	7.9%	38,960
Mille Lacs County	1.6%	23.2%	26.9%	42.0%	6.3%	19,227
Sherburne County	5.2%	17.8%	41.7%	27.3%	7.9%	61,851
Stearns County	4.5%	24.9%	34.0%	31.3%	5.4%	116,130
Entire five-county region	4.7%	22.3%	36.5%	30.0%	6.5%	262,868

91. In your opinion, how much of a problem is each of these issues in your county? Children in poverty

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	11.3%	23.4%	25.3%	23.8%	16.3%	9,738
Gender						
Female	2.3%	29.5%	34.4%	20.0%	13.7%	4,900
Male	20.1%	17.2%	16.1%	27.7%	18.9%	4,814
Age						
18-34	22.8%	27.8%	14.5%	9.0%	25.9%	2,917
35-44	8.4%	17.9%	18.1%	42.2%	13.4%	2,464
45-54	6.1%	28.9%	32.3%	24.8%	7.9%	2,283
55-64	5.4%	13.6%	44.4%	23.0%	13.6%	1,267
65-74	0.0%	29.8%	35.4%	22.3%	12.6%	555
75+	0.0%	11.9%	41.8%	11.9%	34.3%	228
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	0.0%	89.7%	10.3%	263
High school diploma/GED	5.2%	24.6%	23.9%	16.6%	29.6%	1,909
Some college or AA degree	7.8%	22.5%	23.8%	28.5%	17.4%	4,878
Bachelor's degree or higher	23.5%	26.5%	30.8%	13.8%	5.4%	2,669
Household income (in 2012)						
Less than \$20,000	0.0%	13.0%	14.7%	63.9%	8.4%	446
\$20,000 - \$34,999	0.0%	22.7%	42.3%	25.1%	9.9%	668
\$35,000 - \$49,999	1.4%	15.5%	28.5%	14.8%	39.8%	1,642
\$50,000 - \$99,999	21.7%	21.6%	23.7%	24.2%	8.8%	4,683
\$100,000+	2.7%	36.6%	24.7%	17.5%	18.6%	1,996
Household type						
Single adult, no children	9.9%	5.6%	23.4%	35.9%	25.2%	837
2+ adults, no children	16.2%	20.7%	24.1%	25.5%	13.5%	4,751
Single adult, 1+ children	0.0%	30.2%	11.4%	23.1%	35.3%	474
2+ adults, 1+ children	6.9%	30.0%	29.0%	18.8%	15.3%	3,675
All areas included in the study						
Benton County	3.9%	29.1%	28.9%	21.5%	16.6%	26,537
Chisago County	13.2%	24.1%	29.1%	19.3%	14.4%	38,984
Mille Lacs County	3.9%	24.6%	28.1%	32.4%	11.1%	19,181
Sherburne County	9.6%	23.5%	32.0%	22.1%	12.7%	61,463
Stearns County	8.0%	33.0%	22.9%	25.1%	11.0%	115,129
Entire five-county region	8.4%	28.4%	27.0%	23.7%	12.5%	261,294

92. In your opinion, how much of a problem is each of these issues in your county? Families experiencing financial stress

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	0.5%	13.3%	38.1%	38.0%	10.1%	10,053
Gender						
Female	0.0%	9.3%	42.3%	42.8%	5.6%	4,900
Male	1.0%	16.7%	34.2%	33.7%	14.5%	5,129
Age						
18-34	0.0%	28.2%	37.0%	19.1%	15.7%	3,232
35-44	0.0%	3.0%	39.2%	52.8%	5.0%	2,464
45-54	1.0%	8.7%	33.0%	47.9%	9.3%	2,283
55-64	2.1%	4.2%	40.5%	47.5%	5.7%	1,267
65-74	0.0%	13.1%	49.9%	28.1%	9.0%	555
75+	0.0%	0.0%	53.7%	23.9%	22.4%	228
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	0.0%	89.7%	10.3%	263
High school diploma/GED	0.0%	9.2%	34.9%	27.4%	28.5%	2,224
Some college or AA degree	0.0%	15.6%	34.7%	44.0%	5.8%	4,878
Bachelor's degree or higher	1.9%	14.0%	50.9%	30.5%	2.7%	2,669
Household income (in 2012)						
Less than \$20,000	0.0%	0.0%	16.2%	80.4%	3.4%	446
\$20,000 - \$34,999	0.0%	7.6%	44.2%	41.7%	6.5%	668
\$35,000 - \$49,999	1.4%	2.4%	29.7%	32.7%	33.8%	1,642
\$50,000 - \$99,999	0.0%	21.6%	31.6%	41.3%	5.5%	4,683
\$100,000+	1.2%	8.3%	62.1%	24.0%	4.5%	2,311
Household type						
Single adult, no children	2.8%	2.9%	28.4%	41.5%	24.4%	837
2+ adults, no children	0.5%	17.3%	29.7%	40.8%	11.7%	5,066
Single adult, 1+ children	0.0%	7.4%	32.8%	34.5%	25.3%	474
2+ adults, 1+ children	0.0%	11.0%	52.6%	33.8%	2.7%	3,675
All areas included in the study						
Benton County	2.0%	14.6%	35.7%	39.3%	8.4%	26,626
Chisago County	5.8%	7.9%	35.3%	41.1%	9.9%	38,982
Mille Lacs County	1.4%	9.0%	30.2%	51.8%	7.6%	19,186
Sherburne County	2.8%	11.3%	40.1%	38.1%	7.7%	61,784
Stearns County	2.0%	16.7%	36.9%	36.9%	7.4%	115,696
Entire five-county region	2.7%	13.4%	36.8%	39.1%	8.0%	262,275

93. In your opinion, how much of a problem is each of these issues in your county? Youth not graduating high school

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	6.5%	29.0%	22.3%	16.9%	25.3%	9,683
Gender						
Female	2.9%	32.6%	27.5%	21.7%	15.3%	4,870
Male	10.2%	25.3%	16.9%	12.2%	35.4%	4,814
Age						
18-34	12.0%	37.4%	9.7%	9.7%	31.3%	2,917
35-44	3.0%	23.9%	20.5%	20.0%	32.5%	2,464
45-54	5.6%	36.2%	28.0%	16.6%	13.6%	2,283
55-64	2.8%	19.7%	37.9%	22.3%	17.3%	1,237
65-74	8.2%	4.8%	33.9%	28.6%	24.4%	555
75+	0.0%	11.9%	31.3%	22.4%	34.3%	228
Highest level of education						
Less than high school diploma/GED	0.0%	64.5%	0.0%	19.4%	16.1%	263
High school diploma/GED	6.9%	22.5%	15.3%	16.4%	38.9%	1,879
Some college or AA degree	1.2%	31.3%	24.2%	19.4%	23.9%	4,853
Bachelor's degree or higher	16.7%	25.8%	26.0%	11.9%	19.5%	2,669
Household income (in 2012)						
Less than \$20,000	0.0%	10.6%	11.0%	28.4%	49.9%	446
\$20,000 - \$34,999	5.6%	8.3%	24.1%	43.6%	18.3%	668
\$35,000 - \$49,999	6.5%	18.0%	16.5%	17.8%	41.2%	1,642
\$50,000 - \$99,999	9.1%	42.1%	19.1%	13.8%	15.9%	4,629
\$100,000+	1.3%	20.4%	37.3%	9.2%	31.8%	1,996
Household type						
Single adult, no children	9.3%	10.7%	16.1%	19.9%	44.0%	837
2+ adults, no children	8.0%	31.2%	20.3%	19.8%	20.8%	4,697
Single adult, 1+ children	0.0%	34.1%	11.4%	19.2%	35.3%	474
2+ adults, 1+ children	4.9%	29.6%	27.6%	12.4%	25.6%	3,675
All areas included in the study						
Benton County	5.7%	31.4%	29.9%	16.0%	16.9%	26,739
Chisago County	13.4%	34.4%	16.9%	21.3%	14.0%	39,020
Mille Lacs County	4.2%	22.0%	34.6%	21.7%	17.4%	19,135
Sherburne County	8.3%	32.7%	27.3%	15.9%	15.9%	61,157
Stearns County	7.9%	35.2%	22.1%	21.0%	13.9%	115,585
Entire five-county region	8.3%	33.1%	24.2%	19.4%	14.9%	261,636

Pregnancy, birth, and child development

94. In your opinion, how much of a problem is each of these issues in your county? Parents with inadequate or poor parenting skills

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	2.4%	13.4%	35.9%	30.4%	17.9%	9,965
Gender						
Female	3.9%	10.3%	38.1%	34.3%	13.4%	4,839
Male	1.0%	16.4%	33.6%	26.8%	22.3%	5,102
Age						
18-34	4.4%	13.0%	33.7%	28.8%	20.1%	3,232
35-44	1.5%	14.1%	48.0%	23.1%	13.4%	2,464
45-54	1.5%	10.3%	31.6%	41.6%	15.0%	2,283
55-64	2.2%	15.1%	37.7%	28.1%	16.9%	1,240
65-74	0.0%	20.8%	13.4%	37.3%	28.5%	542
75+	0.0%	15.1%	13.2%	15.1%	56.6%	180
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	78.2%	10.3%	11.5%	237
High school diploma/GED	3.7%	8.6%	14.5%	33.7%	39.5%	2,224
Some college or AA degree	2.2%	6.8%	44.3%	31.5%	15.2%	4,817
Bachelor's degree or higher	1.9%	30.5%	34.5%	27.6%	5.6%	2,669
Household income (in 2012)						
Less than \$20,000	0.0%	5.4%	30.1%	17.5%	47.1%	419
\$20,000 - \$34,999	6.0%	18.5%	22.6%	38.4%	14.5%	621
\$35,000 - \$49,999	2.1%	6.6%	23.2%	26.1%	42.0%	1,642
\$50,000 - \$99,999	3.0%	18.2%	35.8%	30.4%	12.6%	4,683
\$100,000+	1.2%	6.1%	53.6%	33.5%	5.6%	2,311
Household type						
Single adult, no children	4.2%	8.2%	14.6%	42.6%	30.4%	837
2+ adults, no children	0.5%	13.9%	36.2%	29.0%	20.4%	4,979
Single adult, 1+ children	0.0%	20.5%	15.3%	31.5%	32.8%	474
2+ adults, 1+ children	4.8%	12.9%	43.1%	29.3%	9.9%	3,675
All areas included in the study						
Benton County	1.2%	14.3%	36.4%	36.2%	11.9%	26,487
Chisago County	4.6%	15.0%	31.9%	32.9%	15.5%	39,225
Mille Lacs County	1.8%	19.3%	29.4%	39.5%	10.0%	19,174
Sherburne County	2.7%	16.8%	31.3%	33.6%	15.6%	61,724
Stearns County	3.6%	19.1%	33.2%	35.2%	8.9%	115,944
Entire five-county region	3.2%	17.5%	32.6%	34.9%	11.8%	262,555

95. In your opinion, how much of a problem is each of these issues in your county? Teen pregnancy

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	6.0%	22.9%	31.8%	13.4%	26.0%	9,601
Gender						
Female	4.4%	22.4%	35.9%	16.3%	20.9%	4,814
Male	7.6%	23.4%	27.6%	10.4%	31.0%	4,787
Age						
18-34	15.6%	29.5%	23.0%	6.0%	25.9%	2,917
35-44	1.5%	17.5%	28.5%	20.2%	32.4%	2,464
45-54	1.6%	23.7%	47.3%	11.6%	15.8%	2,258
55-64	4.0%	22.4%	38.7%	17.1%	17.9%	1,240
65-74	0.0%	12.2%	24.1%	25.3%	38.4%	542
75+	0.0%	15.1%	0.0%	0.0%	84.9%	180
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	78.2%	10.3%	11.5%	237
High school diploma/GED	6.3%	17.7%	16.3%	13.9%	45.9%	1,909
Some college or AA degree	2.0%	26.9%	32.5%	15.8%	22.8%	4,768
Bachelor's degree or higher	13.7%	21.7%	36.8%	9.1%	18.8%	2,669
Household income (in 2012)						
Less than \$20,000	5.4%	6.5%	23.6%	17.5%	47.1%	419
\$20,000 - \$34,999	0.0%	27.3%	31.1%	23.1%	18.4%	621
\$35,000 - \$49,999	2.1%	8.9%	28.3%	9.3%	51.4%	1,642
\$50,000 - \$99,999	10.6%	32.6%	33.1%	12.7%	10.9%	4,635
\$100,000+	1.3%	12.6%	35.8%	13.1%	37.1%	1,996
Household type						
Single adult, no children	4.2%	42.9%	8.7%	11.0%	33.2%	837
2+ adults, no children	7.4%	19.4%	37.6%	12.7%	23.0%	4,615
Single adult, 1+ children	0.0%	4.9%	44.5%	15.3%	35.3%	474
2+ adults, 1+ children	5.5%	25.0%	28.1%	14.5%	26.9%	3,675
All areas included in the study						
Benton County	1.7%	26.0%	31.8%	20.1%	20.4%	26,363
Chisago County	6.8%	29.0%	24.8%	18.5%	20.9%	39,056
Mille Lacs County	2.1%	16.7%	34.0%	27.8%	19.4%	19,169
Sherburne County	4.9%	24.9%	29.7%	19.2%	21.4%	61,531
Stearns County	3.5%	31.5%	35.2%	17.0%	12.8%	115,980
Entire five-county region	4.0%	27.9%	31.9%	18.9%	17.3%	262,098

96. In your opinion, how much of a problem is each of these issues in your county?
Unplanned pregnancy

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	6.0%	23.4%	26.6%	13.1%	30.9%	9,596
Gender						
Female	3.7%	23.4%	34.4%	13.7%	24.8%	4,809
Male	8.3%	23.4%	18.8%	12.5%	37.0%	4,787
Age						
18-34	15.6%	30.7%	19.3%	8.5%	25.9%	2,917
35-44	0.0%	13.7%	22.6%	18.3%	45.4%	2,464
45-54	1.5%	27.2%	37.5%	14.1%	19.7%	2,283
55-64	4.1%	24.8%	36.8%	11.9%	22.4%	1,210
65-74	6.0%	12.2%	24.1%	16.9%	40.9%	542
75+	0.0%	15.1%	0.0%	0.0%	84.9%	180
Highest level of education						
Less than high school diploma/GED	0.0%	71.8%	16.7%	0.0%	11.5%	237
High school diploma/GED	4.4%	14.8%	16.2%	12.8%	51.7%	1,879
Some college or AA degree	1.9%	27.8%	30.7%	14.3%	25.2%	4,792
Bachelor's degree or higher	14.9%	17.4%	27.6%	12.3%	27.8%	2,669
Household income (in 2012)						
Less than \$20,000	5.4%	6.5%	29.4%	11.6%	47.1%	419
\$20,000 - \$34,999	0.0%	21.4%	34.1%	18.0%	26.5%	621
\$35,000 - \$49,999	4.1%	7.2%	30.6%	2.8%	55.3%	1,642
\$50,000 - \$99,999	9.9%	33.4%	24.5%	14.6%	17.7%	4,629
\$100,000+	1.3%	16.7%	28.1%	15.5%	38.4%	1,996
Household type						
Single adult, no children	4.2%	39.7%	9.6%	10.1%	36.3%	837
2+ adults, no children	8.1%	24.9%	30.2%	11.5%	25.2%	4,609
Single adult, 1+ children	0.0%	12.3%	19.2%	29.3%	39.3%	474
2+ adults, 1+ children	4.5%	19.2%	27.0%	13.6%	35.8%	3,675
All areas included in the study						
Benton County	3.3%	27.4%	29.3%	18.6%	21.3%	26,418
Chisago County	6.8%	25.0%	30.1%	14.5%	23.6%	38,904
Mille Lacs County	1.7%	19.0%	31.0%	26.3%	21.9%	19,169
Sherburne County	4.9%	24.6%	30.3%	15.9%	24.3%	61,445
Stearns County	5.5%	33.5%	28.7%	18.1%	14.2%	115,949
Entire five-county region	5.1%	28.5%	29.5%	17.7%	19.3%	261,885

97. In your opinion, how much of a problem is each of these issues in your county? Infant death or premature birth

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	12.0%	31.0%	10.7%	6.5%	39.9%	9,414
Gender						
Female	6.6%	36.8%	12.8%	3.8%	40.0%	4,784
Male	17.5%	24.9%	8.5%	9.2%	39.8%	4,630
Age						
18-34	29.2%	25.6%	7.7%	2.6%	35.0%	2,760
35-44	0.0%	36.9%	8.3%	5.0%	49.9%	2,464
45-54	10.0%	31.3%	17.1%	8.8%	32.8%	2,258
55-64	7.4%	40.9%	14.6%	7.9%	29.2%	1,210
65-74	1.2%	13.4%	5.0%	17.9%	62.5%	542
75+	0.0%	15.1%	0.0%	15.1%	69.8%	180
Highest level of education						
Less than high school diploma/GED	0.0%	71.8%	0.0%	10.3%	17.9%	237
High school diploma/GED	8.0%	15.8%	10.8%	11.2%	54.2%	1,751
Some college or AA degree	9.9%	33.5%	10.2%	6.6%	39.9%	4,738
Bachelor's degree or higher	19.4%	33.1%	12.4%	3.0%	32.1%	2,669
Household income (in 2012)						
Less than \$20,000	5.8%	20.0%	11.7%	6.3%	56.3%	389
\$20,000 - \$34,999	1.1%	19.8%	16.5%	18.0%	44.7%	621
\$35,000 - \$49,999	4.0%	29.8%	6.6%	7.1%	52.4%	1,485
\$50,000 - \$99,999	21.6%	33.0%	10.2%	6.3%	29.0%	4,635
\$100,000+	1.3%	33.7%	14.3%	0.8%	49.9%	1,996
Household type						
Single adult, no children	16.9%	8.9%	9.7%	12.5%	52.0%	680
2+ adults, no children	15.9%	26.9%	15.1%	8.3%	33.8%	4,615
Single adult, 1+ children	0.0%	34.1%	22.7%	0.0%	43.2%	474
2+ adults, 1+ children	7.7%	39.9%	3.6%	4.0%	44.9%	3,645
All areas included in the study						
Benton County	14.7%	34.9%	13.0%	6.0%	31.4%	26,551
Chisago County	12.7%	29.9%	15.2%	5.9%	36.3%	38,940
Mille Lacs County	9.7%	31.1%	11.1%	6.7%	41.3%	19,086
Sherburne County	13.2%	28.9%	12.4%	8.1%	37.5%	60,954
Stearns County	10.1%	45.7%	13.3%	4.8%	26.0%	115,252
Entire five-county region	11.7%	37.3%	13.2%	6.0%	31.9%	260,784

Infectious diseases

98. In your opinion, how much of a problem is each of these issues in your county? Adults not getting their immunizations such as flu, tetanus, or pneumonia

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	18.0%	31.2%	18.3%	5.6%	26.8%	9,988
Gender						
Female	17.2%	34.1%	20.7%	5.1%	22.8%	4,834
Male	18.9%	28.7%	15.7%	6.2%	30.6%	5,129
Age						
18-34	31.5%	20.7%	9.8%	2.2%	35.8%	3,232
35-44	4.5%	37.7%	21.7%	12.9%	23.2%	2,464
45-54	21.2%	32.6%	21.1%	4.1%	21.0%	2,234
55-64	15.3%	40.5%	22.5%	3.4%	18.3%	1,237
65-74	1.2%	38.3%	32.2%	2.4%	26.0%	569
75+	0.0%	32.8%	10.4%	11.9%	44.8%	228
Highest level of education						
Less than high school diploma/GED	9.3%	64.5%	10.2%	5.7%	10.3%	263
High school diploma/GED	12.0%	16.8%	14.6%	4.7%	52.0%	2,225
Some college or AA degree	21.0%	30.1%	17.0%	7.0%	24.9%	4,811
Bachelor's degree or higher	18.6%	42.4%	24.8%	4.0%	10.2%	2,669
Household income (in 2012)						
Less than \$20,000	15.7%	24.3%	6.6%	45.9%	7.5%	403
\$20,000 - \$34,999	6.7%	33.9%	27.2%	4.1%	28.2%	657
\$35,000 - \$49,999	9.4%	19.5%	19.2%	9.6%	42.3%	1,630
\$50,000 - \$99,999	28.2%	33.4%	18.1%	3.4%	16.9%	4,683
\$100,000+	9.0%	36.1%	16.9%	1.6%	36.4%	2,311
Household type						
Single adult, no children	9.1%	15.3%	21.8%	0.0%	53.9%	813
2+ adults, no children	22.9%	29.3%	13.5%	7.3%	27.1%	5,080
Single adult, 1+ children	0.0%	38.0%	18.8%	0.0%	43.2%	474
2+ adults, 1+ children	15.6%	36.7%	24.3%	5.4%	18.0%	3,620
All areas included in the study						
Benton County	23.7%	33.1%	18.7%	3.6%	20.8%	26,327
Chisago County	20.4%	41.4%	14.9%	1.7%	21.7%	38,784
Mille Lacs County	12.7%	37.7%	29.4%	3.5%	16.7%	19,157
Sherburne County	21.0%	31.0%	21.8%	5.4%	20.8%	61,949
Stearns County	20.8%	37.0%	19.2%	3.1%	19.9%	116,244
Entire five-county region	20.5%	35.9%	19.9%	3.5%	20.2%	262,460

99. In your opinion, how much of a problem is each of these issues in your county? Children not getting their immunizations such as pertussis, flu, or tetanus

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	17.2%	31.3%	17.1%	7.5%	27.0%	10,030
Gender						
Female	16.9%	32.8%	19.2%	8.1%	23.1%	4,901
Male	17.4%	29.8%	15.0%	7.1%	30.6%	5,129
Age						
18-34	34.8%	18.5%	10.9%	0.0%	35.8%	3,232
35-44	3.0%	36.2%	19.4%	19.7%	21.7%	2,464
45-54	15.1%	36.8%	17.6%	7.7%	22.8%	2,270
55-64	10.5%	48.3%	20.1%	3.3%	17.8%	1,267
65-74	8.3%	30.0%	27.5%	4.7%	29.5%	569
75+	0.0%	11.9%	31.3%	11.9%	44.8%	228
Highest level of education						
Less than high school diploma/GED	0.0%	64.5%	15.9%	9.3%	10.3%	263
High school diploma/GED	9.4%	17.6%	14.4%	7.3%	51.3%	2,225
Some college or AA degree	21.7%	25.5%	15.6%	9.9%	27.4%	4,853
Bachelor's degree or higher	17.2%	50.2%	22.2%	3.4%	7.0%	2,669
Household income (in 2012)						
Less than \$20,000	17.1%	13.9%	13.9%	44.8%	10.2%	433
\$20,000 - \$34,999	10.0%	26.4%	27.2%	5.9%	30.5%	682
\$35,000 - \$49,999	11.0%	17.3%	14.8%	16.5%	40.5%	1,642
\$50,000 - \$99,999	27.9%	35.7%	17.1%	3.1%	16.1%	4,659
\$100,000+	3.4%	37.4%	16.3%	4.7%	38.2%	2,311
Household type						
Single adult, no children	9.0%	18.2%	19.3%	1.5%	52.1%	825
2+ adults, no children	19.4%	27.7%	17.0%	7.6%	28.3%	5,056
Single adult, 1+ children	7.4%	30.2%	15.3%	3.9%	43.2%	474
2+ adults, 1+ children	17.1%	39.2%	17.0%	9.4%	17.4%	3,675
All areas included in the study						
Benton County	23.9%	28.4%	19.7%	7.8%	20.2%	26,418
Chisago County	22.0%	28.4%	20.4%	7.6%	21.7%	38,586
Mille Lacs County	10.4%	34.0%	30.2%	6.6%	18.8%	19,248
Sherburne County	19.4%	27.7%	19.8%	12.8%	20.4%	61,944
Stearns County	17.9%	34.9%	18.2%	11.7%	17.3%	116,392
Entire five-county region	18.9%	31.5%	19.9%	10.6%	19.1%	262,588

100. In your opinion, how much of a problem is each of these issues in your county? Infectious diseases such as flu, pneumonia, or whooping cough

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	14.5%	33.2%	22.5%	4.9%	25.0%	10,008
Gender						
Female	12.3%	37.7%	28.2%	5.7%	16.1%	4,901
Male	16.6%	29.0%	17.1%	3.6%	33.7%	5,083
Age						
18-34	29.3%	20.7%	14.2%	0.0%	35.8%	3,232
35-44	4.5%	32.3%	35.3%	6.8%	21.0%	2,464
45-54	12.2%	42.9%	22.9%	6.9%	15.0%	2,224
55-64	6.6%	52.7%	18.9%	4.2%	17.5%	1,267
65-74	5.9%	32.4%	21.8%	10.4%	29.5%	569
75+	0.0%	20.9%	22.4%	11.9%	44.8%	228
Highest level of education						
Less than high school diploma/GED	0.0%	10.2%	70.2%	9.3%	10.3%	263
High school diploma/GED	11.0%	19.7%	10.8%	6.5%	52.0%	2,179
Some college or AA degree	13.8%	37.7%	18.9%	5.0%	24.6%	4,878
Bachelor's degree or higher	20.0%	38.4%	34.2%	2.8%	4.6%	2,669
Household income (in 2012)						
Less than \$20,000	8.1%	26.4%	6.9%	5.6%	52.9%	433
\$20,000 - \$34,999	6.4%	57.7%	11.3%	5.9%	18.7%	682
\$35,000 - \$49,999	7.8%	24.0%	26.1%	4.5%	37.5%	1,642
\$50,000 - \$99,999	24.5%	34.0%	22.2%	5.9%	13.4%	4,637
\$100,000+	3.4%	33.4%	25.0%	3.2%	35.0%	2,311
Household type						
Single adult, no children	10.8%	20.1%	13.3%	2.8%	53.0%	825
2+ adults, no children	19.1%	27.2%	19.0%	6.1%	28.5%	5,034
Single adult, 1+ children	7.4%	8.8%	39.3%	3.9%	40.6%	474
2+ adults, 1+ children	9.8%	47.5%	27.2%	3.7%	11.8%	3,675
All areas included in the study						
Benton County	13.0%	37.1%	26.1%	8.7%	15.0%	26,475
Chisago County	22.3%	32.4%	21.8%	6.1%	17.4%	38,548
Mille Lacs County	7.5%	38.9%	31.5%	7.6%	14.5%	19,221
Sherburne County	14.9%	33.8%	25.4%	9.0%	16.9%	61,753
Stearns County	11.0%	40.4%	21.6%	14.9%	12.1%	116,309
Entire five-county region	13.5%	37.2%	23.7%	11.1%	14.5%	262,306

101. In your opinion, how much of a problem is each of these issues in your county? Sexually transmitted diseases such as chlamydia, syphilis, or HIV/AIDS

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	8.2%	26.3%	19.9%	4.0%	41.6%	9,836
Gender						
Female	8.6%	23.2%	19.3%	5.0%	44.0%	4,877
Male	7.8%	29.4%	20.5%	3.1%	39.2%	4,959
Age						
18-34	18.5%	19.6%	13.1%	1.1%	47.8%	3,232
35-44	2.4%	23.3%	28.2%	4.1%	42.0%	2,294
45-54	3.7%	37.1%	20.2%	5.9%	33.2%	2,246
55-64	4.5%	38.8%	22.1%	7.5%	27.1%	1,267
65-74	2.4%	17.5%	13.7%	2.4%	64.1%	569
75+	0.0%	0.0%	32.8%	11.9%	55.2%	228
Highest level of education						
Less than high school diploma/GED	0.0%	64.5%	0.0%	9.3%	26.2%	263
High school diploma/GED	7.3%	13.2%	11.8%	5.9%	61.8%	2,225
Some college or AA degree	4.6%	29.7%	17.7%	2.7%	45.3%	4,829
Bachelor's degree or higher	16.9%	27.7%	33.6%	4.4%	17.4%	2,500
Household income (in 2012)						
Less than \$20,000	0.0%	22.9%	12.4%	5.6%	59.1%	433
\$20,000 - \$34,999	8.2%	28.5%	20.4%	3.9%	39.0%	682
\$35,000 - \$49,999	7.9%	14.1%	20.8%	4.5%	52.8%	1,642
\$50,000 - \$99,999	13.0%	36.3%	13.0%	3.9%	33.8%	4,465
\$100,000+	1.2%	17.6%	33.1%	4.3%	43.9%	2,311
Household type						
Single adult, no children	5.7%	22.4%	15.1%	0.0%	56.7%	825
2+ adults, no children	10.2%	27.5%	16.8%	6.1%	39.4%	5,031
Single adult, 1+ children	3.9%	12.3%	29.3%	11.4%	43.2%	474
2+ adults, 1+ children	6.4%	27.5%	24.1%	1.1%	40.9%	3,505
All areas included in the study						
Benton County	15.2%	28.3%	20.3%	7.7%	28.5%	26,345
Chisago County	17.7%	29.1%	16.7%	5.8%	30.7%	38,481
Mille Lacs County	7.3%	30.2%	24.5%	10.5%	27.6%	19,184
Sherburne County	11.6%	26.9%	18.7%	9.0%	33.8%	61,670
Stearns County	10.9%	27.4%	23.5%	13.2%	25.1%	116,074
Entire five-county region	12.2%	27.8%	21.1%	10.3%	28.5%	261,754

102. In your opinion, how much of a problem is each of these issues in your county? Insect-borne diseases such as Lyme disease or West Nile virus

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	5.7%	32.6%	22.3%	10.7%	28.7%	10,030
Gender						
Female	8.7%	34.5%	22.2%	12.5%	22.0%	4,901
Male	2.8%	30.7%	22.4%	9.0%	35.1%	5,129
Age						
18-34	9.8%	33.7%	16.3%	2.2%	38.0%	3,232
35-44	2.3%	27.4%	22.0%	13.7%	34.7%	2,464
45-54	4.6%	39.2%	27.5%	15.2%	13.4%	2,270
55-64	6.6%	33.1%	29.8%	13.9%	16.6%	1,267
65-74	2.4%	33.6%	11.4%	16.3%	36.4%	569
75+	0.0%	0.0%	44.8%	22.4%	32.8%	228
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	5.7%	73.8%	20.5%	263
High school diploma/GED	4.5%	25.7%	14.5%	7.6%	47.6%	2,225
Some college or AA degree	5.8%	35.2%	23.6%	8.2%	27.1%	4,853
Bachelor's degree or higher	7.2%	36.8%	28.1%	11.7%	16.2%	2,669
Household income (in 2012)						
Less than \$20,000	10.9%	3.5%	11.2%	20.3%	54.0%	433
\$20,000 - \$34,999	2.7%	38.1%	27.8%	7.9%	23.5%	682
\$35,000 - \$49,999	10.3%	21.3%	18.5%	6.6%	43.3%	1,642
\$50,000 - \$99,999	6.4%	42.7%	26.3%	9.9%	14.7%	4,659
\$100,000+	1.2%	26.7%	18.6%	13.0%	40.6%	2,311
Household type						
Single adult, no children	5.7%	14.4%	20.6%	6.2%	53.0%	825
2+ adults, no children	4.0%	28.7%	25.9%	15.5%	25.9%	5,056
Single adult, 1+ children	11.4%	14.9%	29.3%	3.9%	40.6%	474
2+ adults, 1+ children	7.4%	44.2%	16.8%	6.0%	25.6%	3,675
All areas included in the study						
Benton County	16.3%	43.6%	15.2%	5.0%	19.8%	26,399
Chisago County	13.4%	29.3%	27.9%	13.0%	16.4%	38,783
Mille Lacs County	3.6%	37.1%	29.1%	16.7%	13.6%	19,114
Sherburne County	9.3%	32.7%	24.1%	10.3%	23.7%	61,942
Stearns County	17.9%	35.2%	24.8%	8.0%	14.2%	115,969
Entire five-county region	14.0%	34.7%	24.4%	9.6%	17.3%	262,207

Environment

103. In your opinion, how much of a problem is each of these issues in your county? Indoor air pollution related to radon

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	33.6%	17.8%	13.7%	3.9%	31.0%	10,018
Gender						
Female	22.7%	21.3%	14.9%	1.9%	39.2%	4,889
Male	44.0%	14.6%	12.5%	5.7%	23.2%	5,129
Age						
18-34	51.6%	8.7%	6.5%	0.0%	33.2%	3,232
35-44	28.7%	16.3%	12.5%	6.9%	35.7%	2,464
45-54	21.0%	29.1%	18.7%	6.2%	25.0%	2,258
55-64	21.9%	28.9%	19.2%	3.6%	26.4%	1,267
65-74	37.6%	14.2%	24.1%	5.7%	18.4%	569
75+	11.9%	0.0%	20.9%	0.0%	67.2%	228
Highest level of education						
Less than high school diploma/GED	74.7%	0.0%	5.7%	9.3%	10.3%	263
High school diploma/GED	39.6%	11.7%	10.8%	0.0%	37.8%	2,237
Some college or AA degree	29.7%	19.7%	13.0%	3.0%	34.6%	4,829
Bachelor's degree or higher	31.8%	21.5%	18.2%	8.1%	20.4%	2,669
Household income (in 2012)						
Less than \$20,000	22.8%	15.1%	3.4%	12.2%	46.6%	446
\$20,000 - \$34,999	15.5%	27.7%	21.3%	0.0%	35.5%	682
\$35,000 - \$49,999	11.6%	21.4%	10.5%	2.8%	53.8%	1,642
\$50,000 - \$99,999	48.5%	17.1%	10.6%	0.5%	23.3%	4,635
\$100,000+	30.1%	15.6%	22.3%	7.4%	24.6%	2,311
Household type						
Single adult, no children	38.8%	16.9%	8.0%	0.0%	36.3%	837
2+ adults, no children	36.5%	16.5%	13.5%	3.7%	29.8%	5,031
Single adult, 1+ children	40.2%	12.7%	21.8%	0.0%	25.3%	474
2+ adults, 1+ children	27.6%	20.5%	14.2%	5.4%	32.2%	3,675
All areas included in the study						
Benton County	28.5%	32.5%	10.0%	2.5%	26.5%	26,445
Chisago County	24.8%	34.6%	14.4%	2.7%	23.5%	38,517
Mille Lacs County	18.8%	22.7%	13.3%	4.3%	40.9%	19,102
Sherburne County	30.6%	24.1%	15.8%	4.5%	25.1%	62,061
Stearns County	23.1%	31.1%	9.3%	2.6%	33.9%	115,509
Entire five-county region	25.4%	29.5%	11.9%	3.2%	30.0%	261,633

104. In your opinion, how much of a problem is each of these issues in your county?
Unsafe drinking water

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	45.4%	25.7%	6.9%	2.3%	19.7%	9,965
Gender						
Female	36.9%	31.8%	8.5%	2.2%	20.7%	4,812
Male	53.2%	20.1%	5.4%	2.5%	18.9%	5,129
Age						
18-34	56.1%	17.8%	2.2%	0.0%	23.9%	3,161
35-44	37.0%	29.6%	7.5%	1.5%	24.4%	2,464
45-54	41.8%	28.3%	15.0%	3.1%	11.8%	2,258
55-64	43.2%	31.9%	2.4%	9.9%	12.7%	1,267
65-74	43.5%	35.4%	2.4%	0.0%	18.7%	562
75+	35.8%	10.4%	20.9%	0.0%	32.8%	228
Highest level of education						
Less than high school diploma/GED	85.0%	0.0%	0.0%	15.0%	0.0%	263
High school diploma/GED	48.7%	11.2%	6.4%	2.4%	31.3%	2,231
Some college or AA degree	46.4%	20.1%	10.1%	2.6%	20.8%	4,783
Bachelor's degree or higher	37.4%	50.5%	2.3%	0.6%	9.4%	2,669
Household income (in 2012)						
Less than \$20,000	19.4%	18.4%	6.8%	8.9%	46.6%	446
\$20,000 - \$34,999	18.3%	35.9%	20.2%	9.5%	16.1%	675
\$35,000 - \$49,999	32.2%	11.2%	4.2%	2.8%	49.6%	1,642
\$50,000 - \$99,999	59.8%	25.0%	5.2%	1.5%	8.5%	4,588
\$100,000+	43.6%	34.9%	7.2%	0.7%	13.6%	2,311
Household type						
Single adult, no children	34.9%	26.8%	5.6%	0.0%	32.8%	831
2+ adults, no children	51.2%	20.9%	5.2%	3.9%	18.9%	5,056
Single adult, 1+ children	44.1%	29.3%	12.7%	0.0%	13.9%	474
2+ adults, 1+ children	39.9%	31.7%	8.8%	1.0%	18.6%	3,604
All areas included in the study						
Benton County	44.5%	27.8%	11.5%	4.2%	12.0%	26,351
Chisago County	48.2%	28.2%	5.6%	5.1%	12.9%	38,580
Mille Lacs County	40.3%	22.4%	8.7%	6.4%	22.2%	19,126
Sherburne County	45.2%	25.9%	9.5%	4.5%	14.8%	62,199
Stearns County	43.2%	31.2%	6.4%	8.7%	10.4%	115,647
Entire five-county region	44.3%	28.5%	7.7%	6.6%	12.9%	261,903

105. In your opinion, how much of a problem is each of these issues in your county? Unsafe food in restaurants

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	42.4%	28.2%	7.0%	2.0%	20.4%	9,926
Gender						
Female	33.4%	33.7%	9.0%	2.2%	21.8%	4,859
Male	51.4%	22.5%	5.0%	1.9%	19.2%	5,043
Age						
18-34	60.3%	12.0%	2.2%	0.0%	25.5%	3,232
35-44	33.2%	34.9%	7.5%	1.5%	22.8%	2,464
45-54	36.5%	30.9%	16.6%	4.1%	11.8%	2,258
55-64	34.3%	45.3%	0.0%	4.7%	15.8%	1,210
65-74	33.3%	42.1%	2.5%	2.5%	19.6%	536
75+	13.6%	25.4%	23.7%	0.0%	37.3%	201
Highest level of education						
Less than high school diploma/GED	10.2%	74.9%	0.0%	9.3%	5.7%	263
High school diploma/GED	43.6%	18.4%	6.0%	1.9%	30.1%	2,151
Some college or AA degree	44.5%	21.3%	11.2%	1.7%	21.2%	4,823
Bachelor's degree or higher	41.1%	44.0%	0.9%	2.0%	12.0%	2,669
Household income (in 2012)						
Less than \$20,000	20.8%	19.8%	0.0%	5.9%	53.6%	416
\$20,000 - \$34,999	12.4%	42.2%	30.1%	0.0%	15.3%	623
\$35,000 - \$49,999	20.7%	25.8%	4.3%	5.2%	44.1%	1,615
\$50,000 - \$99,999	55.3%	27.7%	4.8%	1.7%	10.6%	4,659
\$100,000+	47.8%	29.1%	7.2%	0.7%	15.2%	2,311
Household type						
Single adult, no children	37.9%	24.1%	2.8%	2.8%	32.5%	837
2+ adults, no children	41.1%	30.8%	6.0%	2.8%	19.3%	4,969
Single adult, 1+ children	44.1%	33.2%	8.8%	0.0%	13.9%	474
2+ adults, 1+ children	45.1%	24.9%	9.1%	1.0%	19.9%	3,645
All areas included in the study						
Benton County	40.5%	33.3%	11.1%	2.6%	12.4%	26,502
Chisago County	42.2%	30.7%	7.7%	4.8%	14.6%	38,360
Mille Lacs County	41.2%	24.8%	8.4%	5.4%	20.2%	19,172
Sherburne County	41.6%	31.3%	8.4%	4.5%	14.2%	61,889
Stearns County	36.4%	37.7%	9.0%	7.5%	9.3%	111,907
Entire five-county region	39.3%	33.7%	8.8%	5.7%	12.4%	257,829

106. In your opinion, how much of a problem is each of these issues in your county? Extreme heat – days of high heat and humidity

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	25.1%	42.9%	11.9%	4.1%	16.0%	10,037
Gender						
Female	23.6%	41.8%	17.4%	3.2%	14.1%	4,900
Male	26.7%	43.8%	6.7%	5.0%	17.8%	5,113
Age						
18-34	22.3%	45.6%	10.9%	0.0%	21.2%	3,232
35-44	20.6%	39.5%	12.5%	4.5%	22.8%	2,464
45-54	31.9%	42.4%	14.4%	7.1%	4.3%	2,283
55-64	29.0%	50.3%	8.6%	2.4%	9.7%	1,267
65-74	36.4%	33.1%	5.0%	14.5%	11.0%	539
75+	0.0%	23.9%	31.3%	11.9%	32.8%	228
Highest level of education						
Less than high school diploma/GED	10.2%	74.9%	9.3%	5.7%	0.0%	263
High school diploma/GED	22.4%	40.8%	8.0%	2.7%	26.1%	2,237
Some college or AA degree	25.4%	38.0%	14.3%	3.7%	18.6%	4,848
Bachelor's degree or higher	28.5%	50.9%	11.3%	5.7%	3.5%	2,669
Household income (in 2012)						
Less than \$20,000	16.6%	27.9%	5.5%	3.4%	46.6%	446
\$20,000 - \$34,999	14.0%	22.8%	46.9%	12.7%	3.6%	652
\$35,000 - \$49,999	17.3%	21.0%	7.4%	8.7%	45.6%	1,642
\$50,000 - \$99,999	33.9%	50.9%	9.6%	0.8%	4.9%	4,683
\$100,000+	18.9%	53.7%	11.9%	3.6%	11.9%	2,311
Household type						
Single adult, no children	31.6%	15.8%	19.4%	2.8%	30.4%	821
2+ adults, no children	17.4%	50.8%	11.2%	5.4%	15.3%	5,066
Single adult, 1+ children	18.8%	55.9%	11.4%	0.0%	13.9%	474
2+ adults, 1+ children	35.1%	36.6%	11.3%	3.0%	14.0%	3,675
All areas included in the study						
Benton County	30.2%	41.9%	16.3%	3.2%	8.4%	26,580
Chisago County	32.3%	37.8%	18.6%	2.6%	8.7%	38,533
Mille Lacs County	22.0%	40.5%	17.9%	6.0%	13.5%	19,236
Sherburne County	31.2%	41.8%	13.7%	3.5%	9.7%	62,190
Stearns County	27.4%	43.1%	14.2%	3.9%	11.4%	111,866
Entire five-county region	28.9%	41.7%	15.2%	3.7%	10.5%	258,405

107. In your opinion, how much of a problem is each of these issues in your county? Extreme weather such as drought, floods, or tornadoes

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	20.0%	49.2%	15.5%	4.8%	10.5%	9,921
Gender						
Female	27.0%	43.8%	15.7%	5.2%	8.2%	4,807
Male	13.5%	54.0%	15.4%	4.5%	12.6%	5,090
Age						
18-34	25.3%	49.4%	9.0%	0.0%	16.2%	3,126
35-44	6.8%	48.7%	25.5%	6.0%	12.9%	2,464
45-54	24.2%	51.3%	11.3%	10.4%	2.7%	2,260
55-64	24.7%	44.2%	19.0%	5.5%	6.5%	1,267
65-74	29.7%	47.5%	19.2%	0.0%	3.6%	552
75+	0.0%	56.7%	10.4%	11.9%	20.9%	228
Highest level of education						
Less than high school diploma/GED	10.2%	10.3%	70.2%	9.3%	0.0%	263
High school diploma/GED	23.2%	42.5%	7.3%	2.3%	24.7%	2,237
Some college or AA degree	23.5%	48.1%	15.3%	5.2%	7.9%	4,733
Bachelor's degree or higher	12.2%	60.8%	17.5%	6.0%	3.5%	2,669
Household income (in 2012)						
Less than \$20,000	20.0%	18.9%	7.6%	5.5%	48.1%	446
\$20,000 - \$34,999	15.3%	39.1%	42.1%	0.0%	3.6%	666
\$35,000 - \$49,999	14.3%	29.7%	10.9%	7.2%	37.8%	1,536
\$50,000 - \$99,999	26.8%	54.2%	12.9%	3.5%	2.6%	4,660
\$100,000+	13.5%	60.3%	18.8%	5.9%	1.5%	2,311
Household type						
Single adult, no children	29.7%	20.8%	14.6%	2.9%	32.1%	798
2+ adults, no children	15.1%	53.3%	14.0%	6.5%	11.1%	4,974
Single adult, 1+ children	21.4%	55.5%	11.8%	0.0%	11.4%	474
2+ adults, 1+ children	24.4%	49.0%	18.2%	3.7%	4.7%	3,675
All areas included in the study						
Benton County	25.9%	47.5%	14.4%	4.9%	7.3%	26,325
Chisago County	30.7%	37.1%	18.3%	5.7%	8.2%	38,574
Mille Lacs County	26.4%	33.2%	21.3%	5.6%	13.6%	19,147
Sherburne County	26.4%	44.6%	15.3%	5.6%	8.1%	62,017
Stearns County	21.2%	46.5%	14.9%	4.2%	13.2%	114,972
Entire five-county region	24.7%	43.8%	15.9%	4.9%	10.7%	261,034

108. In your opinion, how much of a problem is each of these issues in your county? Lack of access to public space for no-cost recreational use

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	30.2%	30.9%	13.7%	7.1%	18.2%	10,018
Gender						
Female	15.4%	38.3%	17.6%	11.8%	17.0%	4,864
Male	43.9%	23.9%	10.1%	2.7%	19.4%	5,129
Age						
18-34	30.4%	26.7%	15.2%	6.5%	21.2%	3,232
35-44	23.7%	31.1%	14.8%	6.8%	23.6%	2,464
45-54	26.0%	39.6%	13.4%	9.1%	11.8%	2,234
55-64	44.5%	19.5%	15.2%	8.8%	11.9%	1,267
65-74	40.9%	40.4%	4.7%	2.4%	11.6%	569
75+	23.9%	43.3%	0.0%	0.0%	32.8%	228
Highest level of education						
Less than high school diploma/GED	10.2%	74.9%	15.0%	0.0%	0.0%	263
High school diploma/GED	17.7%	22.6%	23.2%	2.8%	33.7%	2,237
Some college or AA degree	31.1%	28.5%	10.0%	11.3%	19.2%	4,829
Bachelor's degree or higher	41.2%	38.0%	12.5%	3.8%	4.5%	2,669
Household income (in 2012)						
Less than \$20,000	22.7%	7.8%	14.7%	6.8%	48.1%	446
\$20,000 - \$34,999	28.8%	21.5%	28.4%	3.9%	17.4%	682
\$35,000 - \$49,999	23.8%	19.7%	8.0%	7.3%	41.1%	1,642
\$50,000 - \$99,999	34.2%	40.1%	12.1%	7.1%	6.5%	4,683
\$100,000+	29.6%	27.5%	16.7%	7.9%	18.2%	2,287
Household type						
Single adult, no children	10.0%	37.3%	19.4%	2.8%	30.6%	837
2+ adults, no children	33.8%	27.4%	12.9%	6.0%	19.8%	5,080
Single adult, 1+ children	18.8%	48.1%	11.8%	7.4%	13.9%	474
2+ adults, 1+ children	31.2%	31.9%	13.8%	9.4%	13.6%	3,626
All areas included in the study						
Benton County	39.8%	27.8%	15.4%	5.5%	11.5%	26,538
Chisago County	39.3%	35.4%	10.4%	5.1%	9.8%	38,805
Mille Lacs County	32.8%	26.2%	13.9%	11.9%	15.2%	19,130
Sherburne County	39.2%	27.8%	15.2%	6.4%	11.4%	62,252
Stearns County	36.0%	31.9%	17.4%	5.6%	9.1%	115,639
Entire five-county region	37.4%	30.6%	15.4%	6.2%	10.4%	262,363

109. In your opinion, how much of a problem is each of these issues in your county? Lack of safe places to walk or bike

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	35.1%	28.8%	16.1%	6.3%	13.7%	10,053
Gender						
Female	23.3%	30.6%	27.2%	10.0%	8.9%	4,900
Male	46.5%	27.3%	5.1%	2.8%	18.3%	5,129
Age						
18-34	29.9%	34.8%	10.9%	6.5%	17.9%	3,232
35-44	34.4%	19.7%	23.8%	2.3%	19.8%	2,464
45-54	32.3%	34.9%	14.7%	12.5%	5.7%	2,283
55-64	47.8%	19.1%	19.3%	5.1%	8.6%	1,267
65-74	44.3%	32.0%	13.1%	2.4%	8.2%	555
75+	56.7%	32.8%	0.0%	0.0%	10.4%	228
Highest level of education						
Less than high school diploma/GED	10.2%	74.9%	5.7%	9.3%	0.0%	263
High school diploma/GED	25.9%	30.0%	8.3%	4.3%	31.5%	2,237
Some college or AA degree	33.6%	28.5%	17.0%	8.6%	12.3%	4,878
Bachelor's degree or higher	48.3%	24.3%	22.0%	3.4%	2.0%	2,656
Household income (in 2012)						
Less than \$20,000	25.4%	7.4%	8.4%	12.2%	46.6%	446
\$20,000 - \$34,999	24.1%	18.5%	36.1%	3.9%	17.4%	682
\$35,000 - \$49,999	23.8%	21.6%	19.3%	3.6%	31.7%	1,642
\$50,000 - \$99,999	42.0%	30.6%	18.4%	6.2%	2.7%	4,670
\$100,000+	34.6%	38.4%	5.0%	8.6%	13.4%	2,311
Household type						
Single adult, no children	40.4%	11.5%	17.6%	5.9%	24.7%	837
2+ adults, no children	31.7%	39.0%	10.4%	5.5%	13.5%	5,066
Single adult, 1+ children	57.2%	11.4%	12.7%	7.4%	11.4%	474
2+ adults, 1+ children	35.8%	21.1%	24.0%	7.3%	11.8%	3,675
All areas included in the study						
Benton County	41.1%	31.1%	17.3%	5.7%	4.9%	26,095
Chisago County	45.3%	32.2%	12.2%	5.4%	4.9%	38,818
Mille Lacs County	38.6%	24.0%	15.4%	11.0%	11.0%	19,163
Sherburne County	44.2%	26.9%	14.9%	6.8%	7.2%	62,112
Stearns County	43.5%	32.9%	12.7%	5.0%	5.9%	114,924
Entire five-county region	43.3%	30.5%	13.8%	6.0%	6.4%	261,112

Alcohol, tobacco, and other drug use

110. In your opinion, how much of a problem is each of these issues in your county? Smoking or other tobacco use

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	18.6%	17.8%	33.1%	14.6%	15.9%	10,040
Gender						
Female	5.1%	21.4%	43.6%	16.8%	13.1%	4,886
Male	31.6%	14.5%	22.7%	12.5%	18.6%	5,129
Age						
18-34	37.4%	14.2%	21.8%	7.6%	19.0%	3,232
35-44	0.0%	14.4%	42.5%	24.0%	19.1%	2,464
45-54	19.9%	25.2%	33.1%	9.1%	12.6%	2,283
55-64	12.9%	20.9%	34.3%	21.1%	10.9%	1,267
65-74	7.9%	20.8%	37.5%	22.8%	10.9%	542
75+	0.0%	10.4%	67.2%	11.9%	10.4%	228
Highest level of education						
Less than high school diploma/GED	19.4%	5.7%	10.3%	64.5%	0.0%	263
High school diploma/GED	25.6%	12.9%	20.6%	11.6%	29.3%	2,237
Some college or AA degree	16.9%	18.8%	35.7%	12.9%	15.7%	4,851
Bachelor's degree or higher	15.9%	21.6%	41.3%	15.3%	6.0%	2,669
Household income (in 2012)						
Less than \$20,000	22.1%	10.0%	19.7%	6.8%	41.5%	446
\$20,000 - \$34,999	6.3%	21.2%	38.6%	28.5%	5.5%	682
\$35,000 - \$49,999	7.3%	19.2%	31.7%	9.1%	32.7%	1,629
\$50,000 - \$99,999	25.5%	18.7%	29.6%	18.9%	7.3%	4,683
\$100,000+	15.9%	16.0%	44.6%	6.4%	17.1%	2,311
Household type						
Single adult, no children	26.4%	15.1%	15.4%	14.4%	28.7%	837
2+ adults, no children	26.6%	14.9%	26.8%	14.9%	16.8%	5,053
Single adult, 1+ children	7.4%	40.7%	22.7%	7.8%	21.4%	474
2+ adults, 1+ children	7.3%	19.5%	47.2%	15.0%	11.0%	3,675
All areas included in the study						
Benton County	12.2%	28.8%	28.3%	18.8%	11.8%	26,488
Chisago County	18.8%	17.6%	37.5%	17.5%	8.6%	38,516
Mille Lacs County	6.4%	20.5%	26.9%	31.5%	14.8%	19,163
Sherburne County	17.4%	23.7%	30.7%	16.0%	12.1%	61,753
Stearns County	12.9%	23.3%	32.0%	17.5%	14.3%	115,122
Entire five-county region	14.3%	22.9%	31.8%	18.3%	12.7%	261,042

111. In your opinion, how much of a problem is each of these issues in your county? Abuse of prescription drugs

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	10.8%	16.7%	32.9%	15.5%	24.1%	9,906
Gender						
Female	6.1%	18.6%	37.0%	18.4%	19.9%	4,800
Male	15.2%	14.9%	29.0%	12.7%	28.2%	5,106
Age						
18-34	23.9%	10.9%	30.5%	8.7%	26.0%	3,232
35-44	1.5%	11.6%	29.2%	31.5%	26.1%	2,408
45-54	5.3%	34.1%	37.3%	5.9%	17.5%	2,260
55-64	5.5%	12.9%	47.5%	15.1%	18.9%	1,237
65-74	13.9%	7.4%	12.2%	26.3%	40.2%	542
75+	0.0%	23.9%	31.3%	11.9%	32.8%	228
Highest level of education						
Less than high school diploma/GED	10.2%	10.3%	79.5%	0.0%	0.0%	263
High school diploma/GED	24.9%	13.1%	14.4%	10.5%	37.1%	2,237
Some college or AA degree	2.1%	19.9%	35.1%	20.0%	22.9%	4,718
Bachelor's degree or higher	14.5%	14.8%	40.0%	13.3%	17.3%	2,669
Household income (in 2012)						
Less than \$20,000	9.4%	1.8%	29.2%	8.1%	51.6%	416
\$20,000 - \$34,999	7.1%	13.4%	29.0%	27.8%	22.7%	682
\$35,000 - \$49,999	3.1%	27.8%	14.7%	13.4%	40.9%	1,629
\$50,000 - \$99,999	12.4%	15.0%	40.3%	14.1%	18.2%	4,580
\$100,000+	15.8%	14.4%	36.2%	16.8%	16.8%	2,311
Household type						
Single adult, no children	5.0%	15.9%	12.3%	12.3%	54.5%	814
2+ adults, no children	16.2%	13.1%	39.3%	8.9%	22.5%	4,973
Single adult, 1+ children	0.0%	4.9%	44.1%	11.8%	39.3%	474
2+ adults, 1+ children	6.2%	23.4%	27.3%	25.6%	17.6%	3,645
All areas included in the study						
Benton County	7.7%	28.6%	24.0%	19.2%	20.4%	26,494
Chisago County	9.9%	22.9%	28.1%	23.4%	15.7%	38,639
Mille Lacs County	4.8%	15.2%	23.2%	32.8%	24.0%	19,125
Sherburne County	9.5%	23.2%	28.0%	17.8%	21.5%	61,160
Stearns County	7.7%	26.0%	29.4%	20.5%	16.4%	115,663
Entire five-county region	8.2%	24.4%	27.9%	21.0%	18.5%	261,082

112. In your opinion, how much of a problem is each of these issues in your county? Alcohol abuse among those aged 21 or over

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	6.9%	25.2%	38.7%	11.9%	17.3%	9,929
Gender						
Female	4.8%	18.0%	44.9%	14.4%	17.9%	4,776
Male	8.8%	31.9%	32.7%	9.6%	16.9%	5,129
Age						
18-34	14.1%	31.5%	28.9%	4.4%	21.2%	3,232
35-44	0.0%	22.6%	47.9%	13.2%	16.3%	2,408
45-54	6.3%	26.4%	45.0%	10.7%	11.6%	2,258
55-64	5.5%	17.4%	40.0%	22.5%	14.5%	1,237
65-74	3.0%	18.3%	18.1%	32.5%	28.0%	542
75+	0.0%	11.9%	55.2%	11.9%	20.9%	228
Highest level of education						
Less than high school diploma/GED	10.2%	0.0%	80.6%	9.3%	0.0%	263
High school diploma/GED	4.9%	34.4%	14.7%	14.3%	31.6%	2,237
Some college or AA degree	2.1%	28.3%	46.0%	8.5%	15.0%	4,741
Bachelor's degree or higher	16.8%	14.5%	42.0%	16.2%	10.5%	2,669
Household income (in 2012)						
Less than \$20,000	6.4%	13.2%	16.6%	12.2%	51.6%	416
\$20,000 - \$34,999	2.4%	8.7%	63.2%	14.9%	10.9%	682
\$35,000 - \$49,999	2.9%	21.2%	23.9%	13.9%	38.1%	1,629
\$50,000 - \$99,999	12.2%	24.7%	40.6%	14.2%	8.3%	4,628
\$100,000+	1.2%	36.6%	44.1%	5.1%	13.1%	2,287
Household type						
Single adult, no children	6.1%	14.8%	44.5%	2.6%	32.0%	837
2+ adults, no children	8.2%	25.3%	34.9%	13.7%	17.8%	4,997
Single adult, 1+ children	0.0%	12.3%	58.5%	7.8%	21.4%	474
2+ adults, 1+ children	6.2%	29.1%	40.0%	12.1%	12.7%	3,620
All areas included in the study						
Benton County	6.5%	29.6%	34.4%	18.1%	11.5%	26,503
Chisago County	11.8%	31.9%	25.4%	18.4%	12.4%	38,433
Mille Lacs County	2.7%	15.7%	26.9%	36.5%	18.2%	19,163
Sherburne County	7.0%	26.1%	34.2%	18.9%	13.9%	61,875
Stearns County	6.2%	22.9%	31.8%	26.1%	13.0%	115,779
Entire five-county region	7.0%	25.1%	31.3%	23.2%	13.3%	261,753

113. In your opinion, how much of a problem is each of these issues in your county? Alcohol use among those under 21

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	8.4%	20.0%	31.4%	18.4%	21.8%	9,910
Gender						
Female	5.1%	15.0%	42.3%	22.5%	15.1%	4,757
Male	11.5%	24.7%	21.5%	14.1%	28.2%	5,129
Age						
18-34	19.0%	16.3%	21.8%	14.2%	28.7%	3,232
35-44	0.0%	21.4%	35.1%	20.2%	23.4%	2,371
45-54	4.7%	28.8%	39.3%	14.5%	12.6%	2,283
55-64	5.5%	18.0%	37.0%	26.2%	13.3%	1,237
65-74	8.0%	7.5%	18.6%	32.7%	33.2%	535
75+	0.0%	11.9%	55.2%	11.9%	20.9%	228
Highest level of education						
Less than high school diploma/GED	10.2%	10.3%	0.0%	79.5%	0.0%	263
High school diploma/GED	6.1%	14.4%	16.4%	15.4%	47.8%	2,237
Some college or AA degree	5.9%	29.5%	30.1%	19.7%	14.7%	4,721
Bachelor's degree or higher	14.5%	9.0%	49.7%	12.5%	14.3%	2,669
Household income (in 2012)						
Less than \$20,000	6.5%	10.3%	21.8%	16.0%	45.2%	409
\$20,000 - \$34,999	2.4%	7.9%	49.7%	20.8%	19.2%	682
\$35,000 - \$49,999	3.2%	22.1%	16.0%	22.9%	35.8%	1,592
\$50,000 - \$99,999	14.8%	20.4%	32.7%	19.5%	12.6%	4,628
\$100,000+	2.2%	22.0%	38.1%	13.5%	24.2%	2,311
Household type						
Single adult, no children	22.4%	13.4%	22.6%	12.0%	29.6%	831
2+ adults, no children	8.7%	17.1%	28.3%	21.1%	24.8%	4,997
Single adult, 1+ children	0.0%	4.9%	29.3%	26.6%	39.3%	474
2+ adults, 1+ children	5.9%	27.5%	38.1%	14.9%	13.6%	3,607
All areas included in the study						
Benton County	7.3%	24.2%	33.4%	21.8%	13.3%	26,462
Chisago County	4.4%	22.1%	40.8%	19.0%	13.7%	38,373
Mille Lacs County	3.9%	16.9%	21.2%	38.1%	19.9%	19,165
Sherburne County	5.4%	24.6%	31.7%	24.0%	14.3%	61,798
Stearns County	4.0%	21.1%	30.9%	26.7%	17.3%	114,569
Entire five-county region	4.7%	22.1%	32.1%	25.3%	15.8%	260,367

114. In your opinion, how much of a problem is each of these issues in your county? Adults allowing or tolerating youth alcohol use

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	10.6%	24.7%	26.7%	12.9%	25.2%	9,940
Gender						
Female	3.9%	28.4%	34.8%	16.3%	16.7%	4,787
Male	16.8%	21.3%	19.2%	9.3%	33.4%	5,129
Age						
18-34	16.8%	30.5%	15.3%	8.7%	28.7%	3,232
35-44	7.1%	16.3%	35.7%	6.2%	34.7%	2,408
45-54	9.3%	29.5%	30.6%	16.6%	14.1%	2,283
55-64	6.6%	26.1%	30.5%	23.5%	13.3%	1,237
65-74	8.1%	5.1%	27.2%	24.7%	34.9%	528
75+	0.0%	22.4%	32.8%	11.9%	32.8%	228
Highest level of education						
Less than high school diploma/GED	10.2%	64.5%	0.0%	15.0%	10.3%	263
High school diploma/GED	5.0%	18.7%	15.6%	11.1%	49.5%	2,237
Some college or AA degree	9.8%	31.5%	26.7%	11.6%	20.4%	4,752
Bachelor's degree or higher	16.7%	13.6%	38.6%	16.6%	14.4%	2,669
Household income (in 2012)						
Less than \$20,000	6.4%	28.7%	4.7%	15.6%	44.5%	416
\$20,000 - \$34,999	2.4%	11.2%	42.6%	20.1%	23.7%	668
\$35,000 - \$49,999	6.0%	18.9%	24.5%	9.6%	41.0%	1,629
\$50,000 - \$99,999	14.6%	28.5%	28.7%	15.3%	12.9%	4,628
\$100,000+	9.6%	25.3%	23.9%	8.1%	33.2%	2,311
Household type						
Single adult, no children	25.2%	12.3%	19.2%	9.7%	33.5%	837
2+ adults, no children	8.7%	26.2%	24.3%	14.7%	26.1%	4,984
Single adult, 1+ children	0.0%	14.9%	25.7%	22.7%	36.7%	474
2+ adults, 1+ children	11.1%	26.7%	31.7%	9.8%	20.7%	3,645
All areas included in the study						
Benton County	9.8%	29.3%	28.6%	17.3%	15.1%	26,324
Chisago County	7.6%	26.5%	32.1%	19.3%	14.5%	38,493
Mille Lacs County	4.8%	17.2%	24.3%	30.7%	23.0%	19,165
Sherburne County	7.8%	26.3%	29.4%	18.5%	18.0%	61,880
Stearns County	5.6%	27.3%	26.8%	19.2%	21.1%	115,420
Entire five-county region	6.8%	26.4%	28.2%	19.7%	18.9%	261,281

115. In your opinion, how much of a problem is each of these issues in your county?
Drinking and driving

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	3.4%	17.2%	34.9%	26.3%	18.1%	9,954
Gender						
Female	5.0%	12.6%	32.5%	36.0%	14.0%	4,800
Male	1.9%	21.7%	37.4%	16.9%	22.1%	5,129
Age						
18-34	6.5%	16.3%	20.7%	27.8%	28.7%	3,232
35-44	0.0%	9.4%	51.8%	22.1%	16.8%	2,408
45-54	2.6%	29.3%	34.6%	25.0%	8.5%	2,283
55-64	5.5%	16.9%	40.8%	27.3%	9.5%	1,237
65-74	0.0%	15.9%	26.1%	37.5%	20.6%	542
75+	0.0%	0.0%	55.2%	23.9%	20.9%	228
Highest level of education						
Less than high school diploma/GED	10.2%	0.0%	80.6%	9.3%	0.0%	263
High school diploma/GED	0.7%	19.0%	20.9%	16.0%	43.4%	2,237
Some college or AA degree	4.7%	13.9%	35.8%	31.5%	14.0%	4,765
Bachelor's degree or higher	2.7%	23.4%	40.8%	26.8%	6.2%	2,669
Household income (in 2012)						
Less than \$20,000	14.9%	10.2%	16.6%	13.8%	44.5%	416
\$20,000 - \$34,999	0.0%	6.7%	36.1%	46.3%	10.9%	682
\$35,000 - \$49,999	0.0%	16.5%	21.9%	25.8%	35.8%	1,629
\$50,000 - \$99,999	5.4%	24.3%	32.4%	30.3%	7.6%	4,628
\$100,000+	1.2%	7.7%	54.8%	15.0%	21.4%	2,311
Household type						
Single adult, no children	1.5%	14.9%	16.4%	39.6%	27.6%	837
2+ adults, no children	1.4%	18.3%	32.2%	26.2%	21.9%	4,997
Single adult, 1+ children	7.4%	4.9%	17.9%	34.5%	35.3%	474
2+ adults, 1+ children	6.1%	17.9%	45.2%	22.4%	8.5%	3,645
All areas included in the study						
Benton County	4.4%	25.5%	35.4%	26.9%	7.8%	26,433
Chisago County	6.3%	21.8%	31.3%	31.5%	9.2%	38,165
Mille Lacs County	3.4%	15.1%	29.2%	36.2%	16.1%	19,128
Sherburne County	3.8%	18.9%	34.3%	32.7%	10.4%	62,026
Stearns County	3.6%	18.9%	32.7%	33.6%	11.2%	115,878
Entire five-county region	4.1%	19.7%	32.9%	32.6%	10.7%	261,629

116. In your opinion, how much of a problem is each of these issues in your county? Illegal drug use among youth

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	2.8%	16.2%	26.9%	31.9%	22.1%	10,040
Gender						
Female	2.7%	15.5%	28.6%	36.3%	16.8%	4,886
Male	2.8%	17.0%	24.9%	27.9%	27.3%	5,129
Age						
18-34	2.2%	21.7%	19.6%	24.5%	32.0%	3,232
35-44	0.0%	2.3%	37.6%	43.0%	17.1%	2,464
45-54	6.2%	29.3%	25.9%	26.6%	12.0%	2,283
55-64	5.4%	10.5%	24.4%	39.2%	20.5%	1,267
65-74	0.0%	12.9%	16.9%	36.2%	34.0%	542
75+	0.0%	0.0%	55.2%	23.9%	20.9%	228
Highest level of education						
Less than high school diploma/GED	10.2%	0.0%	16.1%	73.8%	0.0%	263
High school diploma/GED	3.8%	9.1%	16.2%	21.1%	49.8%	2,237
Some college or AA degree	1.7%	18.4%	27.0%	36.8%	16.1%	4,851
Bachelor's degree or higher	3.2%	20.1%	37.0%	27.6%	12.2%	2,669
Household income (in 2012)						
Less than \$20,000	6.0%	4.4%	14.0%	29.0%	46.6%	446
\$20,000 - \$34,999	0.0%	8.3%	30.1%	41.4%	20.2%	682
\$35,000 - \$49,999	4.3%	13.4%	20.2%	25.0%	37.1%	1,629
\$50,000 - \$99,999	3.1%	21.4%	24.5%	39.0%	12.0%	4,683
\$100,000+	1.2%	11.3%	40.7%	21.0%	25.8%	2,311
Household type						
Single adult, no children	2.9%	12.2%	13.5%	38.8%	32.7%	837
2+ adults, no children	1.8%	16.5%	23.8%	31.7%	26.2%	5,053
Single adult, 1+ children	0.0%	2.6%	41.5%	23.1%	32.8%	474
2+ adults, 1+ children	4.4%	18.6%	32.3%	31.9%	12.8%	3,675
All areas included in the study						
Benton County	2.5%	25.6%	28.5%	26.7%	16.8%	26,430
Chisago County	3.8%	21.9%	32.2%	27.7%	14.5%	38,810
Mille Lacs County	1.9%	14.8%	21.8%	41.6%	20.0%	19,233
Sherburne County	3.0%	23.2%	27.4%	29.6%	16.8%	62,104
Stearns County	3.0%	23.7%	27.5%	30.4%	15.4%	115,756
Entire five-county region	3.0%	22.8%	27.8%	30.3%	16.1%	262,332

117. In your opinion, how much of a problem is each of these issues in your county? Illegal drug use among adults

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	4.0%	21.8%	28.0%	23.0%	23.2%	9,915
Gender						
Female	5.3%	15.2%	33.1%	28.5%	17.9%	4,761
Male	2.8%	27.6%	23.4%	18.0%	28.2%	5,129
Age						
18-34	5.6%	21.1%	23.3%	17.2%	32.7%	3,161
35-44	0.0%	24.5%	29.2%	28.5%	17.9%	2,464
45-54	6.8%	25.4%	33.5%	18.6%	15.7%	2,258
55-64	5.5%	18.5%	25.5%	31.0%	19.5%	1,237
65-74	0.0%	12.9%	16.9%	37.5%	32.8%	542
75+	0.0%	0.0%	67.2%	11.9%	20.9%	228
Highest level of education						
Less than high school diploma/GED	10.2%	0.0%	16.1%	73.8%	0.0%	263
High school diploma/GED	3.8%	9.8%	15.9%	17.3%	53.2%	2,237
Some college or AA degree	4.5%	21.6%	31.5%	25.5%	16.9%	4,726
Bachelor's degree or higher	2.7%	34.7%	32.6%	18.4%	11.5%	2,669
Household income (in 2012)						
Less than \$20,000	6.4%	4.7%	20.5%	18.4%	49.9%	416
\$20,000 - \$34,999	0.0%	9.2%	28.8%	40.6%	21.4%	611
\$35,000 - \$49,999	4.3%	15.2%	24.2%	16.2%	40.1%	1,629
\$50,000 - \$99,999	5.4%	26.1%	24.6%	30.3%	13.7%	4,659
\$100,000+	2.2%	23.6%	40.7%	9.7%	23.7%	2,311
Household type						
Single adult, no children	1.5%	15.2%	13.7%	34.1%	35.5%	837
2+ adults, no children	1.8%	17.7%	27.0%	26.7%	26.7%	5,029
Single adult, 1+ children	0.0%	0.0%	41.5%	23.1%	35.3%	474
2+ adults, 1+ children	8.2%	32.1%	30.9%	15.2%	13.7%	3,574
All areas included in the study						
Benton County	5.2%	24.0%	28.5%	26.9%	15.5%	26,320
Chisago County	5.3%	22.5%	32.1%	25.3%	14.8%	38,580
Mille Lacs County	2.6%	14.8%	21.6%	41.7%	19.3%	19,208
Sherburne County	5.2%	25.2%	27.0%	26.3%	16.3%	61,497
Stearns County	4.4%	24.9%	24.6%	29.6%	16.6%	115,698
Entire five-county region	4.6%	23.8%	26.4%	28.8%	16.4%	261,303

Chronic disease and health habits

118. In your opinion, how much of a problem is each of these issues in your county? Asthma

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	8.4%	30.3%	25.5%	4.7%	31.1%	9,948
Gender						
Female	5.5%	28.3%	32.7%	6.3%	27.2%	4,795
Male	11.2%	32.3%	18.4%	3.3%	34.9%	5,129
Age						
18-34	13.0%	26.1%	16.4%	0.0%	44.5%	3,232
35-44	3.1%	25.7%	39.7%	4.6%	26.9%	2,408
45-54	6.6%	41.7%	26.2%	5.2%	20.3%	2,283
55-64	11.0%	36.9%	22.7%	14.7%	14.8%	1,252
65-74	9.9%	24.1%	20.8%	4.7%	40.4%	569
75+	0.0%	0.0%	15.1%	15.1%	69.8%	180
Highest level of education						
Less than high school diploma/GED	15.9%	0.0%	64.5%	9.3%	10.3%	263
High school diploma/GED	10.8%	18.5%	12.7%	7.9%	50.1%	2,237
Some college or AA degree	10.1%	28.8%	25.1%	4.0%	32.0%	4,774
Bachelor's degree or higher	2.7%	46.2%	33.3%	2.9%	14.9%	2,654
Household income (in 2012)						
Less than \$20,000	17.3%	13.8%	10.1%	12.2%	46.6%	446
\$20,000 - \$34,999	2.5%	16.5%	56.0%	6.3%	18.6%	634
\$35,000 - \$49,999	7.2%	15.8%	18.8%	3.9%	54.2%	1,642
\$50,000 - \$99,999	12.1%	39.6%	25.0%	5.0%	18.2%	4,628
\$100,000+	2.3%	28.7%	26.5%	3.3%	39.2%	2,311
Household type						
Single adult, no children	3.4%	21.3%	24.6%	0.0%	50.8%	837
2+ adults, no children	9.9%	28.6%	21.4%	5.5%	34.6%	4,961
Single adult, 1+ children	7.4%	8.8%	44.5%	0.0%	39.3%	474
2+ adults, 1+ children	7.7%	37.3%	28.8%	5.3%	20.8%	3,675
All areas included in the study						
Benton County	11.5%	32.1%	23.7%	6.3%	26.4%	26,212
Chisago County	14.1%	36.7%	19.2%	6.6%	23.3%	38,880
Mille Lacs County	9.2%	26.5%	28.7%	9.5%	26.1%	19,132
Sherburne County	12.3%	30.4%	25.5%	6.3%	25.5%	61,615
Stearns County	10.3%	30.7%	24.0%	5.4%	29.6%	115,636
Entire five-county region	11.4%	31.4%	24.0%	6.2%	27.1%	261,475

119. In your opinion, how much of a problem is each of these issues in your county? Cancer

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	6.3%	19.6%	25.7%	23.3%	25.1%	9,996
Gender						
Female	2.9%	18.0%	37.1%	21.6%	20.3%	4,842
Male	9.5%	21.2%	14.5%	25.1%	29.8%	5,129
Age						
18-34	10.8%	20.7%	17.5%	7.6%	43.4%	3,232
35-44	1.5%	17.1%	27.6%	37.0%	16.8%	2,408
45-54	4.0%	27.2%	31.0%	22.3%	15.5%	2,283
55-64	8.8%	16.6%	24.1%	38.8%	11.8%	1,252
65-74	7.1%	8.7%	41.4%	20.8%	22.0%	569
75+	0.0%	0.0%	31.3%	35.8%	32.8%	228
Highest level of education						
Less than high school diploma/GED	15.9%	0.0%	0.0%	73.8%	10.3%	263
High school diploma/GED	5.6%	13.6%	18.7%	13.5%	48.6%	2,237
Some college or AA degree	8.1%	15.0%	28.0%	26.8%	22.1%	4,822
Bachelor's degree or higher	2.7%	35.1%	29.4%	20.5%	12.3%	2,654
Household income (in 2012)						
Less than \$20,000	17.3%	6.1%	6.1%	23.9%	46.6%	446
\$20,000 - \$34,999	0.0%	13.5%	37.3%	36.2%	13.0%	682
\$35,000 - \$49,999	4.4%	12.6%	31.6%	12.4%	39.0%	1,642
\$50,000 - \$99,999	8.9%	31.0%	20.0%	22.8%	17.2%	4,628
\$100,000+	2.3%	7.9%	31.4%	29.4%	28.9%	2,311
Household type						
Single adult, no children	0.0%	24.1%	13.2%	17.2%	45.6%	837
2+ adults, no children	9.3%	16.3%	23.9%	23.4%	27.1%	5,009
Single adult, 1+ children	7.4%	0.0%	38.0%	19.2%	35.3%	474
2+ adults, 1+ children	3.5%	25.5%	29.4%	25.2%	16.4%	3,675
All areas included in the study						
Benton County	5.9%	16.6%	30.9%	29.4%	17.2%	26,254
Chisago County	10.1%	18.6%	32.5%	18.9%	19.9%	38,880
Mille Lacs County	5.3%	16.2%	26.3%	30.1%	22.1%	19,132
Sherburne County	7.3%	19.0%	26.1%	27.5%	20.1%	61,678
Stearns County	5.5%	14.9%	27.4%	35.0%	17.1%	115,820
Entire five-county region	6.6%	16.7%	28.1%	29.9%	18.6%	261,765

120. In your opinion, how much of a problem is each of these issues in your county? Chronic pain

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	9.8%	21.8%	22.3%	13.4%	32.7%	9,988
Gender						
Female	4.1%	21.3%	32.9%	15.1%	26.6%	4,835
Male	15.1%	21.9%	12.4%	12.0%	38.6%	5,129
Age						
18-34	22.8%	9.8%	18.5%	4.4%	44.5%	3,232
35-44	1.5%	27.7%	13.9%	19.8%	37.0%	2,408
45-54	4.0%	34.6%	31.3%	8.8%	21.3%	2,283
55-64	5.5%	19.8%	34.5%	21.8%	18.4%	1,244
65-74	7.1%	23.6%	26.5%	17.3%	25.5%	569
75+	0.0%	0.0%	0.0%	67.2%	32.8%	228
Highest level of education						
Less than high school diploma/GED	10.2%	0.0%	9.3%	70.2%	10.3%	263
High school diploma/GED	5.6%	19.9%	14.6%	9.9%	50.0%	2,230
Some college or AA degree	9.0%	22.5%	21.9%	14.6%	32.0%	4,822
Bachelor's degree or higher	14.6%	24.5%	31.0%	8.1%	21.8%	2,654
Household income (in 2012)						
Less than \$20,000	13.9%	6.1%	18.4%	15.0%	46.6%	446
\$20,000 - \$34,999	0.0%	14.6%	22.4%	46.2%	16.8%	674
\$35,000 - \$49,999	4.4%	14.7%	15.0%	11.8%	54.0%	1,642
\$50,000 - \$99,999	17.3%	26.8%	24.2%	14.1%	17.6%	4,628
\$100,000+	1.2%	24.2%	21.4%	4.3%	49.0%	2,311
Household type						
Single adult, no children	0.0%	17.4%	14.6%	17.5%	50.5%	830
2+ adults, no children	14.7%	15.4%	20.3%	16.6%	33.0%	5,009
Single adult, 1+ children	7.4%	26.7%	26.6%	3.9%	35.3%	474
2+ adults, 1+ children	5.4%	30.9%	26.2%	9.4%	28.0%	3,675
All areas included in the study						
Benton County	8.3%	27.1%	26.0%	14.7%	23.9%	26,069
Chisago County	8.9%	27.0%	27.1%	15.5%	21.5%	38,637
Mille Lacs County	6.1%	19.0%	29.0%	20.9%	25.0%	18,971
Sherburne County	10.1%	25.3%	25.9%	13.8%	24.9%	61,678
Stearns County	6.5%	25.6%	29.8%	14.9%	23.2%	114,958
Entire five-county region	7.9%	25.4%	28.0%	15.1%	23.5%	260,313

121. In your opinion, how much of a problem is each of these issues in your county? Diabetes

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	10.7%	20.3%	27.0%	16.3%	25.7%	10,011
Gender						
Female	6.6%	19.3%	31.6%	22.1%	20.4%	4,857
Male	14.6%	21.3%	22.4%	10.9%	30.8%	5,129
Age						
18-34	24.9%	7.6%	19.6%	9.8%	38.0%	3,232
35-44	3.1%	23.4%	40.1%	12.0%	21.4%	2,408
45-54	4.0%	35.0%	27.6%	15.2%	18.2%	2,283
55-64	4.5%	23.8%	23.5%	32.9%	15.2%	1,267
65-74	7.1%	21.5%	22.7%	23.2%	25.5%	569
75+	0.0%	0.0%	10.4%	56.7%	32.8%	228
Highest level of education						
Less than high school diploma/GED	5.7%	10.2%	64.5%	9.3%	10.3%	263
High school diploma/GED	8.7%	19.2%	15.0%	8.1%	49.0%	2,237
Some college or AA degree	9.8%	22.0%	27.6%	18.8%	21.8%	4,822
Bachelor's degree or higher	14.5%	19.3%	32.0%	19.5%	14.7%	2,669
Household income (in 2012)						
Less than \$20,000	11.3%	12.1%	4.4%	25.6%	46.6%	446
\$20,000 - \$34,999	5.5%	22.0%	17.0%	41.6%	14.0%	682
\$35,000 - \$49,999	4.4%	16.3%	23.8%	10.4%	45.1%	1,642
\$50,000 - \$99,999	18.8%	23.3%	24.4%	19.1%	14.4%	4,628
\$100,000+	1.2%	19.4%	39.4%	7.9%	32.1%	2,311
Household type						
Single adult, no children	0.0%	18.5%	13.4%	17.2%	50.9%	837
2+ adults, no children	14.5%	16.4%	22.7%	17.5%	29.0%	5,024
Single adult, 1+ children	7.4%	3.9%	42.0%	11.4%	35.3%	474
2+ adults, 1+ children	8.4%	28.2%	34.2%	15.1%	14.2%	3,675
All areas included in the study						
Benton County	6.5%	21.0%	32.6%	19.6%	20.4%	26,319
Chisago County	8.2%	16.8%	26.7%	28.3%	20.0%	38,836
Mille Lacs County	6.4%	15.6%	25.4%	31.7%	20.9%	19,132
Sherburne County	8.5%	20.4%	27.4%	21.4%	22.3%	61,674
Stearns County	6.2%	19.4%	25.7%	30.8%	18.0%	115,705
Entire five-county region	7.1%	19.1%	26.9%	27.1%	19.8%	261,666

122. In your opinion, how much of a problem is each of these issues in your county? Heart disease and stroke

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	3.8%	24.0%	24.1%	20.6%	27.6%	9,988
Gender						
Female	4.3%	16.3%	31.4%	24.1%	23.9%	4,857
Male	3.2%	31.4%	16.8%	17.4%	31.2%	5,106
Age						
18-34	3.3%	28.2%	14.2%	9.8%	44.5%	3,232
35-44	1.5%	21.8%	30.3%	28.8%	17.5%	2,408
45-54	6.7%	29.1%	26.4%	16.2%	21.6%	2,260
55-64	3.3%	14.0%	32.9%	33.5%	16.3%	1,267
65-74	7.1%	21.5%	22.9%	26.5%	22.0%	569
75+	0.0%	0.0%	20.9%	46.3%	32.8%	228
Highest level of education						
Less than high school diploma/GED	0.0%	10.2%	0.0%	79.5%	10.3%	263
High school diploma/GED	10.8%	12.9%	11.4%	15.7%	49.1%	2,237
Some college or AA degree	1.3%	25.7%	28.0%	18.6%	26.5%	4,799
Bachelor's degree or higher	2.7%	31.7%	30.3%	22.6%	12.7%	2,669
Household income (in 2012)						
Less than \$20,000	7.9%	11.5%	3.4%	30.7%	46.6%	446
\$20,000 - \$34,999	0.0%	11.0%	28.2%	44.1%	16.6%	682
\$35,000 - \$49,999	7.2%	12.6%	19.9%	11.8%	48.4%	1,642
\$50,000 - \$99,999	3.9%	35.9%	18.5%	24.1%	17.5%	4,628
\$100,000+	1.2%	15.9%	40.5%	12.1%	30.3%	2,288
Household type						
Single adult, no children	1.5%	14.9%	14.7%	22.5%	46.5%	837
2+ adults, no children	1.6%	25.7%	19.5%	21.4%	31.8%	5,024
Single adult, 1+ children	7.8%	0.0%	16.1%	34.9%	41.3%	451
2+ adults, 1+ children	6.7%	26.7%	33.5%	17.3%	15.8%	3,675
All areas included in the study						
Benton County	5.4%	21.5%	30.1%	19.1%	23.8%	26,307
Chisago County	7.8%	22.9%	25.6%	23.6%	20.1%	38,844
Mille Lacs County	6.3%	17.1%	30.3%	25.0%	21.4%	19,050
Sherburne County	6.5%	19.7%	31.6%	20.0%	22.3%	61,245
Stearns County	6.0%	16.6%	32.8%	26.8%	17.8%	115,654
Entire five-county region	6.3%	18.8%	31.0%	23.8%	20.0%	261,100

123. In your opinion, how much of a problem is each of these issues in your county? Mental illness

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	8.0%	22.3%	24.3%	17.5%	27.9%	9,962
Gender						
Female	6.0%	17.5%	30.6%	24.1%	21.8%	4,833
Male	9.9%	26.9%	18.3%	11.3%	33.6%	5,129
Age						
18-34	14.1%	20.7%	8.7%	12.0%	44.5%	3,232
35-44	3.1%	17.2%	39.3%	19.0%	21.5%	2,408
45-54	7.7%	28.6%	27.5%	18.3%	17.8%	2,258
55-64	4.2%	25.7%	30.2%	24.4%	15.5%	1,267
65-74	7.1%	29.5%	20.6%	17.3%	25.5%	569
75+	0.0%	0.0%	31.3%	35.8%	32.8%	228
Highest level of education						
Less than high school diploma/GED	0.0%	10.2%	70.2%	9.3%	10.3%	263
High school diploma/GED	8.1%	18.6%	13.9%	10.7%	48.8%	2,237
Some college or AA degree	4.1%	26.1%	24.5%	19.3%	26.0%	4,773
Bachelor's degree or higher	15.9%	20.0%	28.2%	20.4%	15.6%	2,669
Household income (in 2012)						
Less than \$20,000	7.9%	12.1%	13.8%	19.6%	46.6%	446
\$20,000 - \$34,999	5.5%	18.5%	37.9%	26.7%	11.4%	682
\$35,000 - \$49,999	8.7%	13.4%	18.0%	15.2%	44.7%	1,642
\$50,000 - \$99,999	11.3%	30.0%	20.9%	20.3%	17.6%	4,579
\$100,000+	2.3%	17.9%	31.6%	11.7%	36.5%	2,311
Household type						
Single adult, no children	1.5%	13.1%	21.7%	16.4%	47.3%	837
2+ adults, no children	8.7%	22.8%	21.9%	14.9%	31.7%	4,975
Single adult, 1+ children	14.9%	0.0%	26.7%	23.1%	35.3%	474
2+ adults, 1+ children	7.7%	26.6%	27.8%	20.6%	17.2%	3,675
All areas included in the study						
Benton County	8.3%	22.7%	21.2%	24.5%	23.4%	26,124
Chisago County	8.5%	20.0%	26.1%	26.6%	18.7%	38,776
Mille Lacs County	7.1%	16.2%	21.3%	30.6%	24.7%	18,856
Sherburne County	7.1%	22.0%	29.4%	19.9%	21.7%	61,208
Stearns County	6.6%	21.0%	28.6%	27.0%	16.7%	115,593
Entire five-county region	7.2%	20.9%	27.1%	25.3%	19.4%	260,556

124. In your opinion, how much of a problem is each of these issues in your county?
Obesity among adults

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	1.8%	17.7%	28.0%	34.0%	18.5%	9,996
Gender						
Female	1.6%	10.0%	33.5%	41.5%	13.5%	4,842
Male	1.9%	25.1%	23.0%	26.6%	23.4%	5,129
Age						
18-34	1.1%	26.0%	18.5%	23.4%	30.9%	3,232
35-44	0.0%	10.1%	35.1%	38.0%	16.8%	2,408
45-54	2.0%	18.4%	36.5%	32.7%	10.4%	2,283
55-64	4.3%	15.5%	24.2%	47.7%	8.3%	1,252
65-74	7.1%	12.8%	34.0%	40.2%	5.9%	569
75+	0.0%	0.0%	11.9%	55.2%	32.8%	228
Highest level of education						
Less than high school diploma/GED	10.2%	0.0%	5.7%	73.8%	10.3%	263
High school diploma/GED	1.2%	17.0%	21.7%	15.3%	44.8%	2,237
Some college or AA degree	1.0%	15.6%	32.4%	37.4%	13.6%	4,807
Bachelor's degree or higher	2.7%	24.1%	27.8%	39.1%	6.2%	2,669
Household income (in 2012)						
Less than \$20,000	13.9%	3.4%	16.5%	19.6%	46.6%	446
\$20,000 - \$34,999	0.0%	2.0%	25.2%	63.3%	9.4%	682
\$35,000 - \$49,999	1.6%	11.0%	24.3%	29.3%	33.9%	1,642
\$50,000 - \$99,999	1.0%	30.8%	24.7%	36.5%	7.0%	4,612
\$100,000+	1.2%	3.8%	40.6%	25.9%	28.5%	2,311
Household type						
Single adult, no children	0.0%	2.8%	20.9%	45.8%	30.6%	837
2+ adults, no children	1.9%	21.6%	22.8%	32.4%	21.3%	5,024
Single adult, 1+ children	7.4%	0.0%	8.8%	48.4%	35.3%	474
2+ adults, 1+ children	1.3%	18.1%	39.3%	31.5%	9.7%	3,660
All areas included in the study						
Benton County	6.1%	15.5%	30.1%	38.4%	9.8%	26,328
Chisago County	5.4%	8.5%	27.5%	42.5%	16.1%	38,916
Mille Lacs County	5.9%	5.9%	27.0%	45.9%	15.3%	18,989
Sherburne County	3.4%	14.5%	26.7%	43.1%	12.3%	61,738
Stearns County	4.1%	9.6%	26.1%	48.6%	11.5%	115,348
Entire five-county region	4.5%	10.9%	26.9%	45.2%	12.5%	261,320

125. In your opinion, how much of a problem is each of these issues in your county?
Obesity among children

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	3.4%	20.7%	25.8%	32.4%	17.7%	9,996
Gender						
Female	5.0%	14.8%	28.4%	38.2%	13.6%	4,842
Male	1.9%	26.3%	23.5%	26.6%	21.7%	5,129
Age						
18-34	5.5%	26.0%	16.4%	21.2%	30.9%	3,232
35-44	0.0%	18.3%	28.4%	40.0%	13.2%	2,408
45-54	3.1%	23.8%	30.0%	32.7%	10.4%	2,283
55-64	4.3%	13.4%	31.9%	42.2%	8.3%	1,252
65-74	7.1%	12.8%	40.9%	32.2%	7.1%	569
75+	0.0%	0.0%	22.4%	44.8%	32.8%	228
Highest level of education						
Less than high school diploma/GED	10.2%	0.0%	5.7%	73.8%	10.3%	263
High school diploma/GED	5.4%	14.9%	21.4%	13.1%	45.1%	2,237
Some college or AA degree	2.5%	20.1%	28.0%	37.6%	11.9%	4,807
Bachelor's degree or higher	2.7%	28.7%	27.8%	34.6%	6.2%	2,669
Household income (in 2012)						
Less than \$20,000	13.9%	8.9%	11.1%	19.6%	46.6%	446
\$20,000 - \$34,999	0.0%	2.0%	26.2%	61.4%	10.4%	682
\$35,000 - \$49,999	3.1%	9.5%	31.6%	22.0%	33.9%	1,642
\$50,000 - \$99,999	4.1%	35.2%	21.5%	34.1%	5.1%	4,612
\$100,000+	1.2%	7.0%	33.8%	29.6%	28.5%	2,311
Household type						
Single adult, no children	0.0%	7.1%	18.5%	43.0%	31.4%	837
2+ adults, no children	2.4%	22.8%	23.4%	30.1%	21.3%	5,024
Single adult, 1+ children	7.4%	17.9%	26.7%	30.5%	17.4%	474
2+ adults, 1+ children	5.1%	21.2%	30.7%	33.2%	9.7%	3,660
All areas included in the study						
Benton County	6.8%	17.7%	32.5%	33.4%	9.6%	26,072
Chisago County	3.8%	11.2%	28.6%	43.1%	13.3%	38,880
Mille Lacs County	4.6%	7.7%	28.6%	45.1%	14.0%	19,074
Sherburne County	4.1%	16.5%	25.4%	42.0%	11.9%	61,611
Stearns County	4.5%	9.7%	28.6%	45.1%	12.1%	115,142
Entire five-county region	4.6%	12.2%	28.2%	42.9%	12.1%	260,779

126. In your opinion, how much of a problem is each of these issues in your county?
Lack of physical exercise

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	1.3%	21.5%	39.0%	26.6%	11.6%	10,066
Gender						
Female	0.9%	15.3%	44.6%	32.9%	6.3%	4,913
Male	1.7%	27.6%	33.9%	20.1%	16.7%	5,129
Age						
18-34	0.0%	40.1%	17.5%	25.6%	16.8%	3,232
35-44	0.0%	10.2%	52.5%	30.4%	6.9%	2,464
45-54	2.0%	12.4%	50.3%	24.4%	10.9%	2,283
55-64	3.3%	13.2%	50.5%	25.7%	7.3%	1,267
65-74	7.6%	24.3%	37.1%	24.1%	6.9%	569
75+	0.0%	11.9%	31.3%	23.9%	32.8%	228
Highest level of education						
Less than high school diploma/GED	0.0%	5.7%	19.4%	64.5%	10.3%	263
High school diploma/GED	1.3%	26.7%	32.6%	9.0%	30.4%	2,237
Some college or AA degree	0.6%	20.5%	39.7%	31.0%	8.2%	4,878
Bachelor's degree or higher	2.7%	20.8%	45.3%	29.0%	2.2%	2,669
Household income (in 2012)						
Less than \$20,000	0.0%	14.7%	24.6%	14.1%	46.6%	446
\$20,000 - \$34,999	4.3%	10.4%	47.8%	33.4%	4.0%	682
\$35,000 - \$49,999	0.0%	10.7%	30.7%	20.6%	38.0%	1,642
\$50,000 - \$99,999	1.6%	26.4%	37.9%	29.9%	4.2%	4,683
\$100,000+	1.2%	24.8%	46.8%	22.8%	4.5%	2,311
Household type						
Single adult, no children	1.9%	15.6%	28.2%	27.5%	26.7%	837
2+ adults, no children	1.1%	26.9%	31.2%	24.1%	16.8%	5,080
Single adult, 1+ children	0.0%	29.3%	29.3%	26.6%	14.9%	474
2+ adults, 1+ children	1.6%	14.4%	53.6%	29.8%	0.6%	3,675
All areas included in the study						
Benton County	5.7%	22.0%	37.3%	29.4%	5.5%	26,390
Chisago County	4.4%	17.2%	36.3%	34.6%	7.5%	38,891
Mille Lacs County	1.7%	10.9%	43.3%	39.3%	4.8%	19,156
Sherburne County	5.0%	15.5%	42.9%	27.8%	8.8%	61,837
Stearns County	3.2%	14.8%	41.6%	32.4%	8.1%	115,531
Entire five-county region	3.9%	15.8%	40.8%	31.8%	7.7%	261,806

127. In your opinion, how much of a problem is each of these issues in your county?
Unhealthy eating habits

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	0.7%	16.0%	31.7%	36.0%	15.7%	10,066
Gender						
Female	0.9%	10.3%	36.3%	43.5%	9.0%	4,913
Male	0.5%	21.5%	27.5%	28.5%	22.1%	5,129
Age						
18-34	0.0%	26.0%	18.5%	26.7%	28.7%	3,232
35-44	0.0%	6.5%	41.1%	44.1%	8.4%	2,464
45-54	0.0%	15.4%	35.0%	36.5%	13.1%	2,283
55-64	3.3%	8.7%	39.9%	44.0%	4.2%	1,267
65-74	4.7%	20.3%	35.9%	32.2%	6.9%	569
75+	0.0%	11.9%	31.3%	34.3%	22.4%	228
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	74.7%	5.7%	19.6%	263
High school diploma/GED	1.3%	11.4%	23.1%	18.0%	46.2%	2,237
Some college or AA degree	0.3%	16.3%	34.2%	40.4%	8.9%	4,878
Bachelor's degree or higher	1.0%	20.9%	30.3%	45.6%	2.2%	2,669
Household income (in 2012)						
Less than \$20,000	0.0%	14.0%	14.7%	19.2%	52.0%	446
\$20,000 - \$34,999	2.0%	7.1%	43.1%	43.9%	4.0%	682
\$35,000 - \$49,999	0.0%	10.7%	28.4%	24.4%	36.6%	1,642
\$50,000 - \$99,999	0.6%	24.9%	30.7%	39.5%	4.2%	4,683
\$100,000+	1.2%	4.6%	33.5%	38.4%	22.3%	2,311
Household type						
Single adult, no children	0.0%	18.2%	25.8%	32.1%	23.9%	837
2+ adults, no children	1.1%	18.9%	30.6%	26.7%	22.7%	5,080
Single adult, 1+ children	0.0%	29.3%	20.5%	35.4%	14.9%	474
2+ adults, 1+ children	0.4%	9.6%	36.0%	49.8%	4.2%	3,675
All areas included in the study						
Benton County	5.5%	18.8%	30.5%	39.9%	5.3%	26,374
Chisago County	4.3%	9.6%	41.2%	36.8%	8.1%	38,883
Mille Lacs County	1.2%	8.9%	41.5%	42.9%	5.5%	19,012
Sherburne County	3.1%	13.5%	37.4%	36.8%	9.3%	61,855
Stearns County	2.5%	11.5%	34.1%	44.8%	7.1%	115,261
Entire five-county region	3.1%	12.2%	36.1%	41.1%	7.5%	261,385

128. In your opinion, how much of a problem is each of these issues in your county? Lack of access to healthy food

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	24.7%	27.9%	19.1%	15.2%	13.2%	10,029
Gender						
Female	15.2%	27.4%	26.5%	20.5%	10.4%	4,875
Male	33.4%	28.4%	12.0%	10.2%	15.9%	5,129
Age						
18-34	39.1%	13.1%	6.5%	22.3%	19.0%	3,232
35-44	13.4%	41.2%	26.5%	8.3%	10.7%	2,464
45-54	16.7%	33.0%	24.7%	14.5%	11.0%	2,258
55-64	21.9%	26.1%	31.1%	16.2%	4.8%	1,267
65-74	33.2%	40.7%	8.2%	6.0%	11.9%	555
75+	10.4%	23.9%	20.9%	11.9%	32.8%	228
Highest level of education						
Less than high school diploma/GED	0.0%	10.3%	83.9%	5.7%	0.0%	263
High school diploma/GED	33.4%	14.1%	12.3%	6.3%	33.8%	2,237
Some college or AA degree	22.8%	32.2%	16.2%	19.4%	9.4%	4,840
Bachelor's degree or higher	23.5%	33.5%	22.9%	15.8%	4.3%	2,669
Household income (in 2012)						
Less than \$20,000	7.9%	11.5%	16.5%	17.5%	46.6%	446
\$20,000 - \$34,999	20.6%	29.4%	20.2%	24.4%	5.5%	682
\$35,000 - \$49,999	12.0%	27.5%	8.4%	14.4%	37.7%	1,629
\$50,000 - \$99,999	28.5%	21.4%	29.0%	16.9%	4.3%	4,659
\$100,000+	30.5%	45.0%	4.9%	10.2%	9.4%	2,311
Household type						
Single adult, no children	5.1%	35.6%	7.3%	22.1%	29.9%	837
2+ adults, no children	30.4%	22.7%	20.3%	10.4%	16.1%	5,042
Single adult, 1+ children	27.9%	17.9%	11.8%	27.6%	14.9%	474
2+ adults, 1+ children	20.9%	34.5%	20.9%	18.5%	5.2%	3,675
All areas included in the study						
Benton County	27.5%	31.8%	22.0%	10.7%	8.1%	26,402
Chisago County	23.4%	31.1%	19.4%	17.4%	8.7%	38,592
Mille Lacs County	20.1%	29.4%	25.0%	18.5%	7.0%	19,016
Sherburne County	23.7%	28.4%	25.7%	13.1%	9.1%	61,813
Stearns County	20.0%	33.3%	28.7%	9.7%	8.3%	115,018
Entire five-county region	22.2%	31.4%	25.7%	12.4%	8.4%	260,841

Injury and violence

129. In your opinion, how much of a problem is each of these issues in your county? Falls among the elderly

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	11.8%	26.0%	21.5%	6.1%	34.6%	9,988
Gender						
Female	8.0%	21.3%	25.1%	5.9%	39.6%	4,859
Male	15.4%	30.5%	18.0%	6.2%	29.8%	5,129
Age						
18-34	26.0%	21.7%	6.5%	2.2%	43.5%	3,232
35-44	3.0%	32.0%	23.6%	4.5%	36.9%	2,464
45-54	5.2%	31.6%	25.9%	10.3%	26.9%	2,258
55-64	6.8%	20.1%	37.7%	8.9%	26.5%	1,237
65-74	11.1%	21.0%	35.5%	4.7%	27.7%	569
75+	0.0%	11.9%	43.3%	23.9%	20.9%	228
Highest level of education						
Less than high school diploma/GED	10.2%	74.9%	0.0%	9.3%	5.7%	263
High school diploma/GED	23.2%	13.5%	17.9%	5.1%	40.3%	2,237
Some college or AA degree	3.6%	28.0%	24.6%	7.1%	36.8%	4,799
Bachelor's degree or higher	17.3%	28.4%	21.2%	4.8%	28.3%	2,669
Household income (in 2012)						
Less than \$20,000	6.4%	12.1%	12.6%	5.9%	62.9%	416
\$20,000 - \$34,999	3.4%	15.3%	30.7%	13.1%	37.5%	682
\$35,000 - \$49,999	5.9%	20.5%	16.1%	6.0%	51.5%	1,642
\$50,000 - \$99,999	14.6%	34.6%	19.9%	5.2%	25.6%	4,635
\$100,000+	14.8%	20.2%	28.0%	4.7%	32.3%	2,311
Household type						
Single adult, no children	2.7%	21.2%	22.7%	0.9%	52.5%	837
2+ adults, no children	15.5%	25.4%	19.4%	9.5%	30.2%	5,031
Single adult, 1+ children	0.0%	27.2%	29.7%	0.0%	43.2%	474
2+ adults, 1+ children	10.4%	27.9%	23.0%	3.3%	35.4%	3,645
All areas included in the study						
Benton County	7.0%	32.6%	25.8%	9.4%	25.3%	26,262
Chisago County	11.0%	37.1%	24.4%	10.5%	16.9%	38,877
Mille Lacs County	4.3%	24.0%	36.1%	12.2%	23.5%	19,031
Sherburne County	10.8%	27.5%	24.1%	8.3%	29.2%	61,697
Stearns County	7.0%	28.9%	32.2%	8.8%	23.2%	115,797
Entire five-county region	8.3%	29.8%	28.7%	9.2%	23.9%	261,664

130. In your opinion, how much of a problem is each of these issues in your county?
Motor vehicle crashes

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	3.9%	43.6%	27.7%	8.6%	16.2%	10,036
Gender						
Female	4.5%	32.5%	33.3%	13.5%	16.1%	4,883
Male	3.3%	53.8%	22.5%	4.0%	16.4%	5,129
Age						
18-34	2.2%	60.3%	8.7%	9.8%	19.0%	3,232
35-44	3.0%	37.0%	37.3%	4.5%	18.2%	2,464
45-54	7.2%	33.2%	39.2%	7.4%	13.0%	2,283
55-64	4.3%	34.6%	35.8%	12.7%	12.5%	1,237
65-74	4.7%	48.7%	20.1%	14.9%	11.6%	569
75+	0.0%	11.9%	55.2%	11.9%	20.9%	228
Highest level of education						
Less than high school diploma/GED	10.2%	10.3%	70.2%	9.3%	0.0%	263
High school diploma/GED	3.8%	40.1%	16.8%	6.9%	32.5%	2,237
Some college or AA degree	3.8%	46.6%	28.8%	10.1%	10.8%	4,848
Bachelor's degree or higher	3.6%	44.7%	30.9%	7.5%	13.4%	2,669
Household income (in 2012)						
Less than \$20,000	6.4%	26.2%	9.9%	7.5%	49.9%	416
\$20,000 - \$34,999	5.5%	37.1%	31.7%	8.3%	17.4%	682
\$35,000 - \$49,999	8.0%	22.0%	15.9%	17.2%	36.9%	1,642
\$50,000 - \$99,999	1.3%	56.7%	29.3%	7.5%	5.2%	4,683
\$100,000+	5.3%	38.4%	37.3%	4.9%	14.0%	2,311
Household type						
Single adult, no children	2.8%	50.1%	14.1%	1.7%	31.3%	837
2+ adults, no children	1.8%	43.2%	27.8%	11.1%	16.1%	5,080
Single adult, 1+ children	0.0%	48.1%	30.5%	0.0%	21.4%	474
2+ adults, 1+ children	7.5%	42.1%	30.2%	7.9%	12.2%	3,645
All areas included in the study						
Benton County	8.5%	33.5%	33.7%	7.8%	16.5%	26,339
Chisago County	11.1%	39.6%	32.4%	6.7%	10.2%	38,805
Mille Lacs County	5.7%	30.4%	37.3%	17.0%	9.6%	19,135
Sherburne County	7.0%	34.4%	33.6%	10.1%	14.9%	61,886
Stearns County	7.3%	28.6%	43.2%	11.0%	9.9%	115,093
Entire five-county region	7.8%	32.3%	37.9%	10.3%	11.8%	261,258

131. In your opinion, how much of a problem is each of these issues in your county? Improper use of or not using child car seats

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	15.9%	34.3%	15.9%	4.5%	29.3%	10,066
Gender						
Female	7.8%	40.8%	16.8%	5.3%	29.4%	4,913
Male	23.7%	28.3%	15.2%	3.3%	29.4%	5,129
Age						
18-34	23.9%	32.7%	7.6%	3.3%	32.6%	3,232
35-44	11.4%	35.3%	23.9%	2.3%	27.0%	2,464
45-54	11.8%	35.8%	15.3%	9.3%	27.8%	2,283
55-64	13.9%	39.6%	17.4%	2.1%	27.1%	1,267
65-74	18.0%	37.1%	17.3%	0.0%	27.7%	569
75+	0.0%	0.0%	44.8%	11.9%	43.3%	228
Highest level of education						
Less than high school diploma/GED	74.7%	0.0%	0.0%	9.3%	16.1%	263
High school diploma/GED	24.6%	23.8%	10.7%	2.4%	38.4%	2,237
Some college or AA degree	7.3%	39.0%	15.7%	5.7%	32.3%	4,878
Bachelor's degree or higher	18.6%	38.2%	22.5%	3.6%	17.1%	2,669
Household income (in 2012)						
Less than \$20,000	8.7%	27.4%	4.2%	5.5%	54.2%	446
\$20,000 - \$34,999	13.3%	16.5%	35.6%	14.3%	20.4%	682
\$35,000 - \$49,999	9.6%	28.5%	7.2%	4.5%	50.3%	1,642
\$50,000 - \$99,999	19.3%	41.2%	15.9%	3.2%	20.3%	4,683
\$100,000+	17.0%	30.9%	17.8%	4.6%	29.7%	2,311
Household type						
Single adult, no children	7.7%	17.1%	15.3%	0.0%	59.8%	837
2+ adults, no children	21.8%	30.5%	15.5%	3.4%	28.8%	5,080
Single adult, 1+ children	0.0%	30.2%	19.2%	11.4%	39.3%	474
2+ adults, 1+ children	11.7%	44.0%	16.3%	6.1%	21.9%	3,675
All areas included in the study						
Benton County	14.8%	32.7%	24.1%	6.4%	22.0%	26,297
Chisago County	22.2%	28.4%	22.6%	5.7%	21.2%	38,841
Mille Lacs County	9.7%	28.9%	26.9%	9.2%	25.2%	19,114
Sherburne County	15.0%	35.4%	18.8%	7.1%	23.7%	61,770
Stearns County	13.8%	32.1%	17.8%	11.8%	24.5%	115,495
Entire five-county region	15.1%	32.2%	20.0%	9.0%	23.6%	261,517

132. In your opinion, how much of a problem is each of these issues in your county? Bullying

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	9.6%	22.0%	33.1%	19.1%	16.2%	10,066
Gender						
Female	2.2%	19.9%	40.3%	22.8%	14.8%	4,913
Male	16.7%	24.1%	25.9%	15.6%	17.6%	5,129
Age						
18-34	21.7%	23.9%	20.7%	13.6%	20.1%	3,232
35-44	0.0%	12.2%	39.5%	31.9%	16.4%	2,464
45-54	5.1%	30.3%	41.0%	11.5%	12.1%	2,283
55-64	9.5%	25.9%	31.2%	23.8%	9.6%	1,267
65-74	5.2%	20.8%	46.1%	18.4%	9.4%	569
75+	0.0%	0.0%	32.8%	11.9%	55.2%	228
Highest level of education						
Less than high school diploma/GED	10.2%	0.0%	64.5%	15.0%	10.3%	263
High school diploma/GED	15.8%	26.4%	17.1%	8.8%	31.9%	2,237
Some college or AA degree	2.3%	27.1%	32.6%	24.3%	13.7%	4,878
Bachelor's degree or higher	17.8%	11.2%	44.7%	18.7%	7.6%	2,669
Household income (in 2012)						
Less than \$20,000	6.0%	10.6%	19.7%	17.1%	46.6%	446
\$20,000 - \$34,999	2.4%	11.3%	47.1%	25.3%	13.9%	682
\$35,000 - \$49,999	5.8%	21.7%	10.7%	24.8%	36.9%	1,642
\$50,000 - \$99,999	9.8%	30.8%	35.3%	16.3%	7.8%	4,683
\$100,000+	15.9%	8.5%	41.6%	21.7%	12.2%	2,311
Household type						
Single adult, no children	1.9%	12.5%	23.1%	22.8%	39.7%	837
2+ adults, no children	16.6%	20.8%	31.0%	13.6%	18.1%	5,080
Single adult, 1+ children	0.0%	14.9%	33.2%	15.3%	36.7%	474
2+ adults, 1+ children	2.9%	26.7%	38.4%	26.4%	5.6%	3,675
All areas included in the study						
Benton County	6.5%	23.1%	33.6%	21.9%	15.0%	26,333
Chisago County	13.6%	20.8%	35.2%	13.3%	17.1%	38,757
Mille Lacs County	8.5%	14.0%	37.8%	24.4%	15.4%	19,132
Sherburne County	7.2%	20.9%	32.9%	19.9%	19.1%	61,548
Stearns County	4.4%	22.8%	30.8%	31.9%	10.1%	115,163
Entire five-county region	6.9%	21.4%	32.7%	24.8%	14.1%	260,933

133. In your opinion, how much of a problem is each of these issues in your county? Abuse and neglect of children

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	9.1%	34.4%	23.3%	14.7%	18.5%	10,043
Gender						
Female	1.5%	37.6%	24.0%	18.3%	18.6%	4,889
Male	16.3%	31.6%	22.3%	11.3%	18.5%	5,129
Age						
18-34	19.5%	35.9%	9.8%	11.4%	23.3%	3,232
35-44	0.0%	38.5%	27.0%	16.6%	17.9%	2,464
45-54	5.2%	35.7%	32.2%	16.4%	10.5%	2,283
55-64	9.5%	26.8%	31.0%	14.6%	18.1%	1,267
65-74	7.6%	33.6%	22.9%	14.9%	21.0%	569
75+	0.0%	0.0%	36.7%	26.7%	36.7%	204
Highest level of education						
Less than high school diploma/GED	10.2%	0.0%	64.5%	15.0%	10.3%	263
High school diploma/GED	15.8%	26.4%	20.7%	5.5%	31.6%	2,237
Some college or AA degree	1.7%	37.1%	23.4%	20.4%	17.4%	4,854
Bachelor's degree or higher	16.9%	39.8%	21.4%	12.1%	9.8%	2,669
Household income (in 2012)						
Less than \$20,000	6.0%	15.7%	14.6%	17.1%	46.6%	446
\$20,000 - \$34,999	2.4%	17.1%	32.0%	18.4%	30.2%	682
\$35,000 - \$49,999	2.9%	19.0%	16.4%	23.1%	38.6%	1,618
\$50,000 - \$99,999	8.9%	42.9%	26.9%	11.6%	9.6%	4,683
\$100,000+	17.0%	37.0%	21.6%	13.4%	11.0%	2,311
Household type						
Single adult, no children	4.8%	22.0%	19.3%	23.9%	30.0%	814
2+ adults, no children	15.5%	22.9%	30.2%	12.6%	18.8%	5,080
Single adult, 1+ children	0.0%	27.9%	16.2%	19.2%	36.7%	474
2+ adults, 1+ children	2.3%	53.8%	15.6%	15.0%	13.3%	3,675
All areas included in the study						
Benton County	6.7%	24.9%	29.2%	19.1%	20.2%	26,309
Chisago County	8.5%	28.8%	27.1%	13.4%	22.2%	38,648
Mille Lacs County	4.5%	29.7%	26.6%	24.8%	14.4%	19,111
Sherburne County	7.4%	30.0%	24.3%	16.4%	21.9%	61,683
Stearns County	6.4%	27.4%	29.6%	25.9%	10.6%	115,641
Entire five-county region	6.8%	28.1%	27.7%	21.1%	16.2%	261,392

134. In your opinion, how much of a problem is each of these issues in your county? Abuse and neglect of vulnerable adults

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	15.5%	26.8%	21.8%	9.4%	26.6%	9,939
Gender						
Female	8.9%	29.1%	23.6%	10.1%	28.3%	4,883
Male	21.8%	24.5%	20.0%	8.8%	24.9%	5,056
Age						
18-34	27.1%	25.0%	8.7%	10.3%	28.8%	3,232
35-44	8.4%	26.9%	24.8%	9.8%	30.1%	2,464
45-54	11.1%	28.4%	33.9%	8.3%	18.2%	2,237
55-64	13.4%	30.4%	25.5%	8.0%	22.7%	1,210
65-74	7.6%	27.9%	22.9%	9.2%	32.4%	569
75+	0.0%	11.9%	31.3%	11.9%	44.8%	228
Highest level of education						
Less than high school diploma/GED	10.2%	0.0%	64.5%	15.0%	10.3%	263
High school diploma/GED	25.4%	16.4%	13.2%	5.8%	39.2%	2,191
Some college or AA degree	10.9%	30.3%	22.2%	13.9%	22.7%	4,823
Bachelor's degree or higher	16.2%	31.7%	23.9%	3.9%	24.3%	2,643
Household income (in 2012)						
Less than \$20,000	14.9%	16.6%	7.4%	11.1%	49.9%	416
\$20,000 - \$34,999	2.4%	21.0%	39.8%	6.7%	30.2%	682
\$35,000 - \$49,999	6.7%	17.9%	16.4%	19.1%	39.9%	1,596
\$50,000 - \$99,999	15.6%	35.0%	24.0%	7.2%	18.2%	4,659
\$100,000+	26.8%	21.7%	19.5%	6.9%	25.1%	2,284
Household type						
Single adult, no children	3.4%	22.8%	21.2%	21.2%	31.3%	837
2+ adults, no children	18.9%	23.7%	23.6%	9.0%	24.7%	5,029
Single adult, 1+ children	7.4%	22.8%	18.8%	11.8%	39.3%	474
2+ adults, 1+ children	14.6%	32.5%	19.6%	7.0%	26.4%	3,599
All areas included in the study						
Benton County	9.4%	30.9%	22.6%	13.7%	23.5%	26,329
Chisago County	11.9%	33.2%	17.9%	14.6%	22.4%	38,453
Mille Lacs County	7.7%	29.0%	22.9%	17.9%	22.5%	19,050
Sherburne County	10.0%	31.8%	19.9%	13.1%	25.1%	61,780
Stearns County	8.7%	33.0%	21.9%	17.4%	19.1%	115,543
Entire five-county region	9.5%	32.2%	21.0%	15.6%	21.7%	261,154

135. In your opinion, how much of a problem is each of these issues in your county?
Domestic violence

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	10.5%	25.8%	29.6%	12.6%	21.5%	10,042
Gender						
Female	4.5%	26.2%	34.6%	15.8%	18.9%	4,913
Male	16.2%	25.3%	24.9%	9.6%	24.0%	5,129
Age						
18-34	22.8%	28.3%	14.2%	6.5%	28.2%	3,232
35-44	0.0%	25.1%	42.7%	12.8%	19.4%	2,464
45-54	7.2%	29.9%	33.5%	14.3%	15.1%	2,283
55-64	8.6%	19.9%	42.6%	13.7%	15.1%	1,267
65-74	7.6%	16.3%	16.1%	32.2%	27.9%	569
75+	0.0%	11.9%	31.3%	23.9%	32.8%	228
Highest level of education						
Less than high school diploma/GED	10.2%	64.5%	0.0%	15.0%	10.3%	263
High school diploma/GED	18.5%	18.3%	13.9%	11.1%	38.2%	2,237
Some college or AA degree	3.8%	28.9%	31.9%	14.6%	20.8%	4,853
Bachelor's degree or higher	16.0%	22.7%	41.8%	10.1%	9.3%	2,669
Household income (in 2012)						
Less than \$20,000	13.9%	2.7%	18.0%	18.8%	46.6%	446
\$20,000 - \$34,999	2.4%	15.1%	53.4%	5.9%	23.3%	682
\$35,000 - \$49,999	4.3%	18.1%	14.8%	20.5%	42.2%	1,642
\$50,000 - \$99,999	11.3%	38.4%	25.5%	9.9%	15.0%	4,659
\$100,000+	15.8%	16.6%	45.0%	11.5%	11.0%	2,311
Household type						
Single adult, no children	1.9%	15.2%	31.5%	3.4%	47.9%	837
2+ adults, no children	15.8%	23.3%	23.4%	16.3%	21.2%	5,056
Single adult, 1+ children	7.4%	12.3%	25.7%	15.3%	39.3%	474
2+ adults, 1+ children	5.5%	33.2%	38.3%	9.3%	13.6%	3,675
All areas included in the study						
Benton County	8.4%	26.2%	26.4%	19.5%	19.5%	26,244
Chisago County	8.4%	29.5%	26.3%	11.4%	24.4%	38,463
Mille Lacs County	4.7%	27.7%	35.9%	18.3%	13.4%	19,039
Sherburne County	6.7%	29.0%	26.5%	16.2%	21.6%	61,774
Stearns County	6.1%	27.6%	32.9%	21.4%	11.9%	115,756
Entire five-county region	6.7%	28.1%	30.0%	18.3%	16.9%	261,277

136. In your opinion, how much of a problem is each of these issues in your county?
Rape and sexual assault

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	14.5%	35.9%	14.6%	7.7%	27.3%	9,957
Gender						
Female	9.3%	34.6%	16.8%	6.4%	32.9%	4,829
Male	19.3%	37.2%	12.5%	8.9%	22.1%	5,129
Age						
18-34	26.0%	28.3%	7.6%	7.1%	31.0%	3,232
35-44	1.5%	53.3%	15.2%	5.3%	24.7%	2,464
45-54	13.1%	37.5%	19.4%	8.2%	21.7%	2,258
55-64	15.7%	27.4%	19.7%	10.4%	26.8%	1,207
65-74	13.2%	20.8%	13.7%	12.8%	39.5%	569
75+	0.0%	22.4%	32.8%	11.9%	32.8%	228
Highest level of education						
Less than high school diploma/GED	10.2%	64.5%	0.0%	9.3%	16.1%	263
High school diploma/GED	26.9%	15.2%	5.1%	9.8%	43.0%	2,207
Some college or AA degree	7.4%	39.3%	18.2%	9.3%	25.8%	4,799
Bachelor's degree or higher	17.4%	44.4%	17.4%	3.1%	17.8%	2,669
Household income (in 2012)						
Less than \$20,000	14.9%	13.1%	4.5%	13.9%	53.6%	416
\$20,000 - \$34,999	11.7%	23.9%	29.0%	5.9%	29.5%	682
\$35,000 - \$49,999	4.3%	37.0%	7.8%	6.7%	44.2%	1,642
\$50,000 - \$99,999	16.8%	40.9%	13.2%	8.5%	20.5%	4,604
\$100,000+	19.1%	35.8%	21.4%	5.9%	17.7%	2,311
Household type						
Single adult, no children	7.6%	34.4%	4.6%	20.4%	33.0%	837
2+ adults, no children	20.6%	31.6%	13.9%	7.3%	26.6%	5,001
Single adult, 1+ children	7.4%	34.1%	15.3%	3.9%	39.3%	474
2+ adults, 1+ children	8.5%	42.4%	17.7%	5.9%	25.6%	3,645
All areas included in the study						
Benton County	11.6%	28.8%	22.8%	12.4%	24.4%	26,164
Chisago County	17.5%	29.7%	22.5%	5.8%	24.4%	38,721
Mille Lacs County	7.3%	30.2%	25.9%	12.9%	23.7%	19,068
Sherburne County	13.0%	32.1%	15.3%	13.4%	26.2%	61,580
Stearns County	7.6%	30.1%	25.0%	23.2%	14.0%	115,481
Entire five-county region	10.7%	30.4%	22.2%	16.5%	20.2%	261,015

Mental health

137. In your opinion, how much of a problem is each of these issues in your county? Depression among youth

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	6.9%	23.6%	26.9%	19.9%	22.6%	10,066
Gender						
Female	4.1%	21.6%	33.7%	26.8%	13.7%	4,913
Male	9.6%	25.6%	20.1%	13.4%	31.3%	5,129
Age						
18-34	14.1%	25.0%	6.5%	25.6%	28.7%	3,232
35-44	0.0%	15.2%	39.5%	25.0%	20.3%	2,464
45-54	5.2%	27.3%	39.2%	12.3%	16.0%	2,283
55-64	8.4%	24.0%	33.1%	14.2%	20.2%	1,267
65-74	2.4%	37.4%	24.3%	8.0%	27.9%	569
75+	0.0%	23.9%	20.9%	23.9%	31.3%	228
Highest level of education						
Less than high school diploma/GED	10.2%	10.3%	70.2%	9.3%	0.0%	263
High school diploma/GED	5.4%	20.4%	18.5%	4.9%	50.8%	2,237
Some college or AA degree	2.8%	28.7%	24.8%	26.3%	17.4%	4,878
Bachelor's degree or higher	15.4%	18.4%	33.1%	22.0%	11.1%	2,669
Household income (in 2012)						
Less than \$20,000	6.0%	7.9%	23.1%	16.4%	46.6%	446
\$20,000 - \$34,999	0.0%	26.4%	35.2%	25.2%	13.2%	682
\$35,000 - \$49,999	2.9%	19.6%	12.4%	19.8%	45.3%	1,642
\$50,000 - \$99,999	11.3%	30.3%	27.2%	21.6%	9.6%	4,683
\$100,000+	3.4%	17.2%	33.7%	15.9%	29.9%	2,311
Household type						
Single adult, no children	2.8%	10.1%	26.8%	26.7%	33.6%	837
2+ adults, no children	9.1%	22.0%	26.5%	13.8%	28.6%	5,080
Single adult, 1+ children	0.0%	12.3%	37.1%	15.3%	35.3%	474
2+ adults, 1+ children	5.8%	30.4%	26.2%	27.4%	10.2%	3,675
All areas included in the study						
Benton County	5.5%	26.8%	32.4%	16.9%	18.5%	26,366
Chisago County	12.3%	16.0%	38.5%	13.0%	20.2%	38,523
Mille Lacs County	4.2%	23.6%	33.4%	20.4%	18.4%	19,132
Sherburne County	4.8%	24.7%	27.9%	20.9%	21.8%	61,893
Stearns County	4.1%	25.1%	32.5%	23.0%	15.4%	115,565
Entire five-county region	5.6%	23.7%	32.3%	20.2%	18.1%	261,478

138. In your opinion, how much of a problem is each of these issues in your county? Depression among adults

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	5.8%	23.1%	29.0%	18.4%	23.6%	10,042
Gender						
Female	3.0%	22.6%	37.0%	21.9%	15.6%	4,913
Male	8.6%	23.6%	21.3%	15.1%	31.3%	5,129
Age						
18-34	11.9%	23.9%	13.1%	19.1%	32.0%	3,232
35-44	1.5%	18.2%	32.7%	28.9%	18.7%	2,464
45-54	3.1%	28.7%	41.3%	10.9%	16.0%	2,283
55-64	6.3%	19.9%	37.4%	14.9%	21.4%	1,267
65-74	2.4%	24.3%	38.6%	5.7%	29.1%	569
75+	0.0%	23.9%	20.9%	23.9%	31.3%	228
Highest level of education						
Less than high school diploma/GED	10.2%	10.3%	0.0%	79.5%	0.0%	263
High school diploma/GED	2.8%	21.4%	18.6%	6.8%	50.5%	2,237
Some college or AA degree	2.3%	23.4%	35.6%	20.3%	18.4%	4,853
Bachelor's degree or higher	14.5%	25.6%	28.0%	18.9%	13.0%	2,669
Household income (in 2012)						
Less than \$20,000	6.0%	7.9%	19.7%	19.8%	46.6%	446
\$20,000 - \$34,999	5.5%	15.6%	53.0%	22.4%	3.5%	682
\$35,000 - \$49,999	1.5%	17.4%	24.8%	11.0%	45.3%	1,642
\$50,000 - \$99,999	9.3%	32.6%	21.5%	23.6%	13.0%	4,659
\$100,000+	2.3%	15.2%	38.3%	14.3%	29.9%	2,311
Household type						
Single adult, no children	0.0%	17.1%	31.3%	18.8%	32.8%	837
2+ adults, no children	8.6%	19.3%	30.3%	13.2%	28.6%	5,056
Single adult, 1+ children	0.0%	19.7%	29.7%	15.3%	35.3%	474
2+ adults, 1+ children	4.2%	30.2%	26.5%	26.0%	13.1%	3,675
All areas included in the study						
Benton County	5.4%	24.6%	35.8%	16.6%	17.6%	26,343
Chisago County	9.4%	16.1%	42.2%	13.9%	18.5%	38,523
Mille Lacs County	4.8%	22.3%	39.8%	20.2%	13.0%	19,132
Sherburne County	5.5%	25.2%	29.7%	19.4%	20.3%	61,877
Stearns County	3.8%	24.8%	32.7%	24.9%	13.8%	115,647
Entire five-county region	5.3%	23.4%	34.2%	20.8%	16.4%	261,522

139. In your opinion, how much of a problem is each of these issues in your county?
Suicide among youth

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	9.6%	26.7%	19.0%	16.0%	28.7%	10,018
Gender						
Female	5.1%	26.5%	20.5%	22.8%	25.0%	4,889
Male	13.8%	26.9%	17.5%	9.5%	32.2%	5,129
Age						
18-34	15.2%	25.0%	5.5%	15.3%	39.1%	3,232
35-44	8.4%	25.9%	32.8%	9.8%	23.2%	2,464
45-54	4.1%	30.9%	26.8%	19.8%	18.4%	2,258
55-64	8.4%	27.0%	16.1%	20.8%	27.7%	1,267
65-74	10.9%	24.3%	13.9%	14.9%	35.9%	569
75+	0.0%	23.9%	11.9%	32.8%	31.3%	228
Highest level of education						
Less than high school diploma/GED	10.2%	74.9%	0.0%	9.3%	5.7%	263
High school diploma/GED	7.1%	17.6%	10.9%	8.8%	55.6%	2,237
Some college or AA degree	4.0%	27.6%	20.2%	21.2%	27.0%	4,829
Bachelor's degree or higher	21.8%	28.3%	25.6%	13.4%	11.0%	2,669
Household income (in 2012)						
Less than \$20,000	13.9%	7.8%	4.4%	23.9%	49.9%	446
\$20,000 - \$34,999	7.8%	26.3%	12.2%	24.0%	29.7%	682
\$35,000 - \$49,999	2.9%	24.9%	9.7%	19.5%	43.0%	1,642
\$50,000 - \$99,999	15.8%	33.6%	15.6%	15.4%	19.6%	4,635
\$100,000+	2.3%	20.4%	36.8%	11.0%	29.5%	2,311
Household type						
Single adult, no children	4.7%	30.0%	8.4%	4.5%	52.5%	837
2+ adults, no children	9.8%	27.9%	14.9%	16.4%	31.0%	5,031
Single adult, 1+ children	7.4%	22.8%	15.3%	15.3%	39.3%	474
2+ adults, 1+ children	10.7%	24.8%	27.4%	18.2%	18.8%	3,675
All areas included in the study						
Benton County	12.5%	27.3%	21.5%	10.2%	28.5%	26,246
Chisago County	16.6%	27.6%	21.1%	15.6%	19.2%	38,844
Mille Lacs County	8.5%	32.2%	24.9%	11.5%	22.7%	19,132
Sherburne County	8.2%	29.3%	22.8%	15.7%	24.0%	61,777
Stearns County	9.3%	33.9%	22.2%	16.5%	18.1%	115,287
Entire five-county region	10.4%	31.1%	22.3%	15.2%	21.0%	261,286

140. In your opinion, how much of a problem is each of these issues in your county?
Suicide among adults

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	10.2%	31.4%	22.1%	10.0%	26.2%	9,963
Gender						
Female	7.0%	31.7%	21.0%	13.3%	27.0%	4,834
Male	13.2%	31.2%	23.2%	7.0%	25.4%	5,129
Age						
18-34	17.4%	36.9%	6.5%	7.6%	31.5%	3,232
35-44	8.4%	21.2%	37.4%	9.1%	23.9%	2,464
45-54	4.2%	34.4%	31.3%	12.1%	18.0%	2,234
55-64	9.9%	31.4%	17.2%	12.6%	28.9%	1,237
65-74	5.2%	35.7%	15.1%	13.7%	30.2%	569
75+	0.0%	23.9%	32.8%	11.9%	31.3%	228
Highest level of education						
Less than high school diploma/GED	10.2%	10.3%	64.5%	9.3%	5.7%	263
High school diploma/GED	7.8%	34.3%	10.8%	8.8%	38.4%	2,237
Some college or AA degree	4.9%	30.1%	25.2%	11.8%	28.0%	4,774
Bachelor's degree or higher	21.8%	33.7%	22.1%	8.2%	14.3%	2,669
Household income (in 2012)						
Less than \$20,000	14.9%	8.4%	6.4%	16.8%	53.6%	416
\$20,000 - \$34,999	7.8%	31.0%	22.7%	17.0%	21.4%	682
\$35,000 - \$49,999	2.9%	28.3%	12.8%	10.7%	45.3%	1,642
\$50,000 - \$99,999	16.9%	33.2%	19.4%	9.9%	20.6%	4,635
\$100,000+	2.3%	37.5%	38.5%	5.9%	15.8%	2,287
Household type						
Single adult, no children	4.7%	26.1%	12.2%	0.0%	57.0%	837
2+ adults, no children	9.4%	36.3%	20.5%	9.8%	24.1%	5,031
Single adult, 1+ children	7.4%	30.2%	7.8%	15.3%	39.3%	474
2+ adults, 1+ children	12.8%	26.1%	28.6%	12.1%	20.4%	3,620
All areas included in the study						
Benton County	12.6%	29.2%	22.8%	9.7%	25.6%	26,337
Chisago County	19.7%	32.5%	16.4%	11.6%	19.7%	38,800
Mille Lacs County	7.2%	37.0%	20.4%	11.4%	24.1%	18,888
Sherburne County	10.9%	32.2%	22.0%	10.5%	24.5%	61,655
Stearns County	10.5%	31.7%	23.7%	16.4%	17.7%	115,232
Entire five-county region	12.0%	32.1%	21.9%	13.3%	20.8%	260,911

141. In your opinion, how much of a problem is each of these issues in your county? Eating disorders such as anorexia, bulimia, or binge eating

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	12.5%	31.8%	19.1%	8.4%	28.2%	10,023
Gender						
Female	7.5%	31.1%	24.1%	13.1%	24.2%	4,870
Male	17.4%	32.1%	14.5%	3.9%	32.2%	5,129
Age						
18-34	24.9%	28.3%	13.1%	5.5%	28.2%	3,232
35-44	1.5%	35.8%	17.5%	9.8%	35.4%	2,464
45-54	11.4%	31.5%	31.1%	8.3%	17.6%	2,283
55-64	9.9%	34.5%	17.8%	9.8%	28.0%	1,237
65-74	5.3%	29.5%	23.5%	1.2%	40.4%	555
75+	0.0%	23.9%	0.0%	44.8%	31.3%	228
Highest level of education						
Less than high school diploma/GED	10.2%	10.3%	64.5%	9.3%	5.7%	263
High school diploma/GED	22.7%	14.7%	16.7%	4.4%	41.4%	2,237
Some college or AA degree	5.9%	42.4%	13.4%	11.7%	26.6%	4,834
Bachelor's degree or higher	16.3%	29.2%	27.1%	5.6%	21.8%	2,669
Household income (in 2012)						
Less than \$20,000	14.9%	17.7%	1.8%	12.0%	53.6%	416
\$20,000 - \$34,999	12.0%	25.6%	25.3%	14.5%	22.7%	668
\$35,000 - \$49,999	4.3%	26.3%	14.6%	12.6%	42.2%	1,642
\$50,000 - \$99,999	12.0%	40.8%	23.8%	5.4%	17.9%	4,683
\$100,000+	20.2%	24.8%	14.9%	8.0%	32.2%	2,311
Household type						
Single adult, no children	1.9%	33.7%	6.6%	0.8%	56.9%	837
2+ adults, no children	17.0%	25.8%	23.1%	9.3%	24.7%	5,066
Single adult, 1+ children	7.4%	26.7%	22.7%	3.9%	39.3%	474
2+ adults, 1+ children	9.4%	40.3%	15.9%	9.4%	25.1%	3,645
All areas included in the study						
Benton County	13.6%	27.2%	23.0%	9.4%	26.8%	26,291
Chisago County	14.2%	38.4%	16.1%	8.7%	22.6%	38,735
Mille Lacs County	6.9%	29.6%	21.6%	8.7%	33.2%	19,034
Sherburne County	9.3%	29.6%	21.0%	10.2%	29.9%	61,770
Stearns County	8.7%	38.5%	25.6%	6.4%	20.9%	115,056
Entire five-county region	10.0%	34.6%	22.5%	8.1%	24.8%	260,887

142. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining mental health services for youth

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	14.5%	22.2%	16.7%	15.0%	31.7%	9,988
Gender						
Female	7.3%	18.9%	22.0%	21.5%	30.4%	4,859
Male	21.3%	25.3%	11.6%	8.9%	32.9%	5,129
Age						
18-34	24.9%	19.6%	13.1%	7.6%	34.8%	3,232
35-44	3.0%	21.0%	19.3%	21.2%	35.4%	2,464
45-54	11.9%	26.6%	21.4%	18.5%	21.7%	2,258
55-64	16.5%	30.9%	14.3%	12.1%	26.2%	1,237
65-74	16.6%	4.7%	18.4%	11.6%	48.7%	569
75+	0.0%	23.9%	0.0%	43.3%	32.8%	228
Highest level of education						
Less than high school diploma/GED	10.2%	10.3%	0.0%	73.8%	5.7%	263
High school diploma/GED	33.3%	7.9%	8.0%	9.1%	41.7%	2,237
Some college or AA degree	11.3%	23.1%	12.4%	16.7%	36.6%	4,799
Bachelor's degree or higher	5.0%	33.8%	33.4%	11.3%	16.5%	2,669
Household income (in 2012)						
Less than \$20,000	17.9%	16.6%	0.0%	12.0%	53.6%	416
\$20,000 - \$34,999	16.5%	18.4%	16.8%	25.9%	22.4%	682
\$35,000 - \$49,999	10.5%	11.2%	16.5%	13.9%	47.9%	1,642
\$50,000 - \$99,999	14.7%	28.4%	18.8%	14.5%	23.5%	4,635
\$100,000+	17.0%	21.4%	15.9%	14.1%	31.6%	2,311
Household type						
Single adult, no children	7.7%	15.0%	15.9%	6.0%	55.4%	837
2+ adults, no children	19.7%	20.2%	16.3%	15.4%	28.4%	5,031
Single adult, 1+ children	7.4%	12.3%	25.7%	17.8%	36.7%	474
2+ adults, 1+ children	9.7%	27.9%	16.1%	16.2%	30.0%	3,645
All areas included in the study						
Benton County	16.4%	22.2%	21.7%	13.1%	26.6%	26,403
Chisago County	13.0%	24.6%	20.5%	18.5%	23.3%	38,610
Mille Lacs County	13.9%	26.4%	21.6%	16.9%	21.3%	19,138
Sherburne County	15.4%	23.9%	18.3%	14.0%	28.3%	61,721
Stearns County	16.0%	23.8%	22.1%	15.0%	23.1%	115,451
Entire five-county region	15.3%	24.0%	20.9%	15.2%	24.6%	261,323

143. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining mental health services for adults

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	13.3%	25.0%	14.8%	15.8%	31.1%	9,972
Gender						
Female	7.6%	19.8%	18.1%	24.3%	30.2%	4,889
Male	18.8%	30.0%	11.6%	7.6%	32.0%	5,083
Age						
18-34	24.9%	21.7%	8.7%	9.8%	34.8%	3,232
35-44	3.0%	27.9%	14.8%	18.1%	36.2%	2,464
45-54	6.9%	30.3%	20.8%	20.4%	21.6%	2,212
55-64	13.1%	26.1%	20.7%	13.3%	26.7%	1,267
65-74	22.3%	8.3%	18.4%	11.6%	39.5%	569
75+	0.0%	23.9%	0.0%	55.2%	20.9%	228
Highest level of education						
Less than high school diploma/GED	10.2%	74.9%	0.0%	15.0%	0.0%	263
High school diploma/GED	29.3%	9.1%	6.4%	12.6%	42.6%	2,191
Some college or AA degree	11.3%	22.5%	13.5%	17.4%	35.2%	4,829
Bachelor's degree or higher	4.1%	37.8%	24.8%	15.6%	17.6%	2,669
Household income (in 2012)						
Less than \$20,000	16.6%	13.8%	1.7%	21.3%	46.6%	446
\$20,000 - \$34,999	12.6%	18.4%	27.0%	23.2%	18.8%	682
\$35,000 - \$49,999	6.4%	12.6%	16.3%	13.5%	51.2%	1,596
\$50,000 - \$99,999	14.2%	33.6%	13.5%	16.5%	22.2%	4,635
\$100,000+	17.0%	22.5%	14.7%	12.8%	32.9%	2,311
Household type						
Single adult, no children	5.0%	15.3%	19.3%	5.1%	55.4%	837
2+ adults, no children	18.7%	24.3%	16.5%	13.4%	27.1%	5,031
Single adult, 1+ children	7.4%	12.3%	33.6%	11.4%	35.3%	474
2+ adults, 1+ children	8.5%	29.9%	8.9%	22.2%	30.5%	3,629
All areas included in the study						
Benton County	16.4%	20.6%	23.7%	13.0%	26.3%	26,159
Chisago County	15.1%	27.8%	18.4%	17.4%	21.3%	38,674
Mille Lacs County	15.2%	28.7%	23.7%	13.7%	18.8%	19,086
Sherburne County	15.9%	26.2%	17.1%	13.8%	26.9%	61,509
Stearns County	16.5%	23.7%	23.6%	14.5%	21.8%	115,185
Entire five-county region	16.0%	25.0%	21.3%	14.6%	23.1%	260,613

144. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining alcohol and other drug abuse treatment for youth

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	19.3%	20.9%	16.6%	9.3%	33.8%	9,957
Gender						
Female	8.3%	22.2%	20.0%	15.0%	34.6%	4,913
Male	30.1%	19.8%	13.2%	3.8%	33.1%	5,044
Age						
18-34	34.7%	8.7%	12.0%	7.6%	36.9%	3,232
35-44	10.3%	22.4%	22.0%	8.6%	36.7%	2,379
45-54	13.4%	32.6%	17.9%	9.8%	26.3%	2,283
55-64	15.2%	31.5%	18.9%	10.4%	24.0%	1,267
65-74	10.9%	12.8%	16.1%	8.3%	52.0%	569
75+	0.0%	23.9%	0.0%	32.8%	43.3%	228
Highest level of education						
Less than high school diploma/GED	10.2%	10.3%	64.5%	15.0%	0.0%	263
High school diploma/GED	33.0%	10.8%	5.5%	8.2%	42.5%	2,237
Some college or AA degree	15.7%	20.3%	15.6%	10.4%	37.9%	4,768
Bachelor's degree or higher	15.4%	31.8%	22.9%	7.9%	22.0%	2,669
Household income (in 2012)						
Less than \$20,000	16.6%	8.7%	6.8%	21.3%	46.6%	446
\$20,000 - \$34,999	25.1%	9.1%	20.1%	28.8%	17.1%	597
\$35,000 - \$49,999	8.5%	15.8%	14.6%	9.7%	51.4%	1,642
\$50,000 - \$99,999	21.7%	26.0%	19.6%	7.6%	25.1%	4,659
\$100,000+	23.3%	21.5%	13.6%	4.5%	37.1%	2,311
Household type						
Single adult, no children	8.6%	5.0%	21.1%	0.9%	64.4%	752
2+ adults, no children	25.7%	17.2%	19.5%	8.0%	29.6%	5,056
Single adult, 1+ children	7.4%	22.8%	19.2%	13.9%	36.7%	474
2+ adults, 1+ children	14.2%	29.1%	11.3%	12.4%	33.0%	3,675
All areas included in the study						
Benton County	21.9%	25.3%	21.1%	10.0%	21.7%	26,246
Chisago County	19.1%	28.1%	22.3%	11.4%	19.1%	38,763
Mille Lacs County	15.1%	22.2%	25.2%	14.8%	22.7%	19,102
Sherburne County	16.6%	25.6%	19.5%	9.8%	28.5%	61,631
Stearns County	14.1%	23.7%	22.4%	9.4%	30.5%	115,223
Entire five-county region	16.3%	24.8%	21.8%	10.2%	26.9%	260,965

145. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining alcohol and other drug abuse treatment for adults

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	19.6%	22.3%	13.3%	10.5%	34.4%	9,997
Gender						
Female	7.9%	26.6%	14.6%	15.0%	35.9%	4,868
Male	30.7%	18.1%	12.1%	6.2%	32.9%	5,129
Age						
18-34	34.7%	12.0%	8.7%	7.6%	36.9%	3,232
35-44	8.4%	23.2%	13.3%	19.0%	36.2%	2,464
45-54	13.4%	33.7%	17.9%	7.2%	27.8%	2,283
55-64	19.2%	28.4%	18.2%	4.7%	29.6%	1,222
65-74	16.6%	12.8%	16.1%	5.9%	48.7%	569
75+	0.0%	34.3%	0.0%	32.8%	32.8%	228
Highest level of education						
Less than high school diploma/GED	10.8%	11.0%	0.0%	78.3%	0.0%	248
High school diploma/GED	34.2%	10.2%	7.5%	5.5%	42.5%	2,237
Some college or AA degree	15.4%	20.5%	14.0%	11.3%	38.7%	4,823
Bachelor's degree or higher	16.0%	36.7%	17.5%	6.7%	23.1%	2,669
Household income (in 2012)						
Less than \$20,000	18.5%	9.7%	7.5%	12.4%	51.8%	400
\$20,000 - \$34,999	16.5%	7.9%	21.8%	38.8%	14.9%	682
\$35,000 - \$49,999	8.5%	18.2%	10.6%	9.0%	53.7%	1,642
\$50,000 - \$99,999	22.9%	27.9%	13.7%	9.9%	25.5%	4,659
\$100,000+	23.9%	21.9%	12.5%	3.2%	38.4%	2,311
Household type						
Single adult, no children	7.7%	5.8%	28.0%	0.8%	57.7%	837
2+ adults, no children	27.3%	17.0%	16.0%	9.3%	30.4%	5,040
Single adult, 1+ children	7.4%	30.2%	15.7%	11.4%	35.3%	474
2+ adults, 1+ children	13.3%	32.3%	5.9%	14.2%	34.3%	3,645
All areas included in the study						
Benton County	23.2%	23.8%	21.9%	9.5%	21.6%	26,459
Chisago County	21.3%	30.1%	20.6%	9.5%	18.5%	38,807
Mille Lacs County	15.2%	25.9%	26.2%	12.2%	20.5%	19,081
Sherburne County	17.0%	27.7%	17.8%	9.7%	27.8%	61,643
Stearns County	15.0%	22.9%	23.9%	9.0%	29.2%	115,509
Entire five-county region	17.3%	25.4%	21.9%	9.5%	25.9%	261,500

146. In your opinion, how much of a problem is each of these issues in your county? People not taking prescribed medication for mental health problems

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Zimmerman area total	8.9%	21.8%	24.8%	11.6%	32.9%	10,011
Gender						
Female	7.2%	19.0%	21.1%	16.5%	36.1%	4,882
Male	10.5%	24.5%	28.2%	6.9%	29.8%	5,129
Age						
18-34	14.1%	20.7%	20.7%	7.6%	36.9%	3,232
35-44	3.0%	24.4%	32.8%	10.6%	29.3%	2,464
45-54	8.9%	24.9%	26.0%	13.1%	27.1%	2,258
55-64	11.7%	17.7%	22.1%	16.2%	32.3%	1,267
65-74	2.4%	18.2%	19.6%	9.3%	50.5%	562
75+	0.0%	11.9%	11.9%	44.8%	31.3%	228
Highest level of education						
Less than high school diploma/GED	10.2%	74.9%	0.0%	9.3%	5.7%	263
High school diploma/GED	24.0%	11.2%	13.8%	6.8%	44.2%	2,231
Some college or AA degree	4.6%	13.7%	31.8%	14.1%	35.7%	4,829
Bachelor's degree or higher	4.1%	40.3%	23.1%	11.4%	21.1%	2,669
Household income (in 2012)						
Less than \$20,000	6.0%	7.9%	9.5%	17.9%	58.7%	446
\$20,000 - \$34,999	9.4%	12.3%	28.6%	31.4%	18.3%	682
\$35,000 - \$49,999	4.3%	15.2%	18.6%	8.7%	53.2%	1,642
\$50,000 - \$99,999	6.0%	29.8%	26.4%	10.1%	27.6%	4,628
\$100,000+	19.1%	17.7%	28.6%	9.1%	25.4%	2,311
Household type						
Single adult, no children	1.5%	5.8%	33.0%	1.7%	58.0%	831
2+ adults, no children	11.4%	21.0%	25.8%	10.0%	31.8%	5,031
Single adult, 1+ children	0.0%	19.7%	29.7%	15.3%	35.3%	474
2+ adults, 1+ children	8.4%	26.8%	20.8%	15.6%	28.4%	3,675
All areas included in the study						
Benton County	10.5%	23.1%	22.1%	17.2%	27.0%	26,102
Chisago County	10.9%	23.5%	32.2%	10.1%	23.3%	38,524
Mille Lacs County	5.0%	24.3%	20.1%	18.2%	32.4%	19,181
Sherburne County	9.9%	23.6%	20.8%	16.2%	29.6%	61,655
Stearns County	10.0%	19.4%	27.1%	18.2%	25.3%	114,729
Entire five-county region	9.8%	21.7%	25.3%	16.4%	26.7%	260,191

147. What is your gender?

	Male	Female	N
Sherburne County, Zimmerman area total	51.1%	48.9%	10,083
Gender			
Female	0.0%	100.0%	4,927
Male	100.0%	0.0%	5,156
Age			
18-34	48.7%	51.3%	3,232
35-44	51.7%	48.3%	2,464
45-54	53.5%	46.5%	2,283
55-64	50.7%	49.3%	1,267
65-74	52.7%	47.3%	582
75+	53.3%	46.7%	255
Highest level of education			
Less than high school diploma/GED	86.4%	13.6%	290
High school diploma/GED	66.8%	33.2%	2,251
Some college or AA degree	43.7%	56.3%	4,853
Bachelor's degree or higher	48.0%	52.0%	2,669
Household income (in 2012)			
Less than \$20,000	53.0%	47.0%	473
\$20,000 - \$34,999	31.4%	68.6%	682
\$35,000 - \$49,999	59.1%	40.9%	1,642
\$50,000 - \$99,999	46.2%	53.8%	4,659
\$100,000+	61.7%	38.3%	2,311
Household type			
Single adult, no children	61.1%	38.9%	837
2+ adults, no children	65.9%	34.1%	5,096
Single adult, 1+ children	40.7%	59.3%	474
2+ adults, 1+ children	29.8%	70.2%	3,675
All areas included in the study			
Benton County	50.5%	49.5%	27,032
Chisago County	51.7%	48.3%	40,040
Mille Lacs County	48.8%	51.2%	19,183
Sherburne County	51.1%	48.9%	62,547
Stearns County	50.2%	49.8%	117,424
Entire five-county region	50.6%	49.4%	266,226

148. What is your age? (Mean)

	Mean	N
Sherburne County, Zimmerman area total	43.8	10,083
Gender		
Female	43.6	4,927
Male	44.0	5,156
Age		
18-34	29.4	3,232
35-44	39.5	2,464
45-54	49.8	2,283
55-64	59.1	1,267
65-74	68.8	582
75+	80.1	255
Highest level of education		
Less than high school diploma/GED	49.3	290
High school diploma/GED	45.5	2,251
Some college or AA degree	43.7	4,853
Bachelor's degree or higher	42.0	2,669
Household income (in 2012)		
Less than \$20,000	50.1	473
\$20,000 - \$34,999	53.2	682
\$35,000 - \$49,999	43.3	1,642
\$50,000 - \$99,999	41.4	4,659
\$100,000+	43.2	2,311
Household type		
Single adult, no children	43.7	837
2+ adults, no children	47.5	5,096
Single adult, 1+ children	36.1	474
2+ adults, 1+ children	39.7	3,675
All areas included in the study		
Benton County	45.2	26,624
Chisago County	47.6	39,549
Mille Lacs County	49.9	19,237
Sherburne County	45.1	61,656
Stearns County	44.8	115,795
Entire five-county region	45.7	262,861

149. What is your age?

	18 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75+	N
Sherburne County, Zimmerman area total	32.1%	24.4%	22.6%	12.6%	5.8%	2.5%	10,083
Gender							
Female	33.6%	24.2%	21.5%	12.7%	5.6%	2.4%	4,927
Male	30.5%	24.7%	23.7%	12.5%	6.0%	2.6%	5,156
Age							
18-34	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3,232
35-44	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	2,464
45-54	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	2,283
55-64	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	1,267
65-74	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	582
75+	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	255
Highest level of education							
Less than high school diploma/GED	0.0%	58.5%	8.4%	14.4%	0.0%	18.7%	290
High school diploma/GED	38.1%	5.8%	27.7%	11.8%	13.1%	3.5%	2,251
Some college or AA degree	30.1%	26.6%	25.5%	11.8%	4.0%	2.0%	4,853
Bachelor's degree or higher	34.3%	31.9%	14.9%	14.6%	3.4%	0.9%	2,669
Household income (in 2012)							
Less than \$20,000	7.5%	39.9%	10.3%	35.2%	1.4%	5.8%	473
\$20,000 - \$34,999	10.3%	34.3%	10.7%	12.3%	17.9%	14.5%	682
\$35,000 - \$49,999	41.7%	13.6%	19.9%	6.6%	12.0%	6.2%	1,642
\$50,000 - \$99,999	40.4%	19.5%	23.1%	13.8%	2.7%	0.6%	4,659
\$100,000+	24.3%	37.0%	28.1%	10.6%	0.0%	0.0%	2,311
Household type							
Single adult, no children	46.0%	12.4%	18.5%	9.5%	5.1%	8.5%	837
2+ adults, no children	31.0%	9.2%	25.3%	20.6%	10.3%	3.6%	5,096
Single adult, 1+ children	37.2%	55.4%	7.4%	0.0%	0.0%	0.0%	474
2+ adults, 1+ children	29.7%	44.3%	21.9%	3.7%	0.4%	0.0%	3,675
All areas included in the study							
Benton County	35.2%	17.7%	19.2%	13.8%	7.4%	6.7%	26,624
Chisago County	25.9%	20.5%	22.7%	15.3%	8.5%	7.0%	39,549
Mille Lacs County	26.0%	16.8%	20.6%	15.2%	11.4%	10.1%	19,237
Sherburne County	31.6%	22.0%	21.3%	13.4%	6.8%	5.0%	61,656
Stearns County	37.3%	15.0%	18.0%	13.9%	7.7%	8.1%	115,795
Entire five-county region	33.2%	17.9%	19.8%	14.0%	7.9%	7.2%	262,861

150. How many adults (including you) and children live in your household?
Number of adults age 18 or older (including you)

	1 adult	2 adults	3 more or adults	N
Sherburne County, Zimmerman area total	13.0%	71.6%	15.5%	10,107
Gender				
Female	12.3%	66.2%	21.4%	4,927
Male	13.7%	76.5%	9.8%	5,156
Age				
18-34	17.4%	76.1%	6.5%	3,232
35-44	14.9%	73.1%	12.1%	2,464
45-54	8.3%	63.2%	28.5%	2,283
55-64	6.3%	65.6%	28.1%	1,267
65-74	7.4%	84.5%	8.1%	582
75+	28.0%	72.0%	0.0%	255
Highest level of education				
Less than high school diploma/GED	0.0%	100.0%	0.0%	290
High school diploma/GED	12.1%	79.0%	8.9%	2,251
Some college or AA degree	13.5%	65.1%	21.4%	4,878
Bachelor's degree or higher	13.5%	74.5%	12.0%	2,669
Household income (in 2012)				
Less than \$20,000	21.1%	67.7%	11.1%	473
\$20,000 - \$34,999	23.1%	65.4%	11.5%	682
\$35,000 - \$49,999	20.1%	64.7%	15.1%	1,642
\$50,000 - \$99,999	10.9%	72.7%	16.4%	4,683
\$100,000+	7.3%	74.8%	17.9%	2,311
Household type				
Single adult, no children	100.0%	0.0%	0.0%	837
2+ adults, no children	0.0%	82.7%	17.3%	5,120
Single adult, 1+ children	100.0%	0.0%	0.0%	474
2+ adults, 1+ children	0.0%	81.5%	18.5%	3,675
All areas included in the study				
Benton County	24.8%	62.0%	13.2%	26,788
Chisago County	11.8%	62.0%	26.3%	39,389
Mille Lacs County	18.0%	69.4%	12.6%	18,919
Sherburne County	13.6%	64.8%	21.6%	62,412
Stearns County	15.1%	57.2%	27.7%	115,986
Entire five-county region	15.4%	61.1%	23.5%	263,494

151. How many adults (including you) and children live in your household?
Number of children under age 18

	0 children	1 child	2 children	3 or more children	N
Sherburne County, Zimmerman area total	47.2%	18.6%	24.7%	9.6%	7,855
Gender					
Female	28.1%	25.4%	34.2%	12.3%	3,980
Male	66.6%	11.6%	15.0%	6.8%	3,851
Age					
18-34	56.0%	14.7%	22.0%	7.3%	2,882
35-44	14.1%	25.5%	41.7%	18.7%	2,201
45-54	46.8%	29.1%	18.3%	5.8%	1,579
55-64	83.6%	1.8%	10.0%	4.6%	826
65-74	94.4%	0.0%	5.6%	0.0%	241
75+	100.0%	0.0%	0.0%	0.0%	102
Highest level of education					
Less than high school diploma/GED	100.0%	0.0%	0.0%	0.0%	237
High school diploma/GED	76.7%	10.8%	6.2%	6.3%	1,420
Some college or AA degree	39.2%	22.8%	28.8%	9.1%	3,835
Bachelor's degree or higher	37.3%	17.5%	31.7%	13.5%	2,346
Household income (in 2012)					
Less than \$20,000	33.8%	0.0%	54.6%	11.5%	161
\$20,000 - \$34,999	43.9%	30.8%	11.8%	13.5%	521
\$35,000 - \$49,999	68.4%	20.6%	8.1%	2.9%	1,294
\$50,000 - \$99,999	49.9%	18.5%	23.2%	8.4%	4,025
\$100,000+	23.9%	16.7%	43.6%	15.8%	1,604
Household type					
Single adult, no children	100.0%	0.0%	0.0%	0.0%	627
2+ adults, no children	100.0%	0.0%	0.0%	0.0%	3,079
Single adult, 1+ children	0.0%	30.1%	65.9%	3.9%	474
2+ adults, 1+ children	0.0%	35.8%	44.2%	20.0%	3,675
All areas included in the study					
Benton County	39.9%	27.2%	24.3%	8.5%	19,098
Chisago County	51.9%	23.6%	12.8%	11.7%	31,177
Mille Lacs County	48.6%	11.6%	29.4%	10.5%	13,502
Sherburne County	42.8%	19.4%	23.9%	14.0%	47,277
Stearns County	49.8%	24.4%	17.5%	8.2%	85,615
Entire five-county region	47.4%	22.5%	19.8%	10.3%	196,669

152. Body mass index (BMI)^a (Mean, calculated variable)

	Mean	N
Sherburne County, Zimmerman area total	26.7	9,929
Gender		
Female	25.9	4,852
Male	27.4	5,078
Age		
18-34	24.6	3,232
35-44	27.3	2,445
45-54	26.7	2,188
55-64	30.0	1,259
65-74	28.8	550
75+	25.3	255
Highest level of education		
Less than high school diploma/GED	32.9	290
High school diploma/GED	26.5	2,219
Some college or AA degree	26.4	4,758
Bachelor's degree or higher	26.7	2,662
Household income (in 2012)		
Less than \$20,000	24.9	473
\$20,000 - \$34,999	27.6	657
\$35,000 - \$49,999	24.2	1,642
\$50,000 - \$99,999	27.4	4,635
\$100,000+	27.0	2,303
Household type		
Single adult, no children	26.3	830
2+ adults, no children	27.1	4,993
Single adult, 1+ children	26.1	456
2+ adults, 1+ children	26.3	3,650
All areas included in the study		
Benton County	27.2	26,326
Chisago County	28.1	39,270
Mille Lacs County	28.7	18,887
Sherburne County	27.3	60,167
Stearns County	26.9	114,285
Entire five-county region	27.3	258,935

^a Body mass index, or BMI, is the measure of relative weight based on an individual's height and mass. An individual is considered to be underweight if they have a BMI of 18.5 or less, normal weight if their BMI is 18.5 to 24.9, overweight if 25-29.9, and obese if 30 or greater. BMI was calculated based on respondent answers to questions 37 and 38.

153. Weight status according to BMI (calculated variable)

	Not overweight	Overweight but not obese	Obese	N
Sherburne County, Zimmerman area total	42.5%	38.0%	19.5%	9,929
Gender				
Female	54.8%	28.8%	16.4%	4,852
Male	30.7%	46.8%	22.5%	5,078
Age				
18-34	51.6%	42.9%	5.5%	3,232
35-44	42.4%	31.9%	25.7%	2,445
45-54	36.1%	43.6%	20.3%	2,188
55-64	30.8%	32.7%	36.5%	1,259
65-74	32.7%	30.3%	36.9%	550
75+	60.0%	29.3%	10.7%	255
Highest level of education				
Less than high school diploma/GED	5.2%	27.0%	67.8%	290
High school diploma/GED	40.9%	47.4%	11.6%	2,219
Some college or AA degree	50.4%	29.9%	19.6%	4,758
Bachelor's degree or higher	33.5%	45.8%	20.7%	2,662
Household income (in 2012)				
Less than \$20,000	60.1%	35.3%	4.6%	473
\$20,000 - \$34,999	47.2%	33.7%	19.2%	657
\$35,000 - \$49,999	56.7%	31.4%	11.9%	1,642
\$50,000 - \$99,999	41.5%	30.2%	28.3%	4,635
\$100,000+	30.4%	58.7%	10.9%	2,303
Household type				
Single adult, no children	35.5%	52.4%	12.1%	830
2+ adults, no children	42.6%	37.6%	19.8%	4,993
Single adult, 1+ children	46.3%	24.6%	29.0%	456
2+ adults, 1+ children	43.4%	37.0%	19.6%	3,650
All areas included in the study				
Benton County	37.6%	36.2%	26.3%	26,326
Chisago County	25.8%	44.9%	29.3%	39,270
Mille Lacs County	29.2%	34.0%	36.8%	18,887
Sherburne County	39.0%	35.4%	25.6%	60,167
Stearns County	42.3%	36.0%	21.7%	114,285
Entire five-county region	37.6%	37.1%	25.3%	258,935

154. Race/Ethnicity for Sherburne County Zimmerman area^a

	Survey respondents (unweighted) ^b		Survey respondents (weighted)	U.S. Census ^c
	N	%	%	%
Sherburne County, Zimmerman area total	244	100%	100%	100%
Race				
White, non-Hispanic	231	94.7%	93.7%	96.3%
American Indian	0	0.0%	0.0%	0.3%
Asian/Pacific Islander	0	0.0%	0.0%	0.9%
Black	0	0.0%	0.0%	0.5%
Somali ^d	0	0.0%	0.0%	0.0%
Hispanic	3	1.2%	3.9%	1.1%
Two or more races	4	1.6%	0.9%	0.8%
Some other race	0	0.0%	0.0%	0.0%
Missing/refused	6	2.5%	1.5%	0.0%

^a Note that survey was conducted by mail and in English only. This may affect the degree to which non-English speaking residents or other residents who are uncomfortable or unfamiliar with mailed surveys may have responded.

^b The data reflected in this column is not adjusted for age, gender, or number of people in the household and reflects the number of survey completes for the Sherburne County, Zimmerman area (N=244).

^c Source: US Census Bureau, Decennial Census, 2010, SF 1.

^d Respondents were asked in a separate question whether or not they identified themselves to be part of the Somali ethnic or cultural group. Somali respondents were counted as Black for the purposes of this table.

155. Which of the following best describes your current relationship status?

	Married	Living with a partner	Divorced	Separated	Widowed	Never married	N
Sherburne County, Zimmerman area total	75.2%	5.8%	6.0%	0.2%	2.5%	10.2%	10,041
Gender							
Female	77.2%	7.4%	7.6%	0.5%	1.7%	5.7%	4,861
Male	73.3%	4.3%	4.5%	0.0%	3.4%	14.6%	5,156
Age							
18-34	68.2%	4.4%	1.1%	0.0%	4.9%	21.4%	3,197
35-44	69.3%	11.5%	7.3%	0.0%	0.0%	11.9%	2,445
45-54	87.9%	2.1%	7.8%	0.0%	0.5%	1.6%	2,270
55-64	77.3%	7.8%	10.8%	1.8%	1.2%	1.2%	1,267
65-74	85.7%	2.3%	8.1%	0.0%	3.9%	0.0%	582
75+	72.0%	0.0%	9.3%	0.0%	18.7%	0.0%	255
Highest level of education							
Less than high school diploma/GED	77.2%	22.8%	0.0%	0.0%	0.0%	0.0%	290
High school diploma/GED	69.2%	1.7%	6.2%	0.0%	1.2%	21.7%	2,251
Some college or AA degree	72.4%	4.6%	8.3%	0.5%	4.2%	9.9%	4,830
Bachelor's degree or higher	85.3%	9.6%	2.1%	0.0%	0.9%	2.2%	2,669
Household income (in 2012)							
Less than \$20,000	6.4%	15.6%	31.0%	5.3%	0.0%	41.7%	425
\$20,000 - \$34,999	54.1%	10.1%	14.4%	0.0%	2.4%	19.0%	682
\$35,000 - \$49,999	51.4%	3.4%	6.3%	0.0%	3.6%	35.2%	1,642
\$50,000 - \$99,999	81.6%	6.9%	4.8%	0.0%	3.7%	3.0%	4,683
\$100,000+	95.6%	3.1%	1.3%	0.0%	0.0%	0.0%	2,311
Household type							
Single adult, no children	8.0%	0.0%	21.3%	0.0%	30.9%	39.7%	825
2+ adults, no children	82.1%	4.5%	2.5%	0.0%	0.0%	10.8%	5,120
Single adult, 1+ children	58.2%	0.0%	41.8%	0.0%	0.0%	0.0%	421
2+ adults, 1+ children	82.8%	9.6%	3.2%	0.6%	0.0%	3.9%	3,675
All areas included in the study							
Benton County	60.2%	9.6%	10.6%	1.1%	5.3%	13.2%	26,839
Chisago County	70.8%	8.8%	7.0%	1.2%	3.9%	8.3%	40,003
Mille Lacs County	64.0%	15.7%	4.4%	1.6%	7.0%	7.3%	19,314
Sherburne County	71.8%	6.9%	6.4%	1.1%	3.4%	10.3%	61,438
Stearns County	60.8%	13.6%	5.0%	0.5%	4.3%	15.8%	116,432
Entire five-county region	65.0%	11.1%	6.2%	0.9%	4.3%	12.5%	264,027

156. Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit?

	Yes	No	N
Sherburne County, Zimmerman area total	8.8%	91.2%	10,042
Gender			
Female	0.5%	99.5%	4,908
Male	16.9%	83.1%	5,110
Age			
18-34	0.0%	100.0%	3,232
35-44	3.5%	96.5%	2,445
45-54	15.5%	84.5%	2,237
55-64	15.8%	84.2%	1,267
65-74	25.0%	75.0%	582
75+	42.7%	57.3%	255
Highest level of education			
Less than high school diploma/GED	27.9%	72.1%	290
High school diploma/GED	10.2%	89.8%	2,251
Some college or AA degree	9.0%	91.0%	4,832
Bachelor's degree or higher	5.3%	94.7%	2,669
Household income (in 2012)			
Less than \$20,000	17.1%	82.9%	473
\$20,000 - \$34,999	10.3%	89.7%	682
\$35,000 - \$49,999	8.1%	91.9%	1,642
\$50,000 - \$99,999	10.2%	89.8%	4,683
\$100,000+	4.2%	95.8%	2,311
Household type			
Single adult, no children	3.5%	96.5%	837
2+ adults, no children	14.3%	85.7%	5,074
Single adult, 1+ children	18.6%	81.4%	456
2+ adults, 1+ children	1.3%	98.7%	3,675
All areas included in the study			
Benton County	10.5%	89.5%	26,911
Chisago County	9.9%	90.1%	39,917
Mille Lacs County	9.1%	90.9%	19,250
Sherburne County	10.8%	89.2%	62,420
Stearns County	8.2%	91.8%	116,854
Entire five-county region	9.4%	90.6%	265,353

157. What is the highest level of education you have completed?

	Less than high school	High school graduate or GED	Some college/ vocational school	Associate's degree (2-year degree)	College graduate (4-year degree)	Graduate school and beyond	N
Sherburne County, Zimmerman area total	2.9%	22.3%	27.0%	21.3%	19.0%	7.5%	10,088
Gender							
Female	0.8%	15.2%	24.2%	31.4%	19.6%	8.7%	4,908
Male	4.9%	29.1%	29.3%	11.8%	18.5%	6.4%	5,156
Age							
18-34	0.0%	26.5%	13.6%	31.6%	22.8%	5.5%	3,232
35-44	6.9%	5.3%	26.9%	26.0%	24.5%	10.3%	2,445
45-54	1.1%	27.3%	39.4%	14.8%	13.8%	3.6%	2,283
55-64	3.3%	20.9%	37.6%	7.5%	16.6%	14.1%	1,267
65-74	0.0%	50.8%	31.2%	2.3%	4.6%	11.1%	582
75+	21.3%	30.7%	18.7%	20.0%	9.3%	0.0%	255
Highest level of education							
Less than high school diploma/GED	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	290
High school diploma/GED	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	2,251
Some college or AA degree	0.0%	0.0%	55.9%	44.1%	0.0%	0.0%	4,878
Bachelor's degree or higher	0.0%	0.0%	0.0%	0.0%	71.7%	28.3%	2,669
Household income (in 2012)							
Less than \$20,000	19.8%	11.3%	66.4%	2.6%	0.0%	0.0%	473
\$20,000 - \$34,999	4.0%	27.2%	53.1%	13.7%	2.0%	0.0%	682
\$35,000 - \$49,999	0.0%	50.8%	24.4%	15.4%	5.1%	4.2%	1,642
\$50,000 - \$99,999	3.6%	14.4%	25.6%	25.0%	25.1%	6.1%	4,683
\$100,000+	0.0%	18.3%	15.2%	26.8%	26.0%	13.7%	2,311

157. What is the highest level of education you have completed? (continued)

	Less than high school	High school graduate or GED	Some college/ vocational school	Associate's degree (2-year degree)	College graduate (4-year degree)	Graduate school and beyond	N
Household type							
Single adult, no children	0.0%	30.3%	44.3%	5.2%	16.5%	3.7%	837
2+ adults, no children	5.7%	32.5%	25.4%	16.3%	14.6%	5.5%	5,120
Single adult, 1+ children	0.0%	4.1%	30.5%	23.6%	15.5%	26.4%	456
2+ adults, 1+ children	0.0%	8.5%	24.9%	31.8%	26.0%	8.8%	3,675
All areas included in the study							
Benton County	3.2%	17.4%	31.0%	19.3%	18.6%	10.5%	26,816
Chisago County	2.0%	15.5%	30.5%	12.0%	24.0%	16.0%	39,693
Mille Lacs County	4.5%	17.6%	33.9%	11.4%	18.0%	14.6%	19,274
Sherburne County	1.6%	16.7%	29.1%	13.2%	25.5%	13.9%	62,424
Stearns County	2.7%	23.0%	22.5%	15.5%	24.3%	12.0%	116,795
Entire five-county region	2.5%	19.4%	27.0%	14.5%	23.5%	13.1%	265,002

158. What was your household's total income from all earners and all sources in 2012?

	Less than \$20,000	\$20,000 - \$34,999	\$35,000 - \$49,999	\$50,000 - \$74,999	\$75,000 - \$99,999	\$100,000 - \$149,999	\$150,000 or more	N
Sherburne County, Zimmerman area total	4.8%	7.0%	16.8%	31.3%	16.6%	19.5%	4.1%	9,791
Gender								
Female	4.7%	9.8%	14.1%	32.4%	20.3%	14.8%	3.8%	4,754
Male	5.0%	4.3%	19.4%	29.8%	13.1%	24.0%	4.5%	5,013
Age								
18-34	1.1%	2.2%	21.2%	40.7%	17.5%	17.4%	0.0%	3,232
35-44	7.8%	9.7%	9.3%	24.0%	13.7%	26.1%	9.4%	2,408
45-54	2.2%	3.4%	15.0%	25.5%	24.0%	24.8%	5.0%	2,176
55-64	13.4%	6.7%	8.7%	36.0%	15.5%	14.2%	5.5%	1,244
65-74	1.5%	27.1%	43.8%	24.7%	3.0%	0.0%	0.0%	452
75+	10.7%	38.7%	40.0%	10.7%	0.0%	0.0%	0.0%	255
Highest level of education								
Less than high school diploma/GED	32.2%	9.4%	0.0%	58.5%	0.0%	0.0%	0.0%	290
High school diploma/GED	2.5%	8.5%	38.4%	18.9%	12.2%	19.5%	0.0%	2,173
Some college or AA degree	6.8%	9.5%	13.7%	29.7%	20.0%	18.0%	2.3%	4,780
Bachelor's degree or higher	0.0%	0.5%	6.0%	41.7%	15.8%	24.4%	11.5%	2,548
Household income (in 2012)								
Less than \$20,000	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	473
\$20,000 - \$34,999	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	682
\$35,000 - \$49,999	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	1,642
\$50,000 - \$99,999	0.0%	0.0%	0.0%	65.4%	34.6%	0.0%	0.0%	4,683
\$100,000+	0.0%	0.0%	0.0%	0.0%	0.0%	82.5%	17.5%	2,311

158. What was your household's total income from all earners and all sources in 2012? (continued)

	Less than \$20,000	\$20,000 - \$34,999	\$35,000 - \$49,999	\$50,000 - \$74,999	\$75,000 - \$99,999	\$100,000 - \$149,999	\$150,000 or more	N
Household type								
Single adult, no children	5.7%	17.2%	32.6%	36.0%	5.3%	0.9%	2.3%	811
2+ adults, no children	6.5%	5.1%	19.6%	36.1%	11.1%	17.2%	4.4%	4,936
Single adult, 1+ children	11.8%	4.1%	14.5%	19.6%	18.6%	31.4%	0.0%	456
2+ adults, 1+ children	1.5%	7.6%	9.6%	25.0%	26.3%	25.3%	4.7%	3,589
All areas included in the study								
Benton County	13.7%	12.1%	15.9%	23.7%	15.3%	17.2%	2.0%	26,196
Chisago County	8.8%	11.1%	13.1%	15.8%	14.0%	19.2%	17.8%	37,926
Mille Lacs County	12.9%	17.1%	11.1%	29.8%	12.4%	13.6%	3.1%	18,766
Sherburne County	6.5%	7.8%	16.1%	24.1%	21.6%	17.9%	6.0%	60,276
Stearns County	8.4%	12.3%	16.8%	26.9%	13.5%	16.7%	5.4%	112,017
Entire five-county region	8.9%	11.4%	15.6%	24.4%	15.6%	17.2%	6.9%	255,181

Appendix

Survey instrument

Codebook for open-ended responses



Central Minnesota Community Health Survey

Survey instrument

GENERAL HEALTH AND HEALTH CARE

1. **In general, would you say that your health is:**
☐ Excellent ☐ Very good ☐ Good ☐ Fair ☐ Poor
2. **About how long has it been since you last visited a doctor or other health care professional for a routine check-up?**
☐ Within the past year
☐ Within the past 2 years
☐ Within the past 5 years
☐ 5 or more years ago
☐ Never
3. **During the past 12 months, was there a time when you thought you needed medical care but did not get it or delayed getting it?**
☐ Yes ☐ No ➔ IF NO, GO TO QUESTION 5
4. **Why did you not get or delay getting the medical care you thought you needed? Please check all that apply.**

<input type="checkbox"/> The care I needed cost too much	<input type="checkbox"/> I could not get an appointment
<input type="checkbox"/> My co-pay was too expensive	<input type="checkbox"/> I did not think it was serious enough
<input type="checkbox"/> My deductible was too expensive	<input type="checkbox"/> I had transportation problems
<input type="checkbox"/> My insurance did not cover it	<input type="checkbox"/> Other reason: <input type="text"/>
<input type="checkbox"/> I did not have insurance	
5. **How would you rate your overall level of stress?**
☐ High ☐ Medium ☐ Low
6. **During the past 30 days, for about how many days have you felt sad, blue, or depressed?** days
7. **During the past 12 months, was there a time when you wanted to talk with or seek help from a health professional about emotional problems such as stress, depression, excess worrying, troubling thoughts, or emotional problems, but did not or delayed talking with someone?**
☐ Yes ☐ No ➔ IF NO, GO TO QUESTION 9 ON NEXT PAGE
8. **Why did you not get or delay getting the care you thought you needed? Please check all that apply.**

<input type="checkbox"/> The care I needed cost too much	<input type="checkbox"/> I could not get an appointment
<input type="checkbox"/> My co-pay was too expensive	<input type="checkbox"/> I did not think it was serious enough
<input type="checkbox"/> My deductible was too expensive	<input type="checkbox"/> I had transportation problems
<input type="checkbox"/> My insurance did not cover it	<input type="checkbox"/> I did not know where to go
<input type="checkbox"/> I did not have insurance	<input type="checkbox"/> Other reason: <input type="text"/>
<input type="checkbox"/> I was too nervous or afraid	

9. Which statement best describes the medications prescribed for you in the past 6 months?

- ☐ I had no medications prescribed for me (GO TO QUESTION 11)
- ☐ I had medications prescribed for me and I filled them all (GO TO QUESTION 11)
- ☐ I had medications prescribed for me and I did not fill at least one of them

10. Why did you not fill at least one prescription? Please check all that apply.

- | | |
|--|--|
| <input type="checkbox"/> The medication I needed cost too much | <input type="checkbox"/> I do not like taking medications |
| <input type="checkbox"/> My co-pay was too expensive | <input type="checkbox"/> I did not like the side effects |
| <input type="checkbox"/> My deductible was too expensive | <input type="checkbox"/> I had transportation problems |
| <input type="checkbox"/> My insurance did not cover it | <input type="checkbox"/> Pharmacy services are not available in my community |
| <input type="checkbox"/> I did not have insurance | <input type="checkbox"/> Other reason: <div style="border: 1px solid black; width: 250px; height: 30px; display: inline-block; vertical-align: middle;"></div> |

11. Do you currently have any kind of health care coverage, including health insurance or government plans such as Medicaid, Medicare, or Indian Health Services?

- ☐ Yes ☐ No ➔ IF NO, GO TO QUESTION 14

12. Is your health insurance a high deductible plan?

- ☐ Yes ☐ No

13. Which of the following types of health insurance do you have? Please check all that apply.

- | | |
|---|--------------------------|
| a. Health insurance or coverage through your employer or your spouse/partner, parent, or someone else's employer | <input type="checkbox"/> |
| b. Health insurance or coverage bought directly by you or your family | <input type="checkbox"/> |
| c. Indian or Tribal Health Service | <input type="checkbox"/> |
| d. Medicare | <input type="checkbox"/> |
| e. Medicaid, Medical Assistance (MA), or Prepaid Medical Assistance Program (PMAP) | <input type="checkbox"/> |
| f. Minnesota Comprehensive Health Association (MCHA) | <input type="checkbox"/> |
| g. MinnesotaCare | <input type="checkbox"/> |
| h. CHAMPUS, TRICARE, or Veterans' benefits | <input type="checkbox"/> |
| i. Other health insurance or coverage (please specify): <div style="border: 1px solid black; width: 250px; height: 20px; display: inline-block; vertical-align: middle;"></div> | <input type="checkbox"/> |

14. Have you ever been told by a doctor or other health care professional that you have...

- | | Yes | No |
|----------------------------|--------------------------|--------------------------|
| a. Diabetes? | <input type="checkbox"/> | <input type="checkbox"/> |
| b. High blood pressure? | <input type="checkbox"/> | <input type="checkbox"/> |
| c. High blood cholesterol? | <input type="checkbox"/> | <input type="checkbox"/> |

HEALTH HABITS

15. About how often do you drink...	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day
a. Pop or soda (regular)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Pop or soda (diet)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. Energy drinks such as Red Bull, 5-hour Energy, or Monster?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. Other sugar-sweetened drinks such as sweet tea, coffee drinks, juice drinks, Kool-Aid, or Gatorade?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
e. Water?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
f. Milk?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

16a. A serving of fruit is one medium sized fruit, or a half cup chopped, cut, or canned fruit. Yesterday, how many servings of fruit did you eat? Do NOT include fruit juice.

servings

16b. Yesterday, how many 6 ounce servings of 100% fruit juice did you drink?

servings

16c. A serving of vegetables is a half cup of any vegetable or one cup of salad greens. Yesterday, how many servings of vegetables did you eat? Do NOT include vegetable juice, french fries or other fried potatoes.

servings

17. During the past 7 days, how many times did you eat from a fast food restaurant, including carry-out or delivery?

- ☐ 0 times ☐ 7-10 times
☐ 1-2 times ☐ 11-14 times
☐ 3-6 times ☐ 15 or more times

18. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies?

hours minutes

19. During an average week, whether at work, at home, or anywhere else, on how many days do you get at least 30 minutes of moderate physical activity? Moderate activities cause light sweating and a small increase in breathing or heart rate.

days per week

20. How often do you feel safe in your community?

- ☐ Always ☐ Often ☐ Sometimes ☐ Never

21. Are you in a relationship where you are (or have ever been) physically hurt, threatened, or made to feel afraid?

- ☐ Yes ☐ No

22. How often do you wear a seat belt when you drive or ride in a car or other vehicle?

☐ Always ☐ Often ☐ Sometimes ☐ Never

23. Do you ever drive a car or other vehicle?

☐ Yes ☐ No ➔ IF NO, GO TO QUESTION 25

24. When DRIVING a car or other vehicle, how often do you...

Often Sometimes Never Not applicable:
I don't have a
cell phone

a. Read incoming text messages or emails?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Send text messages or emails?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. Make or answer a phone call?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. Do other activities such as eat, read, or apply makeup or shave?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

25. In general, how often do you...

Every day Some days Never

a. Smoke cigarettes?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Chew tobacco?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. Smoke cigars, cigarillos, or little cigars?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. Use marijuana?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
e. Use other illegal drugs such as cocaine, heroin, or meth?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
f. Use prescription drugs that are not prescribed for you or that you take only to get high?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

26. During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage, or liquor?

☐ Yes ☐ No ➔ IF NO, GO TO QUESTION 31 ON NEXT PAGE

27. During the past 30 days, on how many days did you have at least one drink of any alcoholic beverage?

Days during the past 30 days

28. During the past 30 days, on the days when you drank, about how many drinks did you drink on average? A drink is one can of beer, one glass of wine, or a drink with one shot of liquor.

Number of drinks

29. Considering all types of alcoholic beverages, how many times during the past 30 days did you have...

FOR FEMALES: 4 or more drinks on one occasion

Number of times

FOR MALES: 5 or more drinks on one occasion

Number of times

30. During the past 30 days, how many times have you driven when you've had perhaps too much to drink?

Number of times

31. Do you...	Yes	No
a. Perform monthly self-exams for cancer (self-breast exam or self-testicular exam)?	<input type="checkbox"/>	<input type="checkbox"/>
b. Get a yearly flu shot or flu immunization?	<input type="checkbox"/>	<input type="checkbox"/>
c. Need medication to control a chronic physical or mental condition?	<input type="checkbox"/>	<input type="checkbox"/>
d. Have a family emergency plan?	<input type="checkbox"/>	<input type="checkbox"/>
e. Live with someone who smokes?	<input type="checkbox"/>	<input type="checkbox"/>

COMMUNITY CONCERNS

32. In your opinion, how much of a problem is each of these issues in your county?	No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
A. HEALTH CARE DELIVERY					
1. People without health insurance or medical coverage	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. People not getting needed care because of inadequate health insurance or high deductibles	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Too few health care providers	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Too few dental providers	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Language barriers in getting health care	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Lack of provider knowledge about the health care needs of people of different cultures	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Ambulance/rescue squad response time to 911	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. County government's lack of preparation for a disaster, disease outbreak, or terrorist event	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9. Difficulty obtaining family planning services	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10. Lack of services to allow people to continue living at home	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B. SOCIAL CONDITIONS					
1. Crime	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Unemployment	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Children in poverty	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Families experiencing financial stress	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Youth not graduating high school	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C. PREGNANCY, BIRTH, AND CHILD DEVELOPMENT					
1. Parents with inadequate or poor parenting skills	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Teen pregnancy	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Unplanned pregnancy	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Infant death or premature birth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

COMMUNITY CONCERNS continued

32. In your opinion, how much of a problem is each of these issues in your county?

No Problem Minor Problem Moderate Problem Serious Problem No Opinion

D. INFECTIOUS DISEASES

1. Adults not getting their immunizations such as flu, tetanus, or pneumonia	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Children not getting their immunizations such as pertussis, flu, or tetanus	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Infectious diseases such as flu, pneumonia, or whooping cough	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Sexually transmitted diseases such as chlamydia, syphilis, or HIV/AIDS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Insect-borne diseases such as Lyme disease or West Nile virus	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

E. ENVIRONMENT

1. Indoor air pollution related to radon	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Unsafe drinking water	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Unsafe food in restaurants	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Extreme heat – days of high heat and humidity	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Extreme weather such as drought, floods, or tornadoes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Lack of access to public space for no-cost recreational use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Lack of safe places to walk or bike	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

F. ALCOHOL, TOBACCO, AND OTHER DRUG USE

1. Smoking or other tobacco use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Abuse of prescription drugs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Alcohol abuse among those aged 21 or over	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Alcohol use among those under 21	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Adults allowing or tolerating youth alcohol use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Drinking and driving	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Illegal drug use among youth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. Illegal drug use among adults	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

G. CHRONIC DISEASE AND HEALTH HABITS

1. Asthma	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Cancer	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Chronic pain	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Diabetes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Heart disease and stroke	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Mental illness	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Obesity among adults	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. Obesity among children	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

COMMUNITY CONCERNS continued

32. In your opinion, how much of a problem is each of these issues in your county?

No Problem Minor Problem Moderate Problem Serious Problem No Opinion

G. CHRONIC DISEASE AND HEALTH HABITS (cont'd)

9. Lack of physical exercise	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10. Unhealthy eating habits	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11. Lack of access to healthy food	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

H. INJURY AND VIOLENCE

1. Falls among the elderly	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Motor vehicle crashes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Improper use of or not using child car seats	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Bullying	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Abuse and neglect of children	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Abuse and neglect of vulnerable adults	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Domestic violence	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. Rape and sexual assault	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

I. MENTAL HEALTH

1. Depression among youth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Depression among adults	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Suicide among youth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Suicide among adults	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Eating disorders such as anorexia, bulimia, or binge eating	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Difficulty obtaining mental health services for youth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Difficulty obtaining mental health services for adults	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. Difficulty obtaining alcohol and other drug abuse treatment for youth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9. Difficulty obtaining alcohol and other drug abuse treatment for adults	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10. People not taking prescribed medication for mental health problems	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

ABOUT YOU

33. What county do you live in?

- ☐ Benton ☐ Sherburne
☐ Chisago ☐ Stearns
☐ Mille Lacs ☐ Other, please specify:

34. What is your gender?

☐ Male

☐ Female

35. What is your age?

36. How many adults (including you) and children live in your household?

Number of adults age 18 or older (including you):

Number of children under age 18:

37. About how tall are you without shoes?

feet

inches

38. About how much do you weigh without shoes?

pounds

39. Are you a member of either of the following ethnic or cultural groups?

Yes

No

a. Hispanic or Latino/Latina

☐☐

b. Somali

☐☐

40. Which of the following best describe you? Please check all that apply.

☐ American Indian or Alaska Native

☐ African native

☐ Asian or Pacific Islander

☐ White

☐ Black or African American

☐ Other:

41. Which of the following best describes your current relationship status?

☐ Married

☐ Separated

☐ Living with a partner

☐ Widowed

☐ Divorced

☐ Never married

42. Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit?

☐ Yes

☐ No

43. What is the highest level of education you have completed?

☐ Less than high school

☐ Associate's degree (2-year degree)

☐ High school graduate or GED

☐ College graduate (4-year degree)

☐ Some college/vocational school

☐ Graduate school and beyond

44. What was your household's total income from all earners and all sources in 2012?

☐ Less than \$20,000

☐ \$75,000 - \$99,999

☐ \$20,000 - \$34,999

☐ \$100,000 - \$149,999

☐ \$35,000 - \$49,999

☐ \$150,000 or more

☐ \$50,000 - \$74,999

THANK YOU!

Codebook for open ended comments

Q4 & Q8 - Why did you not get or delay getting the medical care you thought you needed? Please check all that apply.

- 1 - The care I needed cost too much
- 2 - My co-pay was too expensive
- 3 - My deductible was too expensive
- 4 - My insurance did not cover it
- 5 - I did not have insurance
- 6 - I could not get an appointment
- 7 - I did not think it was serious enough
- 8 - I had transportation problems
- 9 - I did not know where to go (for Q8 only)

- 10 - Cost
- 11 - Previous medical bills weren't paid
- 12 - Trying to minimize health costs
- 13 - Other bills take priority

- 20 - Insurance policy or coverage difficulties
- 21 - Geographic regulations of insurance policy
- 22 - Technical problems (computer, database)
- 23 - Providers in insurance network are not accepting more patients

- 30 - Self-care
- 31 - Pain or ailment went away
- 32 - Diagnosis is always the same
- 33 - Wanted to try self-care before involving doctors
- 34 - Sought advice from friends or relatives in the medical profession/I work in the medical profession
- 35 - No longer sick by appointment
- 36 - Attend counseling
- 37 - Prayer or religious methods to curing sickness

- 40 - Scheduling/busy
- 41 - No time (general)
- 42 - Work or professional conflicts
- 43 - School or education conflicts
- 44 - Timing of ailment (e.g., during vacation, on weekend)
- 45 - Didn't know clinic schedule
- 46 - Appointment too far in the future

- 50 - Problems with medical staff
- 51 - Didn't like or trust medical staff
- 52 - Didn't think medical staff could help
- 53 - Disagreed with medical staff
- 54 - Medical staff refuses to treat specific condition
- 55 - Medical staff refused to treat respondent because of demographic characteristic (homosexual)
- 56 - Familiar with medical staff in personal life
- 57 - Fear of judgment from medical staff

- 60 - Problems with health care system
- 62 - Too much bureaucracy
- 63 - Too much money in medicine
- 64 - Problems switching between providers
- 65 - Unnecessary tests

70 - Fear of medical practices (general)

71 - Fear of diagnosis

72 - Fear of stigma

80 - Family issues

81 - No childcare

82 - Lack of support from family

90 - Other

91 - Non-responsive answer

92 - Mental health kept respondent from visiting doctor

93 - Too sick to visit doctor

94 - Didn't make time/lazy/didn't care

-8 - Don't know

Q10 - Why did you not fill at least one prescription? Please check all that apply.

1 - The medication I needed cost too much

2 - My co-pay was too expensive

3 - My deductible was too expensive

4 - My insurance did not cover it

5 - I did not have insurance

6 - I do not like taking medications

7 - I did not like the side effects

8 - I had transportation problems

9 - Pharmacy services are not available in my community

20 - Other concerns about side effects

21 - Worried about prescription interacting with other medications

30 - Self-care

31 - Did not need prescription medication

32 - Used over-the-counter medication

33 - Alternative/complementary medicine

40 - Problems with medical staff

41 - Didn't like or trust medical staff

42 - Advice from other medical staff against prescription

50 - Problems with health care system

51 - Too much bureaucracy/too much paperwork

52 - Too difficult to schedule a follow-up appointment

90 - Other

91 - Non-response answer

-8 - Don't know

-9 - N/A

Q13: Which of the following types of health insurance do you have? Please check all that apply.

- 1 - Health insurance or coverage through your employer or your spouse/partner, parent, or someone else's employer
- 2 - Health insurance or coverage bought directly by you or your family
- 3 - Indian or Tribal Health Service
- 4 - Medicare
- 5 - Medicaid, Medical Assistance (MA), or Prepaid Medical Assistance Program (PMAP)
- 6 - Minnesota Comprehensive Health Association (MCHA)
- 7 - MinnesotaCare
- 8 - CHAMPUS, TRICARE, or Veterans' benefits

- 10 - Specific insurance provider named - source unknown

- 90 - Other
- 91 - Non-response answer

Q33 - What county do you live in?

- 1 - Benton
- 2 - Chisago
- 3 - Sherburne
- 4 - Stearns
- 5 - Mille Lacs

- 10 - Aitkin
- 11 - Hennepin
- 12 - Kanabec
- 13 - Morrison
- 14 - Watonwan
- 15 - Isanti
- 16 - Carver
- 17 - Pope
- 18 - Todd

91 - Non-responsive answer

*Note: Although respondents were sampled based on their household address being in one of the five target counties, some respondents indicated they actually live in another county. The respondents' original sample information that included the address where the survey was mailed was used to determine their county of residence for the purposes of reporting results.

Q40 - Which of the following best describe you? Please check all that apply.

- 1 - American Indian
- 2 - Asian or Pacific Islander
- 3 - Black or African American
- 4 - African native
- 5 - White

- 10 - American/Human
- 11 - Latino

- 91 - Non-responsive answer

- 7 - Refused