



# St. Cloud Metro Area Community Health Data Book

*Detailed results from the 2013 Central  
Minnesota Community Health Survey*

**A P R I L 2 0 1 4**

*For more information, contact:*

Nicole MartinRogers  
Senior Research Manager, Wilder Research  
651-280-2682  
[nicole.martinrogers@wilder.org](mailto:nicole.martinrogers@wilder.org)

*This report was prepared by Wilder Research  
[www.wilderresearch.org](http://www.wilderresearch.org)*

# Contents

Introduction and methods .....	1
Survey instrument .....	1
Sample.....	1
Data collection .....	1
Weighting and analysis .....	2
Talking points about the study methods .....	6
How to use this data book.....	7
Survey findings – Data tables .....	8
General health and health care .....	8
Health habits .....	35
Community concerns .....	87
About you.....	155
Appendix.....	169
Survey instrument .....	170
Codebook for open ended comments.....	178

# Figures and data tables

1. Central Minnesota Adult Health Survey sample and respondents.....	3
2. Central Minnesota Adult Health Survey area .....	4
3. Map of respondent locations in the participating counties .....	5
4. In general, would you say that your health is ... ..	8
5. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?.....	9
6. During the past 12 months, was there a time when you thought you needed medical care but did not get it or delayed getting it? .....	10
7. (Of those who said they had delayed getting medical care they needed in the past 12 months) Why did you not get or delay getting the medical care you thought you needed? .....	11
8. How would you rate your overall level of stress?.....	13
9. During the past 30 days, for about how many days have you felt sad, blue, or depressed? .....	14
10. During the past 12 months, was there a time when you wanted to talk with or seek help from a health professional about emotional problems such as stress, depression, excess worrying, troubling thoughts, or emotional problems, but did not or delayed talking with someone? .....	15
11. (Of those who said they had delayed getting care they needed for emotional problems in the past 12 months) Why did you not get or delay getting the care you thought you needed? .....	16
12. Which statement best describes the medications prescribed for you in the past 6 months? .....	18
13. (Of those who said they had not filled at least one of their prescriptions in the past 6 months) Why did you not fill at least one prescription? .....	19
14. Do you currently have any kind of health care coverage, including health insurance or government plans such as Medicaid, Medicare, or Indian Health Services? .....	21
15. (Of those who said they have health insurance) Is your health insurance a high deductible plan? .....	22
16. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Health insurance or coverage through your employer or your spouse/partner, parent, or someone else's employer.....	23
17. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Health insurance or coverage bought directly by you or your family .....	24

# Figures and data tables (continued)

18. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Indian or Tribal Health Service .....	25
19. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Medicare .....	26
20. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Medicaid, Medical Assistance (MA), or Prepaid Medical Assistance Program (PMAP) .....	27
21. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Minnesota Comprehensive Health Association (MCHA) .....	28
22. (Of those who said they have health insurance) Which of the following types of health insurance do you have? MinnesotaCare .....	29
23. (Of those who said they have health insurance) Which of the following types of health insurance do you have? CHAMPUS, TRICARE, or Veterans' benefits .....	30
24. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Other health insurance or coverage .....	31
25. Have you ever been told by a doctor or other health care professional that you have diabetes? .....	32
26. Have you ever been told by a doctor or other health care professional that you have high blood pressure? .....	33
27. Have you ever been told by a doctor or other health care professional that you have high blood cholesterol? .....	34
28. About how often do you drink pop or soda (regular)? .....	35
29. About how often do you drink pop or soda (diet)? .....	36
30. About how often do you drink energy drinks such as Red Bull, 5-hour Energy, or Monster? .....	37
31. About how often do you drink other sugar-sweetened drinks such as sweet tea, coffee drinks, juice drinks, Kool-Aid, or Gatorade? .....	38
32. About how often do you drink water? .....	39
33. About how often do you drink milk? .....	40
34. A serving of fruit is one medium sized fruit, or a half cup chopped, cut, or canned fruit. Yesterday, how many servings of fruit did you eat? .....	41
35. Yesterday, how many 6 ounce servings of 100% fruit juice did you drink? .....	42
36. A serving of vegetables is a half cup of any vegetable or one cup of salad greens. Yesterday, how many servings of vegetables did you eat? .....	43

# Figures and data tables (continued)

37. Number of fruits and vegetables eaten yesterday (Mean, calculated variable) .....	44
38. Number of fruits and vegetables eaten yesterday (calculated variable) .....	45
39. During the past 7 days, how many times did you eat from a fast food restaurant, including carry-out or delivery?.....	46
40. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies? (Mean) .....	47
41. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies?.....	48
42. During an average week, whether at work, at home, or anywhere else, on how many days do you get at least 30 minutes of moderate physical activity? (Moderate exercise 3+ days) .....	50
43. During an average week, whether at work, at home, or anywhere else, on how many days do you get at least 30 minutes of moderate physical activity? (Moderate exercise 5+ days) .....	51
44. How often do you feel safe in your community?.....	52
45. Are you in a relationship where you are (or have ever been) physically hurt, threatened, or made to feel afraid?.....	53
46. How often do you wear a seat belt when you drive or ride in a car or other vehicle? ...	54
47. Do you ever drive a car or other vehicle? .....	55
48. (Of those who said they drive) When driving a car or other vehicle, how often do you read incoming text messages or emails? .....	56
49. (Of those who said they drive) When driving a car or other vehicle, how often do you send text messages or emails?.....	57
50. (Of those who said they drive) When driving a car or other vehicle, how often do you make or answer a phone call? .....	58
51. (Of those who said they drive) When driving a car or other vehicle, how often do you do other activities such as eat, read, or apply makeup or shave?.....	59
52. In general, how often do you smoke cigarettes?.....	60
53. Smoking status (calculated variable) .....	61
54. In general, how often do you chew tobacco?.....	62
55. Chewing tobacco user status (calculated variable) .....	63
56. In general, how often do you smoke cigars, cigarillos, or little cigars? .....	64

# Figures and data tables (continued)

57. Cigars, cigarillos, or little cigar smoking status (calculated variable) .....	65
58. In general, how often do you use marijuana? .....	66
59. Marijuana user status (calculated variable).....	67
60. In general, how often do you use other illegal drugs such as cocaine, heroin, or meth? .....	68
61. Other illegal drugs such as cocaine, heroin, or meth user status (calculated variable) ..	69
62. In general, how often do you use prescription drugs that are not prescribed for you or that you take only to get high?.....	70
63. Prescription drugs (that are not prescribed for you or that you take only to get high) user status (calculated variable) .....	71
64. During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage, or liquor? .....	72
65. (Of those who said they had at least one alcoholic beverage in the past 30 days) During the past 30 days, on how many days did you have at least one drink of any alcoholic beverage? (Mean) .....	73
66. (Of those who said they had at least one alcoholic beverage in the past 30 days) During the past 30 days, on the days when you drank, about how many drinks did you drink on average? (Mean) .....	74
67. (Of those who said they had at least one alcoholic beverage in the past 30 days) Total number of drinks in past 30 days (Mean, calculated variable).....	75
68. During the past 30 days, on the days when you drank, about how many drinks did you drink on average? <sup>a</sup> (calculated variable) .....	76
69. Chronic drinking (calculated variable, gender specific) <sup>a</sup> .....	77
70. (Of those who said they had at least one alcoholic beverage in the past 30 days) Considering all types of alcoholic beverages, how many times during the past 30 days did you have 4 or more drinks on one occasion (binge drinking—females <sup>a</sup> ) (Mean).....	78
71. (Of those who said they had at least one alcoholic beverage in the past 30 days) Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks on one occasion (binge drinking—males <sup>a</sup> ) (Mean).....	79
72. Binge drinking (calculated variable, gender specific) <sup>a</sup> .....	80
73. During the past 30 days, how many times have you driven when you've had perhaps too much to drink?.....	81

# Figures and data tables (continued)

74. Do you perform monthly self-exams for cancer (self-breast exam or self-testicular exam)? .....	82
75. Do you get a yearly flu shot or flu immunization? .....	83
76. Do you need medication to control a chronic physical or mental condition?.....	84
77. Do you have a family emergency plan?.....	85
78. Do you live with someone who smokes?.....	86
79. In your opinion, how much of a problem is each of these issues in your county? People without health insurance or medical coverage .....	87
80. In your opinion, how much of a problem is each of these issues in your county? People not getting needed care because of inadequate health insurance or high deductibles .....	88
81. In your opinion, how much of a problem is each of these issues in your county? Too few health care providers.....	89
82. In your opinion, how much of a problem is each of these issues in your county? Too few dental providers .....	90
83. In your opinion, how much of a problem is each of these issues in your county? Language barriers in getting health care .....	91
84. In your opinion, how much of a problem is each of these issues in your county? Lack of provider knowledge about the health care needs of people of different cultures .....	92
85. In your opinion, how much of a problem is each of these issues in your county? Ambulance/rescue squad response time to 911 .....	93
86. In your opinion, how much of a problem is each of these issues in your county? County government's lack of preparation for a disaster, disease outbreak, or terrorist event .....	94
87. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining family planning services .....	95
88. In your opinion, how much of a problem is each of these issues in your county? Lack of services to allow people to continue living at home.....	96
89. In your opinion, how much of a problem is each of these issues in your county? Crime.....	97
90. In your opinion, how much of a problem is each of these issues in your county? Unemployment .....	98
91. In your opinion, how much of a problem is each of these issues in your county? Children in poverty .....	99

## Figures and data tables (continued)

92. In your opinion, how much of a problem is each of these issues in your county? Families experiencing financial stress .....	100
93. In your opinion, how much of a problem is each of these issues in your county? Youth not graduating high school .....	101
94. In your opinion, how much of a problem is each of these issues in your county? Parents with inadequate or poor parenting skills .....	102
95. In your opinion, how much of a problem is each of these issues in your county? Teen pregnancy .....	103
96. In your opinion, how much of a problem is each of these issues in your county? Unplanned pregnancy .....	104
97. In your opinion, how much of a problem is each of these issues in your county? Infant death or premature birth .....	105
98. In your opinion, how much of a problem is each of these issues in your county? Adults not getting their immunizations such as flu, tetanus, or pneumonia .....	106
99. In your opinion, how much of a problem is each of these issues in your county? Children not getting their immunizations such as pertussis, flu, or tetanus .....	107
100. In your opinion, how much of a problem is each of these issues in your county? Infectious diseases such as flu, pneumonia, or whooping cough .....	108
101. In your opinion, how much of a problem is each of these issues in your county? Sexually transmitted diseases such as chlamydia, syphilis, or HIV/AIDS .....	109
102. In your opinion, how much of a problem is each of these issues in your county? Insect-borne diseases such as Lyme disease or West Nile virus .....	110
103. In your opinion, how much of a problem is each of these issues in your county? Indoor air pollution related to radon .....	111
104. In your opinion, how much of a problem is each of these issues in your county? Unsafe drinking water .....	112
105. In your opinion, how much of a problem is each of these issues in your county? Unsafe food in restaurants .....	113
106. In your opinion, how much of a problem is each of these issues in your county? Extreme heat and days of high heat and humidity .....	114
107. In your opinion, how much of a problem is each of these issues in your county? Extreme weather such as drought, floods, or tornadoes .....	115
108. In your opinion, how much of a problem is each of these issues in your county? Lack of access to public space for no-cost recreational use .....	116



# Figures and data tables (continued)

109. In your opinion, how much of a problem is each of these issues in your county? Lack of safe places to walk or bike.....	117
110. In your opinion, how much of a problem is each of these issues in your county? Smoking or other tobacco use.....	118
111. In your opinion, how much of a problem is each of these issues in your county? Abuse of prescription drugs .....	119
112. In your opinion, how much of a problem is each of these issues in your county? Alcohol abuse among those aged 21 or over .....	120
113. In your opinion, how much of a problem is each of these issues in your county? Alcohol use among those under 21 .....	121
114. In your opinion, how much of a problem is each of these issues in your county? Adults allowing or tolerating youth alcohol use .....	122
115. In your opinion, how much of a problem is each of these issues in your county? Drinking and driving.....	123
116. In your opinion, how much of a problem is each of these issues in your county? Illegal drug use among youth.....	124
117. In your opinion, how much of a problem is each of these issues in your county? Illegal drug use among adults .....	125
118. In your opinion, how much of a problem is each of these issues in your county? Asthma .....	126
119. In your opinion, how much of a problem is each of these issues in your county? Cancer .....	127
120. In your opinion, how much of a problem is each of these issues in your county? Chronic pain.....	128
121. In your opinion, how much of a problem is each of these issues in your county? Diabetes.....	129
122. In your opinion, how much of a problem is each of these issues in your county? Heart disease and stroke.....	130
123. In your opinion, how much of a problem is each of these issues in your county? Mental illness .....	131
124. In your opinion, how much of a problem is each of these issues in your county? Obesity among adults.....	132
125. In your opinion, how much of a problem is each of these issues in your county? Obesity among children .....	133

# Figures and data tables (continued)

126. In your opinion, how much of a problem is each of these issues in your county?	
Lack of physical exercise.....	134
127. In your opinion, how much of a problem is each of these issues in your county?	
Unhealthy eating habits.....	135
128. In your opinion, how much of a problem is each of these issues in your county?	
Lack of access to healthy food.....	136
129. In your opinion, how much of a problem is each of these issues in your county?	
Falls among the elderly .....	137
130. In your opinion, how much of a problem is each of these issues in your county?	
Motor vehicle crashes .....	138
131. In your opinion, how much of a problem is each of these issues in your county?	
Improper use of or not using child car seats .....	139
132. In your opinion, how much of a problem is each of these issues in your county?	
Bullying.....	140
133. In your opinion, how much of a problem is each of these issues in your county?	
Abuse and neglect of children.....	141
134. In your opinion, how much of a problem is each of these issues in your county?	
Abuse and neglect of vulnerable adults .....	142
135. In your opinion, how much of a problem is each of these issues in your county?	
Domestic violence.....	143
136. In your opinion, how much of a problem is each of these issues in your county?	
Rape and sexual assault .....	144
137. In your opinion, how much of a problem is each of these issues in your county?	
Depression among youth.....	145
138. In your opinion, how much of a problem is each of these issues in your county?	
Depression among adults .....	146
139. In your opinion, how much of a problem is each of these issues in your county?	
Suicide among youth.....	147
140. In your opinion, how much of a problem is each of these issues in your county?	
Suicide among adults .....	148
141. In your opinion, how much of a problem is each of these issues in your county?	
Eating disorders such as anorexia, bulimia, or binge eating.....	149
142. In your opinion, how much of a problem is each of these issues in your county?	
Difficulty obtaining mental health services for youth .....	150

# Figures and data tables (continued)

143. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining mental health services for adults.....	151
144. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining alcohol and other drug abuse treatment for youth.....	152
145. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining alcohol and other drug abuse treatment for adults .....	153
146. In your opinion, how much of a problem is each of these issues in your county? People not taking prescribed medication for mental health problems .....	154
147. What is your gender? .....	155
148. What is your age? (Mean).....	156
149. What is your age?.....	157
150. How many adults (including you) and children live in your household? Number of adults age 18 or older (including you).....	158
151. How many adults (including you) and children live in your household? Number of children under age 18 .....	159
152. Body mass index (BMI) <sup>a</sup> (Mean, calculated variable) .....	160
153. Weight status according to BMI (calculated variable) .....	161
154. Race/Ethnicity for St. Cloud metro area <sup>a</sup> .....	162
155. Which of the following best describes your current relationship status? .....	163
156. Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit? .....	164
157. What is the highest level of education you have completed? .....	165
158. What was your household's total income from all earners and all sources in 2012? ..	167

# Acknowledgments

Wilder Research would like to thank the members of the Central Minnesota Community Health Survey working group, who advised us on all aspects of the study design and reporting. This includes: Benton County, Chisago County, Mille Lacs County, Sherburne County, Stearns County, Albany Area Hospital and Medical Center, CentraCare Health—Melrose, CentraCare Health—Paynesville, CentraCare Health—Sauk Centre, CentraCare Health—St. Cloud Hospital, and CentraCare Health—Long Prairie.

It is important to note that at the time of the study, Paynesville Area Health Care had not yet been acquired by CentraCare Health, but the decision to affiliate had been made by the Paynesville Area Health Center Board.

We would also like to thank Ann Kinney, from the Minnesota Department of Health, and Mansour Fahimi, of GfK, for their assistance with the technical aspects of instrument design, sampling, weighting, and analysis.

This study was conducted in part with generous funding from:

- Benton, Chisago, Mille Lacs, Sherburne, and Stearns counties.
- Albany Area Hospital and Medical Center
- CentraCare Health
- Otto Bremer Foundation
- Medica Foundation
- UCare Foundation
- Fiscal Agency was provided by CentraCare Health Foundation with the support of CentraCare Health which paid the administrative costs of serving as fiscal agent.

The following Wilder Research staff contributed to the completion of this project:

Mark Anton  
Jennifer Bohlke  
Marilyn Conrad  
Madeline Hansen  
Denise Huynh  
Sophak Mom

And finally, we would like to thank the 2,930 residents of Central Minnesota who participated in this survey. Without them, this report would not be possible!

CATHOLIC HEALTH  
INITIATIVES

Albany Area Hospital  
& Medical Center



**CENTRACARE**  
Health System



**MEDICA**®  
FOUNDATION



OTTO BREMER FOUNDATION



**Public Health**  
Prevent. Promote. Protect.



Health care that starts with you.®

# Introduction and methods

In spring and summer 2013, Wilder Research was contracted to conduct a survey of adults in five counties in Central Minnesota (Benton, Chisago, Mille Lacs, Sherburne, and Stearns) to learn more about their health status and health behaviors, as well as their perceptions of health concerns in their communities. The public health agencies in each of the participating counties, CentraCare Health System, and Albany Area Hospital and Medical Center all provided representatives to participate in the study's working group, which advised Wilder Research on the development of the survey instrument and data collection methods. This group also provided final approvals on project decisions.

## Survey instrument

The survey instrument was designed by Wilder Research in collaboration with the Central Minnesota Community Health Survey working group. Previous community health surveys conducted by Wilder and other counties were also used as examples when designing the survey. The survey instrument was developed for paper self-administration and was conducted in English only. See the Appendix for the complete survey instrument.

## Sample

We used address-based sampling, to ensure all households were included in the sampling frame regardless of their phone status. The sample was purchased from Marketing Systems Group. See Figure 1 for an illustration of the number of sampled addresses, number of completed surveys, response rate, and margin of error for each of the sampling areas.

## Data collection

Sampled addresses were contacted three times by mail, using the “modified Dillman” method of survey mailing, whereby sampled addresses are sent an initial survey packet including a cover letter, survey, and postage-paid return envelope. After two weeks, all households that did not return their completed survey were sent a post card reminder. After an additional two weeks, all sampled households that still did not complete the survey were sent a final survey packet. Of note, the survey was conducted during winter and early spring in Minnesota. Therefore, caution should be used when interpreting the results, especially related to physical activity and consumption of fresh produce, as these measures vary by season. Seasonality should be taken into consideration when comparing these survey data to other data sources across time.

There was one exception to this mailing sequence in the Sherburne County portion of zip code 56304, which is in Reporting Area #1. The initial study sample mistakenly did not include sample from this area so a remedial follow-up mailing was sent to sampled addresses in this area. Enough sample was released in this case so that only one mailing of the survey packet was needed to obtain the desired number of completes to correct for the initial error.

Adults were randomly selected from within the sampled households using the “most recent birthday” method (asking the adult who most recently had a birthday to fill out the one survey for that household) to ensure gender balance in survey respondents.

## Weighting and analysis

Survey data are weighted to produce reliable estimates of population parameters. Weighting also compensates for practical limitations of a sample survey, such as differential nonresponse and under-coverage. By taking advantage of demographic information about the target population, weighting can reduce the variability of survey estimates.

The weighting process entails three steps. The first step consists of the computation of *design* or *base weights* to reflect any differential selection based on number of adults in the sampled household. In the second step, base weights are adjusted so that the resulting weights can aggregate to reported totals for the target population. For this study, survey weights were calculated using the method of *Iterative Proportional Fitting*, which is commonly referred to as *Raking*. Finally, adjusted weights are put through a series of quality control checks to detect extreme outliers and to prevent any computational or procedural errors.

Given the sample size and the demographic composition of the adult population of the five county region, design weights were adjusted by age and gender. Survey data for these demographic questions included missing values. All such missing values were first imputed using a hot-deck procedure before construction of the survey weights. The data were weighted against the U.S. Census Bureau’s March Supplement of the Current Population Survey (CPS) 2012.

Coding was completed to categorize responses to the open-ended questions. See the Appendix for the codebook.

## 1. Central Minnesota Adult Health Survey sample and respondents

Area No.	Reporting area (County and Zip Code)	Adult (age 18+) population of area <sup>a</sup>	Number of addresses sampled	Number of completed surveys	Response rate	Margin of error <sup>b</sup>
1	St. Cloud metro (56301, 56303, 56304, 56374, 56377, 56379, and 56387)	97,949	3,352	597	17.8%	5.9%
2	Stearns county whole	117,563	2,073	497	24.0%	6.5%
3	Stearns County "rural" (Stearns excluding 56301, 56303, 56374, 56377, and 56387)	44,970	1,200	289	24.1%	8.5%
4	Benton County whole	27,130	2,179	517	23.7%	6.3%
5	Benton County "rural" (Benton excluding 56304, 56379 and 56377)	9,485	1,200	315	26.3%	8.0%
6	Sherburne County whole	62,722	7,500	1,392	18.6%	3.8%
7	Sherburne County 55308 (Becker)	6,037	1,200	247	20.6%	9.0%
8	Sherburne County 55309 (Big Lake)	12,177	1,200	223	18.6%	9.6%
9	Sherburne County 55330 (Elk River)	19,076	1,200	243	20.3%	9.3%
10	Sherburne County 55398 (Zimmerman)	10,107	1,200	244	20.3%	9.2%
11	Sherburne County balance (Sherburne excluding 55308, 55309, 55330, and 55398, but including the Sherburne portion of 56304)	15,235	2,700	435	16.1%	6.9%
12	Chisago County	40,040	1,200	256	21.3%	9.0%
13	Mille Lacs County	19,482	1,200	268	22.3%	8.8%
<b>All</b>	<b>Five county region</b>	<b>266,937</b>	<b>14,152</b>	<b>2,930</b>	<b>20.7%</b>	<b>2.7%</b>


<sup>a</sup> Source: US Census Bureau, Decennial Census, 2010, SF 1.

<sup>b</sup> The margins of error are adjusted due to the statistical weighting procedures used to adjust age and gender.




---

2. Central Minnesota Adult Health Survey area



---

3. Map of respondent locations in the participating counties



## Talking points about the study methods

To assist the representatives from the participating public health agencies and health care systems in communicating with their stakeholders (including their Community Health Boards, other organizational leadership, the media, and the general public) about this study, the following “talking points” can be used to help explain the study methods:

- This is a mailed survey. According to best practices in survey research (i.e., best response rate for lowest cost), we used a three-mailing sequence for all sampled households, which includes an initial survey packet, a reminder post card, and a final packet.
- The survey was sent to a random sample of households in the five counties. All households had an equal chance of being sampled, regardless of their phone status (i.e., households without landlines were not excluded, and households with more than one phone were not more likely to be sampled).
- The response rate for this survey is within the expected range for surveys using the three mailing sequence, and with no incentive offered for participation.
- The survey data are corrected with post-stratification and design weighting, which are statistical techniques commonly used to adjust for nonresponse bias (whereby certain types of people are more or less likely to respond to surveys).
- These methods ultimately produced a sample that is statistically representative of the adult population. (Because we obtained fewer completed surveys than was originally targeted, the margin of error has increased somewhat in each of the sampling areas. However, these data are still representative of the population.)

# How to use this data book

The “area of focus” for this data book is St. Cloud metro area. Data books using this same format have been developed for each of 13 reporting areas, which correspond to the reporting areas described above, as shown in Figure 1.

Please see the other data books in this series for more detailed information about these other areas. (Some summary information on some of these areas may be shown in this data book, as noted below). For every table in this data book, results are displayed for sub-groups of respondents from St. Cloud metro area based on:

- Gender including male and female
- Age, including adults ages 18-34, 35-44, 45-54, 55-64, 65-74, and 75+
- Highest level of education including less than high school diploma/GED, high school diploma/GED, some college or AA degree, and bachelor’s degree or higher
- Annual household income ranges including less than \$20,000, \$20,000-34,999, \$35,000-49,000, \$50,000-99,999, and \$100,000 or more.
- Household type, including single adults with no children, 2+ adults with no children, single adults with 1+ children, and 2+ adults with 1+ children
- Totals for each of the five participating counties and the entire five county region

The columns in each table correspond to the response options respondents were given on the survey (see Appendix for the survey instrument). If a table presents a survey question with fixed response categories, each column indicates the percentage of respondents who gave that response to the question. Some answer categories are combined because of the low number of responses in those categories. The last column in each row of the table always presents the number of people (weighted up to the total population of the area) related to the percentages in that row. Some questions apply only to certain types of respondents (due to skip patterns in the survey). In these cases, the total includes only the proportion of residents in the area (weighted up from the number of respondents) for whom the question was applicable.

Some questions were open-ended, such that respondents wrote their own answers. Responses were grouped according to theme in order to reveal which trends are most notable. In some cases, respondents were allowed to provide more than one answer. The number of residents in the selected area that the percentages represent (based on the responses weighted up to the population level using inflationary weights) can be seen in each table. Where fewer than ten respondents submitted an answer fitting a particular theme, that theme is grouped with other answers in an “Other” category.

# Survey findings – Data tables

## General health and health care

### 4. In general, would you say that your health is ...

	Excellent	Very good	Good	Fair	Poor	N
<b>St. Cloud metro area total</b>	12.1%	47.0%	32.0%	5.1%	3.9%	97,654
<b>Gender</b>						
Female	15.8%	45.7%	34.4%	3.7%	0.4%	49,051
Male	8.5%	48.2%	29.7%	6.5%	7.2%	48,352
<b>Age</b>						
18-34	10.2%	53.0%	27.2%	1.6%	8.0%	41,484
35-44	18.6%	48.2%	31.2%	1.9%	0.0%	13,866
45-54	10.8%	53.8%	25.1%	10.2%	0.0%	16,143
55-64	15.9%	25.5%	44.1%	12.8%	1.7%	12,097
65-74	18.0%	43.5%	32.5%	4.5%	1.5%	6,286
75+	0.9%	36.5%	53.3%	8.7%	0.6%	6,880
<b>Highest level of education</b>						
Less than high school diploma/GED	1.9%	55.0%	39.8%	2.4%	0.8%	2,006
High school diploma/GED	7.4%	24.1%	47.9%	5.9%	14.7%	19,688
Some college or AA degree	8.6%	50.2%	35.8%	4.9%	0.5%	34,297
Bachelor's degree or higher	17.9%	55.0%	20.6%	5.0%	1.4%	41,108
<b>Household income (in 2012)</b>						
Less than \$20,000	7.2%	26.5%	49.2%	14.2%	2.9%	10,340
\$20,000 - \$34,999	2.9%	30.5%	33.6%	10.1%	22.8%	12,662
\$35,000 - \$49,999	7.7%	42.7%	42.7%	3.5%	3.4%	13,783
\$50,000 - \$99,999	13.5%	62.4%	21.0%	3.1%	0.0%	36,709
\$100,000+	20.0%	43.5%	34.3%	2.2%	0.0%	21,067
<b>Household type</b>						
Single adult, no children	10.4%	43.3%	37.7%	7.0%	1.6%	14,338
2+ adults, no children	13.6%	42.6%	28.8%	7.4%	7.6%	45,268
Single adult, 1+ children	11.6%	44.4%	39.8%	4.1%	0.0%	3,365
2+ adults, 1+ children	11.1%	54.8%	32.6%	1.5%	0.0%	33,857
<b>All areas included in the study</b>						
Benton County	13.1%	39.5%	37.7%	8.6%	1.0%	26,930
Chisago County	17.1%	44.3%	27.9%	9.7%	1.1%	39,822
Mille Lacs County	10.0%	35.6%	33.3%	17.1%	4.0%	19,289
Sherburne County	16.2%	41.2%	33.1%	7.8%	1.7%	62,180
Stearns County	13.6%	47.8%	30.9%	4.7%	3.1%	117,219
Entire five-county region	14.4%	44.0%	31.8%	7.5%	2.3%	265,440

**5. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?**

	Within the past year	Within the past 2 years	Within the past 5 years	5 or more years ago	Never	N
<b>St. Cloud metro area total</b>	59.8%	15.6%	11.9%	9.0%	3.7%	97,896
<b>Gender</b>						
Female	75.3%	15.8%	4.6%	4.2%	0.1%	49,076
Male	44.2%	15.4%	19.1%	13.9%	7.4%	48,570
<b>Age</b>						
18-34	43.2%	15.8%	18.0%	14.7%	8.2%	41,484
35-44	54.2%	28.9%	10.6%	6.3%	0.0%	13,963
45-54	65.7%	15.1%	13.2%	5.7%	0.3%	16,143
55-64	84.7%	6.1%	0.7%	7.0%	1.5%	12,252
65-74	84.7%	13.8%	1.1%	0.3%	0.0%	6,260
75+	93.0%	7.0%	0.0%	0.0%	0.0%	6,896
<b>Highest level of education</b>						
Less than high school diploma/GED	59.5%	30.6%	0.0%	9.9%	0.0%	2,006
High school diploma/GED	51.3%	8.5%	22.5%	2.4%	15.3%	19,750
Some college or AA degree	65.1%	24.4%	3.4%	5.3%	1.8%	34,474
Bachelor's degree or higher	59.2%	11.1%	14.4%	15.3%	0.0%	41,110
<b>Household income (in 2012)</b>						
Less than \$20,000	74.2%	13.0%	5.8%	7.0%	0.0%	10,301
\$20,000 - \$34,999	61.9%	7.3%	5.1%	3.3%	22.4%	12,725
\$35,000 - \$49,999	62.0%	13.1%	17.0%	7.6%	0.4%	13,783
\$50,000 - \$99,999	58.1%	19.8%	3.9%	16.1%	2.0%	36,882
\$100,000+	51.8%	16.1%	29.4%	2.7%	0.0%	21,095
<b>Household type</b>						
Single adult, no children	67.6%	11.9%	17.9%	1.8%	0.9%	14,505
2+ adults, no children	59.7%	11.3%	5.6%	15.7%	7.8%	45,309
Single adult, 1+ children	70.2%	17.9%	0.8%	11.1%	0.0%	3,365
2+ adults, 1+ children	55.1%	23.0%	18.8%	3.1%	0.0%	33,891
<b>All areas included in the study</b>						
Benton County	62.0%	14.0%	11.1%	10.2%	2.6%	27,085
Chisago County	66.0%	16.1%	3.2%	10.5%	4.1%	40,040
Mille Lacs County	80.8%	10.1%	3.0%	5.7%	0.3%	19,464
Sherburne County	72.4%	13.8%	7.0%	6.0%	0.7%	62,606
Stearns County	63.4%	15.9%	9.4%	8.1%	3.1%	117,563
Entire five-county region	67.1%	14.8%	7.6%	8.0%	2.5%	266,757

**6. During the past 12 months, was there a time when you thought you needed medical care but did not get it or delayed getting it?**

	<b>Yes</b>	<b>No</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	36.0%	64.0%	97,407
<b>Gender</b>			
Female	34.8%	65.2%	48,850
Male	37.4%	62.6%	48,306
<b>Age</b>			
18-34	45.1%	54.9%	41,484
35-44	36.3%	63.7%	13,963
45-54	24.5%	75.5%	16,143
55-64	43.4%	56.6%	12,266
65-74	10.3%	89.7%	6,194
75+	11.4%	88.6%	6,459
<b>Highest level of education</b>			
Less than high school diploma/GED	42.9%	57.1%	1,900
High school diploma/GED	53.1%	46.9%	19,712
Some college or AA degree	34.9%	65.1%	34,370
Bachelor's degree or higher	28.3%	71.7%	40,871
<b>Household income (in 2012)</b>			
Less than \$20,000	32.2%	67.8%	10,286
\$20,000 - \$34,999	42.3%	57.7%	12,343
\$35,000 - \$49,999	45.7%	54.3%	13,783
\$50,000 - \$99,999	26.6%	73.4%	36,897
\$100,000+	45.3%	54.7%	21,095
<b>Household type</b>			
Single adult, no children	28.5%	71.5%	14,413
2+ adults, no children	35.9%	64.1%	45,019
Single adult, 1+ children	30.1%	69.9%	3,365
2+ adults, 1+ children	40.0%	60.0%	33,891
<b>All areas included in the study</b>			
Benton County	38.9%	61.1%	26,922
Chisago County	34.4%	65.6%	39,980
Mille Lacs County	35.6%	64.4%	19,401
Sherburne County	32.1%	67.9%	62,552
Stearns County	29.7%	70.3%	116,370
Entire five-county region	32.4%	67.6%	265,225

**7. (Of those who said they had delayed getting medical care they needed in the past 12 months) Why did you not get or delay getting the medical care you thought you needed?**

	<b>Cost of care</b>	<b>Insurance issues/lack of insurance coverage</b>	<b>Self-care or other healing approaches</b>	<b>Transportation or personal scheduling barriers</b>	<b>Clinical access or scheduling barriers</b>	<b>Mistrust or fear of health care</b>	<b>Other reasons</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	42.6%	29.7%	43.8%	10.0%	8.3%	4.4%	2.6%	34,703
<b>Gender</b>								
Female	42.0%	31.9%	36.1%	12.0%	8.6%	1.7%	3.5%	16,696
Male	43.1%	27.5%	51.0%	8.2%	8.0%	6.9%	1.9%	18,007
<b>Age</b>								
18-34	37.1%	35.6%	48.9%	8.8%	4.0%	4.1%	0.0%	18,596
35-44	60.6%	32.5%	29.4%	12.4%	13.9%	6.1%	2.4%	5,074
45-54	62.7%	26.7%	25.3%	3.3%	6.4%	0.7%	9.2%	3,777
55-64	32.6%	9.8%	48.0%	19.3%	14.7%	8.2%	5.2%	5,294
65-74	37.9%	33.8%	49.2%	2.0%	12.4%	0.0%	0.0%	619
75+	0.0%	0.0%	30.7%	6.2%	43.9%	0.0%	23.2%	737
<b>Highest level of education</b>								
Less than high school diploma/GED	0.0%	22.7%	2.0%	73.5%	1.8%	0.0%	0.0%	815
High school diploma/GED	42.4%	36.4%	55.1%	1.8%	3.3%	4.1%	1.4%	10,291
Some college or AA degree	64.0%	36.4%	37.3%	10.0%	7.5%	4.8%	2.2%	11,862
Bachelor's degree or higher	22.7%	17.8%	42.8%	13.1%	14.0%	4.7%	4.5%	11,506
<b>Household income (in 2012)</b>								
Less than \$20,000	15.9%	26.1%	35.2%	40.5%	20.4%	15.0%	1.0%	3,188
\$20,000 - \$34,999	84.8%	74.4%	14.9%	3.8%	0.0%	1.2%	0.0%	5,207
\$35,000 - \$49,999	52.2%	43.8%	36.4%	5.0%	3.5%	0.0%	4.2%	6,301
\$50,000 - \$99,999	40.4%	24.3%	41.7%	2.2%	7.2%	8.6%	5.0%	9,637
\$100,000+	22.6%	2.1%	68.3%	15.3%	13.8%	0.0%	0.0%	9,527



7. (Of those who said they had delayed getting medical care they needed in the past 12 months) Why did you not get or delay getting the medical care you thought you needed? (continued)

	Cost of care	Insurance issues/lack of insurance coverage	Self-care or other healing approaches	Transportation or personal scheduling barriers	Clinical access or scheduling barriers	Mistrust or fear of health care	Other reasons	Total
<b>Household type</b>								
Single adult, no children	54.7%	42.7%	52.7%	2.8%	3.2%	2.6%	4.3%	3,959
2+ adults, no children	50.8%	39.5%	29.4%	14.5%	8.4%	8.2%	3.8%	15,976
Single adult, 1+ children	46.3%	0.0%	48.7%	1.7%	11.5%	0.0%	0.0%	1,013
2+ adults, 1+ children	28.3%	16.9%	57.2%	7.4%	9.5%	0.9%	1.1%	13,555
<b>All areas included in the study</b>								
Benton County	54.3%	25.8%	45.4%	7.5%	9.8%	10.7%	2.5%	10,281
Chisago County	44.0%	25.5%	51.6%	5.5%	5.7%	5.0%	0.5%	13,761
Mille Lacs County	50.2%	20.2%	39.0%	9.8%	5.3%	8.4%	0.7%	6,898
Sherburne County	46.3%	29.3%	39.2%	8.7%	5.1%	1.1%	1.3%	20,056
Stearns County	46.9%	28.0%	45.9%	10.3%	5.9%	1.5%	3.4%	34,262
Entire five-county region	47.5%	27.0%	44.6%	8.8%	6.1%	3.7%	2.1%	85,258

---

**8. How would you rate your overall level of stress?**

	High	Medium	Low	Total
<b>St. Cloud metro area total</b>	23.2%	52.2%	24.5%	97,147
<b>Gender</b>				
Female	20.4%	52.9%	26.7%	48,917
Male	26.2%	51.3%	22.4%	47,979
<b>Age</b>				
18-34	33.6%	47.0%	19.5%	41,359
35-44	19.1%	64.9%	15.9%	13,929
45-54	16.5%	67.3%	16.2%	15,791
55-64	20.9%	46.2%	32.9%	12,013
65-74	2.9%	38.4%	58.7%	6,276
75+	4.1%	47.4%	48.5%	6,882
<b>Highest level of education</b>				
Less than high school diploma/GED	50.5%	28.8%	20.7%	2,006
High school diploma/GED	42.6%	34.6%	22.8%	19,752
Some college or AA degree	18.7%	51.1%	30.2%	33,982
Bachelor's degree or higher	16.6%	62.3%	21.1%	40,851
<b>Household income (in 2012)</b>				
Less than \$20,000	31.6%	56.2%	12.2%	10,302
\$20,000 - \$34,999	32.5%	47.3%	20.2%	12,710
\$35,000 - \$49,999	23.7%	51.9%	24.5%	13,685
\$50,000 - \$99,999	11.9%	56.9%	31.2%	36,862
\$100,000+	34.4%	44.2%	21.4%	20,478
<b>Household type</b>				
Single adult, no children	16.0%	63.1%	20.9%	14,532
2+ adults, no children	23.0%	48.0%	29.0%	44,990
Single adult, 1+ children	20.9%	79.1%	0.0%	3,014
2+ adults, 1+ children	26.9%	50.6%	22.5%	33,812
<b>All areas included in the study</b>				
Benton County	22.1%	56.5%	21.4%	26,988
Chisago County	21.7%	57.1%	21.2%	39,578
Mille Lacs County	15.9%	64.0%	20.1%	19,002
Sherburne County	17.6%	58.0%	24.4%	62,292
Stearns County	18.7%	54.3%	27.0%	116,678
Entire five-county region	19.1%	56.5%	24.4%	264,538

---

**9. During the past 30 days, for about how many days have you felt sad, blue, or depressed?**

	<b>0 days</b>	<b>1-9 days</b>	<b>10-19 days</b>	<b>20-29 days</b>	<b>All 30 days</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	32.7%	44.4%	7.9%	8.8%	6.1%	94,785
<b>Gender</b>						
Female	27.4%	54.2%	11.3%	5.3%	1.9%	47,531
Male	38.1%	34.5%	4.6%	12.5%	10.3%	47,143
<b>Age</b>						
18-34	24.9%	45.7%	7.5%	14.0%	7.9%	41,330
35-44	35.7%	43.8%	7.5%	9.7%	3.3%	13,014
45-54	28.1%	48.5%	15.3%	3.4%	4.7%	15,416
55-64	40.8%	43.4%	4.0%	4.5%	7.3%	11,660
65-74	52.0%	41.5%	2.0%	0.0%	4.5%	6,228
75+	55.1%	35.9%	7.9%	0.3%	0.8%	6,379
<b>Highest level of education</b>						
Less than high school diploma/GED	21.5%	33.1%	10.0%	32.4%	2.9%	1,846
High school diploma/GED	29.6%	28.1%	3.2%	22.9%	16.1%	19,468
Some college or AA degree	36.3%	43.4%	12.1%	5.1%	3.1%	32,760
Bachelor's degree or higher	31.5%	53.8%	6.8%	4.1%	3.8%	40,295
<b>Household income (in 2012)</b>						
Less than \$20,000	20.5%	48.0%	12.7%	11.9%	6.9%	9,649
\$20,000 - \$34,999	24.1%	43.8%	4.4%	1.9%	25.7%	12,234
\$35,000 - \$49,999	33.2%	34.7%	20.3%	9.5%	2.3%	13,604
\$50,000 - \$99,999	36.2%	52.2%	7.2%	2.4%	2.0%	36,066
\$100,000+	35.4%	36.3%	1.9%	22.1%	4.2%	20,584
<b>Household type</b>						
Single adult, no children	33.6%	41.1%	14.3%	4.5%	6.5%	13,516
2+ adults, no children	35.0%	42.3%	6.6%	5.9%	10.2%	44,329
Single adult, 1+ children	15.7%	57.9%	14.6%	11.8%	0.0%	2,757
2+ adults, 1+ children	30.8%	47.5%	6.5%	14.3%	1.0%	33,630
<b>All areas included in the study</b>						
Benton County	34.9%	43.3%	13.7%	4.3%	3.7%	25,346
Chisago County	36.6%	48.2%	8.9%	4.6%	1.6%	38,382
Mille Lacs County	32.2%	51.3%	6.3%	5.3%	4.9%	18,517
Sherburne County	36.6%	45.0%	10.1%	6.2%	2.1%	60,587
Stearns County	36.8%	44.6%	7.4%	6.8%	4.4%	113,146
Entire five-county region	36.2%	45.6%	8.8%	6.0%	3.4%	255,977

**10. During the past 12 months, was there a time when you wanted to talk with or seek help from a health professional about emotional problems such as stress, depression, excess worrying, troubling thoughts, or emotional problems, but did not or delayed talking with someone?**

	<b>Yes</b>	<b>No</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	29.8%	70.2%	97,218
<b>Gender</b>			
Female	20.4%	79.6%	48,948
Male	39.6%	60.4%	48,018
<b>Age</b>			
18-34	45.4%	54.6%	41,484
35-44	22.5%	77.5%	13,398
45-54	28.0%	72.0%	16,143
55-64	15.9%	84.1%	12,101
65-74	3.8%	96.2%	6,299
75+	2.5%	97.5%	6,896
<b>Highest level of education</b>			
Less than high school diploma/GED	37.8%	62.2%	2,006
High school diploma/GED	43.9%	56.1%	19,199
Some college or AA degree	27.0%	73.0%	34,308
Bachelor's degree or higher	25.6%	74.4%	41,149
<b>Household income (in 2012)</b>			
Less than \$20,000	22.1%	77.9%	10,340
\$20,000 - \$34,999	30.0%	70.0%	12,559
\$35,000 - \$49,999	29.1%	70.9%	13,783
\$50,000 - \$99,999	31.3%	68.7%	36,331
\$100,000+	33.0%	67.0%	21,095
<b>Household type</b>			
Single adult, no children	20.1%	79.9%	14,558
2+ adults, no children	32.9%	67.1%	45,143
Single adult, 1+ children	20.1%	79.9%	2,800
2+ adults, 1+ children	31.2%	68.8%	33,891
<b>All areas included in the study</b>			
Benton County	22.3%	77.7%	26,544
Chisago County	19.6%	80.4%	39,800
Mille Lacs County	19.8%	80.2%	19,385
Sherburne County	17.5%	82.5%	62,497
Stearns County	22.4%	77.6%	116,931
Entire five-county region	20.6%	79.4%	265,156

**11. (Of those who said they had delayed getting care they needed for emotional problems in the past 12 months) Why did you not get or delay getting the care you thought you needed?**

	Cost of care	Insurance issues/lack of insurance coverage	Self-care or other healing approaches	Transportation or personal scheduling barriers	Clinical access or scheduling barriers	Mistrust or fear of health care	Other reasons	Total
<b>St. Cloud metro area total</b>	34.9%	20.6%	39.2%	8.3%	16.6%	38.9%	1.9%	28,726
<b>Gender</b>								
Female	42.4%	23.2%	50.5%	16.4%	18.4%	39.9%	1.3%	9,865
Male	31.0%	19.2%	33.3%	4.1%	15.6%	38.3%	2.1%	18,860
<b>Age</b>								
18-34	32.5%	18.9%	43.6%	5.0%	5.9%	37.3%	2.0%	18,848
35-44	52.8%	50.6%	13.9%	6.4%	39.6%	48.9%	0.0%	2,897
45-54	36.3%	8.8%	33.4%	6.5%	37.9%	40.4%	1.9%	4,473
55-64	37.8%	9.6%	52.9%	48.5%	37.1%	27.6%	2.5%	1,919
65-74	7.8%	7.8%	51.0%	0.0%	41.2%	41.2%	0.0%	239
75+	33.0%	0.0%	0.0%	56.8%	0.0%	0.0%	43.2%	68
<b>Highest level of education</b>								
Less than high school diploma/GED	0.0%	0.0%	0.0%	100.0%	0.0%	97.3%	0.0%	599
High school diploma/GED	37.3%	37.1%	9.3%	2.3%	8.3%	54.3%	0.0%	8,428
Some college or AA degree	44.2%	25.9%	45.2%	8.2%	24.7%	50.6%	1.1%	9,152
Bachelor's degree or higher	27.0%	4.0%	60.1%	8.1%	17.1%	13.1%	4.1%	10,547
<b>Household income (in 2012)</b>								
Less than \$20,000	7.7%	9.6%	49.4%	61.8%	49.7%	64.2%	2.3%	2,116
\$20,000 - \$34,999	87.1%	83.0%	4.7%	0.6%	8.4%	4.6%	1.4%	3,767
\$35,000 - \$49,999	65.4%	33.6%	31.7%	13.9%	8.8%	48.6%	0.0%	4,009
\$50,000 - \$99,999	22.3%	7.3%	68.2%	0.0%	19.9%	27.3%	3.8%	11,375
\$100,000+	20.4%	1.8%	11.9%	7.2%	11.2%	61.3%	0.0%	6,963

11. (Of those who said they had delayed getting care they needed for emotional problems in the past 12 months) Why did you not get or delay getting the care you thought you needed? (continued)

	Cost of care	Insurance issues/lack of insurance coverage	Self-care or other healing approaches	Transportation or personal scheduling barriers	Clinical access or scheduling barriers	Mistrust or fear of health care	Other reasons	Total
<b>Household type</b>								
Single adult, no children	23.0%	31.7%	55.1%	15.7%	39.3%	42.6%	1.7%	2,868
2+ adults, no children	44.7%	26.6%	46.8%	11.7%	9.4%	22.3%	2.9%	14,833
Single adult, 1+ children	53.9%	51.7%	15.7%	4.8%	59.6%	39.6%	0.0%	564
2+ adults, 1+ children	23.4%	7.5%	25.4%	1.6%	18.2%	61.5%	0.5%	10,445
<b>All areas included in the study</b>								
Benton County	39.0%	25.7%	47.1%	17.0%	24.1%	25.9%	4.4%	5,680
Chisago County	39.7%	23.8%	43.9%	0.9%	11.3%	24.7%	10.6%	7,810
Mille Lacs County	34.0%	16.8%	33.1%	22.9%	10.9%	13.5%	1.8%	3,757
Sherburne County	37.8%	23.6%	38.4%	9.2%	19.2%	31.0%	5.7%	10,767
Stearns County	32.0%	20.1%	43.6%	6.7%	16.4%	37.5%	1.4%	26,154
Entire five-county region	35.1%	21.7%	42.3%	8.6%	16.7%	31.5%	3.9%	54,167

## 12. Which statement best describes the medications prescribed for you in the past 6 months?

	I had no medications prescribed for me	I had medications prescribed for me and I filled them all	I had medications prescribed for me and I did not fill at least one of them	Total
<b>St. Cloud metro area total</b>	45.9%	48.2%	6.0%	97,433
<b>Gender</b>				
Female	37.3%	55.5%	7.1%	48,880
Male	54.8%	40.4%	4.8%	48,302
<b>Age</b>				
18-34	54.5%	37.3%	8.2%	41,484
35-44	52.4%	38.1%	9.5%	13,963
45-54	50.6%	45.5%	4.0%	16,067
55-64	25.0%	72.1%	2.9%	12,266
65-74	22.5%	76.9%	0.6%	5,994
75+	32.9%	66.4%	0.7%	6,761
<b>Highest level of education</b>				
Less than high school diploma/GED	37.1%	23.7%	39.2%	1,664
High school diploma/GED	66.2%	32.2%	1.7%	19,765
Some college or AA degree	32.8%	58.9%	8.2%	34,301
Bachelor's degree or higher	47.9%	47.3%	4.8%	41,149
<b>Household income (in 2012)</b>				
Less than \$20,000	25.7%	63.9%	10.4%	10,270
\$20,000 - \$34,999	51.4%	44.6%	4.0%	12,696
\$35,000 - \$49,999	31.9%	55.3%	12.8%	13,755
\$50,000 - \$99,999	49.7%	46.9%	3.5%	36,661
\$100,000+	58.1%	36.3%	5.7%	21,048
<b>Household type</b>				
Single adult, no children	31.3%	64.6%	4.0%	14,461
2+ adults, no children	46.7%	47.2%	6.1%	44,997
Single adult, 1+ children	39.7%	59.6%	0.7%	3,365
2+ adults, 1+ children	52.5%	40.5%	7.1%	33,891
<b>All areas included in the study</b>				
Benton County	47.3%	45.6%	7.1%	26,828
Chisago County	37.7%	55.1%	7.1%	39,719
Mille Lacs County	32.7%	62.4%	5.0%	19,284
Sherburne County	38.6%	53.1%	8.3%	62,421
Stearns County	48.9%	47.2%	3.9%	117,103
Entire five-county region	43.5%	50.7%	5.8%	265,356

**13. (Of those who said they had not filled at least one of their prescriptions in the past 6 months) Why did you not fill at least one prescription?**

	<b>Cost or insurance issues</b>	<b>Concerns about medications</b>	<b>Used alternatives to prescription medication</b>	<b>Concerns about staff or clinic / Provider access barrier</b>	<b>Other issues</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	58.0%	32.0%	10.3%	0.0%	11.7%	5,320
<b>Gender</b>						
Female	53.7%	45.0%	1.3%	0.0%	17.9%	3,478
Male	66.2%	7.4%	27.4%	0.0%	0.0%	1,843
<b>Age</b>						
18-34	59.7%	28.2%	12.1%	0.0%	19.5%	2,988
35-44	50.9%	34.9%	14.2%	0.0%	0.0%	1,326
45-54	48.4%	55.7%	0.0%	0.0%	0.0%	582
55-64	87.8%	10.8%	0.0%	0.0%	6.8%	354
65-74	75.2%	24.8%	0.0%	0.0%	0.0%	25
75+	35.5%	64.5%	0.0%	0.0%	35.5%	46
<b>Highest level of education</b>						
Less than high school diploma/GED	2.7%	97.3%	0.0%	0.0%	100.0%	599
High school diploma/GED	37.7%	62.3%	0.0%	0.0%	0.0%	327
Some college or AA degree	71.3%	28.7%	0.0%	0.0%	0.0%	2,514
Bachelor's degree or higher	61.4%	10.5%	29.2%	0.0%	1.3%	1,881
<b>Household income (in 2012)</b>						
Less than \$20,000	18.0%	82.0%	0.0%	0.0%	59.6%	1,004
\$20,000 - \$34,999	78.7%	21.3%	0.0%	0.0%	0.0%	407
\$35,000 - \$49,999	62.1%	0.0%	37.9%	0.0%	0.0%	1,446
\$50,000 - \$99,999	83.6%	18.3%	0.0%	0.0%	0.0%	1,266
\$100,000+	52.7%	46.9%	0.0%	0.0%	2.0%	1,198



**13. (Of those who said they had not filled at least one of their prescriptions in the past 6 months) Why did you not fill at least one prescription? (continued)**

	Cost or insurance issues	Concerns about medications	Used alternatives to prescription medication	Concerns about staff or clinic / Provider access barrier	Other issues	Total
<b>Household type</b>						
Single adult, no children	49.4%	55.2%	0.0%	0.0%	0.0%	420
2+ adults, no children	60.7%	38.3%	0.0%	0.0%	25.0%	2,429
Single adult, 1+ children	100.0%	0.0%	0.0%	0.0%	0.0%	22
2+ adults, 1+ children	55.4%	22.7%	23.0%	0.0%	0.0%	2,390
<b>All areas included in the study</b>						
Benton County	62.1%	35.1%	2.0%	1.1%	2.1%	1,781
Chisago County	44.7%	58.7%	21.7%	0.0%	0.0%	2,839
Mille Lacs County	68.8%	61.0%	0.0%	0.0%	17.6%	889
Sherburne County	63.3%	22.7%	16.4%	1.5%	4.5%	4,831
Stearns County	65.2%	41.0%	4.9%	0.9%	13.8%	4,526
Entire five-county region	60.5%	38.9%	11.2%	0.9%	6.9%	14,866

**14. Do you currently have any kind of health care coverage, including health insurance or government plans such as Medicaid, Medicare, or Indian Health Services?**

	<b>Yes</b>	<b>No</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	88.4%	11.6%	97,807
<b>Gender</b>			
Female	89.3%	10.7%	48,993
Male	87.3%	12.7%	48,563
<b>Age</b>			
18-34	85.0%	15.0%	41,484
35-44	88.8%	11.2%	13,963
45-54	88.7%	11.3%	16,143
55-64	89.1%	10.9%	12,183
65-74	98.3%	1.7%	6,260
75+	99.2%	0.8%	6,875
<b>Highest level of education</b>			
Less than high school diploma/GED	90.6%	9.4%	1,968
High school diploma/GED	75.3%	24.7%	19,682
Some college or AA degree	89.1%	10.9%	34,453
Bachelor's degree or higher	93.7%	6.3%	41,149
<b>Household income (in 2012)</b>			
Less than \$20,000	93.8%	6.2%	10,218
\$20,000 - \$34,999	65.8%	34.2%	12,725
\$35,000 - \$49,999	87.6%	12.4%	13,783
\$50,000 - \$99,999	91.5%	8.5%	36,897
\$100,000+	94.2%	5.8%	21,095
<b>Household type</b>			
Single adult, no children	89.8%	10.2%	14,437
2+ adults, no children	83.3%	16.7%	45,288
Single adult, 1+ children	99.6%	0.4%	3,365
2+ adults, 1+ children	93.2%	6.8%	33,891
<b>All areas included in the study</b>			
Benton County	87.2%	12.8%	27,021
Chisago County	87.9%	12.1%	39,980
Mille Lacs County	88.7%	11.3%	19,350
Sherburne County	85.9%	14.1%	62,644
Stearns County	88.2%	11.8%	117,368
Entire five-county region	87.6%	12.4%	266,363

---

**15. (Of those who said they have health insurance) Is your health insurance a high deductible plan?**

	<b>Yes</b>	<b>No</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	37.7%	62.3%	78,329
<b>Gender</b>			
Female	34.3%	65.7%	40,621
Male	41.0%	59.0%	37,457
<b>Age</b>			
18-34	36.6%	63.4%	30,741
35-44	45.1%	54.9%	11,183
45-54	53.7%	46.3%	13,890
55-64	45.3%	54.7%	10,395
65-74	8.9%	91.1%	5,495
75+	2.7%	97.3%	6,010
<b>Highest level of education</b>			
Less than high school diploma/GED	1.0%	99.0%	1,676
High school diploma/GED	33.2%	66.8%	10,299
Some college or AA degree	38.9%	61.1%	28,753
Bachelor's degree or higher	39.0%	61.0%	37,056
<b>Household income (in 2012)</b>			
Less than \$20,000	8.6%	91.4%	8,857
\$20,000 - \$34,999	27.0%	73.0%	7,914
\$35,000 - \$49,999	27.5%	72.5%	11,234
\$50,000 - \$99,999	49.5%	50.5%	32,690
\$100,000+	43.8%	56.2%	15,117
<b>Household type</b>			
Single adult, no children	27.3%	72.7%	11,466
2+ adults, no children	42.7%	57.3%	36,725
Single adult, 1+ children	29.0%	71.0%	3,353
2+ adults, 1+ children	35.7%	64.3%	26,092
<b>All areas included in the study</b>			
Benton County	41.3%	58.7%	22,030
Chisago County	39.2%	60.8%	32,818
Mille Lacs County	50.5%	49.5%	15,917
Sherburne County	42.7%	57.3%	50,789
Stearns County	41.0%	59.0%	95,177
Entire five-county region	41.9%	58.1%	216,731

**16. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Health insurance or coverage through your employer or your spouse/partner, parent, or someone else's employer**

	Checked	Not checked	Total
<b>St. Cloud metro area total</b>	72.2%	27.8%	79,533
<b>Gender</b>			
Female	67.2%	32.8%	41,454
Male	77.9%	22.1%	37,827
<b>Age</b>			
18-34	81.0%	19.0%	30,993
35-44	80.8%	19.2%	11,550
45-54	88.2%	11.8%	14,111
55-64	76.9%	23.1%	10,458
65-74	24.3%	75.7%	5,771
75+	16.0%	84.0%	6,035
<b>Highest level of education</b>			
Less than high school diploma/GED	8.6%	91.4%	1,351
High school diploma/GED	35.9%	64.1%	10,505
Some college or AA degree	72.6%	27.4%	29,107
Bachelor's degree or higher	84.8%	15.2%	38,025
<b>Household income (in 2012)</b>			
Less than \$20,000	11.3%	88.7%	8,930
\$20,000 - \$34,999	42.5%	57.5%	8,000
\$35,000 - \$49,999	68.4%	31.6%	11,576
\$50,000 - \$99,999	90.3%	9.7%	33,098
\$100,000+	91.7%	8.3%	15,322
<b>Household type</b>			
Single adult, no children	54.5%	45.5%	12,365
2+ adults, no children	67.0%	33.0%	36,601
Single adult, 1+ children	63.2%	36.8%	3,353
2+ adults, 1+ children	89.9%	10.1%	26,416
<b>All areas included in the study</b>			
Benton County	66.1%	33.9%	22,951
Chisago County	71.5%	28.5%	33,651
Mille Lacs County	62.5%	37.5%	16,222
Sherburne County	73.2%	26.8%	51,852
Stearns County	71.1%	28.9%	96,375
Entire five-county region	70.5%	29.5%	221,051

**17. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Health insurance or coverage bought directly by you or your family**

	Checked	Not checked	Total
<b>St. Cloud metro area total</b>	10.1%	89.9%	79,533
<b>Gender</b>			
Female	11.9%	88.1%	41,454
Male	8.2%	91.8%	37,827
<b>Age</b>			
18-34	2.7%	97.3%	30,993
35-44	1.1%	98.9%	11,550
45-54	8.2%	91.8%	14,111
55-64	11.9%	88.1%	10,458
65-74	44.7%	55.3%	5,771
75+	34.4%	65.6%	6,035
<b>Highest level of education</b>			
Less than high school diploma/GED	19.8%	80.2%	1,351
High school diploma/GED	19.3%	80.7%	10,505
Some college or AA degree	10.5%	89.5%	29,107
Bachelor's degree or higher	6.9%	93.1%	38,025
<b>Household income (in 2012)</b>			
Less than \$20,000	10.6%	89.4%	8,930
\$20,000 - \$34,999	29.9%	70.1%	8,000
\$35,000 - \$49,999	10.5%	89.5%	11,576
\$50,000 - \$99,999	5.5%	94.5%	33,098
\$100,000+	6.9%	93.1%	15,322
<b>Household type</b>			
Single adult, no children	18.7%	81.3%	12,365
2+ adults, no children	13.0%	87.0%	36,601
Single adult, 1+ children	9.0%	91.0%	3,353
2+ adults, 1+ children	2.4%	97.6%	26,416
<b>All areas included in the study</b>			
Benton County	16.6%	83.4%	22,951
Chisago County	13.4%	86.6%	33,651
Mille Lacs County	16.1%	83.9%	16,222
Sherburne County	11.3%	88.7%	51,852
Stearns County	13.6%	86.4%	96,375
Entire five-county region	13.5%	86.5%	221,051

**18. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Indian or Tribal Health Service**

	Checked	Not checked	Total
<b>St. Cloud metro area total</b>	0.0%	100.0%	79,533
<b>Gender</b>			
Female	0.0%	100.0%	41,454
Male	0.0%	100.0%	37,827
<b>Age</b>			
18-34	0.0%	100.0%	30,993
35-44	0.0%	100.0%	11,550
45-54	0.0%	100.0%	14,111
55-64	0.0%	100.0%	10,458
65-74	0.2%	99.8%	5,771
75+	0.0%	100.0%	6,035
<b>Highest level of education</b>			
Less than high school diploma/GED	0.0%	100.0%	1,351
High school diploma/GED	0.0%	100.0%	10,505
Some college or AA degree	0.0%	100.0%	29,107
Bachelor's degree or higher	0.0%	100.0%	38,025
<b>Household income (in 2012)</b>			
Less than \$20,000	0.0%	100.0%	8,930
\$20,000 - \$34,999	0.0%	100.0%	8,000
\$35,000 - \$49,999	0.0%	100.0%	11,576
\$50,000 - \$99,999	0.0%	100.0%	33,098
\$100,000+	0.0%	100.0%	15,322
<b>Household type</b>			
Single adult, no children	0.0%	100.0%	12,365
2+ adults, no children	0.0%	100.0%	36,601
Single adult, 1+ children	0.0%	100.0%	3,353
2+ adults, 1+ children	0.0%	100.0%	26,416
<b>All areas included in the study</b>			
Benton County	0.1%	99.9%	22,951
Chisago County	0.0%	100.0%	33,651
Mille Lacs County	3.1%	96.9%	16,222
Sherburne County	0.1%	99.9%	51,852
Stearns County	0.0%	100.0%	96,375
Entire five-county region	0.3%	99.7%	221,051

**19. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Medicare**

	Checked	Not checked	Total
<b>St. Cloud metro area total</b>	18.2%	81.8%	79,533
<b>Gender</b>			
Female	17.8%	82.2%	41,454
Male	18.4%	81.6%	37,827
<b>Age</b>			
18-34	2.1%	97.9%	30,993
35-44	6.2%	93.8%	11,550
45-54	2.0%	98.0%	14,111
55-64	11.7%	88.3%	10,458
65-74	93.2%	6.8%	5,771
75+	95.2%	4.8%	6,035
<b>Highest level of education</b>			
Less than high school diploma/GED	43.2%	56.8%	1,351
High school diploma/GED	41.8%	58.2%	10,505
Some college or AA degree	16.0%	84.0%	29,107
Bachelor's degree or higher	11.8%	88.2%	38,025
<b>Household income (in 2012)</b>			
Less than \$20,000	41.1%	58.9%	8,930
\$20,000 - \$34,999	47.5%	52.5%	8,000
\$35,000 - \$49,999	17.2%	82.8%	11,576
\$50,000 - \$99,999	10.3%	89.7%	33,098
\$100,000+	4.6%	95.4%	15,322
<b>Household type</b>			
Single adult, no children	39.2%	60.8%	12,365
2+ adults, no children	23.3%	76.7%	36,601
Single adult, 1+ children	12.1%	87.9%	3,353
2+ adults, 1+ children	0.6%	99.4%	26,416
<b>All areas included in the study</b>			
Benton County	18.2%	81.8%	22,951
Chisago County	15.7%	84.3%	33,651
Mille Lacs County	25.8%	74.2%	16,222
Sherburne County	15.1%	84.9%	51,852
Stearns County	18.4%	81.6%	96,375
Entire five-county region	17.7%	82.3%	221,051

**20. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Medicaid, Medical Assistance (MA), or Prepaid Medical Assistance Program (PMAP)**

	Checked	Not checked	Total
<b>St. Cloud metro area total</b>	9.4%	90.6%	79,533
<b>Gender</b>			
Female	13.8%	86.2%	41,454
Male	4.8%	95.2%	37,827
<b>Age</b>			
18-34	13.4%	86.6%	30,993
35-44	8.4%	91.6%	11,550
45-54	9.0%	91.0%	14,111
55-64	3.0%	97.0%	10,458
65-74	3.4%	96.6%	5,771
75+	10.3%	89.7%	6,035
<b>Highest level of education</b>			
Less than high school diploma/GED	49.4%	50.6%	1,351
High school diploma/GED	20.2%	79.8%	10,505
Some college or AA degree	9.7%	90.3%	29,107
Bachelor's degree or higher	5.0%	95.0%	38,025
<b>Household income (in 2012)</b>			
Less than \$20,000	50.6%	49.4%	8,930
\$20,000 - \$34,999	12.6%	87.4%	8,000
\$35,000 - \$49,999	9.0%	91.0%	11,576
\$50,000 - \$99,999	2.5%	97.5%	33,098
\$100,000+	0.5%	99.5%	15,322
<b>Household type</b>			
Single adult, no children	11.6%	88.4%	12,365
2+ adults, no children	8.7%	91.3%	36,601
Single adult, 1+ children	14.8%	85.2%	3,353
2+ adults, 1+ children	8.9%	91.1%	26,416
<b>All areas included in the study</b>			
Benton County	6.6%	93.4%	22,951
Chisago County	6.5%	93.5%	33,651
Mille Lacs County	8.5%	91.5%	16,222
Sherburne County	6.0%	94.0%	51,852
Stearns County	7.0%	93.0%	96,375
Entire five-county region	6.8%	93.2%	221,051



**21. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Minnesota Comprehensive Health Association (MCHA)**

	Checked	Not checked	Total
<b>St. Cloud metro area total</b>	0.0%	100.0%	79,533
<b>Gender</b>			
Female	0.1%	99.9%	41,454
Male	0.0%	100.0%	37,827
<b>Age</b>			
18-34	0.0%	100.0%	30,993
35-44	0.0%	100.0%	11,550
45-54	0.1%	99.9%	14,111
55-64	0.0%	100.0%	10,458
65-74	0.0%	100.0%	5,771
75+	0.3%	99.7%	6,035
<b>Highest level of education</b>			
Less than high school diploma/GED	0.0%	100.0%	1,351
High school diploma/GED	0.2%	99.8%	10,505
Some college or AA degree	0.0%	100.0%	29,107
Bachelor's degree or higher	0.0%	100.0%	38,025
<b>Household income (in 2012)</b>			
Less than \$20,000	0.2%	99.8%	8,930
\$20,000 - \$34,999	0.2%	99.8%	8,000
\$35,000 - \$49,999	0.0%	100.0%	11,576
\$50,000 - \$99,999	0.0%	100.0%	33,098
\$100,000+	0.0%	100.0%	15,322
<b>Household type</b>			
Single adult, no children	0.2%	99.8%	12,365
2+ adults, no children	0.0%	100.0%	36,601
Single adult, 1+ children	0.0%	100.0%	3,353
2+ adults, 1+ children	0.0%	100.0%	26,416
<b>All areas included in the study</b>			
Benton County	0.7%	99.3%	22,951
Chisago County	0.8%	99.2%	33,651
Mille Lacs County	0.6%	99.4%	16,222
Sherburne County	0.6%	99.4%	51,852
Stearns County	0.3%	99.7%	96,375
Entire five-county region	0.5%	99.5%	221,051

**22. (Of those who said they have health insurance) Which of the following types of health insurance do you have? MinnesotaCare**

	Checked	Not checked	Total
<b>St. Cloud metro area total</b>	3.0%	97.0%	79,533
<b>Gender</b>			
Female	3.7%	96.3%	41,454
Male	2.3%	97.7%	37,827
<b>Age</b>			
18-34	2.6%	97.4%	30,993
35-44	7.1%	92.9%	11,550
45-54	3.1%	96.9%	14,111
55-64	3.0%	97.0%	10,458
65-74	0.0%	100.0%	5,771
75+	0.3%	99.7%	6,035
<b>Highest level of education</b>			
Less than high school diploma/GED	1.2%	98.8%	1,351
High school diploma/GED	5.5%	94.5%	10,505
Some college or AA degree	4.7%	95.3%	29,107
Bachelor's degree or higher	1.1%	98.9%	38,025
<b>Household income (in 2012)</b>			
Less than \$20,000	13.0%	87.0%	8,930
\$20,000 - \$34,999	6.2%	93.8%	8,000
\$35,000 - \$49,999	6.0%	94.0%	11,576
\$50,000 - \$99,999	0.1%	99.9%	33,098
\$100,000+	0.0%	100.0%	15,322
<b>Household type</b>			
Single adult, no children	0.5%	99.5%	12,365
2+ adults, no children	4.3%	95.7%	36,601
Single adult, 1+ children	13.8%	86.2%	3,353
2+ adults, 1+ children	1.0%	99.0%	26,416
<b>All areas included in the study</b>			
Benton County	4.9%	95.1%	22,951
Chisago County	2.4%	97.6%	33,651
Mille Lacs County	3.0%	97.0%	16,222
Sherburne County	2.1%	97.9%	51,852
Stearns County	2.4%	97.6%	96,375
Entire five-county region	2.6%	97.4%	221,051

**23. (Of those who said they have health insurance) Which of the following types of health insurance do you have? CHAMPUS, TRICARE, or Veterans' benefits**

	Checked	Not checked	Total
<b>St. Cloud metro area total</b>	2.5%	97.5%	79,533
<b>Gender</b>			
Female	0.6%	99.4%	41,454
Male	4.5%	95.5%	37,827
<b>Age</b>			
18-34	0.3%	99.7%	30,993
35-44	0.0%	100.0%	11,550
45-54	0.6%	99.4%	14,111
55-64	4.5%	95.5%	10,458
65-74	11.2%	88.8%	5,771
75+	10.5%	89.5%	6,035
<b>Highest level of education</b>			
Less than high school diploma/GED	0.0%	100.0%	1,351
High school diploma/GED	2.9%	97.1%	10,505
Some college or AA degree	3.9%	96.1%	29,107
Bachelor's degree or higher	1.4%	98.6%	38,025
<b>Household income (in 2012)</b>			
Less than \$20,000	4.7%	95.3%	8,930
\$20,000 - \$34,999	8.0%	92.0%	8,000
\$35,000 - \$49,999	3.3%	96.7%	11,576
\$50,000 - \$99,999	1.4%	98.6%	33,098
\$100,000+	0.4%	99.6%	15,322
<b>Household type</b>			
Single adult, no children	1.3%	98.7%	12,365
2+ adults, no children	4.7%	95.3%	36,601
Single adult, 1+ children	0.0%	100.0%	3,353
2+ adults, 1+ children	0.2%	99.8%	26,416
<b>All areas included in the study</b>			
Benton County	3.5%	96.5%	22,951
Chisago County	2.2%	97.8%	33,651
Mille Lacs County	5.1%	94.9%	16,222
Sherburne County	3.6%	96.4%	51,852
Stearns County	3.5%	96.5%	96,375
Entire five-county region	3.4%	96.6%	221,051

**24. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Other health insurance or coverage**

	Checked	Not checked	Total
<b>St. Cloud metro area total</b>	7.2%	92.8%	79,533
<b>Gender</b>			
Female	9.9%	90.1%	41,454
Male	4.3%	95.7%	37,827
<b>Age</b>			
18-34	6.9%	93.1%	30,993
35-44	0.0%	100.0%	11,550
45-54	0.4%	99.6%	14,111
55-64	1.7%	98.3%	10,458
65-74	21.4%	78.6%	5,771
75+	29.6%	70.4%	6,035
<b>Highest level of education</b>			
Less than high school diploma/GED	78.3%	21.7%	1,351
High school diploma/GED	13.1%	86.9%	10,505
Some college or AA degree	4.1%	95.9%	29,107
Bachelor's degree or higher	5.0%	95.0%	38,025
<b>Household income (in 2012)</b>			
Less than \$20,000	20.2%	79.8%	8,930
\$20,000 - \$34,999	16.6%	83.4%	8,000
\$35,000 - \$49,999	3.5%	96.5%	11,576
\$50,000 - \$99,999	4.8%	95.2%	33,098
\$100,000+	0.6%	99.4%	15,322
<b>Household type</b>			
Single adult, no children	11.3%	88.7%	12,365
2+ adults, no children	10.8%	89.2%	36,601
Single adult, 1+ children	0.8%	99.2%	3,353
2+ adults, 1+ children	0.2%	99.8%	26,416
<b>All areas included in the study</b>			
Benton County	6.2%	93.8%	22,951
Chisago County	5.1%	94.9%	33,651
Mille Lacs County	10.2%	89.8%	16,222
Sherburne County	6.4%	93.6%	51,852
Stearns County	7.3%	92.7%	96,375
Entire five-county region	6.8%	93.2%	221,051

---

**25. Have you ever been told by a doctor or other health care professional that you have diabetes?**

	<b>Yes</b>	<b>No</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	7.2%	92.8%	87,633
<b>Gender</b>			
Female	7.9%	92.1%	46,149
Male	6.1%	93.9%	41,233
<b>Age</b>			
18-34	3.6%	96.4%	36,852
35-44	1.1%	98.9%	13,198
45-54	5.3%	94.7%	14,446
55-64	15.0%	85.0%	11,585
65-74	17.8%	82.2%	4,870
75+	19.2%	80.8%	5,964
<b>Highest level of education</b>			
Less than high school diploma/GED	30.9%	69.1%	1,622
High school diploma/GED	9.2%	90.8%	18,217
Some college or AA degree	4.5%	95.5%	31,940
Bachelor's degree or higher	6.8%	93.2%	35,341
<b>Household income (in 2012)</b>			
Less than \$20,000	23.8%	76.2%	9,494
\$20,000 - \$34,999	7.5%	92.5%	12,191
\$35,000 - \$49,999	8.7%	91.3%	12,843
\$50,000 - \$99,999	4.4%	95.6%	29,685
\$100,000+	1.4%	98.6%	20,770
<b>Household type</b>			
Single adult, no children	8.5%	91.5%	13,123
2+ adults, no children	9.5%	90.5%	38,652
Single adult, 1+ children	0.5%	99.5%	3,365
2+ adults, 1+ children	3.7%	96.3%	31,928
<b>All areas included in the study</b>			
Benton County	9.1%	90.9%	24,738
Chisago County	9.1%	90.9%	36,432
Mille Lacs County	14.6%	85.4%	16,828
Sherburne County	7.5%	92.5%	57,275
Stearns County	6.4%	93.6%	105,950
Entire five-county region	7.9%	92.1%	241,223

**26. Have you ever been told by a doctor or other health care professional that you have high blood pressure?**

	<b>Yes</b>	<b>No</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	29.1%	70.9%	95,795
<b>Gender</b>			
Female	19.9%	80.1%	47,070
Male	37.9%	62.1%	48,474
<b>Age</b>			
18-34	21.1%	78.9%	41,230
35-44	15.7%	84.3%	13,484
45-54	24.4%	75.6%	15,878
55-64	43.8%	56.2%	11,918
65-74	60.5%	39.5%	6,271
75+	60.4%	39.6%	6,115
<b>Highest level of education</b>			
Less than high school diploma/GED	50.9%	49.1%	1,462
High school diploma/GED	21.5%	78.5%	19,186
Some college or AA degree	29.5%	70.5%	33,836
Bachelor's degree or higher	31.0%	69.0%	40,755
<b>Household income (in 2012)</b>			
Less than \$20,000	36.1%	63.9%	9,692
\$20,000 - \$34,999	23.3%	76.7%	12,517
\$35,000 - \$49,999	22.1%	77.9%	13,747
\$50,000 - \$99,999	36.2%	63.8%	35,961
\$100,000+	20.4%	79.6%	21,095
<b>Household type</b>			
Single adult, no children	38.3%	61.7%	14,107
2+ adults, no children	35.5%	64.5%	44,579
Single adult, 1+ children	2.6%	97.4%	3,365
2+ adults, 1+ children	18.2%	81.8%	33,024
<b>All areas included in the study</b>			
Benton County	25.6%	74.4%	26,016
Chisago County	30.8%	69.2%	38,934
Mille Lacs County	34.3%	65.7%	17,966
Sherburne County	26.4%	73.6%	60,214
Stearns County	30.6%	69.4%	114,709
Entire five-county region	29.4%	70.6%	257,839

**27. Have you ever been told by a doctor or other health care professional that you have high blood cholesterol?**

	<b>Yes</b>	<b>No</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	23.9%	76.1%	90,843
<b>Gender</b>			
Female	20.1%	79.9%	46,947
Male	27.9%	72.1%	43,645
<b>Age</b>			
18-34	0.7%	99.3%	37,168
35-44	22.5%	77.5%	13,562
45-54	34.8%	65.2%	15,709
55-64	43.8%	56.2%	11,667
65-74	62.1%	37.9%	5,951
75+	62.4%	37.6%	5,888
<b>Highest level of education</b>			
Less than high school diploma/GED	19.3%	80.7%	1,429
High school diploma/GED	19.5%	80.5%	18,651
Some college or AA degree	26.4%	73.6%	33,648
Bachelor's degree or higher	23.5%	76.5%	36,586
<b>Household income (in 2012)</b>			
Less than \$20,000	32.3%	67.7%	9,490
\$20,000 - \$34,999	25.1%	74.9%	12,590
\$35,000 - \$49,999	22.0%	78.0%	13,040
\$50,000 - \$99,999	19.7%	80.3%	32,203
\$100,000+	23.4%	76.6%	20,770
<b>Household type</b>			
Single adult, no children	40.0%	60.0%	13,672
2+ adults, no children	28.9%	71.1%	39,673
Single adult, 1+ children	21.4%	78.6%	3,365
2+ adults, 1+ children	11.0%	89.0%	33,445
<b>All areas included in the study</b>			
Benton County	29.1%	70.9%	26,248
Chisago County	27.4%	72.6%	37,894
Mille Lacs County	40.2%	59.8%	17,722
Sherburne County	28.5%	71.5%	60,276
Stearns County	24.3%	75.7%	109,453
Entire five-county region	27.4%	72.6%	251,593

## Health habits

### 28. About how often do you drink pop or soda (regular)?

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	Total
<b>St. Cloud metro area total</b>	33.5%	29.2%	20.2%	13.5%	3.5%	95,998
<b>Gender</b>						
Female	42.3%	29.1%	16.4%	8.6%	3.6%	48,080
Male	24.8%	29.1%	24.2%	18.6%	3.3%	47,765
<b>Age</b>						
18-34	23.2%	29.2%	31.0%	14.9%	1.7%	41,326
35-44	31.5%	21.6%	20.1%	20.8%	6.0%	13,642
45-54	39.3%	23.6%	9.8%	21.3%	6.0%	16,133
55-64	57.3%	29.9%	5.9%	1.0%	5.8%	12,210
65-74	49.1%	38.1%	9.1%	2.1%	1.6%	5,792
75+	33.1%	49.9%	13.8%	2.6%	0.6%	6,379
<b>Highest level of education</b>						
Less than high school diploma/GED	14.9%	58.2%	26.9%	0.0%	0.0%	1,889
High school diploma/GED	15.4%	16.2%	51.4%	10.7%	6.2%	19,581
Some college or AA degree	34.7%	21.9%	14.2%	24.5%	4.7%	33,138
Bachelor's degree or higher	42.4%	39.9%	9.6%	6.8%	1.3%	40,942
<b>Household income (in 2012)</b>						
Less than \$20,000	23.0%	22.8%	22.3%	22.7%	9.1%	9,752
\$20,000 - \$34,999	20.8%	28.6%	34.6%	8.2%	7.8%	12,709
\$35,000 - \$49,999	45.3%	22.7%	21.5%	6.5%	4.0%	13,488
\$50,000 - \$99,999	30.7%	33.2%	13.4%	20.6%	2.2%	36,610
\$100,000+	42.3%	29.4%	23.4%	4.9%	0.0%	20,817
<b>Household type</b>						
Single adult, no children	47.5%	24.0%	12.3%	12.2%	4.0%	13,517
2+ adults, no children	35.4%	38.9%	18.5%	2.6%	4.5%	44,645
Single adult, 1+ children	21.5%	13.8%	20.0%	43.3%	1.5%	3,365
2+ adults, 1+ children	27.1%	19.7%	25.4%	25.8%	2.1%	33,848
<b>All areas included in the study</b>						
Benton County	30.8%	28.6%	15.7%	14.4%	10.5%	26,189
Chisago County	32.2%	36.5%	10.8%	7.9%	12.6%	38,039
Mille Lacs County	29.2%	42.9%	15.4%	6.6%	5.9%	18,979
Sherburne County	32.0%	33.0%	17.1%	9.6%	8.4%	60,770
Stearns County	33.0%	30.8%	21.4%	11.5%	3.3%	115,006
Entire five-county region	32.2%	32.8%	17.8%	10.5%	6.8%	258,982



## 29. About how often do you drink pop or soda (diet)?

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	Total
<b>St. Cloud metro area total</b>	45.6%	25.3%	13.5%	8.5%	7.0%	94,798
<b>Gender</b>						
Female	41.3%	26.9%	17.1%	8.1%	6.6%	48,008
Male	50.3%	23.8%	9.9%	8.7%	7.3%	46,553
<b>Age</b>						
18-34	56.4%	21.5%	12.9%	3.7%	5.5%	41,403
35-44	39.5%	14.1%	13.9%	14.3%	18.3%	13,844
45-54	33.8%	32.2%	12.9%	15.8%	5.4%	14,359
55-64	37.1%	33.7%	13.3%	10.5%	5.5%	12,184
65-74	33.6%	25.4%	25.4%	11.8%	3.8%	6,086
75+	43.2%	44.2%	9.1%	2.7%	0.9%	6,039
<b>Highest level of education</b>						
Less than high school diploma/GED	70.6%	9.6%	19.1%	0.7%	0.0%	1,446
High school diploma/GED	64.8%	16.7%	9.0%	6.6%	3.0%	18,584
Some college or AA degree	53.6%	16.9%	14.5%	4.8%	10.2%	33,153
Bachelor's degree or higher	30.1%	36.3%	14.8%	12.4%	6.4%	41,060
<b>Household income (in 2012)</b>						
Less than \$20,000	53.8%	13.8%	15.1%	13.9%	3.5%	9,472
\$20,000 - \$34,999	61.7%	21.5%	11.4%	2.7%	2.7%	11,793
\$35,000 - \$49,999	39.7%	19.7%	33.2%	3.0%	4.4%	13,694
\$50,000 - \$99,999	46.6%	32.1%	6.7%	7.8%	6.8%	35,780
\$100,000+	35.4%	23.4%	14.4%	14.2%	12.5%	21,095
<b>Household type</b>						
Single adult, no children	40.0%	25.7%	21.5%	10.1%	2.6%	14,120
2+ adults, no children	42.2%	30.8%	16.5%	3.1%	7.4%	43,958
Single adult, 1+ children	47.3%	36.1%	11.6%	3.3%	1.8%	3,365
2+ adults, 1+ children	53.4%	16.0%	6.4%	15.4%	8.8%	32,636
<b>All areas included in the study</b>						
Benton County	40.7%	22.9%	19.1%	7.2%	10.2%	25,929
Chisago County	34.8%	26.4%	12.6%	11.8%	14.5%	37,938
Mille Lacs County	37.6%	29.3%	13.3%	11.9%	7.9%	18,728
Sherburne County	49.1%	19.0%	12.2%	8.6%	11.1%	60,855
Stearns County	45.1%	26.5%	13.5%	8.4%	6.4%	112,846
Entire five-county region	43.5%	24.6%	13.6%	9.1%	9.2%	256,296

---

**30. About how often do you drink energy drinks such as Red Bull, 5-hour Energy, or Monster?**

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	Total
<b>St. Cloud metro area total</b>	81.2%	11.3%	2.0%	4.7%	0.7%	96,129
<b>Gender</b>						
Female	85.2%	13.2%	1.6%	0.0%	0.0%	48,110
Male	77.1%	9.5%	2.4%	9.5%	1.5%	47,768
<b>Age</b>						
18-34	71.8%	14.2%	1.9%	10.8%	1.4%	41,439
35-44	69.2%	24.6%	6.2%	0.0%	0.0%	13,963
45-54	91.6%	6.5%	1.4%	0.5%	0.0%	15,439
55-64	97.5%	1.5%	0.0%	0.0%	1.0%	12,266
65-74	99.3%	0.3%	0.4%	0.0%	0.0%	6,109
75+	98.2%	1.8%	0.0%	0.0%	0.0%	6,014
<b>Highest level of education</b>						
Less than high school diploma/GED	100.0%	0.0%	0.0%	0.0%	0.0%	1,462
High school diploma/GED	70.4%	5.6%	1.4%	22.6%	0.0%	18,910
Some college or AA degree	78.1%	16.6%	3.6%	0.0%	1.7%	34,307
Bachelor's degree or higher	88.0%	10.1%	1.0%	0.6%	0.3%	40,921
<b>Household income (in 2012)</b>						
Less than \$20,000	75.1%	17.9%	6.7%	0.3%	0.0%	9,620
\$20,000 - \$34,999	94.1%	3.5%	1.4%	0.0%	1.1%	12,009
\$35,000 - \$49,999	76.5%	19.4%	0.0%	0.0%	4.1%	13,708
\$50,000 - \$99,999	86.6%	11.1%	1.6%	0.7%	0.0%	36,759
\$100,000+	69.7%	7.8%	2.2%	20.3%	0.0%	21,051
<b>Household type</b>						
Single adult, no children	85.2%	12.0%	1.6%	0.2%	0.9%	14,146
2+ adults, no children	87.2%	12.2%	0.6%	0.0%	0.0%	44,007
Single adult, 1+ children	79.1%	2.6%	18.2%	0.0%	0.0%	3,365
2+ adults, 1+ children	71.8%	10.8%	2.4%	13.4%	1.7%	33,891
<b>All areas included in the study</b>						
Benton County	75.1%	15.6%	5.9%	1.1%	2.3%	26,720
Chisago County	77.0%	13.6%	7.8%	1.6%	0.0%	38,890
Mille Lacs County	89.8%	7.5%	0.9%	1.8%	0.0%	19,040
Sherburne County	78.5%	17.9%	2.5%	0.7%	0.4%	61,958
Stearns County	86.2%	8.3%	1.7%	3.7%	0.1%	115,655
Entire five-county region	82.1%	12.0%	3.2%	2.3%	0.4%	262,263

**31. About how often do you drink other sugar-sweetened drinks such as sweet tea, coffee drinks, juice drinks, Kool-Aid, or Gatorade?**

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	Total
<b>St. Cloud metro area total</b>	22.3%	33.7%	19.4%	19.0%	5.5%	96,710
<b>Gender</b>						
Female	26.2%	33.4%	15.8%	19.3%	5.3%	48,780
Male	18.3%	33.9%	23.2%	18.9%	5.7%	47,678
<b>Age</b>						
18-34	5.8%	32.9%	28.5%	26.5%	6.4%	41,484
35-44	15.4%	36.3%	16.1%	27.6%	4.7%	13,901
45-54	33.3%	44.6%	9.9%	8.7%	3.5%	15,950
55-64	50.7%	17.9%	13.4%	13.7%	4.4%	12,013
65-74	51.8%	31.1%	10.6%	5.4%	1.1%	5,937
75+	32.3%	41.0%	10.2%	3.3%	13.2%	6,527
<b>Highest level of education</b>						
Less than high school diploma/GED	5.9%	44.4%	12.6%	2.9%	34.2%	1,702
High school diploma/GED	13.7%	25.0%	27.8%	29.2%	4.2%	19,218
Some college or AA degree	20.4%	29.5%	21.7%	22.7%	5.7%	34,227
Bachelor's degree or higher	28.1%	40.9%	14.2%	12.0%	4.8%	41,006
<b>Household income (in 2012)</b>						
Less than \$20,000	18.8%	29.0%	12.0%	24.3%	15.8%	10,201
\$20,000 - \$34,999	20.6%	29.5%	39.2%	5.5%	5.2%	12,338
\$35,000 - \$49,999	26.2%	23.7%	17.1%	18.4%	14.6%	13,708
\$50,000 - \$99,999	15.9%	43.1%	23.0%	16.8%	1.2%	36,557
\$100,000+	31.8%	30.4%	6.1%	30.4%	1.3%	20,903
<b>Household type</b>						
Single adult, no children	34.4%	21.2%	13.7%	13.5%	17.3%	13,979
2+ adults, no children	25.3%	39.6%	18.3%	13.0%	3.8%	44,755
Single adult, 1+ children	11.2%	43.6%	22.7%	19.8%	2.6%	3,365
2+ adults, 1+ children	13.9%	30.3%	22.9%	29.6%	3.3%	33,891
<b>All areas included in the study</b>						
Benton County	21.4%	32.7%	21.1%	19.2%	5.6%	26,368
Chisago County	29.5%	26.9%	13.8%	23.2%	6.6%	39,118
Mille Lacs County	31.4%	29.9%	12.7%	17.0%	9.0%	19,121
Sherburne County	25.9%	35.5%	15.9%	15.2%	7.6%	61,733
Stearns County	25.2%	35.1%	17.8%	15.3%	6.6%	116,742
Entire five-county region	26.1%	33.4%	16.7%	17.0%	6.9%	263,083

## 32. About how often do you drink water?

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	Total
<b>St. Cloud metro area total</b>	0.2%	1.4%	2.3%	16.4%	79.7%	97,873
<b>Gender</b>						
Female	0.2%	1.2%	3.0%	8.2%	87.3%	49,049
Male	0.1%	1.5%	1.6%	24.9%	71.9%	48,573
<b>Age</b>						
18-34	0.0%	0.8%	0.8%	20.4%	77.9%	41,484
35-44	0.0%	0.0%	2.6%	22.9%	74.5%	13,963
45-54	0.0%	4.9%	2.2%	14.1%	78.9%	16,143
55-64	0.5%	1.5%	5.3%	8.7%	84.1%	12,266
65-74	0.0%	0.8%	7.5%	3.4%	88.3%	6,299
75+	1.6%	0.0%	0.5%	6.6%	91.3%	6,820
<b>Highest level of education</b>						
Less than high school diploma/GED	5.3%	0.0%	0.0%	1.9%	92.8%	2,006
High school diploma/GED	0.0%	4.7%	2.6%	42.7%	50.0%	19,716
Some college or AA degree	0.2%	0.5%	2.7%	10.4%	86.2%	34,458
Bachelor's degree or higher	0.0%	0.6%	1.9%	9.9%	87.6%	41,137
<b>Household income (in 2012)</b>						
Less than \$20,000	0.0%	2.5%	4.6%	7.0%	85.9%	10,275
\$20,000 - \$34,999	0.0%	6.7%	2.6%	26.9%	63.8%	12,714
\$35,000 - \$49,999	0.4%	0.4%	1.8%	4.4%	92.9%	13,783
\$50,000 - \$99,999	0.0%	0.4%	1.8%	9.9%	87.8%	36,897
\$100,000+	0.0%	0.1%	2.3%	35.0%	62.6%	21,095
<b>Household type</b>						
Single adult, no children	0.0%	0.8%	1.3%	9.0%	88.9%	14,514
2+ adults, no children	0.1%	2.0%	2.6%	14.3%	81.0%	45,277
Single adult, 1+ children	0.0%	0.7%	0.0%	11.9%	87.5%	3,365
2+ adults, 1+ children	0.0%	0.9%	2.5%	23.3%	73.2%	33,891
<b>All areas included in the study</b>						
Benton County	0.9%	0.8%	3.7%	11.9%	82.7%	26,612
Chisago County	1.2%	0.9%	3.0%	12.9%	82.0%	39,801
Mille Lacs County	0.6%	0.9%	3.5%	11.6%	83.3%	19,369
Sherburne County	0.2%	1.8%	5.0%	13.5%	79.5%	62,412
Stearns County	0.6%	1.4%	1.9%	14.6%	81.6%	117,225
Entire five-county region	0.6%	1.3%	3.1%	13.6%	81.4%	265,419

### 33. About how often do you drink milk?

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	Total
<b>St. Cloud metro area total</b>	11.1%	9.5%	33.3%	30.1%	16.0%	97,695
<b>Gender</b>						
Female	13.5%	12.8%	23.9%	29.9%	19.9%	48,965
Male	8.6%	6.3%	42.9%	30.3%	11.9%	48,480
<b>Age</b>						
18-34	5.8%	8.1%	48.1%	26.0%	12.0%	41,484
35-44	15.6%	11.7%	23.7%	38.7%	10.3%	13,963
45-54	18.0%	9.9%	20.2%	33.1%	18.9%	16,143
55-64	16.4%	14.5%	23.5%	22.6%	23.1%	12,266
65-74	9.9%	11.1%	32.6%	25.7%	20.7%	6,184
75+	9.1%	3.6%	12.1%	49.4%	25.8%	6,758
<b>Highest level of education</b>						
Less than high school diploma/GED	3.4%	11.8%	38.8%	5.6%	40.4%	1,900
High school diploma/GED	5.6%	2.5%	51.3%	27.6%	13.0%	19,748
Some college or AA degree	14.1%	13.6%	20.7%	39.2%	12.3%	34,372
Bachelor's degree or higher	11.4%	9.6%	35.3%	25.0%	18.8%	41,119
<b>Household income (in 2012)</b>						
Less than \$20,000	14.5%	15.8%	12.1%	27.9%	29.7%	10,297
\$20,000 - \$34,999	5.0%	6.0%	49.4%	25.1%	14.5%	12,725
\$35,000 - \$49,999	12.3%	15.5%	28.6%	34.2%	9.4%	13,708
\$50,000 - \$99,999	8.7%	11.0%	32.5%	36.2%	11.6%	36,897
\$100,000+	16.4%	2.6%	38.0%	24.2%	18.8%	21,066
<b>Household type</b>						
Single adult, no children	13.8%	8.3%	26.9%	30.9%	20.0%	14,515
2+ adults, no children	13.6%	10.5%	37.1%	23.5%	15.3%	45,205
Single adult, 1+ children	0.0%	1.0%	11.6%	81.0%	6.4%	3,365
2+ adults, 1+ children	7.6%	9.8%	33.2%	33.9%	15.6%	33,891
<b>All areas included in the study</b>						
Benton County	15.7%	15.1%	14.0%	33.6%	21.6%	26,761
Chisago County	11.1%	7.2%	16.6%	38.1%	26.9%	39,966
Mille Lacs County	7.8%	12.2%	11.1%	37.2%	31.6%	19,381
Sherburne County	10.5%	12.1%	19.9%	31.7%	25.9%	62,390
Stearns County	8.9%	9.9%	29.9%	29.0%	22.4%	116,984
Entire five-county region	10.2%	10.7%	22.6%	32.1%	24.5%	265,483

**34. A serving of fruit is one medium sized fruit, or a half cup chopped, cut, or canned fruit. Yesterday, how many servings of fruit did you eat?**

	0 servings	1-2 servings	3-4 servings	5 or more servings	Total
<b>St. Cloud metro area total</b>	20.3%	62.6%	16.1%	1.0%	97,071
<b>Gender</b>					
Female	12.6%	62.8%	23.1%	1.5%	48,437
Male	28.0%	62.3%	9.3%	0.4%	48,382
<b>Age</b>					
18-34	23.9%	63.9%	12.1%	0.1%	41,457
35-44	22.1%	56.1%	19.4%	2.4%	13,946
45-54	14.3%	65.4%	20.3%	0.1%	15,850
55-64	18.6%	53.8%	24.9%	2.7%	12,203
65-74	20.3%	65.9%	10.1%	3.6%	6,102
75+	13.7%	70.9%	15.1%	0.2%	6,614
<b>Highest level of education</b>					
Less than high school diploma/GED	43.6%	54.7%	1.8%	0.0%	1,761
High school diploma/GED	31.9%	58.8%	7.8%	1.5%	19,752
Some college or AA degree	26.7%	54.3%	18.8%	0.3%	34,083
Bachelor's degree or higher	8.6%	71.4%	18.7%	1.3%	40,947
<b>Household income (in 2012)</b>					
Less than \$20,000	29.7%	58.4%	11.6%	0.3%	10,130
\$20,000 - \$34,999	40.8%	45.5%	13.6%	0.1%	12,695
\$35,000 - \$49,999	16.5%	62.0%	21.5%	0.0%	13,599
\$50,000 - \$99,999	19.0%	63.4%	16.7%	0.9%	36,897
\$100,000+	8.9%	73.9%	15.4%	1.8%	20,831
<b>Household type</b>					
Single adult, no children	16.7%	70.5%	12.6%	0.3%	14,312
2+ adults, no children	24.0%	57.3%	16.8%	1.8%	44,827
Single adult, 1+ children	32.4%	54.6%	12.3%	0.7%	3,348
2+ adults, 1+ children	16.1%	66.6%	17.2%	0.2%	33,891
<b>All areas included in the study</b>					
Benton County	21.7%	66.2%	11.8%	0.3%	26,854
Chisago County	31.7%	47.8%	16.5%	4.0%	39,714
Mille Lacs County	15.9%	69.7%	14.1%	0.4%	19,368
Sherburne County	25.0%	58.8%	14.5%	1.7%	62,306
Stearns County	21.9%	60.7%	16.3%	1.1%	116,415
Entire five-county region	23.6%	59.5%	15.3%	1.5%	264,657

---

**35. Yesterday, how many 6 ounce servings of 100% fruit juice did you drink?**

	0 servings	1-2 servings	3-4 servings	5 or more servings	Total
<b>St. Cloud metro area total</b>	68.4%	30.2%	1.4%	0.0%	96,363
<b>Gender</b>					
Female	73.3%	26.3%	0.5%	0.0%	48,386
Male	63.6%	33.9%	2.4%	0.1%	47,824
<b>Age</b>					
18-34	74.6%	23.2%	2.2%	0.0%	41,457
35-44	63.9%	34.7%	1.4%	0.0%	13,398
45-54	66.9%	32.8%	0.2%	0.2%	16,130
55-64	77.2%	22.5%	0.2%	0.0%	12,252
65-74	58.8%	37.8%	3.3%	0.0%	6,286
75+	31.9%	67.9%	0.2%	0.0%	6,039
<b>Highest level of education</b>					
Less than high school diploma/GED	78.8%	21.2%	0.0%	0.0%	1,345
High school diploma/GED	77.4%	22.0%	0.5%	0.0%	19,736
Some college or AA degree	60.2%	37.0%	2.8%	0.0%	33,834
Bachelor's degree or higher	70.5%	28.7%	0.9%	0.0%	40,989
<b>Household income (in 2012)</b>					
Less than \$20,000	67.8%	31.0%	0.9%	0.3%	9,742
\$20,000 - \$34,999	69.2%	30.2%	0.6%	0.0%	12,713
\$35,000 - \$49,999	71.3%	21.0%	7.7%	0.0%	13,783
\$50,000 - \$99,999	67.2%	32.5%	0.3%	0.0%	36,298
\$100,000+	70.0%	29.9%	0.1%	0.0%	21,095
<b>Household type</b>					
Single adult, no children	67.2%	31.7%	0.9%	0.2%	14,237
2+ adults, no children	70.2%	28.3%	1.5%	0.0%	44,840
Single adult, 1+ children	69.7%	30.3%	0.0%	0.0%	2,800
2+ adults, 1+ children	66.7%	31.5%	1.8%	0.0%	33,891
<b>All areas included in the study</b>					
Benton County	64.6%	31.5%	3.8%	0.1%	26,110
Chisago County	68.4%	30.1%	1.2%	0.4%	39,725
Mille Lacs County	58.5%	40.0%	0.5%	1.0%	19,428
Sherburne County	63.3%	32.5%	2.8%	1.3%	62,146
Stearns County	69.2%	29.6%	0.8%	0.5%	116,222
Entire five-county region	66.4%	31.3%	1.6%	0.7%	263,631

**36. A serving of vegetables is a half cup of any vegetable or one cup of salad greens. Yesterday, how many servings of vegetables did you eat?**

	0 servings	1-2 servings	3-4 servings	5 or more servings	Total
<b>St. Cloud metro area total</b>	20.8%	55.5%	21.2%	2.5%	97,059
<b>Gender</b>					
Female	10.6%	60.8%	26.3%	2.3%	48,398
Male	31.2%	49.9%	16.2%	2.7%	48,410
<b>Age</b>					
18-34	38.6%	43.5%	16.0%	2.0%	40,874
35-44	6.4%	61.9%	27.4%	4.4%	13,963
45-54	8.7%	58.1%	28.9%	4.3%	16,143
55-64	12.3%	62.5%	22.9%	2.3%	12,252
65-74	2.3%	71.3%	26.0%	0.3%	6,299
75+	7.5%	76.3%	15.6%	0.6%	6,630
<b>Highest level of education</b>					
Less than high school diploma/GED	42.5%	53.6%	3.9%	0.0%	1,761
High school diploma/GED	46.9%	45.2%	6.1%	1.7%	19,765
Some college or AA degree	17.7%	54.9%	24.1%	3.3%	33,830
Bachelor's degree or higher	10.2%	60.6%	27.0%	2.3%	41,149
<b>Household income (in 2012)</b>					
Less than \$20,000	35.8%	53.6%	9.8%	0.7%	9,591
\$20,000 - \$34,999	27.8%	59.6%	11.5%	1.0%	12,725
\$35,000 - \$49,999	23.9%	53.4%	15.5%	7.2%	13,783
\$50,000 - \$99,999	13.3%	60.9%	23.8%	2.0%	36,897
\$100,000+	22.3%	44.0%	32.3%	1.5%	21,095
<b>Household type</b>					
Single adult, no children	26.6%	50.9%	19.3%	3.2%	14,405
2+ adults, no children	13.6%	65.4%	18.3%	2.6%	45,288
Single adult, 1+ children	17.7%	66.2%	16.1%	0.0%	3,365
2+ adults, 1+ children	28.5%	42.5%	26.8%	2.2%	33,309
<b>All areas included in the study</b>					
Benton County	14.8%	63.5%	20.1%	1.5%	26,925
Chisago County	13.7%	62.9%	16.8%	6.6%	39,753
Mille Lacs County	9.3%	70.8%	17.6%	2.2%	19,238
Sherburne County	14.6%	61.9%	18.5%	5.0%	62,350
Stearns County	21.3%	55.2%	21.5%	2.0%	116,446
Entire five-county region	17.1%	59.9%	19.7%	3.3%	264,713



---

**37. Number of fruits and vegetables eaten yesterday (Mean, calculated variable)**

	Mean	Total
<b>St. Cloud metro area total</b>	3.6	95,221
<b>Gender</b>		
Female	4.0	47,272
Male	3.2	47,796
<b>Age</b>		
18-34	3.0	40,874
35-44	4.1	13,380
45-54	4.2	15,838
55-64	3.9	12,203
65-74	3.9	6,102
75+	4.1	6,023
<b>Highest level of education</b>		
Less than high school diploma/GED	1.5	1,345
High school diploma/GED	2.4	19,736
Some college or AA degree	3.8	32,922
Bachelor's degree or higher	4.1	40,788
<b>Household income (in 2012)</b>		
Less than \$20,000	2.7	9,116
\$20,000 - \$34,999	2.8	12,695
\$35,000 - \$49,999	3.8	13,599
\$50,000 - \$99,999	3.7	36,298
\$100,000+	3.9	20,831
<b>Household type</b>		
Single adult, no children	3.4	14,144
2+ adults, no children	3.7	44,391
Single adult, 1+ children	3.0	2,783
2+ adults, 1+ children	3.6	33,309
<b>All areas included in the study</b>		
Benton County	3.5	25,997
Chisago County	3.9	39,472
Mille Lacs County	3.8	19,113
Sherburne County	3.9	61,828
Stearns County	3.5	115,025
Entire five-county region	3.7	261,435

---

**38. Number of fruits and vegetables eaten yesterday (calculated variable)**

	0 servings	1-2 servings	3-4 servings	5 or more servings	Total
<b>St. Cloud metro area total</b>	7.3%	26.3%	31.4%	35.0%	95,221
<b>Gender</b>					
Female	5.7%	18.4%	35.4%	40.6%	47,272
Male	8.9%	34.2%	27.6%	29.3%	47,796
<b>Age</b>					
18-34	11.9%	31.3%	30.4%	26.4%	40,874
35-44	3.5%	29.9%	24.1%	42.5%	13,380
45-54	3.0%	20.7%	30.7%	45.6%	15,838
55-64	8.0%	20.9%	35.1%	36.0%	12,203
65-74	0.2%	22.8%	36.8%	40.2%	6,102
75+	1.8%	17.1%	40.2%	40.9%	6,023
<b>Highest level of education</b>					
Less than high school diploma/GED	43.3%	30.0%	19.2%	7.5%	1,345
High school diploma/GED	17.8%	42.7%	21.0%	18.6%	19,736
Some college or AA degree	6.3%	27.0%	26.2%	40.5%	32,922
Bachelor's degree or higher	1.9%	17.9%	40.9%	39.3%	40,788
<b>Household income (in 2012)</b>					
Less than \$20,000	22.8%	22.4%	25.8%	28.9%	9,116
\$20,000 - \$34,999	23.5%	20.5%	35.2%	20.8%	12,695
\$35,000 - \$49,999	7.4%	24.7%	28.0%	40.0%	13,599
\$50,000 - \$99,999	2.3%	25.8%	37.2%	34.7%	36,298
\$100,000+	0.2%	33.3%	24.5%	42.1%	20,831
<b>Household type</b>					
Single adult, no children	6.4%	29.0%	33.7%	30.9%	14,144
2+ adults, no children	10.6%	18.0%	37.4%	34.0%	44,391
Single adult, 1+ children	11.3%	42.9%	16.4%	29.5%	2,783
2+ adults, 1+ children	3.0%	34.9%	23.5%	38.6%	33,309
<b>All areas included in the study</b>					
Benton County	4.9%	29.2%	34.5%	31.4%	25,997
Chisago County	7.3%	28.0%	30.7%	34.0%	39,472
Mille Lacs County	4.3%	18.0%	46.9%	30.7%	19,113
Sherburne County	6.2%	24.4%	33.0%	36.4%	61,828
Stearns County	9.0%	26.9%	30.2%	33.9%	115,025
Entire five-county region	7.3%	26.0%	32.6%	34.0%	261,435

**39. During the past 7 days, how many times did you eat from a fast food restaurant, including carry-out or delivery?**

	0 times	1-2 times	3-6 times	7-10 times	11-14 times	15 or more times	Total
<b>St. Cloud metro area total</b>	25.1%	52.3%	21.3%	1.3%	0.0%	0.0%	97,795
<b>Gender</b>							
Female	33.3%	53.1%	11.0%	2.5%	0.0%	0.0%	49,045
Male	16.4%	51.8%	31.7%	0.0%	0.0%	0.0%	48,499
<b>Age</b>							
18-34	11.5%	49.7%	35.9%	2.9%	0.0%	0.0%	41,484
35-44	30.9%	45.9%	23.2%	0.0%	0.0%	0.0%	13,963
45-54	24.6%	68.0%	7.1%	0.2%	0.1%	0.0%	16,143
55-64	37.5%	56.7%	5.8%	0.0%	0.0%	0.0%	12,181
65-74	40.8%	49.4%	9.8%	0.0%	0.0%	0.0%	6,299
75+	59.8%	39.9%	0.0%	0.3%	0.0%	0.0%	6,827
<b>Highest level of education</b>							
Less than high school diploma/GED	49.9%	50.1%	0.0%	0.0%	0.0%	0.0%	2,006
High school diploma/GED	25.2%	46.4%	28.4%	0.0%	0.0%	0.0%	19,712
Some college or AA degree	22.8%	58.1%	18.9%	0.2%	0.0%	0.0%	34,373
Bachelor's degree or higher	25.3%	51.2%	20.6%	2.9%	0.0%	0.0%	41,149
<b>Household income (in 2012)</b>							
Less than \$20,000	24.2%	70.6%	4.4%	0.8%	0.0%	0.0%	10,323
\$20,000 - \$34,999	24.1%	67.6%	8.4%	0.0%	0.0%	0.0%	12,672
\$35,000 - \$49,999	21.8%	62.3%	15.9%	0.0%	0.1%	0.0%	13,783
\$50,000 - \$99,999	24.5%	45.3%	27.0%	3.2%	0.0%	0.0%	36,826
\$100,000+	27.9%	39.1%	33.0%	0.0%	0.0%	0.0%	21,095
<b>Household type</b>							
Single adult, no children	32.9%	61.7%	5.4%	0.0%	0.0%	0.0%	14,474
2+ adults, no children	28.7%	54.6%	16.5%	0.2%	0.0%	0.0%	45,238
Single adult, 1+ children	23.2%	51.0%	25.5%	0.0%	0.4%	0.0%	3,365
2+ adults, 1+ children	16.6%	46.2%	33.8%	3.4%	0.0%	0.0%	33,891
<b>All areas included in the study</b>							
Benton County	32.9%	51.5%	14.1%	1.4%	0.0%	0.0%	27,028
Chisago County	31.4%	59.7%	7.9%	0.6%	0.3%	0.0%	40,040
Mille Lacs County	38.6%	48.1%	9.9%	3.3%	0.0%	0.0%	19,482
Sherburne County	32.5%	50.7%	14.4%	1.5%	0.6%	0.3%	62,493
Stearns County	28.3%	51.7%	18.9%	1.0%	0.0%	0.1%	117,390
Entire five-county region	31.0%	52.4%	15.1%	1.3%	0.2%	0.1%	266,433

**40. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies? (Mean)**

	<b>Mean</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	210.3	95,811
<b>Gender</b>		
Female	183.3	47,430
Male	237.2	48,228
<b>Age</b>		
18-34	248.1	40,901
35-44	184.7	13,946
45-54	177.7	15,919
55-64	205.3	11,728
65-74	165.4	6,299
75+	153.5	6,219
<b>Highest level of education</b>		
Less than high school diploma/GED	142.1	885
High school diploma/GED	319.8	19,552
Some college or AA degree	197.2	34,086
Bachelor's degree or higher	171.0	40,830
<b>Household income (in 2012)</b>		
Less than \$20,000	222.1	9,099
\$20,000 - \$34,999	176.1	12,621
\$35,000 - \$49,999	214.5	13,762
\$50,000 - \$99,999	165.1	36,660
\$100,000+	302.1	20,794
<b>Household type</b>		
Single adult, no children	188.4	14,419
2+ adults, no children	188.7	43,514
Single adult, 1+ children	173.6	3,365
2+ adults, 1+ children	252.8	33,891
<b>All areas included in the study</b>		
Benton County	194.6	26,598
Chisago County	154.5	39,944
Mille Lacs County	172.9	19,280
Sherburne County	182.1	62,170
Stearns County	191.8	115,040
Entire five-county region	182.7	263,032

**41. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies?**

	0 minutes	Less than 1 hour	1 hour to less than 2 hours	2 hour to less than 3 hours	3 hour to less than 4 hours	4 hour to less than 5 hours	5 or more hours	Total
<b>St. Cloud metro area total</b>	2.7%	4.9%	17.6%	26.2%	21.3%	9.1%	18.2%	95,811
<b>Gender</b>								
Female	2.5%	5.9%	21.5%	27.2%	17.6%	8.5%	16.8%	47,430
Male	2.9%	4.0%	13.5%	25.3%	24.9%	9.7%	19.7%	48,228
<b>Age</b>								
18-34	0.7%	2.7%	14.8%	28.5%	27.5%	3.5%	22.3%	40,901
35-44	2.6%	1.6%	22.6%	19.8%	19.6%	19.9%	13.9%	13,946
45-54	2.0%	7.6%	21.0%	36.5%	11.2%	7.1%	14.6%	15,919
55-64	2.9%	12.7%	18.5%	18.8%	18.3%	10.3%	18.5%	11,728
65-74	5.0%	7.7%	11.5%	26.3%	21.7%	16.5%	11.3%	6,299
75+	15.9%	2.4%	19.9%	17.2%	15.1%	14.9%	14.5%	6,219
<b>Highest level of education</b>								
Less than high school diploma/GED	32.5%	0.0%	0.0%	49.2%	1.8%	8.5%	7.9%	885
High school diploma/GED	7.6%	3.5%	8.3%	25.8%	8.7%	9.9%	36.1%	19,552
Some college or AA degree	1.9%	5.8%	18.0%	19.9%	25.7%	10.9%	17.7%	34,086
Bachelor's degree or higher	0.4%	4.9%	21.9%	31.5%	24.2%	6.7%	10.5%	40,830
<b>Household income (in 2012)</b>								
Less than \$20,000	12.4%	1.5%	14.1%	19.7%	17.7%	11.3%	23.3%	9,099
\$20,000 - \$34,999	6.7%	6.1%	13.2%	41.0%	8.1%	9.8%	15.1%	12,621
\$35,000 - \$49,999	0.9%	4.6%	14.7%	18.5%	24.4%	10.0%	26.9%	13,762
\$50,000 - \$99,999	0.3%	5.0%	17.8%	28.4%	32.9%	8.4%	7.2%	36,660
\$100,000+	0.1%	6.1%	21.6%	23.6%	9.8%	7.6%	31.1%	20,794

**41. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies? (continued)**

	0 minutes	Less than 1 hour	1 hour to less than 2 hours	2 hour to less than 3 hours	3 hour to less than 4 hours	4 hour to less than 5 hours	5 or more hours	Total
<b>Household type</b>								
Single adult, no children	10.5%	3.8%	9.8%	26.2%	13.7%	18.9%	17.2%	14,419
2+ adults, no children	1.6%	6.8%	20.2%	24.8%	24.5%	6.2%	15.8%	43,514
Single adult, 1+ children	8.4%	2.5%	11.4%	25.6%	12.1%	36.9%	3.0%	3,365
2+ adults, 1+ children	0.0%	3.1%	17.9%	28.4%	21.6%	5.5%	23.5%	33,891
<b>All areas included in the study</b>								
Benton County	5.5%	11.2%	16.1%	21.4%	15.7%	10.9%	19.3%	26,598
Chisago County	2.4%	7.4%	26.3%	26.7%	15.9%	9.8%	11.5%	39,944
Mille Lacs County	7.9%	4.5%	17.6%	27.3%	13.8%	11.5%	17.5%	19,280
Sherburne County	2.2%	7.3%	17.9%	26.9%	18.7%	8.6%	18.5%	62,170
Stearns County	3.5%	4.9%	19.1%	28.2%	19.7%	9.3%	15.3%	115,040
Entire five-county region	3.6%	6.5%	19.5%	26.9%	18.0%	9.5%	16.0%	263,032

**42. During an average week, whether at work, at home, or anywhere else, on how many days do you get at least 30 minutes of moderate physical activity? (Moderate exercise 3+ days)**

	Moderate exercise on 0-2 days per week	Moderate exercise on 3 or more days per week	Total
<b>St. Cloud metro area total</b>	28.8%	71.2%	96,190
<b>Gender</b>			
Female	32.1%	67.9%	47,761
Male	25.5%	74.5%	48,178
<b>Age</b>			
18-34	27.9%	72.1%	41,457
35-44	17.4%	82.6%	13,565
45-54	33.7%	66.3%	16,074
55-64	36.2%	63.8%	12,030
65-74	26.5%	73.5%	6,288
75+	34.9%	65.1%	5,878
<b>Highest level of education</b>			
Less than high school diploma/GED	19.3%	80.7%	1,329
High school diploma/GED	42.5%	57.5%	19,306
Some college or AA degree	24.9%	75.1%	34,176
Bachelor's degree or higher	25.6%	74.4%	40,851
<b>Household income (in 2012)</b>			
Less than \$20,000	45.7%	54.3%	9,472
\$20,000 - \$34,999	29.1%	70.9%	12,685
\$35,000 - \$49,999	17.3%	82.7%	13,735
\$50,000 - \$99,999	17.9%	82.1%	36,369
\$100,000+	45.5%	54.5%	21,095
<b>Household type</b>			
Single adult, no children	25.8%	74.2%	14,032
2+ adults, no children	25.7%	74.3%	44,328
Single adult, 1+ children	31.8%	68.2%	3,365
2+ adults, 1+ children	33.3%	66.7%	33,772
<b>All areas included in the study</b>			
Benton County	33.6%	66.4%	26,641
Chisago County	31.7%	68.3%	39,791
Mille Lacs County	39.0%	61.0%	19,387
Sherburne County	32.4%	67.6%	62,254
Stearns County	29.1%	70.9%	115,181
Entire five-county region	31.5%	68.5%	263,254

**43. During an average week, whether at work, at home, or anywhere else, on how many days do you get at least 30 minutes of moderate physical activity? (Moderate exercise 5+ days)**

	Moderate exercise on 0-4 days per week	Moderate exercise on 5 or more days per week	Total
<b>St. Cloud metro area total</b>	67.0%	33.0%	96,190
<b>Gender</b>			
Female	75.0%	25.0%	47,761
Male	59.3%	40.7%	48,178
<b>Age</b>			
18-34	74.8%	25.2%	41,457
35-44	47.2%	52.8%	13,565
45-54	74.2%	25.8%	16,074
55-64	60.1%	39.9%	12,030
65-74	54.3%	45.7%	6,288
75+	66.9%	33.1%	5,878
<b>Highest level of education</b>			
Less than high school diploma/GED	83.3%	16.7%	1,329
High school diploma/GED	62.5%	37.5%	19,306
Some college or AA degree	68.9%	31.1%	34,176
Bachelor's degree or higher	67.2%	32.8%	40,851
<b>Household income (in 2012)</b>			
Less than \$20,000	80.7%	19.3%	9,472
\$20,000 - \$34,999	57.7%	42.3%	12,685
\$35,000 - \$49,999	45.5%	54.5%	13,735
\$50,000 - \$99,999	76.5%	23.5%	36,369
\$100,000+	64.9%	35.1%	21,095
<b>Household type</b>			
Single adult, no children	56.2%	43.8%	14,032
2+ adults, no children	63.7%	36.3%	44,328
Single adult, 1+ children	49.5%	50.5%	3,365
2+ adults, 1+ children	77.6%	22.4%	33,772
<b>All areas included in the study</b>			
Benton County	60.9%	39.1%	26,641
Chisago County	52.2%	47.8%	39,791
Mille Lacs County	61.7%	38.3%	19,387
Sherburne County	60.6%	39.4%	62,254
Stearns County	65.3%	34.7%	115,181
Entire five-county region	61.5%	38.5%	263,254



---

**44. How often do you feel safe in your community?**

	<b>Always</b>	<b>Often</b>	<b>Sometimes</b>	<b>Never</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	42.6%	46.9%	9.0%	1.5%	97,157
<b>Gender</b>					
Female	44.5%	45.3%	8.1%	2.1%	48,393
Male	40.4%	48.7%	9.9%	1.0%	48,513
<b>Age</b>					
18-34	27.3%	56.6%	13.2%	2.8%	40,901
35-44	59.9%	29.8%	10.1%	0.2%	13,963
45-54	46.3%	49.8%	2.7%	1.2%	16,143
55-64	43.4%	48.6%	7.3%	0.7%	12,195
65-74	54.5%	40.8%	4.7%	0.0%	6,299
75+	77.4%	17.7%	4.6%	0.3%	6,758
<b>Highest level of education</b>					
Less than high school diploma/GED	42.6%	20.4%	8.0%	29.0%	2,006
High school diploma/GED	31.8%	41.4%	26.4%	0.4%	19,765
Some college or AA degree	39.6%	53.6%	6.0%	0.7%	33,821
Bachelor's degree or higher	50.1%	45.3%	3.1%	1.5%	41,010
<b>Household income (in 2012)</b>					
Less than \$20,000	35.1%	29.9%	28.0%	7.1%	9,757
\$20,000 - \$34,999	26.8%	41.5%	30.8%	0.8%	12,725
\$35,000 - \$49,999	43.4%	47.1%	5.9%	3.6%	13,783
\$50,000 - \$99,999	50.2%	48.7%	1.0%	0.1%	36,826
\$100,000+	41.4%	54.9%	2.9%	0.8%	21,095
<b>Household type</b>					
Single adult, no children	59.1%	30.2%	10.1%	0.6%	14,419
2+ adults, no children	35.0%	49.7%	12.5%	2.8%	45,238
Single adult, 1+ children	59.6%	36.0%	4.4%	0.0%	3,365
2+ adults, 1+ children	43.6%	51.9%	4.0%	0.4%	33,309
<b>All areas included in the study</b>					
Benton County	54.3%	39.4%	5.8%	0.5%	27,101
Chisago County	66.9%	30.9%	1.8%	0.4%	40,004
Mille Lacs County	62.9%	33.6%	2.8%	0.6%	19,430
Sherburne County	67.5%	28.7%	2.6%	1.2%	62,486
Stearns County	52.9%	38.9%	7.3%	0.8%	116,842
Entire five-county region	59.3%	35.0%	4.9%	0.8%	265,863

**45. Are you in a relationship where you are (or have ever been) physically hurt, threatened, or made to feel afraid?**

	<b>Yes</b>	<b>No</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	5.7%	94.3%	97,817
<b>Gender</b>			
Female	8.9%	91.1%	49,053
Male	2.5%	97.5%	48,513
<b>Age</b>			
18-34	5.2%	94.8%	41,439
35-44	11.6%	88.4%	13,963
45-54	5.0%	95.0%	16,143
55-64	6.2%	93.8%	12,195
65-74	3.4%	96.6%	6,299
75+	0.2%	99.8%	6,880
<b>Highest level of education</b>			
Less than high school diploma/GED	38.3%	61.7%	2,006
High school diploma/GED	5.3%	94.7%	19,765
Some college or AA degree	7.3%	92.7%	34,343
Bachelor's degree or higher	3.1%	96.9%	41,149
<b>Household income (in 2012)</b>			
Less than \$20,000	17.2%	82.8%	10,323
\$20,000 - \$34,999	2.9%	97.1%	12,681
\$35,000 - \$49,999	11.8%	88.2%	13,783
\$50,000 - \$99,999	2.8%	97.2%	36,826
\$100,000+	3.7%	96.3%	21,095
<b>Household type</b>			
Single adult, no children	0.5%	99.5%	14,542
2+ adults, no children	7.8%	92.2%	45,238
Single adult, 1+ children	12.9%	87.1%	3,365
2+ adults, 1+ children	4.5%	95.5%	33,847
<b>All areas included in the study</b>			
Benton County	3.9%	96.1%	27,057
Chisago County	5.4%	94.6%	40,040
Mille Lacs County	3.2%	96.8%	19,482
Sherburne County	2.7%	97.3%	62,490
Stearns County	5.0%	95.0%	117,451
Entire five-county region	4.3%	95.7%	266,520

---

**46. How often do you wear a seat belt when you drive or ride in a car or other vehicle?**

	<b>Always</b>	<b>Often</b>	<b>Sometimes</b>	<b>Never</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	94.3%	4.0%	0.4%	1.3%	97,563
<b>Gender</b>					
Female	95.0%	4.8%	0.2%	0.0%	49,011
Male	93.6%	3.2%	0.7%	2.5%	48,301
<b>Age</b>					
18-34	93.7%	5.4%	0.9%	0.0%	41,484
35-44	90.9%	0.3%	0.0%	8.8%	13,963
45-54	95.5%	4.2%	0.3%	0.0%	16,143
55-64	93.5%	6.5%	0.0%	0.0%	12,266
65-74	100.0%	0.0%	0.0%	0.0%	6,196
75+	98.0%	2.0%	0.0%	0.0%	6,896
<b>Highest level of education</b>					
Less than high school diploma/GED	100.0%	0.0%	0.0%	0.0%	2,006
High school diploma/GED	97.8%	1.9%	0.3%	0.0%	19,765
Some college or AA degree	94.8%	5.0%	0.1%	0.0%	34,088
Bachelor's degree or higher	91.9%	4.4%	0.8%	3.0%	41,149
<b>Household income (in 2012)</b>					
Less than \$20,000	99.9%	0.1%	0.0%	0.0%	10,329
\$20,000 - \$34,999	95.1%	4.4%	0.5%	0.0%	12,725
\$35,000 - \$49,999	91.1%	8.9%	0.0%	0.0%	13,783
\$50,000 - \$99,999	96.8%	2.3%	0.9%	0.0%	36,804
\$100,000+	88.1%	5.9%	0.2%	5.8%	21,095
<b>Household type</b>					
Single adult, no children	98.1%	1.9%	0.0%	0.0%	14,172
2+ adults, no children	92.2%	7.0%	0.8%	0.0%	45,309
Single adult, 1+ children	99.2%	0.8%	0.0%	0.0%	3,365
2+ adults, 1+ children	95.0%	1.2%	0.2%	3.6%	33,891
<b>All areas included in the study</b>					
Benton County	95.3%	3.5%	0.9%	0.2%	26,836
Chisago County	87.1%	5.0%	6.4%	1.5%	39,858
Mille Lacs County	93.5%	4.5%	1.2%	0.8%	19,186
Sherburne County	94.6%	3.5%	1.4%	0.6%	62,551
Stearns County	94.4%	3.8%	0.7%	1.2%	117,471
Entire five-county region	93.4%	3.9%	1.8%	1.0%	265,902

---

**47. Do you ever drive a car or other vehicle?**

	Yes	No	Total
<b>St. Cloud metro area total</b>	95.0%	5.0%	97,857
<b>Gender</b>			
Female	92.5%	7.5%	49,022
Male	97.7%	2.3%	48,584
<b>Age</b>			
18-34	94.1%	5.9%	41,484
35-44	97.2%	2.8%	13,963
45-54	98.2%	1.8%	16,143
55-64	95.7%	4.3%	12,266
65-74	97.7%	2.3%	6,207
75+	86.3%	13.7%	6,896
<b>Highest level of education</b>			
Less than high school diploma/GED	58.9%	41.1%	2,006
High school diploma/GED	92.9%	7.1%	19,765
Some college or AA degree	94.7%	5.3%	34,382
Bachelor's degree or higher	98.3%	1.7%	41,149
<b>Household income (in 2012)</b>			
Less than \$20,000	78.0%	22.0%	10,340
\$20,000 - \$34,999	97.3%	2.7%	12,725
\$35,000 - \$49,999	97.1%	2.9%	13,783
\$50,000 - \$99,999	96.4%	3.6%	36,804
\$100,000+	99.5%	0.5%	21,095
<b>Household type</b>			
Single adult, no children	87.4%	12.6%	14,466
2+ adults, no children	95.8%	4.2%	45,309
Single adult, 1+ children	98.6%	1.4%	3,365
2+ adults, 1+ children	97.5%	2.5%	33,891
<b>All areas included in the study</b>			
Benton County	94.8%	5.2%	27,116
Chisago County	98.4%	1.6%	40,040
Mille Lacs County	94.0%	6.0%	19,186
Sherburne County	97.0%	3.0%	62,689
Stearns County	96.5%	3.5%	117,359
Entire five-county region	96.6%	3.4%	266,390

**48. (Of those who said they drive) When driving a car or other vehicle, how often do you read incoming text messages or emails?**

	<b>Often</b>	<b>Sometimes</b>	<b>Never</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	9.1%	53.7%	37.2%	89,573
<b>Gender</b>				
Female	4.9%	48.7%	46.4%	42,754
Male	12.9%	58.5%	28.6%	46,666
<b>Age</b>				
18-34	16.6%	69.0%	14.4%	38,977
35-44	2.3%	77.3%	20.4%	13,075
45-54	5.4%	50.2%	44.4%	15,288
55-64	2.2%	27.4%	70.4%	11,318
65-74	0.0%	3.3%	96.7%	5,479
75+	0.0%	3.2%	96.8%	4,636
<b>Highest level of education</b>				
Less than high school diploma/GED	0.0%	0.0%	100.0%	1,076
High school diploma/GED	26.1%	31.2%	42.7%	17,059
Some college or AA degree	4.2%	58.4%	37.4%	31,733
Bachelor's degree or higher	5.9%	61.7%	32.3%	39,285
<b>Household income (in 2012)</b>				
Less than \$20,000	1.0%	42.0%	57.0%	7,409
\$20,000 - \$34,999	0.4%	50.4%	49.2%	11,606
\$35,000 - \$49,999	4.7%	47.3%	48.0%	13,285
\$50,000 - \$99,999	6.5%	63.3%	30.2%	34,076
\$100,000+	21.9%	52.2%	25.8%	20,953
<b>Household type</b>				
Single adult, no children	7.9%	40.3%	51.8%	11,972
2+ adults, no children	5.4%	47.9%	46.7%	40,895
Single adult, 1+ children	10.7%	74.3%	15.0%	3,229
2+ adults, 1+ children	13.8%	64.5%	21.6%	33,010
<b>All areas included in the study</b>				
Benton County	4.4%	40.4%	55.2%	24,465
Chisago County	9.7%	40.2%	50.1%	38,155
Mille Lacs County	2.5%	37.8%	59.7%	16,894
Sherburne County	5.2%	44.4%	50.4%	58,353
Stearns County	7.9%	49.1%	43.0%	108,369
Entire five-county region	6.8%	45.0%	48.2%	246,236

**49. (Of those who said they drive) When driving a car or other vehicle, how often do you send text messages or emails?**

	<b>Often</b>	<b>Sometimes</b>	<b>Never</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	7.8%	36.7%	55.5%	89,362
<b>Gender</b>				
Female	2.9%	36.1%	61.0%	42,796
Male	12.3%	37.5%	50.3%	46,412
<b>Age</b>				
18-34	14.1%	47.2%	38.7%	38,977
35-44	4.5%	52.1%	43.4%	13,075
45-54	4.1%	38.1%	57.8%	15,128
55-64	2.3%	13.6%	84.1%	11,231
65-74	0.0%	0.2%	99.8%	5,479
75+	0.0%	0.0%	100.0%	4,673
<b>Highest level of education</b>				
Less than high school diploma/GED	0.0%	0.0%	100.0%	1,076
High school diploma/GED	25.0%	23.6%	51.4%	17,112
Some college or AA degree	3.1%	43.3%	53.7%	31,899
Bachelor's degree or higher	4.4%	38.6%	57.1%	38,872
<b>Household income (in 2012)</b>				
Less than \$20,000	0.4%	40.2%	59.4%	7,446
\$20,000 - \$34,999	0.4%	41.5%	58.1%	11,606
\$35,000 - \$49,999	4.7%	42.7%	52.6%	13,285
\$50,000 - \$99,999	5.1%	32.3%	62.6%	33,989
\$100,000+	21.8%	36.7%	41.5%	20,793
<b>Household type</b>				
Single adult, no children	5.5%	36.9%	57.6%	12,009
2+ adults, no children	3.5%	31.7%	64.8%	40,647
Single adult, 1+ children	0.8%	36.2%	63.0%	3,229
2+ adults, 1+ children	14.5%	43.5%	42.0%	33,010
<b>All areas included in the study</b>				
Benton County	1.2%	22.8%	75.9%	24,484
Chisago County	8.5%	20.3%	71.2%	38,155
Mille Lacs County	0.9%	15.9%	83.2%	16,894
Sherburne County	3.2%	30.4%	66.4%	58,397
Stearns County	7.0%	33.9%	59.2%	108,202
Entire five-county region	5.3%	28.6%	66.1%	246,133

**50. (Of those who said they drive) When driving a car or other vehicle, how often do you make or answer a phone call?**

	<b>Often</b>	<b>Sometimes</b>	<b>Never</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	26.3%	61.7%	12.1%	89,604
<b>Gender</b>				
Female	25.6%	59.4%	15.0%	42,813
Male	26.9%	64.0%	9.1%	46,638
<b>Age</b>				
18-34	32.6%	64.2%	3.3%	38,977
35-44	30.3%	68.3%	1.4%	13,075
45-54	38.7%	51.6%	9.6%	15,100
55-64	5.1%	78.1%	16.7%	11,484
65-74	0.6%	60.7%	38.6%	5,479
75+	2.3%	25.7%	72.0%	4,689
<b>Highest level of education</b>				
Less than high school diploma/GED	1.4%	48.5%	50.2%	1,076
High school diploma/GED	31.2%	48.1%	20.7%	17,084
Some college or AA degree	30.1%	62.8%	7.1%	31,899
Bachelor's degree or higher	21.9%	67.6%	10.5%	39,125
<b>Household income (in 2012)</b>				
Less than \$20,000	19.5%	49.3%	31.3%	7,434
\$20,000 - \$34,999	15.4%	60.7%	23.9%	11,606
\$35,000 - \$49,999	15.5%	66.9%	17.5%	13,285
\$50,000 - \$99,999	26.9%	66.0%	7.2%	34,242
\$100,000+	41.9%	55.9%	2.1%	20,793
<b>Household type</b>				
Single adult, no children	15.9%	60.8%	23.3%	11,997
2+ adults, no children	19.0%	65.8%	15.2%	40,900
Single adult, 1+ children	20.6%	69.9%	9.5%	3,229
2+ adults, 1+ children	39.8%	56.8%	3.4%	33,010
<b>All areas included in the study</b>				
Benton County	28.2%	58.3%	13.5%	24,490
Chisago County	33.8%	53.6%	12.6%	37,896
Mille Lacs County	25.3%	58.2%	16.5%	16,822
Sherburne County	28.0%	61.4%	10.5%	58,291
Stearns County	25.5%	62.3%	12.1%	107,813
Entire five-county region	27.7%	60.1%	12.2%	245,312

**51. (Of those who said they drive) When driving a car or other vehicle, how often do you do other activities such as eat, read, or apply makeup or shave?**

	<b>Often</b>	<b>Sometimes</b>	<b>Never</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	3.6%	44.6%	51.8%	90,774
<b>Gender</b>				
Female	3.5%	36.9%	59.6%	44,738
Male	3.7%	52.3%	44.0%	45,882
<b>Age</b>				
18-34	3.8%	55.4%	40.8%	38,685
35-44	7.7%	37.8%	54.5%	13,388
45-54	4.1%	39.8%	56.1%	14,794
55-64	0.4%	50.0%	49.6%	11,473
65-74	0.0%	23.1%	76.9%	5,975
75+	2.2%	12.0%	85.8%	5,659
<b>Highest level of education</b>				
Less than high school diploma/GED	1.2%	15.6%	83.1%	1,182
High school diploma/GED	0.3%	37.1%	62.6%	18,088
Some college or AA degree	2.2%	42.6%	55.3%	32,466
Bachelor's degree or higher	6.5%	51.2%	42.4%	38,635
<b>Household income (in 2012)</b>				
Less than \$20,000	5.6%	21.1%	73.2%	8,046
\$20,000 - \$34,999	1.4%	30.5%	68.1%	12,002
\$35,000 - \$49,999	0.3%	25.2%	74.4%	13,378
\$50,000 - \$99,999	5.0%	56.4%	38.6%	34,758
\$100,000+	4.3%	58.5%	37.2%	19,898
<b>Household type</b>				
Single adult, no children	4.4%	31.7%	63.9%	12,228
2+ adults, no children	4.0%	36.1%	59.8%	42,700
Single adult, 1+ children	1.2%	52.8%	46.1%	3,317
2+ adults, 1+ children	3.0%	60.7%	36.3%	31,955
<b>All areas included in the study</b>				
Benton County	5.2%	34.5%	60.3%	25,277
Chisago County	10.8%	43.2%	46.0%	38,729
Mille Lacs County	4.9%	41.7%	53.4%	17,770
Sherburne County	5.8%	43.1%	51.0%	60,006
Stearns County	5.4%	44.0%	50.6%	110,553
Entire five-county region	6.3%	42.6%	51.2%	252,336



---

**52. In general, how often do you smoke cigarettes?**

	<b>Everyday</b>	<b>Some days</b>	<b>Never</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	9.9%	3.1%	87.0%	97,196
<b>Gender</b>				
Female	11.5%	2.9%	85.6%	48,973
Male	8.4%	3.3%	88.3%	47,972
<b>Age</b>				
18-34	8.9%	2.6%	88.5%	41,484
35-44	20.9%	5.0%	74.1%	13,351
45-54	9.8%	1.3%	88.9%	16,143
55-64	10.1%	8.4%	81.5%	12,266
65-74	0.4%	0.1%	99.5%	6,207
75+	0.2%	0.5%	99.3%	6,848
<b>Highest level of education</b>				
Less than high school diploma/GED	32.3%	0.0%	67.7%	1,973
High school diploma/GED	15.9%	1.4%	82.7%	19,765
Some college or AA degree	14.4%	5.1%	80.5%	33,753
Bachelor's degree or higher	2.3%	2.5%	95.2%	41,149
<b>Household income (in 2012)</b>				
Less than \$20,000	34.5%	3.0%	62.5%	10,307
\$20,000 - \$34,999	14.3%	2.1%	83.6%	12,725
\$35,000 - \$49,999	9.5%	1.8%	88.6%	13,783
\$50,000 - \$99,999	7.0%	4.9%	88.1%	36,804
\$100,000+	0.3%	2.0%	97.7%	20,483
<b>Household type</b>				
Single adult, no children	8.9%	2.0%	89.1%	14,433
2+ adults, no children	10.6%	3.7%	85.7%	44,697
Single adult, 1+ children	21.4%	19.4%	59.2%	3,365
2+ adults, 1+ children	8.5%	1.3%	90.2%	33,891
<b>All areas included in the study</b>				
Benton County	13.8%	6.8%	79.4%	27,116
Chisago County	13.2%	4.5%	82.3%	39,790
Mille Lacs County	12.9%	5.4%	81.7%	19,113
Sherburne County	11.4%	3.2%	85.4%	62,549
Stearns County	7.4%	1.6%	91.0%	116,859
Entire five-county region	10.3%	3.2%	86.5%	265,426

---

**53. Smoking status (calculated variable)**

	Non-smoker <sup>a</sup>	Current smoker <sup>b</sup>	Total
<b>St. Cloud metro area total</b>	87.0%	13.0%	97,196
<b>Gender</b>			
Female	85.6%	14.4%	48,973
Male	88.3%	11.7%	47,972
<b>Age</b>			
18-34	88.5%	11.5%	41,484
35-44	74.1%	25.9%	13,351
45-54	88.9%	11.1%	16,143
55-64	81.5%	18.5%	12,266
65-74	99.5%	0.5%	6,207
75+	99.3%	0.7%	6,848
<b>Highest level of education</b>			
Less than high school diploma/GED	67.7%	32.3%	1,973
High school diploma/GED	82.7%	17.3%	19,765
Some college or AA degree	80.5%	19.5%	33,753
Bachelor's degree or higher	95.2%	4.8%	41,149
<b>Household income (in 2012)</b>			
Less than \$20,000	62.5%	37.5%	10,307
\$20,000 - \$34,999	83.6%	16.4%	12,725
\$35,000 - \$49,999	88.6%	11.4%	13,783
\$50,000 - \$99,999	88.1%	11.9%	36,804
\$100,000+	97.7%	2.3%	20,483
<b>Household type</b>			
Single adult, no children	89.1%	10.9%	14,433
2+ adults, no children	85.7%	14.3%	44,697
Single adult, 1+ children	59.2%	40.8%	3,365
2+ adults, 1+ children	90.2%	9.8%	33,891
<b>All areas included in the study</b>			
Benton County	79.4%	20.6%	27,116
Chisago County	82.3%	17.7%	39,790
Mille Lacs County	81.7%	18.3%	19,113
Sherburne County	85.4%	14.6%	62,549
Stearns County	91.0%	9.0%	116,859
Entire five-county region	86.5%	13.5%	265,426

<sup>a</sup> Note: A respondent was determined to be a "non-smoker" if they answered "never" to question 25a: "In general, how often do you smoke cigarettes?"

<sup>b</sup> Note: A respondent was determined to be a "current smoker" if they answered "every day" or "some days" to question 25a: "In general, how often do you smoke cigarettes?"

---

**54. In general, how often do you chew tobacco?**

	Everyday	Some days	Never	Total
<b>St. Cloud metro area total</b>	1.8%	1.0%	97.1%	97,005
<b>Gender</b>				
Female	0.0%	0.0%	100.0%	49,065
Male	3.7%	2.1%	94.2%	47,688
<b>Age</b>				
18-34	3.4%	1.4%	95.2%	41,484
35-44	0.0%	0.0%	100.0%	13,351
45-54	2.2%	0.0%	97.8%	16,143
55-64	0.0%	3.4%	96.6%	12,266
65-74	0.0%	0.1%	99.9%	6,299
75+	0.0%	0.0%	100.0%	6,848
<b>Highest level of education</b>				
Less than high school diploma/GED	0.0%	0.0%	100.0%	1,973
High school diploma/GED	1.8%	1.0%	97.2%	19,765
Some college or AA degree	0.0%	1.6%	98.4%	33,562
Bachelor's degree or higher	3.5%	0.7%	95.9%	41,149
<b>Household income (in 2012)</b>				
Less than \$20,000	0.0%	2.9%	97.1%	10,307
\$20,000 - \$34,999	0.0%	0.0%	100.0%	12,725
\$35,000 - \$49,999	12.9%	0.0%	87.1%	13,783
\$50,000 - \$99,999	0.0%	0.8%	99.2%	36,897
\$100,000+	0.0%	2.0%	98.0%	20,483
<b>Household type</b>				
Single adult, no children	12.5%	2.7%	84.8%	14,242
2+ adults, no children	0.0%	1.4%	98.6%	44,697
Single adult, 1+ children	0.0%	0.0%	100.0%	3,365
2+ adults, 1+ children	0.0%	0.0%	100.0%	33,891
<b>All areas included in the study</b>				
Benton County	0.2%	4.9%	94.9%	26,827
Chisago County	3.6%	3.1%	93.3%	39,851
Mille Lacs County	1.3%	1.2%	97.5%	19,091
Sherburne County	2.5%	3.2%	94.2%	62,505
Stearns County	2.3%	0.8%	96.9%	116,951
Entire five-county region	2.3%	2.2%	95.6%	265,225

---

**55. Chewing tobacco user status (calculated variable)**

	Non-user <sup>a</sup>	Current user <sup>b</sup>	Total
<b>St. Cloud metro area total</b>	97.1%	2.9%	97,005
<b>Gender</b>			
Female	100.0%	0.0%	49,065
Male	94.2%	5.8%	47,688
<b>Age</b>			
18-34	95.2%	4.8%	41,484
35-44	100.0%	0.0%	13,351
45-54	97.8%	2.2%	16,143
55-64	96.6%	3.4%	12,266
65-74	99.9%	0.1%	6,299
75+	100.0%	0.0%	6,848
<b>Highest level of education</b>			
Less than high school diploma/GED	100.0%	0.0%	1,973
High school diploma/GED	97.2%	2.8%	19,765
Some college or AA degree	98.4%	1.6%	33,562
Bachelor's degree or higher	95.9%	4.1%	41,149
<b>Household income (in 2012)</b>			
Less than \$20,000	97.1%	2.9%	10,307
\$20,000 - \$34,999	100.0%	0.0%	12,725
\$35,000 - \$49,999	87.1%	12.9%	13,783
\$50,000 - \$99,999	99.2%	0.8%	36,897
\$100,000+	98.0%	2.0%	20,483
<b>Household type</b>			
Single adult, no children	84.8%	15.2%	14,242
2+ adults, no children	98.6%	1.4%	44,697
Single adult, 1+ children	100.0%	0.0%	3,365
2+ adults, 1+ children	100.0%	0.0%	33,891
<b>All areas included in the study</b>			
Benton County	94.9%	5.1%	26,827
Chisago County	93.3%	6.7%	39,851
Mille Lacs County	97.5%	2.5%	19,091
Sherburne County	94.2%	5.8%	62,505
Stearns County	96.9%	3.1%	116,951
Entire five-county region	95.6%	4.4%	265,225

<sup>a</sup> Note: A respondent was determined to be a "non-user" if they answered "never" to question 25b: "In general, how often do you chew tobacco?"

<sup>b</sup> Note: A respondent was determined to be a "current user" if they answered "every day" or "some days" to question 25b: "In general, how often do you chew tobacco?"

---

**56. In general, how often do you smoke cigars, cigarillos, or little cigars?**

	Everyday	Some days	Never	Total
<b>St. Cloud metro area total</b>	0.0%	6.3%	93.7%	97,884
<b>Gender</b>				
Female	0.0%	1.4%	98.6%	49,049
Male	0.0%	11.2%	88.8%	48,584
<b>Age</b>				
18-34	0.0%	11.7%	88.3%	41,484
35-44	0.0%	0.0%	100.0%	13,963
45-54	0.0%	0.5%	99.5%	16,143
55-64	0.0%	5.8%	94.2%	12,266
65-74	0.0%	3.2%	96.8%	6,299
75+	0.0%	0.0%	100.0%	6,831
<b>Highest level of education</b>				
Less than high school diploma/GED	0.0%	0.0%	100.0%	1,973
High school diploma/GED	0.0%	14.4%	85.6%	19,748
Some college or AA degree	0.0%	2.9%	97.1%	34,458
Bachelor's degree or higher	0.0%	5.5%	94.5%	41,149
<b>Household income (in 2012)</b>				
Less than \$20,000	0.0%	1.1%	98.9%	10,291
\$20,000 - \$34,999	0.0%	24.4%	75.6%	12,725
\$35,000 - \$49,999	0.0%	11.8%	88.2%	13,783
\$50,000 - \$99,999	0.0%	1.6%	98.4%	36,897
\$100,000+	0.0%	2.1%	97.9%	21,095
<b>Household type</b>				
Single adult, no children	0.0%	13.8%	86.2%	14,509
2+ adults, no children	0.0%	8.9%	91.1%	45,309
Single adult, 1+ children	0.0%	2.6%	97.4%	3,365
2+ adults, 1+ children	0.0%	0.0%	100.0%	33,891
<b>All areas included in the study</b>				
Benton County	0.1%	3.4%	96.6%	27,111
Chisago County	0.2%	4.0%	95.9%	38,918
Mille Lacs County	0.6%	0.9%	98.5%	19,091
Sherburne County	0.4%	5.0%	94.7%	62,505
Stearns County	0.1%	5.5%	94.4%	117,204
Entire five-county region	0.2%	4.6%	95.2%	264,829

---

**57. Cigars, cigarillos, or little cigar smoking status (calculated variable)**

	Non-smoker <sup>a</sup>	Current smoker <sup>b</sup>	Total
<b>St. Cloud metro area total</b>	93.7%	6.3%	97,884
<b>Gender</b>			
Female	98.6%	1.4%	49,049
Male	88.8%	11.2%	48,584
<b>Age</b>			
18-34	88.3%	11.7%	41,484
35-44	100.0%	0.0%	13,963
45-54	99.5%	0.5%	16,143
55-64	94.2%	5.8%	12,266
65-74	96.8%	3.2%	6,299
75+	100.0%	0.0%	6,831
<b>Highest level of education</b>			
Less than high school diploma/GED	100.0%	0.0%	1,973
High school diploma/GED	85.6%	14.4%	19,748
Some college or AA degree	97.1%	2.9%	34,458
Bachelor's degree or higher	94.5%	5.5%	41,149
<b>Household income (in 2012)</b>			
Less than \$20,000	98.9%	1.1%	10,291
\$20,000 - \$34,999	75.6%	24.4%	12,725
\$35,000 - \$49,999	88.2%	11.8%	13,783
\$50,000 - \$99,999	98.4%	1.6%	36,897
\$100,000+	97.9%	2.1%	21,095
<b>Household type</b>			
Single adult, no children	86.2%	13.8%	14,509
2+ adults, no children	91.1%	8.9%	45,309
Single adult, 1+ children	97.4%	2.6%	3,365
2+ adults, 1+ children	100.0%	0.0%	33,891
<b>All areas included in the study</b>			
Benton County	96.6%	3.4%	27,111
Chisago County	95.9%	4.1%	38,918
Mille Lacs County	98.5%	1.5%	19,091
Sherburne County	94.7%	5.3%	62,505
Stearns County	94.4%	5.6%	117,204
Entire five-county region	95.2%	4.8%	264,829

<sup>a</sup> Note: A respondent was determined to be a "non-smoker" if they answered "never" to question 25c: "In general, how often do you smoke cigars, cigarillos, or little cigars?"

<sup>b</sup> Note: A respondent was determined to be a "current smoker" if they answered "every day" or "some days" to question 25c: "In general, how often do you smoke cigars, cigarillos, or little cigars?"

---

**58. In general, how often do you use marijuana?**

	Everyday	Some days	Never	Total
<b>St. Cloud metro area total</b>	0.1%	3.9%	96.0%	97,900
<b>Gender</b>				
Female	0.1%	3.3%	96.6%	49,065
Male	0.2%	4.5%	95.4%	48,584
<b>Age</b>				
18-34	0.1%	3.9%	96.0%	41,484
35-44	0.0%	0.9%	99.1%	13,963
45-54	0.6%	6.5%	92.9%	16,143
55-64	0.0%	8.1%	91.9%	12,266
65-74	0.0%	0.1%	99.9%	6,299
75+	0.0%	0.0%	100.0%	6,848
<b>Highest level of education</b>				
Less than high school diploma/GED	0.0%	0.0%	100.0%	1,973
High school diploma/GED	0.0%	7.1%	92.9%	19,765
Some college or AA degree	0.0%	3.9%	96.0%	34,458
Bachelor's degree or higher	0.3%	2.6%	97.2%	41,149
<b>Household income (in 2012)</b>				
Less than \$20,000	0.4%	11.6%	88.0%	10,307
\$20,000 - \$34,999	0.0%	12.4%	87.6%	12,725
\$35,000 - \$49,999	0.0%	0.2%	99.8%	13,783
\$50,000 - \$99,999	0.2%	0.9%	98.9%	36,897
\$100,000+	0.0%	3.2%	96.8%	21,095
<b>Household type</b>				
Single adult, no children	0.3%	1.6%	98.2%	14,525
2+ adults, no children	0.2%	6.0%	93.8%	45,309
Single adult, 1+ children	0.0%	0.4%	99.6%	3,365
2+ adults, 1+ children	0.0%	2.3%	97.7%	33,891
<b>All areas included in the study</b>				
Benton County	0.4%	5.4%	94.2%	27,036
Chisago County	0.2%	4.7%	95.1%	39,851
Mille Lacs County	0.5%	2.1%	97.4%	19,161
Sherburne County	1.4%	4.2%	94.4%	62,472
Stearns County	1.0%	3.0%	96.0%	117,563
Entire five-county region	0.9%	3.7%	95.4%	266,083

---

**59. Marijuana user status (calculated variable)**

	Non-user <sup>a</sup>	Current user <sup>b</sup>	Total
<b>St. Cloud metro area total</b>	96.0%	4.0%	97,900
<b>Gender</b>			
Female	96.6%	3.4%	49,065
Male	95.4%	4.6%	48,584
<b>Age</b>			
18-34	96.0%	4.0%	41,484
35-44	99.1%	0.9%	13,963
45-54	92.9%	7.1%	16,143
55-64	91.9%	8.1%	12,266
65-74	99.9%	0.1%	6,299
75+	100.0%	0.0%	6,848
<b>Highest level of education</b>			
Less than high school diploma/GED	100.0%	0.0%	1,973
High school diploma/GED	92.9%	7.1%	19,765
Some college or AA degree	96.0%	4.0%	34,458
Bachelor's degree or higher	97.2%	2.8%	41,149
<b>Household income (in 2012)</b>			
Less than \$20,000	88.0%	12.0%	10,307
\$20,000 - \$34,999	87.6%	12.4%	12,725
\$35,000 - \$49,999	99.8%	0.2%	13,783
\$50,000 - \$99,999	98.9%	1.1%	36,897
\$100,000+	96.8%	3.2%	21,095
<b>Household type</b>			
Single adult, no children	98.2%	1.8%	14,525
2+ adults, no children	93.8%	6.2%	45,309
Single adult, 1+ children	99.6%	0.4%	3,365
2+ adults, 1+ children	97.7%	2.3%	33,891
<b>All areas included in the study</b>			
Benton County	94.2%	5.8%	27,036
Chisago County	95.1%	4.9%	39,851
Mille Lacs County	97.4%	2.6%	19,161
Sherburne County	94.4%	5.6%	62,472
Stearns County	96.0%	4.0%	117,563
Entire five-county region	95.4%	4.6%	266,083

<sup>a</sup> Note: A respondent was determined to be a "non-user" if they answered "never" to question 25d: "In general, how often do you use marijuana?"

<sup>b</sup> Note: A respondent was determined to be a "current user" if they answered "every day" or "some days" to question 25d: "In general, how often do you use marijuana?"



---

**60. In general, how often do you use other illegal drugs such as cocaine, heroin, or meth?**

	<b>Everyday</b>	<b>Some days</b>	<b>Never</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	0.7%	0.8%	98.5%	97,900
<b>Gender</b>				
Female	1.4%	0.0%	98.5%	49,065
Male	0.0%	1.5%	98.5%	48,584
<b>Age</b>				
18-34	0.0%	0.8%	99.2%	41,484
35-44	5.0%	0.0%	95.0%	13,963
45-54	0.0%	0.1%	99.9%	16,143
55-64	0.0%	3.4%	96.6%	12,266
65-74	0.0%	0.1%	99.9%	6,299
75+	0.0%	0.0%	100.0%	6,848
<b>Highest level of education</b>				
Less than high school diploma/GED	0.0%	0.0%	100.0%	1,973
High school diploma/GED	0.0%	0.0%	100.0%	19,765
Some college or AA degree	2.0%	1.3%	96.7%	34,458
Bachelor's degree or higher	0.0%	0.8%	99.2%	41,149
<b>Household income (in 2012)</b>				
Less than \$20,000	0.0%	0.2%	99.8%	10,307
\$20,000 - \$34,999	0.0%	0.0%	100.0%	12,725
\$35,000 - \$49,999	5.0%	0.0%	95.0%	13,783
\$50,000 - \$99,999	0.0%	0.9%	99.1%	36,897
\$100,000+	0.0%	2.0%	98.0%	21,095
<b>Household type</b>				
Single adult, no children	0.0%	0.1%	99.9%	14,525
2+ adults, no children	1.5%	1.6%	96.8%	45,309
Single adult, 1+ children	0.0%	0.0%	100.0%	3,365
2+ adults, 1+ children	0.0%	0.0%	100.0%	33,891
<b>All areas included in the study</b>				
Benton County	0.0%	1.5%	98.5%	27,111
Chisago County	0.0%	0.0%	100.0%	39,851
Mille Lacs County	0.0%	0.0%	100.0%	19,057
Sherburne County	0.1%	0.6%	99.2%	62,578
Stearns County	0.6%	0.0%	99.4%	117,563
Entire five-county region	0.3%	0.3%	99.4%	266,159

---

**61. Other illegal drugs such as cocaine, heroin, or meth user status (calculated variable)**

	Non-user <sup>a</sup>	Current user <sup>b</sup>	Total
<b>St. Cloud metro area total</b>	98.5%	1.5%	97,900
<b>Gender</b>			
Female	98.5%	1.5%	49,065
Male	98.5%	1.5%	48,584
<b>Age</b>			
18-34	99.2%	0.8%	41,484
35-44	95.0%	5.0%	13,963
45-54	99.9%	0.1%	16,143
55-64	96.6%	3.4%	12,266
65-74	99.9%	0.1%	6,299
75+	100.0%	0.0%	6,848
<b>Highest level of education</b>			
Less than high school diploma/GED	100.0%	0.0%	1,973
High school diploma/GED	100.0%	0.0%	19,765
Some college or AA degree	96.7%	3.3%	34,458
Bachelor's degree or higher	99.2%	0.8%	41,149
<b>Household income (in 2012)</b>			
Less than \$20,000	99.8%	0.2%	10,307
\$20,000 - \$34,999	100.0%	0.0%	12,725
\$35,000 - \$49,999	95.0%	5.0%	13,783
\$50,000 - \$99,999	99.1%	0.9%	36,897
\$100,000+	98.0%	2.0%	21,095
<b>Household type</b>			
Single adult, no children	99.9%	0.1%	14,525
2+ adults, no children	96.8%	3.2%	45,309
Single adult, 1+ children	100.0%	0.0%	3,365
2+ adults, 1+ children	100.0%	0.0%	33,891
<b>All areas included in the study</b>			
Benton County	98.5%	1.5%	27,111
Chisago County	100.0%	0.0%	39,851
Mille Lacs County	100.0%	0.0%	19,057
Sherburne County	99.2%	0.8%	62,578
Stearns County	99.4%	0.6%	117,563
Entire five-county region	99.4%	0.6%	266,159

<sup>a</sup> Note: A respondent was determined to be a "non-user" if they answered "never" to question 25e: "In general, how often do you use other illegal drugs such as cocaine, heroin, or meth?"

<sup>b</sup> Note: A respondent was determined to be a "current user" if they answered "every day" or "some days" to question 25e: "In general, how often do you use other illegal drugs such as cocaine, heroin, or meth?"

**62. In general, how often do you use prescription drugs that are not prescribed for you or that you take only to get high?**

	<b>Everyday</b>	<b>Some days</b>	<b>Never</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	0.0%	2.2%	97.8%	97,842
<b>Gender</b>				
Female	0.0%	1.5%	98.5%	49,081
Male	0.0%	3.0%	97.0%	48,509
<b>Age</b>				
18-34	0.0%	0.8%	99.2%	41,484
35-44	0.0%	5.0%	95.0%	13,963
45-54	0.0%	4.4%	95.6%	16,143
55-64	0.0%	3.4%	96.6%	12,266
65-74	0.0%	0.1%	99.9%	6,224
75+	0.2%	0.0%	99.8%	6,864
<b>Highest level of education</b>				
Less than high school diploma/GED	0.8%	0.0%	99.2%	1,990
High school diploma/GED	0.0%	3.6%	96.4%	19,765
Some college or AA degree	0.0%	3.3%	96.7%	34,383
Bachelor's degree or higher	0.0%	0.8%	99.2%	41,149
<b>Household income (in 2012)</b>				
Less than \$20,000	0.2%	0.3%	99.5%	10,323
\$20,000 - \$34,999	0.0%	5.5%	94.5%	12,725
\$35,000 - \$49,999	0.0%	5.1%	94.9%	13,708
\$50,000 - \$99,999	0.0%	0.9%	99.1%	36,897
\$100,000+	0.0%	2.0%	98.0%	21,095
<b>Household type</b>				
Single adult, no children	0.0%	0.2%	99.8%	14,525
2+ adults, no children	0.0%	4.7%	95.3%	45,234
Single adult, 1+ children	0.0%	0.0%	100.0%	3,365
2+ adults, 1+ children	0.0%	0.0%	100.0%	33,891
<b>All areas included in the study</b>				
Benton County	0.0%	1.9%	98.1%	27,036
Chisago County	0.0%	0.9%	99.1%	39,718
Mille Lacs County	0.0%	0.0%	100.0%	19,028
Sherburne County	0.0%	1.0%	98.9%	62,337
Stearns County	0.0%	1.9%	98.1%	117,341
Entire five-county region	0.0%	1.4%	98.6%	265,460

**63. Prescription drugs (that are not prescribed for you or that you take only to get high) user status (calculated variable)**

	Non-user <sup>a</sup>	Current user <sup>b</sup>	Total
<b>St. Cloud metro area total</b>	97.8%	2.2%	97,842
<b>Gender</b>			
Female	98.5%	1.5%	49,081
Male	97.0%	3.0%	48,509
<b>Age</b>			
18-34	99.2%	0.8%	41,484
35-44	95.0%	5.0%	13,963
45-54	95.6%	4.4%	16,143
55-64	96.6%	3.4%	12,266
65-74	99.9%	0.1%	6,224
75+	99.8%	0.2%	6,864
<b>Highest level of education</b>			
Less than high school diploma/GED	99.2%	0.8%	1,990
High school diploma/GED	96.4%	3.6%	19,765
Some college or AA degree	96.7%	3.3%	34,383
Bachelor's degree or higher	99.2%	0.8%	41,149
<b>Household income (in 2012)</b>			
Less than \$20,000	99.5%	0.5%	10,323
\$20,000 - \$34,999	94.5%	5.5%	12,725
\$35,000 - \$49,999	94.9%	5.1%	13,708
\$50,000 - \$99,999	99.1%	0.9%	36,897
\$100,000+	98.0%	2.0%	21,095
<b>Household type</b>			
Single adult, no children	99.8%	0.2%	14,525
2+ adults, no children	95.3%	4.7%	45,234
Single adult, 1+ children	100.0%	0.0%	3,365
2+ adults, 1+ children	100.0%	0.0%	33,891
<b>All areas included in the study</b>			
Benton County	98.1%	1.9%	27,036
Chisago County	99.1%	0.9%	39,718
Mille Lacs County	100.0%	0.0%	19,028
Sherburne County	98.9%	1.1%	62,337
Stearns County	98.1%	1.9%	117,341
Entire five-county region	98.6%	1.4%	265,460

<sup>a</sup> Note: A respondent was determined to be a "non-user" if they answered "never" to question 25f: "In general, how often do you use prescription drugs that are not prescribed for you or that you take only to get high?"

<sup>b</sup> Note: A respondent was determined to be a "current user" if they answered "every day" or "some days" to question 25f: "In general, how often do you use prescription drugs that are not prescribed for you or that you take only to get high?"

**64. During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage, or liquor?**

	<b>Yes</b>	<b>No</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	69.5%	30.5%	97,769
<b>Gender</b>			
Female	68.3%	31.7%	49,061
Male	71.1%	28.9%	48,457
<b>Age</b>			
18-34	70.4%	29.6%	41,484
35-44	73.1%	26.9%	13,963
45-54	78.2%	21.8%	16,143
55-64	72.7%	27.3%	12,140
65-74	61.8%	38.2%	6,299
75+	41.8%	58.2%	6,843
<b>Highest level of education</b>			
Less than high school diploma/GED	22.9%	77.1%	2,006
High school diploma/GED	55.7%	44.3%	19,765
Some college or AA degree	63.0%	37.0%	34,421
Bachelor's degree or higher	84.2%	15.8%	41,022
<b>Household income (in 2012)</b>			
Less than \$20,000	40.3%	59.7%	10,286
\$20,000 - \$34,999	74.7%	25.3%	12,598
\$35,000 - \$49,999	64.9%	35.1%	13,783
\$50,000 - \$99,999	76.0%	24.0%	36,897
\$100,000+	75.5%	24.5%	21,095
<b>Household type</b>			
Single adult, no children	63.4%	36.6%	14,378
2+ adults, no children	77.0%	23.0%	45,309
Single adult, 1+ children	68.7%	31.3%	3,365
2+ adults, 1+ children	62.9%	37.1%	33,891
<b>All areas included in the study</b>			
Benton County	72.4%	27.6%	27,063
Chisago County	66.0%	34.0%	40,040
Mille Lacs County	71.6%	28.4%	19,137
Sherburne County	72.3%	27.7%	62,676
Stearns County	73.0%	27.0%	117,436
Entire five-county region	71.6%	28.4%	266,353

**65. (Of those who said they had at least one alcoholic beverage in the past 30 days) During the past 30 days, on how many days did you have at least one drink of any alcoholic beverage? (Mean)**

	Mean	Total
<b>St. Cloud metro area total</b>	8.2	67,654
<b>Gender</b>		
Female	7.4	33,487
Male	9.1	34,167
<b>Age</b>		
18-34	6.2	29,192
35-44	8.3	9,898
45-54	8.8	12,623
55-64	10.1	8,825
65-74	14.5	3,895
75+	12.7	2,858
<b>Highest level of education</b>		
Less than high school diploma/GED	14.2	459
High school diploma/GED	8.4	10,701
Some college or AA degree	8.0	21,695
Bachelor's degree or higher	8.3	34,551
<b>Household income (in 2012)</b>		
Less than \$20,000	6.9	3,841
\$20,000 - \$34,999	5.6	9,409
\$35,000 - \$49,999	8.6	8,952
\$50,000 - \$99,999	8.8	28,052
\$100,000+	9.0	15,937
<b>Household type</b>		
Single adult, no children	9.7	8,809
2+ adults, no children	8.4	34,904
Single adult, 1+ children	12.7	2,310
2+ adults, 1+ children	6.8	21,330
<b>All areas included in the study</b>		
Benton County	9.1	19,571
Chisago County	10.1	26,363
Mille Lacs County	9.6	13,671
Sherburne County	8.1	45,120
Stearns County	8.3	85,357
Entire five-county region	8.7	190,082

**66. (Of those who said they had at least one alcoholic beverage in the past 30 days) During the past 30 days, on the days when you drank, about how many drinks did you drink on average? (Mean)**

	Mean	Total
<b>St. Cloud metro area total</b>	2.4	67,516
<b>Gender</b>		
Female	2.5	33,487
Male	2.3	34,029
<b>Age</b>		
18-34	2.4	29,192
35-44	3.1	9,778
45-54	2.1	12,623
55-64	1.9	8,825
65-74	3.2	3,876
75+	1.9	2,858
<b>Highest level of education</b>		
Less than high school diploma/GED	3.0	459
High school diploma/GED	2.7	10,701
Some college or AA degree	2.5	21,557
Bachelor's degree or higher	2.3	34,551
<b>Household income (in 2012)</b>		
Less than \$20,000	2.8	3,702
\$20,000 - \$34,999	2.5	9,409
\$35,000 - \$49,999	1.7	8,952
\$50,000 - \$99,999	2.6	28,052
\$100,000+	2.4	15,937
<b>Household type</b>		
Single adult, no children	2.6	8,791
2+ adults, no children	2.4	34,904
Single adult, 1+ children	3.1	2,310
2+ adults, 1+ children	2.3	21,210
<b>All areas included in the study</b>		
Benton County	2.5	19,403
Chisago County	3.2	26,372
Mille Lacs County	2.5	13,671
Sherburne County	2.6	45,189
Stearns County	2.5	85,412
Entire five-county region	2.6	190,047

**67. (Of those who said they had at least one alcoholic beverage in the past 30 days) Total number of drinks in past 30 days (Mean, calculated variable)**

	<b>Mean</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	23.3	67,516
<b>Gender</b>		
Female	22.5	33,487
Male	24.1	34,029
<b>Age</b>		
18-34	17.1	29,192
35-44	25.4	9,778
45-54	22.6	12,623
55-64	22.9	8,825
65-74	70.4	3,876
75+	22.5	2,858
<b>Highest level of education</b>		
Less than high school diploma/GED	31.0	459
High school diploma/GED	28.6	10,701
Some college or AA degree	20.6	21,557
Bachelor's degree or higher	23.4	34,551
<b>Household income (in 2012)</b>		
Less than \$20,000	19.4	3,702
\$20,000 - \$34,999	28.8	9,409
\$35,000 - \$49,999	17.4	8,952
\$50,000 - \$99,999	25.6	28,052
\$100,000+	21.3	15,937
<b>Household type</b>		
Single adult, no children	39.3	8,791
2+ adults, no children	22.5	34,904
Single adult, 1+ children	41.8	2,310
2+ adults, 1+ children	16.2	21,210
<b>All areas included in the study</b>		
Benton County	25.8	19,403
Chisago County	33.3	26,303
Mille Lacs County	29.4	13,637
Sherburne County	23.4	45,068
Stearns County	23.8	85,299
Entire five-county region	25.7	189,710



**68. During the past 30 days, on the days when you drank, about how many drinks did you drink on average?<sup>a</sup> (calculated variable)**

	No drinking	Drinking, not chronic – gender specific	Chronic drinking gender specific	Total
<b>St. Cloud metro area total</b>	30.6%	59.6%	9.8%	97,325
<b>Gender</b>				
Female	31.7%	56.8%	11.5%	49,061
Male	29.1%	62.8%	8.1%	48,013
<b>Age</b>				
18-34	29.6%	63.6%	6.7%	41,484
35-44	27.8%	62.2%	10.0%	13,537
45-54	21.8%	63.5%	14.7%	16,143
55-64	27.3%	61.1%	11.6%	12,140
65-74	38.3%	48.6%	13.1%	6,280
75+	58.2%	30.6%	11.1%	6,843
<b>Highest level of education</b>				
Less than high school diploma/GED	77.1%	13.0%	9.9%	2,006
High school diploma/GED	45.0%	42.9%	12.1%	19,458
Some college or AA degree	37.1%	53.7%	9.2%	34,283
Bachelor's degree or higher	15.8%	74.9%	9.3%	41,022
<b>Household income (in 2012)</b>				
Less than \$20,000	62.4%	27.9%	9.7%	9,842
\$20,000 - \$34,999	25.3%	68.3%	6.3%	12,598
\$35,000 - \$49,999	35.1%	62.3%	2.7%	13,783
\$50,000 - \$99,999	24.0%	64.0%	12.1%	36,897
\$100,000+	24.5%	62.0%	13.6%	21,095
<b>Household type</b>				
Single adult, no children	37.4%	56.4%	6.1%	14,053
2+ adults, no children	23.0%	65.3%	11.8%	45,309
Single adult, 1+ children	31.3%	48.6%	20.1%	3,365
2+ adults, 1+ children	37.2%	55.1%	7.7%	33,772
<b>All areas included in the study</b>				
Benton County	27.8%	56.2%	16.0%	26,881
Chisago County	34.1%	54.2%	11.7%	39,910
Mille Lacs County	28.5%	56.9%	14.6%	19,069
Sherburne County	27.8%	61.0%	11.2%	62,420
Stearns County	27.1%	62.4%	10.5%	116,960
Entire five-county region	28.5%	59.8%	11.7%	265,240

<sup>a</sup> Note: The values in this table were based on respondent answers to survey questions 26, 27, and 28. Chronic drinking is defined for males of having 60 or more drinks in a 30 day period. For females, chronic drinking is defined as having 30 or more drinks in a 30 day period. "Drinking—not chronic, gender specific" is the percentage of respondents who drank in the last 30 days, but are not considered chronic drinkers (less than 60 drinks in a 30 day period for men and less than 30 drinks in a 30 day period for women). "No drinking" represents the respondents who reported not drinking in the past 30 days.

---

**69. Chronic drinking (calculated variable, gender specific)<sup>a</sup>**

	No drinking or not chronic	Chronic drinking	Total
<b>St. Cloud metro area total</b>	90.2%	9.8%	97,325
<b>Gender</b>			
Female	88.5%	11.5%	49,061
Male	91.9%	8.1%	48,013
<b>Age</b>			
18-34	93.3%	6.7%	41,484
35-44	90.0%	10.0%	13,537
45-54	85.3%	14.7%	16,143
55-64	88.4%	11.6%	12,140
65-74	86.9%	13.1%	6,280
75+	88.9%	11.1%	6,843
<b>Highest level of education</b>			
Less than high school diploma/GED	90.1%	9.9%	2,006
High school diploma/GED	87.9%	12.1%	19,458
Some college or AA degree	90.8%	9.2%	34,283
Bachelor's degree or higher	90.7%	9.3%	41,022
<b>Household income (in 2012)</b>			
Less than \$20,000	90.3%	9.7%	9,842
\$20,000 - \$34,999	93.7%	6.3%	12,598
\$35,000 - \$49,999	97.3%	2.7%	13,783
\$50,000 - \$99,999	87.9%	12.1%	36,897
\$100,000+	86.4%	13.6%	21,095
<b>Household type</b>			
Single adult, no children	93.9%	6.1%	14,053
2+ adults, no children	88.2%	11.8%	45,309
Single adult, 1+ children	79.9%	20.1%	3,365
2+ adults, 1+ children	92.3%	7.7%	33,772
<b>All areas included in the study</b>			
Benton County	84.0%	16.0%	26,881
Chisago County	88.3%	11.7%	39,910
Mille Lacs County	85.4%	14.6%	19,069
Sherburne County	88.8%	11.2%	62,420
Stearns County	89.5%	10.5%	116,960
Entire five-county region	88.3%	11.7%	265,240

<sup>a</sup> Note: The values in this table were based on respondent answers to survey questions 26, 27, and 28. Chronic drinking is defined for males of having 60 or more drinks in a 30 day period. For females, chronic drinking is defined as having 30 or more drinks in a 30 day period. "No drinking or, not chronic" represents the respondents who reported not drinking in the past 30 days and the percentage of respondents who drank in the last 30 days, but are not considered chronic drinkers (less than 60 drinks in a 30 day period for men and less than 30 drinks in a 30 day period for women).

**70. (Of those who said they had at least one alcoholic beverage in the past 30 days) Considering all types of alcoholic beverages, how many times during the past 30 days did you have 4 or more drinks on one occasion (binge drinking—females<sup>a</sup>) (Mean)**

	Mean	Total
<b>St. Cloud metro area total</b>	0.9	33,475
<b>Gender</b>		
Female	0.9	33,475
Male		0
<b>Age</b>		
18-34	0.9	17,079
35-44	1.9	3,702
45-54	1.5	5,040
55-64	0.1	3,940
65-74	0.2	1,878
75+	0.1	1,471
<b>Highest level of education</b>		
Less than high school diploma/GED	1.0	185
High school diploma/GED	2.8	3,742
Some college or AA degree	0.9	11,828
Bachelor's degree or higher	0.6	17,472
<b>Household income (in 2012)</b>		
Less than \$20,000	1.5	2,951
\$20,000 - \$34,999	1.2	4,320
\$35,000 - \$49,999	0.5	3,812
\$50,000 - \$99,999	1.0	13,531
\$100,000+	0.7	7,837
<b>Household type</b>		
Single adult, no children	0.3	3,825
2+ adults, no children	0.7	14,891
Single adult, 1+ children	0.7	706
2+ adults, 1+ children	1.3	13,752
<b>All areas included in the study</b>		
Benton County	1.4	9,775
Chisago County	1.8	11,016
Mille Lacs County	0.5	6,586
Sherburne County	1.1	20,883
Stearns County	0.8	39,960
Entire five-county region	1.0	88,221

<sup>a</sup> Note: Binge drinking for females is consuming four or more drinks on one occasion.

**71. (Of those who said they had at least one alcoholic beverage in the past 30 days) Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks on one occasion (binge drinking–males<sup>a</sup>) (Mean)**

	Mean	Total
<b>St. Cloud metro area total</b>	1.6	33,966
<b>Gender</b>		
Female		0
Male	1.6	33,966
<b>Age</b>		
18-34	1.7	12,112
35-44	2.2	6,502
45-54	0.9	7,571
55-64	1.0	4,378
65-74	3.4	2,017
75+	2.0	1,387
<b>Highest level of education</b>		
Less than high school diploma/GED	0.8	274
High school diploma/GED	1.6	7,266
Some college or AA degree	1.9	9,854
Bachelor's degree or higher	1.5	16,572
<b>Household income (in 2012)</b>		
Less than \$20,000	4.1	1,196
\$20,000 - \$34,999	0.3	5,089
\$35,000 - \$49,999	1.6	4,886
\$50,000 - \$99,999	2.2	14,508
\$100,000+	1.3	7,847
<b>Household type</b>		
Single adult, no children	1.3	5,278
2+ adults, no children	1.8	19,506
Single adult, 1+ children	5.7	1,605
2+ adults, 1+ children	0.5	7,578
<b>All areas included in the study</b>		
Benton County	2.4	9,662
Chisago County	3.2	15,313
Mille Lacs County	1.7	7,027
Sherburne County	1.9	24,171
Stearns County	1.7	44,431
Entire five-county region	2.0	100,603

<sup>a</sup> Note: Binge drinking for males is consuming five or more drinks on one occasion.

---

**72. Binge drinking (calculated variable, gender specific)<sup>a</sup>**

	No drinking or no binge drinking	Any binge drinking	Total
<b>St. Cloud metro area total</b>	71.2%	28.8%	97,250
<b>Gender</b>			
Female	73.8%	26.2%	49,048
Male	68.4%	31.6%	47,951
<b>Age</b>			
18-34	62.2%	37.8%	41,484
35-44	61.2%	38.8%	13,963
45-54	75.1%	24.9%	16,130
55-64	84.7%	15.3%	11,633
65-74	88.1%	11.9%	6,299
75+	94.7%	5.3%	6,843
<b>Highest level of education</b>			
Less than high school diploma/GED	88.1%	11.9%	2,006
High school diploma/GED	79.1%	20.9%	19,765
Some college or AA degree	74.7%	25.3%	34,408
Bachelor's degree or higher	63.1%	36.9%	40,515
<b>Household income (in 2012)</b>			
Less than \$20,000	74.2%	25.8%	10,286
\$20,000 - \$34,999	77.4%	22.6%	12,598
\$35,000 - \$49,999	78.1%	21.9%	13,530
\$50,000 - \$99,999	65.0%	35.0%	36,884
\$100,000+	68.8%	31.2%	20,842
<b>Household type</b>			
Single adult, no children	78.2%	21.8%	14,365
2+ adults, no children	66.1%	33.9%	44,802
Single adult, 1+ children	56.7%	43.3%	3,365
2+ adults, 1+ children	75.9%	24.1%	33,891
<b>All areas included in the study</b>			
Benton County	67.1%	32.9%	26,916
Chisago County	72.8%	27.2%	39,936
Mille Lacs County	73.7%	26.3%	19,045
Sherburne County	75.1%	24.9%	62,406
Stearns County	69.7%	30.3%	116,051
Entire five-county region	71.5%	28.5%	264,354

<sup>a</sup> Binge drinking is defined as consuming four or more drinks on one occasion for females and five or more drinks on one occasion for males.

**73. During the past 30 days, how many times have you driven when you've had perhaps too much to drink?**

	<b>No drinking or no drinking and driving</b>	<b>Any drinking and driving</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	96.3%	3.7%	96,743
<b>Gender</b>			
Female	96.4%	3.6%	48,853
Male	96.1%	3.9%	47,639
<b>Age</b>			
18-34	97.1%	2.9%	41,439
35-44	92.0%	8.0%	13,398
45-54	93.6%	6.4%	16,130
55-64	99.3%	0.7%	11,886
65-74	99.8%	0.2%	6,286
75+	100.0%	0.0%	6,705
<b>Highest level of education</b>			
Less than high school diploma/GED	100.0%	0.0%	2,006
High school diploma/GED	95.5%	4.5%	19,582
Some college or AA degree	98.5%	1.5%	33,843
Bachelor's degree or higher	95.0%	5.0%	40,756
<b>Household income (in 2012)</b>			
Less than \$20,000	99.7%	0.3%	10,148
\$20,000 - \$34,999	97.4%	2.6%	12,554
\$35,000 - \$49,999	99.5%	0.5%	13,783
\$50,000 - \$99,999	95.3%	4.7%	36,306
\$100,000+	94.3%	5.7%	20,842
<b>Household type</b>			
Single adult, no children	96.2%	3.8%	14,227
2+ adults, no children	95.9%	4.1%	45,043
Single adult, 1+ children	78.4%	21.6%	2,800
2+ adults, 1+ children	98.7%	1.3%	33,847
<b>All areas included in the study</b>			
Benton County	93.2%	6.8%	26,367
Chisago County	97.0%	3.0%	39,908
Mille Lacs County	93.6%	6.4%	19,027
Sherburne County	96.7%	3.3%	62,535
Stearns County	95.3%	4.7%	116,523
Entire five-county region	95.5%	4.5%	264,360

---

**74. Do you perform monthly self-exams for cancer (self-breast exam or self-testicular exam)?**

	Yes	No	Total
<b>St. Cloud metro area total</b>	33.7%	66.3%	96,608
<b>Gender</b>			
Female	44.0%	56.0%	48,177
Male	23.4%	76.6%	48,194
<b>Age</b>			
18-34	21.0%	79.0%	41,484
35-44	36.6%	63.4%	13,963
45-54	37.6%	62.4%	15,831
55-64	49.8%	50.2%	11,864
65-74	53.5%	46.5%	6,280
75+	53.3%	46.7%	6,303
<b>Highest level of education</b>			
Less than high school diploma/GED	32.0%	68.0%	1,900
High school diploma/GED	33.6%	66.4%	19,417
Some college or AA degree	38.8%	61.2%	33,905
Bachelor's degree or higher	29.6%	70.4%	40,830
<b>Household income (in 2012)</b>			
Less than \$20,000	44.2%	55.8%	10,166
\$20,000 - \$34,999	32.3%	67.7%	12,693
\$35,000 - \$49,999	37.6%	62.4%	13,699
\$50,000 - \$99,999	33.6%	66.4%	36,382
\$100,000+	26.2%	73.8%	20,831
<b>Household type</b>			
Single adult, no children	39.8%	60.2%	14,370
2+ adults, no children	39.1%	60.9%	44,262
Single adult, 1+ children	41.6%	58.4%	3,365
2+ adults, 1+ children	23.3%	76.7%	33,891
<b>All areas included in the study</b>			
Benton County	41.5%	58.5%	26,941
Chisago County	32.4%	67.6%	39,892
Mille Lacs County	43.2%	56.8%	19,229
Sherburne County	35.1%	64.9%	62,294
Stearns County	35.5%	64.5%	116,139
Entire five-county region	36.1%	63.9%	264,495

---

**75. Do you get a yearly flu shot or flu immunization?**

	<b>Yes</b>	<b>No</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	49.0%	51.0%	97,619
<b>Gender</b>			
Female	50.9%	49.1%	48,895
Male	47.1%	52.9%	48,474
<b>Age</b>			
18-34	31.7%	68.3%	41,484
35-44	43.7%	56.3%	13,963
45-54	49.3%	50.7%	16,143
55-64	74.3%	25.7%	12,030
65-74	85.7%	14.3%	6,259
75+	86.6%	13.4%	6,843
<b>Highest level of education</b>			
Less than high school diploma/GED	39.4%	60.6%	2,006
High school diploma/GED	36.8%	63.2%	19,765
Some college or AA degree	43.9%	56.1%	34,352
Bachelor's degree or higher	59.3%	40.7%	40,941
<b>Household income (in 2012)</b>			
Less than \$20,000	50.7%	49.3%	10,305
\$20,000 - \$34,999	38.8%	61.2%	12,709
\$35,000 - \$49,999	56.8%	43.2%	13,762
\$50,000 - \$99,999	45.3%	54.7%	36,804
\$100,000+	54.5%	45.5%	21,095
<b>Household type</b>			
Single adult, no children	61.8%	38.2%	14,507
2+ adults, no children	54.9%	45.1%	45,030
Single adult, 1+ children	19.1%	80.9%	3,365
2+ adults, 1+ children	38.0%	62.0%	33,891
<b>All areas included in the study</b>			
Benton County	47.2%	52.8%	27,043
Chisago County	53.7%	46.3%	39,870
Mille Lacs County	56.3%	43.7%	19,258
Sherburne County	54.8%	45.2%	62,574
Stearns County	48.9%	51.1%	117,120
Entire five-county region	51.4%	48.6%	265,865



---

**76. Do you need medication to control a chronic physical or mental condition?**

	<b>Yes</b>	<b>No</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	23.8%	76.2%	97,011
<b>Gender</b>			
Female	23.7%	76.3%	48,385
Male	24.0%	76.0%	48,472
<b>Age</b>			
18-34	16.9%	83.1%	41,484
35-44	16.0%	84.0%	13,963
45-54	32.0%	68.0%	15,878
55-64	37.3%	62.7%	11,947
65-74	35.6%	64.4%	6,236
75+	24.7%	75.3%	6,703
<b>Highest level of education</b>			
Less than high school diploma/GED	41.8%	58.2%	2,006
High school diploma/GED	28.4%	71.6%	19,588
Some college or AA degree	20.7%	79.3%	34,015
Bachelor's degree or higher	23.0%	77.0%	40,945
<b>Household income (in 2012)</b>			
Less than \$20,000	42.3%	57.7%	10,122
\$20,000 - \$34,999	44.7%	55.3%	12,709
\$35,000 - \$49,999	23.3%	76.7%	13,678
\$50,000 - \$99,999	17.6%	82.4%	36,826
\$100,000+	12.5%	87.5%	20,831
<b>Household type</b>			
Single adult, no children	35.5%	64.5%	14,241
2+ adults, no children	27.2%	72.8%	44,785
Single adult, 1+ children	0.8%	99.2%	3,365
2+ adults, 1+ children	16.4%	83.6%	33,891
<b>All areas included in the study</b>			
Benton County	21.6%	78.4%	26,906
Chisago County	23.0%	77.0%	39,820
Mille Lacs County	33.1%	66.9%	19,161
Sherburne County	26.3%	73.7%	62,435
Stearns County	20.0%	80.0%	115,823
Entire five-county region	23.1%	76.9%	264,145

---

**77. Do you have a family emergency plan?**

	<b>Yes</b>	<b>No</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	24.0%	76.0%	97,132
<b>Gender</b>			
Female	30.6%	69.4%	48,421
Male	17.1%	82.9%	48,474
<b>Age</b>			
18-34	10.7%	89.3%	41,484
35-44	26.8%	73.2%	13,963
45-54	25.1%	74.9%	16,143
55-64	37.7%	62.3%	11,815
65-74	54.0%	46.0%	6,176
75+	45.8%	54.2%	6,668
<b>Highest level of education</b>			
Less than high school diploma/GED	33.0%	67.0%	2,006
High school diploma/GED	22.3%	77.7%	19,254
Some college or AA degree	26.6%	73.4%	34,368
Bachelor's degree or higher	21.8%	78.2%	40,948
<b>Household income (in 2012)</b>			
Less than \$20,000	22.5%	77.5%	10,021
\$20,000 - \$34,999	23.7%	76.3%	12,676
\$35,000 - \$49,999	27.9%	72.1%	13,748
\$50,000 - \$99,999	24.7%	75.3%	36,660
\$100,000+	21.5%	78.5%	21,083
<b>Household type</b>			
Single adult, no children	24.4%	75.6%	14,176
2+ adults, no children	27.0%	73.0%	44,873
Single adult, 1+ children	6.5%	93.5%	3,365
2+ adults, 1+ children	21.5%	78.5%	33,891
<b>All areas included in the study</b>			
Benton County	32.1%	67.9%	26,917
Chisago County	26.4%	73.6%	39,597
Mille Lacs County	31.6%	68.4%	19,127
Sherburne County	31.1%	68.9%	62,164
Stearns County	23.9%	76.1%	116,559
Entire five-county region	27.4%	72.6%	264,364

---

**78. Do you live with someone who smokes?**

	<b>Yes</b>	<b>No</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	17.4%	82.6%	97,437
<b>Gender</b>			
Female	18.4%	81.6%	48,777
Male	16.5%	83.5%	48,409
<b>Age</b>			
18-34	20.9%	79.1%	41,484
35-44	21.0%	79.0%	13,901
45-54	13.0%	87.0%	16,143
55-64	16.9%	83.1%	12,030
65-74	12.5%	87.5%	6,280
75+	2.9%	97.1%	6,703
<b>Highest level of education</b>			
Less than high school diploma/GED	29.3%	70.7%	1,990
High school diploma/GED	21.7%	78.3%	19,541
Some college or AA degree	18.2%	81.8%	34,368
Bachelor's degree or higher	14.3%	85.7%	40,983
<b>Household income (in 2012)</b>			
Less than \$20,000	37.6%	62.4%	10,150
\$20,000 - \$34,999	19.2%	80.8%	12,662
\$35,000 - \$49,999	11.4%	88.6%	13,761
\$50,000 - \$99,999	21.5%	78.5%	36,826
\$100,000+	3.8%	96.2%	21,095
<b>Household type</b>			
Single adult, no children	5.3%	94.7%	14,322
2+ adults, no children	27.8%	72.2%	45,050
Single adult, 1+ children	14.1%	85.9%	3,365
2+ adults, 1+ children	9.4%	90.6%	33,891
<b>All areas included in the study</b>			
Benton County	14.3%	85.7%	27,029
Chisago County	22.2%	77.8%	39,996
Mille Lacs County	15.7%	84.3%	19,357
Sherburne County	16.8%	83.2%	62,355
Stearns County	15.6%	84.4%	116,982
Entire five-county region	16.8%	83.2%	265,718

## Community concerns

### Health care delivery

#### 79. In your opinion, how much of a problem is each of these issues in your county? People without health insurance or medical coverage

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	4.6%	10.2%	29.4%	38.1%	17.7%	96,854
<b>Gender</b>						
Female	4.3%	9.2%	32.2%	35.9%	18.4%	48,561
Male	5.0%	10.9%	26.6%	40.4%	17.1%	48,140
<b>Age</b>						
18-34	6.2%	10.0%	27.9%	37.4%	18.5%	41,484
35-44	3.5%	21.1%	24.8%	34.8%	15.8%	13,963
45-54	1.4%	8.2%	31.6%	45.5%	13.2%	15,982
55-64	3.1%	3.4%	33.6%	47.5%	12.5%	12,140
65-74	6.9%	4.0%	39.2%	37.3%	12.7%	6,181
75+	6.0%	8.0%	29.7%	13.5%	42.8%	6,304
<b>Highest level of education</b>						
Less than high school diploma/GED	8.6%	0.0%	13.4%	18.8%	59.3%	1,883
High school diploma/GED	1.8%	6.8%	20.4%	57.0%	14.0%	19,365
Some college or AA degree	5.2%	6.2%	33.1%	36.8%	18.7%	34,295
Bachelor's degree or higher	5.3%	15.2%	31.5%	31.5%	16.5%	40,863
<b>Household income (in 2012)</b>						
Less than \$20,000	8.6%	3.3%	15.6%	40.6%	32.0%	10,123
\$20,000 - \$34,999	1.4%	4.2%	21.8%	46.0%	26.6%	12,510
\$35,000 - \$49,999	3.4%	13.8%	29.6%	42.7%	10.5%	13,762
\$50,000 - \$99,999	6.4%	9.2%	37.2%	27.7%	19.6%	36,458
\$100,000+	2.9%	15.9%	28.1%	49.4%	3.7%	21,095
<b>Household type</b>						
Single adult, no children	6.2%	13.9%	26.4%	35.0%	18.5%	14,263
2+ adults, no children	4.6%	7.9%	27.9%	36.2%	23.4%	44,889
Single adult, 1+ children	8.7%	17.6%	35.9%	9.4%	28.5%	3,365
2+ adults, 1+ children	3.6%	10.6%	32.5%	44.7%	8.6%	33,731
<b>All areas included in the study</b>						
Benton County	7.3%	14.2%	30.3%	30.0%	18.2%	26,542
Chisago County	9.1%	13.0%	23.7%	35.0%	19.2%	39,360
Mille Lacs County	4.0%	7.0%	29.4%	45.3%	14.3%	19,211
Sherburne County	5.7%	13.8%	27.1%	33.9%	19.4%	61,930
Stearns County	4.7%	11.9%	29.6%	35.8%	18.1%	116,201
Entire five-county region	5.8%	12.4%	28.2%	35.3%	18.3%	263,244

**80. In your opinion, how much of a problem is each of these issues in your county? People not getting needed care because of inadequate health insurance or high deductibles**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	3.4%	13.1%	25.8%	41.1%	16.6%	96,336
<b>Gender</b>						
Female	4.4%	10.8%	27.7%	40.0%	17.1%	48,232
Male	2.5%	15.1%	23.9%	42.4%	16.1%	47,950
<b>Age</b>						
18-34	3.8%	14.6%	25.5%	37.1%	19.0%	40,585
35-44	3.5%	19.1%	22.2%	42.6%	12.5%	13,963
45-54	1.2%	10.8%	20.1%	60.4%	7.4%	16,143
55-64	1.0%	9.4%	32.1%	43.8%	13.7%	12,266
65-74	8.5%	7.2%	35.4%	34.5%	14.5%	6,274
75+	6.5%	6.4%	31.7%	15.4%	39.9%	6,304
<b>Highest level of education</b>						
Less than high school diploma/GED	8.6%	10.5%	10.2%	11.2%	59.5%	1,883
High school diploma/GED	2.0%	5.3%	38.8%	43.9%	10.0%	19,454
Some college or AA degree	3.1%	12.2%	17.9%	49.7%	17.1%	34,449
Bachelor's degree or higher	4.2%	17.4%	27.4%	34.0%	17.0%	40,091
<b>Household income (in 2012)</b>						
Less than \$20,000	8.3%	2.5%	17.0%	38.8%	33.4%	10,128
\$20,000 - \$34,999	1.9%	2.7%	17.8%	62.1%	15.5%	12,725
\$35,000 - \$49,999	0.0%	15.6%	24.5%	50.9%	8.9%	13,762
\$50,000 - \$99,999	4.4%	17.0%	20.6%	37.7%	20.4%	36,302
\$100,000+	3.0%	15.6%	46.7%	31.8%	2.9%	20,513
<b>Household type</b>						
Single adult, no children	6.2%	13.4%	20.6%	37.4%	22.4%	14,394
2+ adults, no children	1.9%	10.0%	23.9%	43.5%	20.6%	44,662
Single adult, 1+ children	8.7%	20.9%	33.8%	10.0%	26.6%	3,365
2+ adults, 1+ children	3.7%	16.1%	29.9%	42.9%	7.4%	33,309
<b>All areas included in the study</b>						
Benton County	4.5%	15.6%	29.5%	33.2%	17.1%	26,758
Chisago County	6.3%	12.3%	20.1%	44.3%	17.0%	39,236
Mille Lacs County	4.0%	7.8%	27.9%	44.2%	16.1%	19,150
Sherburne County	4.6%	11.9%	30.2%	35.9%	17.5%	61,386
Stearns County	5.5%	14.5%	25.6%	38.1%	16.4%	115,417
Entire five-county region	5.2%	13.2%	26.4%	38.4%	16.8%	261,947

**81. In your opinion, how much of a problem is each of these issues in your county?**  
**Too few health care providers**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	33.9%	32.0%	13.6%	6.5%	14.1%	96,181
<b>Gender</b>						
Female	30.2%	30.8%	14.1%	9.5%	15.3%	48,487
Male	37.7%	33.0%	13.1%	3.4%	12.8%	47,541
<b>Age</b>						
18-34	41.4%	30.7%	7.1%	7.0%	13.8%	41,484
35-44	23.4%	55.8%	4.8%	6.8%	9.1%	13,963
45-54	23.4%	33.9%	27.2%	7.7%	7.7%	15,414
55-64	33.8%	19.1%	24.9%	3.3%	18.9%	12,077
65-74	32.0%	17.1%	26.0%	9.5%	15.5%	6,268
75+	39.9%	17.5%	9.2%	3.3%	30.1%	6,176
<b>Highest level of education</b>						
Less than high school diploma/GED	23.5%	7.6%	10.7%	32.6%	25.7%	1,830
High school diploma/GED	15.0%	44.7%	8.5%	7.9%	23.9%	18,675
Some college or AA degree	37.7%	31.1%	11.8%	3.4%	16.0%	34,430
Bachelor's degree or higher	40.0%	28.0%	17.6%	7.3%	7.1%	40,787
<b>Household income (in 2012)</b>						
Less than \$20,000	29.8%	18.9%	8.7%	18.1%	24.4%	10,002
\$20,000 - \$34,999	29.8%	15.3%	13.1%	4.6%	37.2%	11,999
\$35,000 - \$49,999	29.2%	30.4%	21.6%	2.5%	16.3%	13,762
\$50,000 - \$99,999	44.5%	34.3%	10.7%	3.6%	7.0%	36,440
\$100,000+	25.2%	45.3%	17.2%	9.8%	2.4%	21,071
<b>Household type</b>						
Single adult, no children	25.3%	24.8%	23.6%	4.5%	21.8%	14,294
2+ adults, no children	36.0%	24.2%	12.0%	8.3%	19.5%	44,190
Single adult, 1+ children	26.6%	36.1%	11.1%	0.0%	26.1%	3,365
2+ adults, 1+ children	35.9%	44.5%	11.7%	5.7%	2.2%	33,725
<b>All areas included in the study</b>						
Benton County	34.3%	31.3%	13.1%	6.3%	15.0%	26,596
Chisago County	38.7%	30.1%	11.9%	6.7%	12.5%	38,803
Mille Lacs County	32.9%	23.6%	18.6%	14.3%	10.6%	19,169
Sherburne County	42.0%	25.4%	12.6%	5.1%	15.0%	61,755
Stearns County	35.5%	30.8%	15.0%	6.0%	12.8%	115,293
Entire five-county region	37.2%	28.9%	14.0%	6.5%	13.3%	261,616

**82. In your opinion, how much of a problem is each of these issues in your county?**  
**Too few dental providers**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	37.7%	29.0%	12.2%	5.2%	15.8%	97,064
<b>Gender</b>						
Female	34.5%	26.3%	11.5%	9.4%	18.2%	48,644
Male	41.1%	31.5%	13.0%	1.1%	13.4%	48,266
<b>Age</b>						
18-34	43.8%	23.4%	9.9%	5.4%	17.5%	41,484
35-44	28.3%	44.1%	10.1%	8.7%	8.8%	13,963
45-54	29.1%	39.2%	22.9%	1.9%	6.8%	16,143
55-64	34.3%	27.4%	10.5%	7.5%	20.3%	12,101
65-74	44.3%	17.3%	13.3%	3.6%	21.5%	6,253
75+	44.9%	15.5%	8.6%	3.0%	28.0%	6,320
<b>Highest level of education</b>						
Less than high school diploma/GED	27.0%	0.9%	17.6%	30.7%	23.9%	1,900
High school diploma/GED	19.1%	40.7%	6.7%	9.1%	24.3%	19,454
Some college or AA degree	39.3%	25.4%	11.8%	4.8%	18.7%	34,449
Bachelor's degree or higher	45.9%	27.7%	15.1%	2.7%	8.7%	40,802
<b>Household income (in 2012)</b>						
Less than \$20,000	22.6%	8.0%	8.2%	29.6%	31.6%	10,144
\$20,000 - \$34,999	31.6%	20.7%	4.6%	3.2%	40.0%	12,725
\$35,000 - \$49,999	35.7%	21.3%	19.2%	6.2%	17.6%	13,762
\$50,000 - \$99,999	50.2%	31.0%	11.1%	0.6%	7.1%	36,432
\$100,000+	31.3%	46.3%	15.9%	2.9%	3.6%	21,095
<b>Household type</b>						
Single adult, no children	28.0%	22.9%	21.5%	6.9%	20.6%	14,394
2+ adults, no children	40.9%	22.4%	9.1%	5.8%	21.7%	44,957
Single adult, 1+ children	25.5%	31.8%	13.7%	3.5%	25.5%	3,365
2+ adults, 1+ children	39.3%	40.0%	12.0%	3.9%	4.7%	33,725
<b>All areas included in the study</b>						
Benton County	40.9%	28.0%	8.5%	6.6%	16.0%	26,695
Chisago County	43.1%	26.0%	11.1%	6.2%	13.6%	39,001
Mille Lacs County	33.8%	16.4%	20.7%	17.5%	11.5%	19,230
Sherburne County	44.2%	22.4%	12.5%	6.2%	14.6%	61,707
Stearns County	41.0%	27.8%	11.6%	4.7%	14.9%	116,164
Entire five-county region	41.5%	25.5%	12.1%	6.4%	14.5%	262,798

**83. In your opinion, how much of a problem is each of these issues in your county? Language barriers in getting health care**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	24.2%	22.8%	27.1%	6.3%	19.6%	97,203
<b>Gender</b>						
Female	24.6%	21.7%	24.4%	6.6%	22.8%	48,784
Male	24.0%	23.7%	30.0%	6.0%	16.4%	48,266
<b>Age</b>						
18-34	29.0%	20.0%	32.4%	2.9%	15.8%	41,484
35-44	19.0%	25.6%	27.7%	9.9%	17.9%	13,963
45-54	27.7%	18.0%	25.0%	15.4%	13.9%	16,143
55-64	11.4%	36.9%	23.7%	3.9%	24.2%	12,252
65-74	15.7%	22.1%	26.9%	3.2%	32.2%	6,274
75+	27.9%	19.0%	7.2%	6.1%	39.8%	6,288
<b>Highest level of education</b>						
Less than high school diploma/GED	60.7%	9.9%	0.0%	1.3%	28.0%	1,867
High school diploma/GED	12.1%	10.9%	36.6%	7.1%	33.2%	19,454
Some college or AA degree	25.1%	31.1%	20.9%	3.8%	19.2%	34,434
Bachelor's degree or higher	27.8%	21.9%	29.4%	8.2%	12.7%	40,989
<b>Household income (in 2012)</b>						
Less than \$20,000	35.2%	13.3%	14.5%	2.9%	34.1%	10,113
\$20,000 - \$34,999	17.6%	17.5%	15.3%	6.3%	43.2%	12,709
\$35,000 - \$49,999	21.5%	12.5%	44.6%	3.7%	17.7%	13,762
\$50,000 - \$99,999	31.8%	28.2%	25.6%	6.0%	8.4%	36,619
\$100,000+	11.4%	29.0%	34.1%	10.4%	15.0%	21,095
<b>Household type</b>						
Single adult, no children	19.6%	16.4%	29.5%	5.1%	29.4%	14,364
2+ adults, no children	29.6%	20.1%	23.0%	5.7%	21.7%	44,978
Single adult, 1+ children	11.1%	22.7%	35.9%	3.3%	27.0%	3,365
2+ adults, 1+ children	20.3%	28.9%	31.3%	8.0%	11.5%	33,891
<b>All areas included in the study</b>						
Benton County	25.7%	27.8%	17.5%	5.7%	23.4%	26,731
Chisago County	44.1%	25.8%	7.0%	1.3%	21.8%	38,906
Mille Lacs County	54.7%	17.2%	4.5%	2.2%	21.5%	19,037
Sherburne County	35.5%	22.8%	13.7%	2.7%	25.4%	61,688
Stearns County	30.7%	21.6%	23.3%	5.8%	18.6%	115,758
Entire five-county region	35.1%	22.8%	16.7%	4.1%	21.3%	262,120



**84. In your opinion, how much of a problem is each of these issues in your county? Lack of provider knowledge about the health care needs of people of different cultures**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	20.4%	23.3%	26.1%	4.6%	25.6%	96,548
<b>Gender</b>						
Female	19.9%	25.1%	21.2%	3.4%	30.4%	48,151
Male	20.8%	21.3%	31.2%	5.7%	20.9%	48,244
<b>Age</b>						
18-34	29.1%	13.2%	39.0%	1.7%	16.9%	40,901
35-44	13.7%	41.7%	16.1%	3.9%	24.5%	13,942
45-54	12.5%	24.7%	24.4%	13.0%	25.4%	16,143
55-64	10.9%	33.2%	14.9%	3.6%	37.4%	12,218
65-74	17.3%	20.2%	15.9%	3.9%	42.8%	6,263
75+	22.1%	23.1%	4.6%	6.0%	44.3%	6,282
<b>Highest level of education</b>						
Less than high school diploma/GED	42.3%	28.5%	0.9%	0.6%	27.8%	1,883
High school diploma/GED	9.2%	15.8%	45.5%	8.1%	21.4%	19,383
Some college or AA degree	20.4%	23.7%	15.5%	1.6%	38.7%	34,417
Bachelor's degree or higher	24.8%	26.3%	27.4%	5.5%	16.0%	40,407
<b>Household income (in 2012)</b>						
Less than \$20,000	35.1%	7.1%	11.5%	7.0%	39.3%	10,117
\$20,000 - \$34,999	14.2%	16.2%	31.6%	8.6%	29.4%	12,676
\$35,000 - \$49,999	24.8%	12.5%	34.9%	2.9%	24.9%	13,740
\$50,000 - \$99,999	24.8%	26.5%	20.7%	2.2%	25.9%	36,597
\$100,000+	6.5%	37.5%	36.6%	6.3%	13.1%	20,513
<b>Household type</b>						
Single adult, no children	16.6%	15.2%	24.5%	9.7%	33.9%	14,335
2+ adults, no children	26.5%	24.1%	23.8%	3.3%	22.4%	44,955
Single adult, 1+ children	10.8%	21.1%	34.2%	6.4%	27.5%	3,344
2+ adults, 1+ children	14.3%	26.0%	29.7%	4.0%	26.1%	33,309
<b>All areas included in the study</b>						
Benton County	23.3%	26.2%	17.8%	3.3%	29.5%	26,656
Chisago County	32.4%	26.6%	10.3%	1.4%	29.3%	39,144
Mille Lacs County	41.5%	20.0%	11.6%	1.0%	25.9%	19,056
Sherburne County	30.0%	18.6%	12.9%	3.7%	34.9%	61,796
Stearns County	26.0%	22.0%	21.0%	4.7%	26.3%	115,525
Entire five-county region	28.7%	22.2%	16.5%	3.6%	29.1%	262,177

**85. In your opinion, how much of a problem is each of these issues in your county?**  
**Ambulance/rescue squad response time to 911**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	41.8%	21.3%	3.6%	1.6%	31.7%	97,233
<b>Gender</b>						
Female	41.2%	21.6%	5.9%	1.5%	29.8%	48,813
Male	42.3%	21.1%	1.3%	1.7%	33.6%	48,266
<b>Age</b>						
18-34	31.8%	23.1%	4.8%	0.5%	39.9%	41,484
35-44	50.6%	29.9%	2.0%	0.0%	17.5%	13,963
45-54	41.4%	21.8%	1.5%	8.0%	27.3%	16,143
55-64	42.7%	16.0%	6.2%	0.5%	34.5%	12,242
65-74	50.7%	18.5%	3.1%	0.6%	27.0%	6,280
75+	76.7%	2.9%	0.7%	0.0%	19.7%	6,320
<b>Highest level of education</b>						
Less than high school diploma/GED	51.0%	10.3%	0.8%	0.0%	38.0%	1,900
High school diploma/GED	29.5%	22.8%	2.5%	0.7%	44.4%	19,454
Some college or AA degree	53.3%	17.5%	1.8%	0.1%	27.3%	34,455
Bachelor's degree or higher	37.6%	24.5%	5.8%	3.4%	28.7%	40,965
<b>Household income (in 2012)</b>						
Less than \$20,000	33.7%	16.2%	0.9%	1.2%	48.0%	10,150
\$20,000 - \$34,999	39.9%	29.4%	8.7%	0.4%	21.5%	12,725
\$35,000 - \$49,999	54.0%	19.3%	4.4%	0.0%	22.3%	13,762
\$50,000 - \$99,999	45.9%	21.7%	2.3%	1.0%	29.1%	36,595
\$100,000+	31.7%	21.5%	3.7%	4.6%	38.5%	21,095
<b>Household type</b>						
Single adult, no children	57.8%	15.3%	2.0%	0.6%	24.2%	14,401
2+ adults, no children	39.5%	19.7%	4.3%	2.0%	34.5%	44,954
Single adult, 1+ children	13.4%	55.7%	0.0%	0.0%	30.9%	3,365
2+ adults, 1+ children	40.4%	22.9%	3.8%	1.7%	31.2%	33,891
<b>All areas included in the study</b>						
Benton County	45.3%	23.1%	4.8%	1.1%	25.7%	26,702
Chisago County	51.3%	17.1%	9.7%	1.4%	20.5%	39,202
Mille Lacs County	50.8%	13.0%	12.1%	2.5%	21.6%	19,261
Sherburne County	51.2%	15.8%	4.4%	2.4%	26.2%	61,766
Stearns County	46.5%	20.1%	4.7%	1.8%	27.0%	116,385
Entire five-county region	48.5%	18.4%	5.9%	1.8%	25.3%	263,316

**86. In your opinion, how much of a problem is each of these issues in your county? County government's lack of preparation for a disaster, disease outbreak, or terrorist event**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	19.6%	26.8%	9.9%	8.6%	35.1%	96,537
<b>Gender</b>						
Female	21.6%	22.7%	11.7%	3.7%	40.4%	48,117
Male	17.4%	31.0%	8.2%	13.5%	29.9%	48,266
<b>Age</b>						
18-34	12.5%	29.1%	9.1%	13.9%	35.4%	40,901
35-44	29.7%	33.4%	3.0%	2.2%	31.7%	13,963
45-54	26.3%	25.3%	12.3%	6.0%	30.0%	16,055
55-64	18.5%	26.3%	16.7%	7.7%	30.8%	12,218
65-74	23.1%	21.2%	11.8%	2.2%	41.8%	6,280
75+	25.0%	8.6%	6.2%	4.5%	55.6%	6,320
<b>Highest level of education</b>						
Less than high school diploma/GED	22.6%	10.3%	0.0%	0.8%	66.4%	1,900
High school diploma/GED	9.5%	29.3%	13.4%	25.8%	22.1%	19,454
Some college or AA degree	27.1%	18.1%	10.1%	5.2%	39.5%	34,406
Bachelor's degree or higher	17.7%	34.0%	8.7%	3.7%	35.9%	40,319
<b>Household income (in 2012)</b>						
Less than \$20,000	20.4%	13.5%	12.1%	6.5%	47.6%	10,101
\$20,000 - \$34,999	14.2%	43.8%	16.4%	1.3%	24.3%	12,725
\$35,000 - \$49,999	20.6%	27.9%	16.1%	8.6%	26.8%	13,762
\$50,000 - \$99,999	18.3%	25.4%	7.9%	1.0%	47.3%	35,948
\$100,000+	23.6%	27.1%	2.8%	27.6%	18.9%	21,095
<b>Household type</b>						
Single adult, no children	20.0%	30.8%	10.0%	8.3%	30.9%	14,264
2+ adults, no children	20.2%	24.8%	14.2%	5.5%	35.3%	44,978
Single adult, 1+ children	10.8%	33.3%	7.2%	8.8%	39.9%	3,365
2+ adults, 1+ children	18.8%	27.4%	4.6%	13.1%	36.1%	33,309
<b>All areas included in the study</b>						
Benton County	26.5%	22.5%	13.3%	7.2%	30.5%	26,613
Chisago County	26.7%	14.8%	15.4%	6.4%	36.7%	38,945
Mille Lacs County	29.4%	14.7%	16.1%	7.3%	32.5%	19,169
Sherburne County	30.2%	16.9%	11.0%	5.0%	37.0%	62,016
Stearns County	23.1%	26.2%	9.1%	7.4%	34.2%	115,404
Entire five-county region	26.1%	21.1%	11.4%	6.6%	34.7%	262,146

**87. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining family planning services**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	33.7%	15.9%	7.4%	2.2%	40.8%	97,217
<b>Gender</b>						
Female	36.1%	12.3%	9.4%	2.7%	39.5%	48,798
Male	31.1%	19.6%	5.4%	1.7%	42.2%	48,266
<b>Age</b>						
18-34	34.9%	12.3%	7.7%	3.3%	41.8%	41,484
35-44	36.6%	26.9%	7.1%	0.7%	28.8%	13,963
45-54	44.4%	14.8%	7.9%	0.1%	32.8%	16,143
55-64	24.2%	17.6%	10.0%	3.9%	44.3%	12,266
65-74	23.9%	10.9%	6.1%	2.3%	56.9%	6,257
75+	22.3%	15.2%	1.7%	1.0%	59.8%	6,304
<b>Highest level of education</b>						
Less than high school diploma/GED	42.8%	.6%	0.0%	0.0%	56.7%	1,883
High school diploma/GED	18.7%	12.7%	4.9%	0.1%	63.6%	19,448
Some college or AA degree	35.4%	18.7%	9.4%	2.2%	34.3%	34,449
Bachelor's degree or higher	39.0%	16.0%	7.3%	3.3%	34.4%	40,989
<b>Household income (in 2012)</b>						
Less than \$20,000	33.8%	3.2%	6.1%	7.0%	49.9%	10,117
\$20,000 - \$34,999	25.2%	13.9%	5.0%	2.4%	53.5%	12,719
\$35,000 - \$49,999	44.6%	2.2%	15.2%	3.3%	34.7%	13,762
\$50,000 - \$99,999	31.0%	25.2%	6.9%	0.7%	36.3%	36,619
\$100,000+	36.9%	16.6%	4.9%	1.7%	39.9%	21,095
<b>Household type</b>						
Single adult, no children	39.9%	8.8%	11.5%	4.1%	35.6%	14,378
2+ adults, no children	28.9%	13.0%	6.6%	2.4%	49.1%	44,978
Single adult, 1+ children	22.3%	29.7%	21.5%	4.5%	22.0%	3,365
2+ adults, 1+ children	38.2%	21.7%	5.3%	0.9%	33.9%	33,891
<b>All areas included in the study</b>						
Benton County	41.0%	15.5%	9.3%	1.9%	32.3%	26,740
Chisago County	40.1%	18.0%	5.6%	1.1%	35.1%	39,203
Mille Lacs County	34.8%	15.7%	7.7%	4.1%	37.8%	19,150
Sherburne County	40.5%	13.6%	5.9%	2.7%	37.3%	61,735
Stearns County	34.6%	18.6%	7.0%	1.6%	38.3%	116,385
Entire five-county region	37.5%	16.8%	6.8%	2.0%	36.9%	263,213

**88. In your opinion, how much of a problem is each of these issues in your county? Lack of services to allow people to continue living at home**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	17.3%	24.8%	20.7%	8.4%	28.8%	96,785
<b>Gender</b>						
Female	17.2%	25.7%	16.4%	10.5%	30.1%	48,366
Male	17.2%	24.0%	25.0%	6.3%	27.6%	48,266
<b>Age</b>						
18-34	21.6%	22.6%	20.5%	4.3%	31.1%	41,484
35-44	10.7%	29.8%	18.4%	15.6%	25.5%	13,503
45-54	10.4%	36.3%	16.2%	13.4%	23.7%	16,143
55-64	12.6%	15.6%	31.9%	10.5%	29.5%	12,266
65-74	16.3%	20.8%	29.5%	8.5%	24.9%	6,269
75+	26.6%	21.6%	10.6%	4.1%	37.1%	6,320
<b>Highest level of education</b>						
Less than high school diploma/GED	26.2%	0.5%	0.0%	42.0%	31.2%	1,900
High school diploma/GED	9.1%	12.8%	33.7%	7.4%	37.1%	19,037
Some college or AA degree	24.4%	30.2%	14.8%	6.7%	24.0%	34,402
Bachelor's degree or higher	14.7%	27.1%	20.7%	8.8%	28.7%	40,989
<b>Household income (in 2012)</b>						
Less than \$20,000	16.2%	15.9%	15.2%	10.8%	41.8%	10,096
\$20,000 - \$34,999	12.1%	18.0%	14.4%	9.4%	46.1%	12,725
\$35,000 - \$49,999	16.8%	26.2%	20.9%	12.0%	24.0%	13,762
\$50,000 - \$99,999	21.5%	28.9%	14.6%	5.6%	29.4%	36,201
\$100,000+	13.6%	26.3%	38.8%	10.0%	11.4%	21,095
<b>Household type</b>						
Single adult, no children	13.0%	30.2%	22.0%	5.1%	29.7%	14,390
2+ adults, no children	17.2%	18.7%	16.1%	9.9%	38.2%	44,978
Single adult, 1+ children	9.8%	19.3%	24.9%	4.0%	42.0%	3,365
2+ adults, 1+ children	19.3%	31.6%	26.4%	8.3%	14.5%	33,431
<b>All areas included in the study</b>						
Benton County	20.7%	24.7%	21.3%	7.3%	26.0%	26,720
Chisago County	22.0%	25.8%	16.7%	7.8%	27.6%	38,901
Mille Lacs County	24.9%	16.0%	25.2%	9.6%	24.4%	19,218
Sherburne County	23.7%	19.3%	16.1%	7.4%	33.5%	61,880
Stearns County	21.6%	27.0%	18.2%	6.5%	26.6%	115,968
Entire five-county region	22.3%	24.0%	18.3%	7.2%	28.2%	262,687

## Social conditions

### 89. In your opinion, how much of a problem is each of these issues in your county? Crime

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	4.1%	34.2%	46.7%	11.2%	3.9%	97,308
<b>Gender</b>						
Female	4.0%	23.8%	48.6%	16.9%	6.7%	48,867
Male	4.2%	44.7%	44.8%	5.4%	1.0%	48,287
<b>Age</b>						
18-34	2.4%	36.9%	49.0%	8.6%	3.1%	41,457
35-44	3.0%	40.6%	42.7%	13.5%	0.2%	13,963
45-54	6.8%	33.2%	50.8%	9.1%	0.2%	16,143
55-64	2.3%	28.8%	43.6%	16.9%	8.4%	12,254
65-74	5.3%	25.7%	44.4%	17.5%	7.1%	6,280
75+	12.3%	22.5%	41.3%	12.2%	11.6%	6,410
<b>Highest level of education</b>						
Less than high school diploma/GED	8.6%	14.7%	11.1%	10.7%	55.0%	1,883
High school diploma/GED	4.0%	13.3%	65.9%	14.8%	2.0%	19,454
Some college or AA degree	3.6%	31.2%	48.1%	13.4%	3.6%	34,375
Bachelor's degree or higher	4.3%	47.5%	38.4%	7.6%	2.2%	41,137
<b>Household income (in 2012)</b>						
Less than \$20,000	12.9%	22.8%	34.6%	15.5%	14.3%	10,192
\$20,000 - \$34,999	6.8%	15.0%	55.5%	18.3%	4.4%	12,725
\$35,000 - \$49,999	2.4%	22.8%	55.6%	16.9%	2.3%	13,783
\$50,000 - \$99,999	3.0%	43.3%	44.4%	7.3%	2.0%	36,607
\$100,000+	1.6%	45.1%	43.9%	7.6%	1.8%	21,095
<b>Household type</b>						
Single adult, no children	7.3%	34.7%	36.5%	12.3%	9.2%	14,474
2+ adults, no children	3.8%	31.2%	45.3%	15.6%	4.2%	44,999
Single adult, 1+ children	9.3%	54.2%	35.3%	1.2%	0.0%	3,365
2+ adults, 1+ children	2.6%	35.8%	54.5%	6.0%	1.0%	33,891
<b>All areas included in the study</b>						
Benton County	10.0%	39.9%	33.0%	12.9%	4.1%	26,749
Chisago County	15.1%	46.2%	27.7%	7.1%	4.0%	39,104
Mille Lacs County	11.3%	34.7%	33.2%	16.2%	4.8%	19,196
Sherburne County	14.6%	44.6%	28.0%	7.7%	5.0%	62,376
Stearns County	9.7%	34.4%	42.7%	9.9%	3.3%	116,334
Entire five-county region	11.8%	39.2%	35.3%	9.7%	4.0%	263,758

---

**90. In your opinion, how much of a problem is each of these issues in your county? Unemployment**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	1.6%	21.3%	36.5%	35.5%	5.2%	97,023
<b>Gender</b>						
Female	1.1%	20.5%	43.8%	28.3%	6.2%	48,879
Male	2.0%	21.8%	29.1%	42.9%	4.1%	47,990
<b>Age</b>						
18-34	0.4%	19.9%	38.4%	40.3%	1.0%	41,457
35-44	4.2%	25.7%	28.2%	33.0%	8.9%	13,963
45-54	1.6%	30.8%	36.3%	28.0%	3.3%	16,143
55-64	0.1%	14.9%	37.9%	36.9%	10.2%	12,247
65-74	5.3%	16.3%	37.2%	32.3%	8.8%	6,280
75+	2.6%	13.8%	36.9%	33.1%	13.6%	6,132
<b>Highest level of education</b>						
Less than high school diploma/GED	8.6%	14.2%	33.8%	18.6%	24.9%	1,883
High school diploma/GED	0.0%	13.4%	9.0%	72.2%	5.4%	19,176
Some college or AA degree	2.6%	23.9%	47.1%	20.4%	6.0%	34,356
Bachelor's degree or higher	1.1%	23.0%	40.8%	32.1%	3.0%	41,149
<b>Household income (in 2012)</b>						
Less than \$20,000	8.8%	16.0%	35.3%	33.1%	6.8%	10,173
\$20,000 - \$34,999	0.9%	9.3%	27.3%	57.2%	5.3%	12,725
\$35,000 - \$49,999	2.3%	28.0%	38.8%	26.7%	4.2%	13,783
\$50,000 - \$99,999	0.0%	20.2%	43.9%	30.2%	5.7%	36,341
\$100,000+	0.8%	29.7%	28.0%	39.7%	1.8%	21,095
<b>Household type</b>						
Single adult, no children	5.1%	23.3%	30.8%	33.9%	7.0%	14,467
2+ adults, no children	0.8%	19.6%	32.6%	42.0%	5.1%	44,721
Single adult, 1+ children	0.0%	26.9%	25.6%	22.0%	25.5%	3,365
2+ adults, 1+ children	1.3%	21.9%	45.8%	28.9%	2.1%	33,891
<b>All areas included in the study</b>						
Benton County	1.9%	27.3%	41.0%	23.6%	6.3%	26,700
Chisago County	8.2%	17.7%	37.5%	28.8%	7.9%	38,960
Mille Lacs County	1.6%	23.2%	26.9%	42.0%	6.3%	19,227
Sherburne County	5.2%	17.8%	41.7%	27.3%	7.9%	61,851
Stearns County	4.5%	24.9%	34.0%	31.3%	5.4%	116,130
Entire five-county region	4.7%	22.3%	36.5%	30.0%	6.5%	262,868

**91. In your opinion, how much of a problem is each of these issues in your county? Children in poverty**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	4.4%	27.5%	25.9%	30.8%	11.5%	96,453
<b>Gender</b>						
Female	3.2%	22.0%	27.0%	37.0%	10.8%	48,035
Male	5.6%	32.7%	24.9%	24.6%	12.1%	48,265
<b>Age</b>						
18-34	7.2%	37.2%	12.3%	31.1%	12.1%	40,821
35-44	3.5%	22.8%	35.0%	32.1%	6.6%	13,963
45-54	1.9%	27.4%	41.4%	25.1%	4.2%	16,143
55-64	0.1%	13.7%	32.4%	36.9%	16.9%	12,266
65-74	5.3%	18.7%	32.4%	35.9%	7.6%	6,263
75+	2.2%	6.3%	36.2%	26.9%	28.4%	6,196
<b>Highest level of education</b>						
Less than high school diploma/GED	7.5%	14.3%	0.0%	50.1%	28.1%	1,861
High school diploma/GED	0.0%	15.6%	18.2%	44.7%	21.5%	19,263
Some college or AA degree	3.9%	31.4%	24.7%	26.0%	14.0%	34,316
Bachelor's degree or higher	6.8%	30.2%	32.0%	27.5%	3.4%	40,566
<b>Household income (in 2012)</b>						
Less than \$20,000	13.2%	6.2%	24.3%	35.8%	20.4%	9,984
\$20,000 - \$34,999	1.3%	18.5%	20.4%	28.0%	31.7%	12,725
\$35,000 - \$49,999	15.8%	17.9%	24.2%	35.1%	7.0%	13,730
\$50,000 - \$99,999	1.6%	43.8%	25.2%	24.1%	5.3%	36,619
\$100,000+	0.0%	21.2%	32.8%	39.3%	6.8%	20,513
<b>Household type</b>						
Single adult, no children	15.0%	9.4%	28.6%	35.5%	11.5%	14,278
2+ adults, no children	2.0%	27.0%	23.5%	32.1%	15.4%	44,923
Single adult, 1+ children	8.7%	18.9%	24.7%	22.2%	25.5%	3,365
2+ adults, 1+ children	2.7%	36.7%	28.7%	27.6%	4.3%	33,309
<b>All areas included in the study</b>						
Benton County	3.9%	29.1%	28.9%	21.5%	16.6%	26,537
Chisago County	13.2%	24.1%	29.1%	19.3%	14.4%	38,984
Mille Lacs County	3.9%	24.6%	28.1%	32.4%	11.1%	19,181
Sherburne County	9.6%	23.5%	32.0%	22.1%	12.7%	61,463
Stearns County	8.0%	33.0%	22.9%	25.1%	11.0%	115,129
Entire five-county region	8.4%	28.4%	27.0%	23.7%	12.5%	261,294



**92. In your opinion, how much of a problem is each of these issues in your county? Families experiencing financial stress**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	1.6%	11.2%	36.0%	44.6%	6.6%	96,816
<b>Gender</b>						
Female	1.4%	10.3%	34.9%	44.1%	9.2%	48,654
Male	1.8%	11.7%	37.1%	45.3%	4.0%	48,009
<b>Age</b>						
18-34	1.9%	11.7%	34.8%	49.8%	1.8%	41,457
35-44	0.0%	12.9%	37.5%	43.3%	6.3%	13,963
45-54	0.5%	9.3%	39.4%	45.1%	5.7%	16,106
55-64	0.1%	11.2%	37.2%	41.1%	10.4%	12,266
65-74	6.6%	9.2%	41.4%	33.6%	9.1%	6,177
75+	4.1%	9.4%	28.0%	28.3%	30.3%	6,047
<b>Highest level of education</b>						
Less than high school diploma/GED	7.4%	21.5%	1.2%	42.2%	27.8%	1,883
High school diploma/GED	1.0%	8.0%	31.1%	52.1%	7.7%	19,123
Some college or AA degree	1.0%	12.9%	36.9%	40.8%	8.4%	34,239
Bachelor's degree or higher	2.1%	10.4%	39.3%	44.9%	3.3%	41,123
<b>Household income (in 2012)</b>						
Less than \$20,000	4.3%	19.6%	22.0%	40.9%	13.1%	10,117
\$20,000 - \$34,999	3.4%	1.4%	37.2%	46.3%	11.6%	12,330
\$35,000 - \$49,999	0.3%	22.1%	26.6%	47.0%	4.1%	13,783
\$50,000 - \$99,999	1.8%	6.5%	41.7%	46.5%	3.5%	36,586
\$100,000+	0.0%	13.7%	39.1%	42.6%	4.5%	21,095
<b>Household type</b>						
Single adult, no children	2.7%	15.9%	20.6%	49.2%	11.7%	14,318
2+ adults, no children	1.3%	11.6%	35.9%	43.2%	8.0%	44,688
Single adult, 1+ children	0.0%	25.5%	21.5%	26.8%	26.3%	3,365
2+ adults, 1+ children	1.7%	6.6%	44.6%	46.9%	0.3%	33,866
<b>All areas included in the study</b>						
Benton County	2.0%	14.6%	35.7%	39.3%	8.4%	26,626
Chisago County	5.8%	7.9%	35.3%	41.1%	9.9%	38,982
Mille Lacs County	1.4%	9.0%	30.2%	51.8%	7.6%	19,186
Sherburne County	2.8%	11.3%	40.1%	38.1%	7.7%	61,784
Stearns County	2.0%	16.7%	36.9%	36.9%	7.4%	115,696
Entire five-county region	2.7%	13.4%	36.8%	39.1%	8.0%	262,275

**93. In your opinion, how much of a problem is each of these issues in your county? Youth not graduating high school**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	4.5%	30.6%	24.4%	25.3%	15.2%	96,413
<b>Gender</b>						
Female	5.2%	26.7%	31.6%	18.6%	18.0%	48,648
Male	3.9%	34.4%	17.1%	32.2%	12.4%	47,612
<b>Age</b>						
18-34	2.7%	32.9%	20.3%	28.9%	15.3%	41,213
35-44	10.4%	25.0%	27.6%	23.2%	13.9%	13,963
45-54	4.0%	45.5%	25.2%	19.8%	5.5%	16,119
55-64	3.0%	25.3%	28.0%	27.5%	16.2%	12,266
65-74	10.2%	11.1%	24.1%	29.9%	24.7%	6,181
75+	3.0%	15.4%	37.5%	13.6%	30.5%	5,870
<b>Highest level of education</b>						
Less than high school diploma/GED	21.5%	0.0%	0.0%	39.9%	38.6%	1,990
High school diploma/GED	3.1%	10.2%	18.4%	59.3%	8.9%	18,845
Some college or AA degree	4.0%	33.2%	22.6%	15.3%	25.0%	34,315
Bachelor's degree or higher	4.9%	39.3%	30.1%	17.4%	8.4%	40,805
<b>Household income (in 2012)</b>						
Less than \$20,000	10.9%	11.6%	30.7%	17.5%	29.3%	9,923
\$20,000 - \$34,999	1.0%	13.0%	21.0%	49.8%	15.2%	12,379
\$35,000 - \$49,999	2.2%	32.3%	30.9%	27.0%	7.6%	13,664
\$50,000 - \$99,999	4.5%	37.2%	26.3%	15.6%	16.4%	36,619
\$100,000+	5.7%	37.6%	16.5%	31.2%	9.1%	21,095
<b>Household type</b>						
Single adult, no children	2.9%	22.7%	33.3%	22.4%	18.7%	14,318
2+ adults, no children	2.3%	31.4%	22.6%	31.9%	11.9%	44,398
Single adult, 1+ children	10.1%	29.0%	21.5%	5.2%	34.1%	3,365
2+ adults, 1+ children	7.8%	33.1%	23.8%	20.1%	15.3%	33,647
<b>All areas included in the study</b>						
Benton County	5.7%	31.4%	29.9%	16.0%	16.9%	26,739
Chisago County	13.4%	34.4%	16.9%	21.3%	14.0%	39,020
Mille Lacs County	4.2%	22.0%	34.6%	21.7%	17.4%	19,135
Sherburne County	8.3%	32.7%	27.3%	15.9%	15.9%	61,157
Stearns County	7.9%	35.2%	22.1%	21.0%	13.9%	115,585
Entire five-county region	8.3%	33.1%	24.2%	19.4%	14.9%	261,636

## *Pregnancy, birth, and child development*

### **94. In your opinion, how much of a problem is each of these issues in your county? Parents with inadequate or poor parenting skills**

	<b>No problem</b>	<b>Minor problem</b>	<b>Moderate problem</b>	<b>Serious problem</b>	<b>No opinion</b>	<b>N</b>
<b>St. Cloud metro area total</b>	1.6%	13.2%	36.2%	39.6%	9.4%	96,822
<b>Gender</b>						
Female	1.3%	11.0%	36.3%	38.8%	12.6%	48,395
Male	1.9%	15.0%	36.3%	40.6%	6.1%	48,273
<b>Age</b>						
18-34	0.8%	10.5%	42.2%	43.0%	3.5%	41,457
35-44	2.2%	19.9%	29.9%	45.6%	2.5%	13,942
45-54	1.5%	19.3%	35.1%	32.0%	12.1%	15,966
55-64	0.3%	10.9%	27.7%	45.9%	15.1%	12,252
65-74	5.9%	6.9%	40.1%	27.9%	19.1%	6,269
75+	4.8%	9.8%	28.9%	22.7%	33.9%	6,135
<b>Highest level of education</b>						
Less than high school diploma/GED	17.6%	11.4%	0.0%	41.6%	29.4%	1,883
High school diploma/GED	0.1%	10.2%	18.6%	58.3%	12.7%	19,210
Some college or AA degree	2.6%	19.6%	39.2%	29.8%	8.8%	34,154
Bachelor's degree or higher	0.8%	9.1%	44.1%	39.2%	6.9%	41,127
<b>Household income (in 2012)</b>						
Less than \$20,000	11.1%	6.2%	28.4%	41.0%	13.3%	9,974
\$20,000 - \$34,999	0.2%	2.9%	30.4%	46.2%	20.3%	12,657
\$35,000 - \$49,999	1.4%	7.7%	44.9%	37.9%	8.1%	13,783
\$50,000 - \$99,999	0.3%	23.0%	40.7%	32.5%	3.5%	36,619
\$100,000+	0.0%	9.9%	32.6%	48.5%	8.9%	20,897
<b>Household type</b>						
Single adult, no children	3.8%	9.9%	25.7%	44.9%	15.7%	14,186
2+ adults, no children	0.9%	6.3%	39.6%	41.8%	11.4%	44,822
Single adult, 1+ children	9.4%	18.1%	26.7%	37.1%	8.7%	3,344
2+ adults, 1+ children	0.5%	22.9%	37.7%	35.2%	3.7%	33,891
<b>All areas included in the study</b>						
Benton County	1.2%	14.3%	36.4%	36.2%	11.9%	26,487
Chisago County	4.6%	15.0%	31.9%	32.9%	15.5%	39,225
Mille Lacs County	1.8%	19.3%	29.4%	39.5%	10.0%	19,174
Sherburne County	2.7%	16.8%	31.3%	33.6%	15.6%	61,724
Stearns County	3.6%	19.1%	33.2%	35.2%	8.9%	115,944
Entire five-county region	3.2%	17.5%	32.6%	34.9%	11.8%	262,555

---

**95. In your opinion, how much of a problem is each of these issues in your county? Teen pregnancy**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	2.7%	22.8%	38.9%	21.2%	14.4%	96,849
<b>Gender</b>						
Female	2.1%	20.1%	34.1%	24.6%	19.1%	48,422
Male	3.4%	25.3%	43.8%	17.7%	9.8%	48,273
<b>Age</b>						
18-34	2.5%	18.8%	46.3%	24.2%	8.2%	41,457
35-44	4.7%	25.1%	38.1%	18.2%	13.9%	13,963
45-54	1.0%	44.7%	22.1%	17.3%	14.8%	15,982
55-64	0.3%	18.3%	34.0%	26.1%	21.2%	12,252
65-74	9.1%	9.8%	45.0%	16.5%	19.6%	6,259
75+	2.8%	6.3%	40.0%	14.9%	36.0%	6,135
<b>Highest level of education</b>						
Less than high school diploma/GED	20.7%	0.0%	9.8%	39.1%	30.3%	1,883
High school diploma/GED	0.2%	15.8%	43.5%	28.2%	12.4%	19,210
Some college or AA degree	2.1%	22.2%	38.7%	18.8%	18.3%	34,159
Bachelor's degree or higher	3.7%	27.7%	38.4%	19.2%	11.0%	41,149
<b>Household income (in 2012)</b>						
Less than \$20,000	9.8%	13.1%	19.0%	27.5%	30.6%	9,963
\$20,000 - \$34,999	0.9%	7.3%	29.3%	39.8%	22.7%	12,657
\$35,000 - \$49,999	0.1%	17.4%	41.7%	27.6%	13.3%	13,783
\$50,000 - \$99,999	2.5%	36.6%	36.8%	15.8%	8.2%	36,458
\$100,000+	3.0%	17.4%	55.8%	12.9%	10.9%	21,095
<b>Household type</b>						
Single adult, no children	3.4%	14.8%	35.7%	25.0%	21.2%	14,175
2+ adults, no children	1.3%	22.1%	33.3%	27.5%	15.8%	44,999
Single adult, 1+ children	10.1%	18.0%	31.1%	15.3%	25.5%	3,365
2+ adults, 1+ children	3.7%	27.7%	48.9%	11.5%	8.3%	33,731
<b>All areas included in the study</b>						
Benton County	1.7%	26.0%	31.8%	20.1%	20.4%	26,363
Chisago County	6.8%	29.0%	24.8%	18.5%	20.9%	39,056
Mille Lacs County	2.1%	16.7%	34.0%	27.8%	19.4%	19,169
Sherburne County	4.9%	24.9%	29.7%	19.2%	21.4%	61,531
Stearns County	3.5%	31.5%	35.2%	17.0%	12.8%	115,980
Entire five-county region	4.0%	27.9%	31.9%	18.9%	17.3%	262,098

**96. In your opinion, how much of a problem is each of these issues in your county?**  
**Unplanned pregnancy**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	2.6%	28.8%	31.3%	22.0%	15.3%	96,801
<b>Gender</b>						
Female	2.7%	21.2%	29.5%	27.1%	19.5%	48,494
Male	2.6%	36.3%	33.1%	16.9%	11.1%	48,153
<b>Age</b>						
18-34	2.2%	33.3%	30.8%	25.4%	8.4%	41,457
35-44	6.4%	27.1%	35.9%	19.0%	11.6%	13,844
45-54	0.8%	36.3%	31.4%	15.4%	16.1%	16,055
55-64	0.3%	17.4%	31.7%	25.6%	24.9%	12,252
65-74	5.9%	15.8%	33.2%	19.6%	25.5%	6,259
75+	2.5%	16.5%	22.5%	21.2%	37.3%	6,135
<b>Highest level of education</b>						
Less than high school diploma/GED	10.2%	20.3%	0.0%	39.1%	30.3%	1,883
High school diploma/GED	3.0%	37.4%	15.3%	31.3%	13.0%	19,210
Some college or AA degree	2.4%	21.6%	39.2%	19.3%	17.6%	34,200
Bachelor's degree or higher	2.3%	31.3%	33.8%	19.2%	13.4%	41,060
<b>Household income (in 2012)</b>						
Less than \$20,000	13.9%	8.0%	13.5%	31.0%	33.7%	9,844
\$20,000 - \$34,999	0.9%	12.4%	29.2%	34.5%	23.1%	12,657
\$35,000 - \$49,999	2.5%	19.5%	41.8%	26.0%	10.2%	13,783
\$50,000 - \$99,999	0.2%	40.1%	31.3%	17.5%	10.8%	36,530
\$100,000+	2.9%	36.9%	33.7%	16.4%	10.2%	21,095
<b>Household type</b>						
Single adult, no children	2.1%	15.7%	37.6%	18.3%	26.3%	14,087
2+ adults, no children	2.3%	26.4%	25.2%	31.0%	15.2%	44,999
Single adult, 1+ children	8.7%	18.1%	32.5%	14.5%	26.3%	3,365
2+ adults, 1+ children	2.6%	38.8%	37.0%	12.2%	9.4%	33,772
<b>All areas included in the study</b>						
Benton County	3.3%	27.4%	29.3%	18.6%	21.3%	26,418
Chisago County	6.8%	25.0%	30.1%	14.5%	23.6%	38,904
Mille Lacs County	1.7%	19.0%	31.0%	26.3%	21.9%	19,169
Sherburne County	4.9%	24.6%	30.3%	15.9%	24.3%	61,445
Stearns County	5.5%	33.5%	28.7%	18.1%	14.2%	115,949
Entire five-county region	5.1%	28.5%	29.5%	17.7%	19.3%	261,885

**97. In your opinion, how much of a problem is each of these issues in your county? Infant death or premature birth**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	6.5%	44.9%	14.7%	5.9%	28.1%	96,799
<b>Gender</b>						
Female	6.1%	34.0%	16.4%	8.8%	34.7%	48,372
Male	6.6%	55.9%	13.0%	3.0%	21.5%	48,273
<b>Age</b>						
18-34	4.0%	54.8%	10.4%	6.4%	24.4%	41,457
35-44	8.3%	44.9%	20.0%	8.2%	18.7%	13,963
45-54	7.7%	46.7%	17.0%	2.5%	26.2%	16,095
55-64	7.5%	39.8%	12.3%	9.7%	30.8%	12,228
65-74	8.6%	16.1%	25.3%	4.4%	45.7%	6,259
75+	8.2%	18.0%	21.1%	0.3%	52.4%	5,996
<b>Highest level of education</b>						
Less than high school diploma/GED	17.6%	9.8%	0.0%	0.0%	72.6%	1,883
High school diploma/GED	2.9%	41.9%	10.0%	8.5%	36.7%	19,162
Some college or AA degree	8.0%	41.7%	13.1%	5.3%	31.9%	34,320
Bachelor's degree or higher	6.2%	50.9%	18.9%	5.4%	18.5%	40,986
<b>Household income (in 2012)</b>						
Less than \$20,000	10.8%	22.2%	12.8%	13.7%	40.5%	9,963
\$20,000 - \$34,999	4.2%	23.9%	19.6%	5.4%	46.9%	12,657
\$35,000 - \$49,999	4.0%	38.4%	13.9%	9.2%	34.6%	13,783
\$50,000 - \$99,999	8.3%	53.9%	13.1%	3.6%	21.0%	36,547
\$100,000+	3.4%	62.4%	14.0%	4.5%	15.6%	21,095
<b>Household type</b>						
Single adult, no children	6.2%	33.3%	14.9%	6.5%	39.1%	14,037
2+ adults, no children	4.9%	35.6%	15.7%	8.8%	34.9%	44,927
Single adult, 1+ children	9.2%	37.4%	13.3%	3.3%	36.8%	3,365
2+ adults, 1+ children	7.6%	63.5%	13.4%	2.0%	13.5%	33,891
<b>All areas included in the study</b>						
Benton County	14.7%	34.9%	13.0%	6.0%	31.4%	26,551
Chisago County	12.7%	29.9%	15.2%	5.9%	36.3%	38,940
Mille Lacs County	9.7%	31.1%	11.1%	6.7%	41.3%	19,086
Sherburne County	13.2%	28.9%	12.4%	8.1%	37.5%	60,954
Stearns County	10.1%	45.7%	13.3%	4.8%	26.0%	115,252
Entire five-county region	11.7%	37.3%	13.2%	6.0%	31.9%	260,784

## *Infectious diseases*

### **98. In your opinion, how much of a problem is each of these issues in your county? Adults not getting their immunizations such as flu, tetanus, or pneumonia**

	<b>No problem</b>	<b>Minor problem</b>	<b>Moderate problem</b>	<b>Serious problem</b>	<b>No opinion</b>	<b>N</b>
<b>St. Cloud metro area total</b>	19.0%	36.1%	19.9%	4.3%	20.8%	97,029
<b>Gender</b>						
Female	15.2%	36.1%	19.7%	5.3%	23.7%	48,591
Male	22.9%	35.9%	20.2%	3.3%	17.9%	48,285
<b>Age</b>						
18-34	27.1%	37.9%	7.3%	1.7%	26.0%	41,330
35-44	11.2%	50.2%	22.7%	7.2%	8.8%	13,963
45-54	14.1%	29.8%	31.5%	5.8%	18.7%	16,117
55-64	12.2%	29.2%	27.2%	8.9%	22.5%	12,242
65-74	8.8%	22.7%	45.6%	5.6%	17.4%	6,288
75+	16.6%	35.5%	29.4%	1.3%	17.2%	6,288
<b>Highest level of education</b>						
Less than high school diploma/GED	44.5%	0.0%	20.9%	0.9%	33.8%	1,883
High school diploma/GED	5.2%	36.6%	21.5%	3.5%	33.2%	19,438
Some college or AA degree	13.5%	42.0%	13.4%	6.7%	24.4%	34,146
Bachelor's degree or higher	29.0%	32.5%	24.6%	2.8%	11.1%	41,104
<b>Household income (in 2012)</b>						
Less than \$20,000	22.1%	26.6%	13.1%	6.9%	31.3%	10,031
\$20,000 - \$34,999	10.3%	47.0%	21.4%	4.9%	16.4%	12,698
\$35,000 - \$49,999	26.9%	23.9%	25.7%	11.1%	12.3%	13,783
\$50,000 - \$99,999	23.9%	43.1%	13.9%	2.1%	17.0%	36,572
\$100,000+	8.2%	32.1%	29.6%	1.9%	28.2%	21,095
<b>Household type</b>						
Single adult, no children	26.6%	21.9%	25.9%	9.6%	16.1%	14,298
2+ adults, no children	22.8%	35.2%	21.0%	4.8%	16.3%	44,896
Single adult, 1+ children	10.1%	37.8%	13.8%	0.4%	37.9%	3,365
2+ adults, 1+ children	11.3%	43.3%	16.7%	1.8%	26.8%	33,891
<b>All areas included in the study</b>						
Benton County	23.7%	33.1%	18.7%	3.6%	20.8%	26,327
Chisago County	20.4%	41.4%	14.9%	1.7%	21.7%	38,784
Mille Lacs County	12.7%	37.7%	29.4%	3.5%	16.7%	19,157
Sherburne County	21.0%	31.0%	21.8%	5.4%	20.8%	61,949
Stearns County	20.8%	37.0%	19.2%	3.1%	19.9%	116,244
Entire five-county region	20.5%	35.9%	19.9%	3.5%	20.2%	262,460

**99. In your opinion, how much of a problem is each of these issues in your county? Children not getting their immunizations such as pertussis, flu, or tetanus**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	18.8%	32.7%	19.6%	13.2%	15.6%	96,879
<b>Gender</b>						
Female	12.7%	33.3%	21.9%	10.4%	21.7%	48,575
Male	25.0%	32.0%	17.4%	16.1%	9.6%	48,151
<b>Age</b>						
18-34	26.7%	34.4%	13.1%	13.1%	12.7%	41,330
35-44	17.0%	33.0%	21.4%	22.1%	6.7%	13,844
45-54	12.4%	36.7%	21.7%	7.3%	21.9%	16,117
55-64	8.8%	25.9%	26.8%	15.1%	23.4%	12,228
65-74	8.3%	20.0%	38.9%	12.9%	19.9%	6,288
75+	15.2%	36.6%	22.5%	8.0%	17.7%	6,272
<b>Highest level of education</b>						
Less than high school diploma/GED	43.7%	21.2%	0.6%	0.9%	33.8%	1,883
High school diploma/GED	8.7%	24.5%	23.0%	30.9%	13.0%	19,438
Some college or AA degree	16.8%	36.7%	16.1%	9.9%	20.6%	33,996
Bachelor's degree or higher	24.2%	33.9%	22.0%	8.2%	11.7%	41,104
<b>Household income (in 2012)</b>						
Less than \$20,000	26.6%	17.7%	20.4%	7.9%	27.4%	9,895
\$20,000 - \$34,999	6.5%	47.5%	20.8%	7.0%	18.2%	12,698
\$35,000 - \$49,999	25.3%	20.8%	23.6%	19.7%	10.6%	13,783
\$50,000 - \$99,999	25.7%	34.7%	18.1%	6.9%	14.6%	36,572
\$100,000+	6.6%	37.8%	19.1%	26.1%	10.5%	21,095
<b>Household type</b>						
Single adult, no children	25.5%	19.8%	19.8%	13.0%	21.8%	14,267
2+ adults, no children	22.9%	27.9%	23.3%	10.0%	15.9%	44,896
Single adult, 1+ children	10.1%	36.0%	14.7%	1.2%	37.9%	3,365
2+ adults, 1+ children	11.0%	44.5%	15.3%	19.0%	10.2%	33,772
<b>All areas included in the study</b>						
Benton County	23.9%	28.4%	19.7%	7.8%	20.2%	26,418
Chisago County	22.0%	28.4%	20.4%	7.6%	21.7%	38,586
Mille Lacs County	10.4%	34.0%	30.2%	6.6%	18.8%	19,248
Sherburne County	19.4%	27.7%	19.8%	12.8%	20.4%	61,944
Stearns County	17.9%	34.9%	18.2%	11.7%	17.3%	116,392
Entire five-county region	18.9%	31.5%	19.9%	10.6%	19.1%	262,588



**100. In your opinion, how much of a problem is each of these issues in your county? Infectious diseases such as flu, pneumonia, or whooping cough**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	8.2%	38.9%	24.0%	18.0%	10.9%	96,966
<b>Gender</b>						
Female	6.4%	38.6%	27.2%	14.1%	13.7%	48,542
Male	10.2%	39.0%	20.9%	22.0%	8.0%	48,271
<b>Age</b>						
18-34	8.0%	46.7%	16.8%	22.0%	6.6%	41,330
35-44	10.7%	45.4%	19.1%	20.0%	4.7%	13,963
45-54	7.0%	23.4%	41.7%	13.0%	15.0%	16,117
55-64	4.2%	33.9%	26.3%	15.5%	20.0%	12,228
65-74	7.2%	26.9%	34.8%	15.4%	15.8%	6,288
75+	13.4%	35.3%	24.5%	9.6%	17.3%	6,239
<b>Highest level of education</b>						
Less than high school diploma/GED	43.7%	21.2%	0.6%	0.9%	33.8%	1,883
High school diploma/GED	4.2%	34.1%	22.2%	32.1%	7.4%	19,438
Some college or AA degree	7.6%	37.1%	18.7%	21.3%	15.3%	34,083
Bachelor's degree or higher	9.0%	43.6%	30.4%	9.6%	7.4%	41,104
<b>Household income (in 2012)</b>						
Less than \$20,000	18.8%	24.0%	24.3%	16.0%	16.8%	10,015
\$20,000 - \$34,999	3.0%	47.2%	24.2%	9.5%	16.0%	12,698
\$35,000 - \$49,999	18.2%	36.5%	22.9%	16.1%	6.3%	13,783
\$50,000 - \$99,999	7.0%	40.7%	24.7%	16.0%	11.6%	36,540
\$100,000+	0.9%	42.9%	23.0%	29.6%	3.6%	21,095
<b>Household type</b>						
Single adult, no children	23.7%	24.8%	21.2%	13.5%	16.9%	14,267
2+ adults, no children	5.7%	46.2%	26.6%	11.7%	9.8%	44,864
Single adult, 1+ children	10.1%	38.5%	16.6%	0.7%	34.1%	3,365
2+ adults, 1+ children	4.6%	35.3%	22.8%	30.3%	7.0%	33,891
<b>All areas included in the study</b>						
Benton County	13.0%	37.1%	26.1%	8.7%	15.0%	26,475
Chisago County	22.3%	32.4%	21.8%	6.1%	17.4%	38,548
Mille Lacs County	7.5%	38.9%	31.5%	7.6%	14.5%	19,221
Sherburne County	14.9%	33.8%	25.4%	9.0%	16.9%	61,753
Stearns County	11.0%	40.4%	21.6%	14.9%	12.1%	116,309
Entire five-county region	13.5%	37.2%	23.7%	11.1%	14.5%	262,306

**101. In your opinion, how much of a problem is each of these issues in your county? Sexually transmitted diseases such as chlamydia, syphilis, or HIV/AIDS**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	6.9%	27.5%	25.3%	15.1%	25.3%	96,608
<b>Gender</b>						
Female	4.5%	24.0%	30.8%	10.7%	30.0%	48,293
Male	9.2%	30.8%	19.9%	19.6%	20.6%	48,162
<b>Age</b>						
18-34	8.0%	28.7%	21.8%	19.5%	22.0%	41,330
35-44	4.4%	45.5%	22.4%	12.6%	15.2%	13,963
45-54	7.2%	28.5%	30.0%	10.7%	23.6%	16,117
55-64	2.8%	15.7%	32.1%	12.0%	37.4%	12,228
65-74	8.2%	9.6%	28.6%	11.4%	42.1%	6,267
75+	11.2%	13.6%	27.5%	14.7%	32.9%	5,902
<b>Highest level of education</b>						
Less than high school diploma/GED	36.3%	10.5%	18.0%	0.0%	35.2%	1,883
High school diploma/GED	1.8%	9.2%	21.7%	48.9%	18.3%	19,438
Some college or AA degree	8.4%	24.8%	22.4%	9.0%	35.4%	33,746
Bachelor's degree or higher	6.7%	39.0%	29.9%	5.0%	19.5%	41,083
<b>Household income (in 2012)</b>						
Less than \$20,000	14.6%	16.6%	17.2%	11.6%	40.0%	10,031
\$20,000 - \$34,999	2.2%	9.2%	32.2%	33.2%	23.2%	12,312
\$35,000 - \$49,999	15.4%	24.6%	23.4%	12.3%	24.3%	13,783
\$50,000 - \$99,999	7.3%	33.2%	25.7%	6.0%	27.8%	36,551
\$100,000+	0.3%	36.1%	25.3%	23.9%	14.4%	21,095
<b>Household type</b>						
Single adult, no children	18.5%	18.4%	17.8%	15.3%	30.1%	14,175
2+ adults, no children	6.4%	27.0%	26.1%	16.4%	24.1%	44,598
Single adult, 1+ children	9.3%	29.7%	24.9%	1.1%	34.9%	3,365
2+ adults, 1+ children	2.4%	31.6%	27.3%	15.0%	23.7%	33,891
<b>All areas included in the study</b>						
Benton County	15.2%	28.3%	20.3%	7.7%	28.5%	26,345
Chisago County	17.7%	29.1%	16.7%	5.8%	30.7%	38,481
Mille Lacs County	7.3%	30.2%	24.5%	10.5%	27.6%	19,184
Sherburne County	11.6%	26.9%	18.7%	9.0%	33.8%	61,670
Stearns County	10.9%	27.4%	23.5%	13.2%	25.1%	116,074
Entire five-county region	12.2%	27.8%	21.1%	10.3%	28.5%	261,754

**102. In your opinion, how much of a problem is each of these issues in your county? Insect-borne diseases such as Lyme disease or West Nile virus**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	15.5%	36.6%	22.9%	10.1%	14.9%	96,610
<b>Gender</b>						
Female	9.5%	38.9%	22.4%	7.1%	22.0%	48,204
Male	21.5%	34.1%	23.5%	13.2%	7.8%	48,252
<b>Age</b>						
18-34	22.6%	35.2%	14.8%	14.4%	13.0%	41,330
35-44	13.4%	46.7%	30.2%	0.0%	9.7%	13,963
45-54	8.9%	34.4%	31.5%	12.8%	12.4%	16,029
55-64	5.4%	29.0%	32.0%	8.3%	25.2%	12,228
65-74	13.7%	39.7%	20.8%	11.1%	14.8%	6,248
75+	12.8%	35.6%	26.1%	1.4%	24.0%	6,011
<b>Highest level of education</b>						
Less than high school diploma/GED	46.8%	18.0%	0.6%	31.8%	2.8%	1,883
High school diploma/GED	2.7%	35.0%	21.1%	25.4%	15.8%	19,438
Some college or AA degree	8.8%	34.8%	34.5%	4.4%	17.5%	33,836
Bachelor's degree or higher	25.8%	39.6%	15.4%	6.7%	12.5%	40,994
<b>Household income (in 2012)</b>						
Less than \$20,000	21.9%	29.1%	6.6%	8.8%	33.6%	10,012
\$20,000 - \$34,999	5.9%	60.7%	11.3%	5.0%	17.1%	12,421
\$35,000 - \$49,999	22.5%	35.7%	24.1%	7.1%	10.6%	13,783
\$50,000 - \$99,999	19.7%	31.8%	33.9%	2.9%	11.7%	36,463
\$100,000+	8.0%	35.7%	16.5%	28.3%	11.4%	21,095
<b>Household type</b>						
Single adult, no children	24.3%	26.2%	22.7%	4.9%	21.9%	14,177
2+ adults, no children	18.8%	38.3%	19.9%	8.1%	14.8%	44,598
Single adult, 1+ children	2.3%	45.0%	17.9%	0.7%	34.1%	3,365
2+ adults, 1+ children	9.0%	37.3%	27.9%	16.0%	9.8%	33,891
<b>All areas included in the study</b>						
Benton County	16.3%	43.6%	15.2%	5.0%	19.8%	26,399
Chisago County	13.4%	29.3%	27.9%	13.0%	16.4%	38,783
Mille Lacs County	3.6%	37.1%	29.1%	16.7%	13.6%	19,114
Sherburne County	9.3%	32.7%	24.1%	10.3%	23.7%	61,942
Stearns County	17.9%	35.2%	24.8%	8.0%	14.2%	115,969
Entire five-county region	14.0%	34.7%	24.4%	9.6%	17.3%	262,207

## Environment

### 103. In your opinion, how much of a problem is each of these issues in your county? Indoor air pollution related to radon

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	21.6%	31.5%	9.8%	2.8%	34.3%	97,086
<b>Gender</b>						
Female	21.3%	30.0%	12.2%	1.7%	34.8%	48,627
Male	22.1%	32.8%	7.3%	3.8%	34.0%	48,306
<b>Age</b>						
18-34	31.2%	13.3%	6.6%	0.9%	48.0%	41,330
35-44	17.6%	47.3%	15.5%	2.2%	17.5%	13,963
45-54	7.5%	56.3%	8.8%	7.0%	20.3%	16,143
55-64	8.3%	37.8%	15.8%	3.0%	35.0%	12,242
65-74	17.6%	42.1%	8.3%	7.3%	24.6%	6,299
75+	31.5%	29.3%	11.3%	0.4%	27.6%	6,309
<b>Highest level of education</b>						
Less than high school diploma/GED	54.2%	9.8%	0.0%	0.0%	36.0%	1,883
High school diploma/GED	6.7%	17.3%	12.4%	6.4%	57.2%	19,438
Some college or AA degree	23.7%	43.4%	6.6%	1.6%	24.7%	34,182
Bachelor's degree or higher	25.6%	29.3%	11.6%	2.1%	31.3%	41,125
<b>Household income (in 2012)</b>						
Less than \$20,000	23.5%	22.5%	7.7%	4.8%	41.5%	10,031
\$20,000 - \$34,999	14.3%	19.8%	8.9%	8.6%	48.4%	12,709
\$35,000 - \$49,999	28.8%	37.7%	5.1%	2.6%	25.8%	13,783
\$50,000 - \$99,999	23.4%	34.6%	10.6%	2.0%	29.4%	36,619
\$100,000+	17.9%	34.6%	11.2%	0.1%	36.2%	21,095
<b>Household type</b>						
Single adult, no children	31.4%	26.9%	8.9%	5.2%	27.7%	14,308
2+ adults, no children	16.6%	29.1%	11.4%	3.5%	39.5%	44,942
Single adult, 1+ children	14.1%	42.8%	9.8%	0.8%	32.5%	3,365
2+ adults, 1+ children	24.9%	35.5%	8.1%	1.0%	30.5%	33,891
<b>All areas included in the study</b>						
Benton County	28.5%	32.5%	10.0%	2.5%	26.5%	26,445
Chisago County	24.8%	34.6%	14.4%	2.7%	23.5%	38,517
Mille Lacs County	18.8%	22.7%	13.3%	4.3%	40.9%	19,102
Sherburne County	30.6%	24.1%	15.8%	4.5%	25.1%	62,061
Stearns County	23.1%	31.1%	9.3%	2.6%	33.9%	115,509
Entire five-county region	25.4%	29.5%	11.9%	3.2%	30.0%	261,633

**104. In your opinion, how much of a problem is each of these issues in your county?**  
**Unsafe drinking water**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	42.3%	29.2%	6.9%	10.4%	11.2%	96,910
<b>Gender</b>						
Female	36.6%	35.6%	9.4%	5.2%	13.3%	48,480
Male	48.2%	22.5%	4.5%	15.6%	9.3%	48,277
<b>Age</b>						
18-34	48.2%	17.4%	7.2%	13.9%	13.3%	41,330
35-44	35.4%	39.9%	6.7%	11.6%	6.4%	13,963
45-54	29.3%	44.1%	11.0%	8.3%	7.2%	16,143
55-64	38.3%	35.4%	2.9%	9.4%	14.0%	12,096
65-74	45.6%	32.1%	7.3%	2.8%	12.3%	6,269
75+	56.9%	28.9%	3.1%	0.4%	10.7%	6,309
<b>Highest level of education</b>						
Less than high school diploma/GED	54.2%	41.6%	0.6%	0.0%	3.7%	1,883
High school diploma/GED	14.3%	18.6%	11.2%	34.1%	21.7%	19,292
Some college or AA degree	45.6%	31.6%	3.8%	6.3%	12.6%	34,152
Bachelor's degree or higher	52.5%	31.4%	7.8%	3.2%	5.1%	41,125
<b>Household income (in 2012)</b>						
Less than \$20,000	37.3%	23.5%	18.9%	9.4%	10.8%	10,031
\$20,000 - \$34,999	28.2%	26.5%	8.0%	7.1%	30.1%	12,709
\$35,000 - \$49,999	54.9%	26.6%	2.4%	5.6%	10.5%	13,783
\$50,000 - \$99,999	47.3%	34.1%	4.7%	7.7%	6.3%	36,443
\$100,000+	37.2%	26.8%	8.1%	20.8%	7.0%	21,095
<b>Household type</b>						
Single adult, no children	46.2%	27.8%	5.8%	9.7%	10.5%	14,308
2+ adults, no children	44.9%	26.4%	7.3%	7.6%	13.7%	44,766
Single adult, 1+ children	27.3%	37.5%	9.8%	0.0%	25.5%	3,365
2+ adults, 1+ children	38.8%	32.6%	6.6%	15.5%	6.5%	33,891
<b>All areas included in the study</b>						
Benton County	44.5%	27.8%	11.5%	4.2%	12.0%	26,351
Chisago County	48.2%	28.2%	5.6%	5.1%	12.9%	38,580
Mille Lacs County	40.3%	22.4%	8.7%	6.4%	22.2%	19,126
Sherburne County	45.2%	25.9%	9.5%	4.5%	14.8%	62,199
Stearns County	43.2%	31.2%	6.4%	8.7%	10.4%	115,647
Entire five-county region	44.3%	28.5%	7.7%	6.6%	12.9%	261,903

**105. In your opinion, how much of a problem is each of these issues in your county? Unsafe food in restaurants**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	34.6%	38.6%	8.2%	8.8%	9.9%	93,400
<b>Gender</b>						
Female	26.1%	41.3%	12.3%	4.3%	16.0%	48,440
Male	43.5%	35.7%	3.8%	13.6%	3.3%	44,807
<b>Age</b>						
18-34	43.5%	25.1%	7.2%	13.1%	11.2%	38,483
35-44	34.2%	46.0%	10.2%	9.0%	0.6%	13,351
45-54	23.4%	55.1%	14.2%	1.0%	6.2%	16,055
55-64	17.0%	51.6%	4.9%	9.6%	17.0%	12,242
65-74	25.1%	49.3%	9.8%	3.1%	12.7%	6,182
75+	50.1%	30.4%	0.9%	6.8%	11.8%	6,288
<b>Highest level of education</b>						
Less than high school diploma/GED	53.4%	0.9%	10.4%	0.8%	34.6%	1,883
High school diploma/GED	10.8%	33.4%	7.0%	36.4%	12.4%	16,591
Some college or AA degree	33.3%	42.9%	8.2%	2.9%	12.7%	34,069
Bachelor's degree or higher	44.4%	39.2%	8.6%	2.9%	4.9%	40,399
<b>Household income (in 2012)</b>						
Less than \$20,000	26.7%	20.1%	20.2%	8.8%	24.2%	9,826
\$20,000 - \$34,999	24.7%	56.3%	6.3%	0.9%	11.7%	9,861
\$35,000 - \$49,999	44.0%	36.6%	2.5%	5.3%	11.7%	13,762
\$50,000 - \$99,999	39.2%	43.0%	8.4%	4.0%	5.4%	36,619
\$100,000+	27.7%	34.2%	7.0%	23.7%	7.4%	20,483
<b>Household type</b>						
Single adult, no children	44.3%	28.6%	7.0%	7.8%	12.3%	14,191
2+ adults, no children	35.1%	40.2%	7.8%	5.2%	11.7%	42,074
Single adult, 1+ children	28.5%	49.9%	12.1%	0.0%	9.5%	3,277
2+ adults, 1+ children	29.9%	40.2%	9.0%	14.8%	6.2%	33,279
<b>All areas included in the study</b>						
Benton County	40.5%	33.3%	11.1%	2.6%	12.4%	26,502
Chisago County	42.2%	30.7%	7.7%	4.8%	14.6%	38,360
Mille Lacs County	41.2%	24.8%	8.4%	5.4%	20.2%	19,172
Sherburne County	41.6%	31.3%	8.4%	4.5%	14.2%	61,889
Stearns County	36.4%	37.7%	9.0%	7.5%	9.3%	111,907
Entire five-county region	39.3%	33.7%	8.8%	5.7%	12.4%	257,829

**106. In your opinion, how much of a problem is each of these issues in your county? Extreme heat and days of high heat and humidity**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	25.2%	44.5%	13.9%	4.0%	12.4%	93,230
<b>Gender</b>						
Female	29.7%	39.0%	12.4%	5.8%	13.1%	48,342
Male	20.4%	50.4%	15.6%	1.9%	11.7%	44,734
<b>Age</b>						
18-34	26.8%	31.3%	19.0%	3.3%	19.6%	38,483
35-44	30.2%	61.2%	6.0%	2.2%	0.3%	13,685
45-54	27.3%	53.9%	11.7%	3.4%	3.7%	15,439
55-64	16.3%	52.9%	10.2%	7.8%	12.8%	12,242
65-74	17.4%	48.1%	18.6%	5.1%	10.9%	6,293
75+	27.2%	47.5%	9.1%	5.0%	11.2%	6,288
<b>Highest level of education</b>						
Less than high school diploma/GED	19.6%	34.6%	11.2%	31.7%	2.8%	1,883
High school diploma/GED	13.0%	29.8%	7.7%	10.3%	39.2%	15,887
Some college or AA degree	26.1%	49.1%	9.6%	3.5%	11.7%	33,897
Bachelor's degree or higher	29.5%	47.0%	20.1%	0.6%	2.8%	41,104
<b>Household income (in 2012)</b>						
Less than \$20,000	20.1%	29.9%	16.1%	19.8%	14.2%	10,031
\$20,000 - \$34,999	25.7%	43.9%	9.7%	7.4%	13.3%	9,152
\$35,000 - \$49,999	28.9%	49.5%	15.9%	2.7%	3.0%	13,762
\$50,000 - \$99,999	23.7%	49.2%	18.5%	1.7%	6.9%	36,619
\$100,000+	27.0%	42.7%	6.2%	0.1%	23.9%	20,817
<b>Household type</b>						
Single adult, no children	33.2%	34.4%	11.6%	6.1%	14.6%	14,302
2+ adults, no children	20.9%	47.0%	19.1%	4.8%	8.1%	41,092
Single adult, 1+ children	39.8%	34.2%	17.3%	0.0%	8.7%	3,365
2+ adults, 1+ children	25.4%	47.1%	8.4%	2.4%	16.7%	33,891
<b>All areas included in the study</b>						
Benton County	30.2%	41.9%	16.3%	3.2%	8.4%	26,580
Chisago County	32.3%	37.8%	18.6%	2.6%	8.7%	38,533
Mille Lacs County	22.0%	40.5%	17.9%	6.0%	13.5%	19,236
Sherburne County	31.2%	41.8%	13.7%	3.5%	9.7%	62,190
Stearns County	27.4%	43.1%	14.2%	3.9%	11.4%	111,866
Entire five-county region	28.9%	41.7%	15.2%	3.7%	10.5%	258,405

**107. In your opinion, how much of a problem is each of these issues in your county? Extreme weather such as drought, floods, or tornadoes**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	19.5%	47.7%	13.5%	4.9%	14.4%	96,047
<b>Gender</b>						
Female	23.6%	40.4%	18.2%	5.2%	12.6%	47,850
Male	15.2%	55.1%	8.9%	4.6%	16.2%	48,044
<b>Age</b>						
18-34	23.0%	40.4%	10.6%	0.9%	25.1%	40,748
35-44	25.1%	59.5%	12.1%	2.2%	1.1%	13,963
45-54	14.0%	58.2%	15.8%	9.7%	2.4%	15,938
55-64	7.8%	47.3%	17.8%	13.4%	13.7%	12,048
65-74	10.5%	54.2%	13.4%	8.2%	13.7%	6,282
75+	29.7%	35.6%	23.5%	5.4%	5.8%	6,267
<b>Highest level of education</b>						
Less than high school diploma/GED	60.4%	18.2%	14.2%	1.9%	5.3%	1,301
High school diploma/GED	8.7%	21.9%	15.1%	5.4%	48.9%	19,245
Some college or AA degree	16.9%	53.9%	15.6%	5.1%	8.4%	34,143
Bachelor's degree or higher	25.1%	56.1%	11.1%	4.6%	3.1%	40,910
<b>Household income (in 2012)</b>						
Less than \$20,000	28.7%	20.9%	20.1%	7.5%	22.8%	9,420
\$20,000 - \$34,999	13.9%	35.8%	15.6%	4.5%	30.1%	12,709
\$35,000 - \$49,999	29.9%	36.0%	21.2%	8.6%	4.3%	13,762
\$50,000 - \$99,999	15.6%	63.5%	12.5%	3.3%	5.1%	36,424
\$100,000+	18.3%	49.9%	5.2%	3.6%	23.0%	20,903
<b>Household type</b>						
Single adult, no children	30.6%	24.8%	24.1%	9.3%	11.1%	14,280
2+ adults, no children	15.1%	52.1%	10.9%	7.0%	14.9%	43,931
Single adult, 1+ children	38.1%	42.7%	10.2%	0.4%	8.7%	3,365
2+ adults, 1+ children	18.1%	52.8%	13.0%	0.8%	15.4%	33,891
<b>All areas included in the study</b>						
Benton County	25.9%	47.5%	14.4%	4.9%	7.3%	26,325
Chisago County	30.7%	37.1%	18.3%	5.7%	8.2%	38,574
Mille Lacs County	26.4%	33.2%	21.3%	5.6%	13.6%	19,147
Sherburne County	26.4%	44.6%	15.3%	5.6%	8.1%	62,017
Stearns County	21.2%	46.5%	14.9%	4.2%	13.2%	114,972
Entire five-county region	24.7%	43.8%	15.9%	4.9%	10.7%	261,034



**108. In your opinion, how much of a problem is each of these issues in your county? Lack of access to public space for no-cost recreational use**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	32.6%	33.0%	18.5%	5.9%	10.0%	96,927
<b>Gender</b>						
Female	28.8%	32.4%	17.4%	5.4%	16.0%	48,488
Male	36.2%	33.7%	19.7%	6.3%	4.1%	48,285
<b>Age</b>						
18-34	35.5%	31.9%	22.3%	3.9%	6.5%	41,330
35-44	30.2%	38.0%	18.7%	8.6%	4.5%	13,963
45-54	32.9%	26.1%	21.8%	12.4%	6.9%	16,143
55-64	26.6%	29.5%	15.0%	5.6%	23.4%	12,242
65-74	33.4%	42.3%	9.0%	2.6%	12.7%	6,299
75+	29.8%	42.3%	3.5%	0.6%	23.8%	6,149
<b>Highest level of education</b>						
Less than high school diploma/GED	84.0%	0.0%	9.8%	1.3%	4.9%	1,883
High school diploma/GED	7.2%	31.6%	39.8%	5.9%	15.5%	19,300
Some college or AA degree	32.3%	34.9%	16.6%	3.6%	12.6%	34,182
Bachelor's degree or higher	42.2%	34.0%	10.6%	8.0%	5.2%	41,104
<b>Household income (in 2012)</b>						
Less than \$20,000	26.8%	22.5%	18.7%	8.8%	23.1%	9,893
\$20,000 - \$34,999	21.0%	40.9%	20.6%	3.3%	14.1%	12,709
\$35,000 - \$49,999	47.2%	21.0%	15.7%	6.5%	9.6%	13,762
\$50,000 - \$99,999	38.5%	35.2%	15.5%	4.3%	6.6%	36,619
\$100,000+	24.4%	36.7%	25.9%	9.0%	4.1%	21,095
<b>Household type</b>						
Single adult, no children	41.0%	17.2%	16.2%	10.3%	15.4%	14,170
2+ adults, no children	36.0%	39.9%	11.3%	2.0%	10.8%	44,921
Single adult, 1+ children	39.2%	32.0%	17.6%	2.6%	8.7%	3,365
2+ adults, 1+ children	23.6%	31.1%	29.3%	9.5%	6.5%	33,891
<b>All areas included in the study</b>						
Benton County	39.8%	27.8%	15.4%	5.5%	11.5%	26,538
Chisago County	39.3%	35.4%	10.4%	5.1%	9.8%	38,805
Mille Lacs County	32.8%	26.2%	13.9%	11.9%	15.2%	19,130
Sherburne County	39.2%	27.8%	15.2%	6.4%	11.4%	62,252
Stearns County	36.0%	31.9%	17.4%	5.6%	9.1%	115,639
Entire five-county region	37.4%	30.6%	15.4%	6.2%	10.4%	262,363

**109. In your opinion, how much of a problem is each of these issues in your county? Lack of safe places to walk or bike**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	39.4%	33.0%	15.7%	7.0%	4.9%	96,194
<b>Gender</b>						
Female	35.0%	35.3%	13.2%	8.6%	7.9%	47,948
Male	43.5%	30.8%	18.4%	5.4%	1.9%	48,093
<b>Age</b>						
18-34	39.8%	33.0%	18.4%	5.8%	3.0%	41,330
35-44	45.0%	38.0%	9.7%	7.2%	0.0%	13,685
45-54	39.0%	26.1%	18.1%	11.5%	5.4%	15,790
55-64	26.5%	36.5%	15.9%	8.4%	12.7%	12,242
65-74	39.8%	37.0%	13.2%	4.8%	5.2%	6,299
75+	48.2%	32.8%	7.3%	3.3%	8.5%	6,048
<b>Highest level of education</b>						
Less than high school diploma/GED	84.0%	0.0%	11.2%	0.8%	4.0%	1,883
High school diploma/GED	15.9%	35.7%	33.1%	7.3%	7.9%	19,054
Some college or AA degree	47.0%	34.3%	5.6%	7.0%	6.2%	33,855
Bachelor's degree or higher	41.9%	32.5%	16.4%	7.2%	2.0%	40,944
<b>Household income (in 2012)</b>						
Less than \$20,000	38.4%	29.4%	6.8%	12.5%	12.8%	9,893
\$20,000 - \$34,999	26.5%	51.1%	7.6%	10.7%	4.2%	12,656
\$35,000 - \$49,999	35.8%	41.3%	15.0%	4.2%	3.7%	13,762
\$50,000 - \$99,999	47.2%	32.3%	11.5%	6.1%	2.9%	36,308
\$100,000+	37.9%	21.6%	32.3%	5.4%	2.8%	20,742
<b>Household type</b>						
Single adult, no children	31.8%	35.6%	14.1%	10.2%	8.3%	14,101
2+ adults, no children	41.2%	35.9%	11.1%	7.4%	4.4%	44,536
Single adult, 1+ children	28.5%	42.4%	19.8%	0.6%	8.7%	3,365
2+ adults, 1+ children	40.9%	27.5%	22.5%	5.9%	3.2%	33,613
<b>All areas included in the study</b>						
Benton County	41.1%	31.1%	17.3%	5.7%	4.9%	26,095
Chisago County	45.3%	32.2%	12.2%	5.4%	4.9%	38,818
Mille Lacs County	38.6%	24.0%	15.4%	11.0%	11.0%	19,163
Sherburne County	44.2%	26.9%	14.9%	6.8%	7.2%	62,112
Stearns County	43.5%	32.9%	12.7%	5.0%	5.9%	114,924
Entire five-county region	43.3%	30.5%	13.8%	6.0%	6.4%	261,112

## Alcohol, tobacco, and other drug use

### 110. In your opinion, how much of a problem is each of these issues in your county? Smoking or other tobacco use

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	10.3%	22.1%	31.0%	19.7%	16.9%	96,445
<b>Gender</b>						
Female	5.1%	21.1%	36.2%	22.7%	15.0%	48,027
Male	15.2%	23.2%	26.0%	16.8%	18.9%	48,264
<b>Age</b>						
18-34	13.5%	15.0%	24.7%	24.1%	22.7%	40,748
35-44	4.4%	39.4%	31.2%	10.4%	14.6%	13,963
45-54	6.1%	27.5%	40.8%	19.9%	5.6%	16,143
55-64	4.7%	27.3%	36.8%	17.5%	13.7%	12,242
65-74	7.2%	18.2%	37.2%	18.7%	18.7%	6,282
75+	20.8%	10.3%	32.8%	19.1%	17.0%	6,267
<b>Highest level of education</b>						
Less than high school diploma/GED	35.5%	0.0%	48.8%	10.7%	5.0%	1,883
High school diploma/GED	17.1%	13.6%	18.7%	19.7%	30.8%	19,438
Some college or AA degree	8.2%	30.0%	23.3%	16.0%	22.6%	33,562
Bachelor's degree or higher	7.2%	21.0%	42.7%	23.3%	5.8%	41,104
<b>Household income (in 2012)</b>						
Less than \$20,000	19.7%	14.2%	32.2%	20.7%	13.1%	10,025
\$20,000 - \$34,999	26.3%	16.8%	23.0%	23.3%	10.6%	12,698
\$35,000 - \$49,999	6.8%	32.0%	34.0%	21.2%	5.9%	13,783
\$50,000 - \$99,999	3.3%	24.1%	29.3%	25.2%	18.0%	36,015
\$100,000+	9.4%	20.8%	36.6%	7.4%	25.8%	21,095
<b>Household type</b>						
Single adult, no children	11.9%	23.6%	21.4%	28.6%	14.4%	14,292
2+ adults, no children	13.0%	20.1%	32.1%	25.2%	9.6%	44,901
Single adult, 1+ children	11.1%	31.4%	21.0%	10.2%	26.3%	3,365
2+ adults, 1+ children	5.5%	23.5%	35.0%	9.5%	26.5%	33,309
<b>All areas included in the study</b>						
Benton County	12.2%	28.8%	28.3%	18.8%	11.8%	26,488
Chisago County	18.8%	17.6%	37.5%	17.5%	8.6%	38,516
Mille Lacs County	6.4%	20.5%	26.9%	31.5%	14.8%	19,163
Sherburne County	17.4%	23.7%	30.7%	16.0%	12.1%	61,753
Stearns County	12.9%	23.3%	32.0%	17.5%	14.3%	115,122
Entire five-county region	14.3%	22.9%	31.8%	18.3%	12.7%	261,042

**111. In your opinion, how much of a problem is each of these issues in your county? Abuse of prescription drugs**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	4.6%	28.1%	27.7%	23.2%	16.3%	96,977
<b>Gender</b>						
Female	4.9%	22.7%	26.5%	30.0%	16.0%	48,616
Male	4.4%	33.4%	29.1%	16.5%	16.7%	48,207
<b>Age</b>						
18-34	3.4%	30.7%	26.3%	22.9%	16.7%	41,330
35-44	7.0%	25.2%	33.0%	23.2%	11.7%	13,963
45-54	1.5%	34.8%	26.5%	27.5%	9.8%	16,115
55-64	1.7%	26.3%	29.7%	21.6%	20.7%	12,242
65-74	8.4%	16.1%	28.2%	22.3%	25.1%	6,269
75+	17.5%	10.6%	28.1%	21.8%	22.0%	6,257
<b>Highest level of education</b>						
Less than high school diploma/GED	35.5%	10.5%	0.0%	19.4%	34.6%	1,883
High school diploma/GED	1.3%	29.5%	35.1%	25.2%	8.9%	19,410
Some college or AA degree	2.5%	26.4%	25.3%	31.5%	14.3%	34,132
Bachelor's degree or higher	6.5%	29.6%	27.7%	15.9%	20.3%	41,093
<b>Household income (in 2012)</b>						
Less than \$20,000	17.5%	21.8%	11.5%	30.3%	18.8%	9,985
\$20,000 - \$34,999	3.9%	32.0%	30.1%	19.1%	15.0%	12,688
\$35,000 - \$49,999	4.1%	40.7%	20.5%	23.2%	11.5%	13,783
\$50,000 - \$99,999	2.7%	20.9%	29.0%	25.4%	22.0%	36,598
\$100,000+	3.0%	32.6%	38.3%	18.5%	7.7%	21,095
<b>Household type</b>						
Single adult, no children	5.0%	26.6%	18.1%	27.8%	22.5%	14,241
2+ adults, no children	5.2%	25.9%	24.7%	22.6%	21.6%	44,901
Single adult, 1+ children	8.7%	29.2%	17.8%	18.0%	26.3%	3,365
2+ adults, 1+ children	3.4%	31.7%	37.0%	22.6%	5.3%	33,891
<b>All areas included in the study</b>						
Benton County	7.7%	28.6%	24.0%	19.2%	20.4%	26,494
Chisago County	9.9%	22.9%	28.1%	23.4%	15.7%	38,639
Mille Lacs County	4.8%	15.2%	23.2%	32.8%	24.0%	19,125
Sherburne County	9.5%	23.2%	28.0%	17.8%	21.5%	61,160
Stearns County	7.7%	26.0%	29.4%	20.5%	16.4%	115,663
Entire five-county region	8.2%	24.4%	27.9%	21.0%	18.5%	261,082

**112. In your opinion, how much of a problem is each of these issues in your county? Alcohol abuse among those aged 21 or over**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	2.3%	22.0%	35.2%	27.8%	12.7%	96,981
<b>Gender</b>						
Female	2.6%	15.4%	33.1%	36.3%	12.5%	48,563
Male	1.9%	28.4%	37.4%	19.3%	12.9%	48,264
<b>Age</b>						
18-34	0.7%	23.4%	28.8%	32.2%	14.8%	41,330
35-44	0.9%	22.1%	46.4%	20.1%	10.5%	13,963
45-54	1.5%	27.2%	41.6%	23.4%	6.3%	16,143
55-64	0.5%	24.9%	33.6%	28.6%	12.4%	12,242
65-74	6.5%	9.3%	41.8%	26.5%	15.9%	6,288
75+	17.1%	6.9%	30.5%	29.9%	15.6%	6,214
<b>Highest level of education</b>						
Less than high school diploma/GED	35.5%	10.5%	17.2%	2.3%	34.5%	1,883
High school diploma/GED	1.2%	27.0%	19.2%	24.1%	28.4%	19,385
Some college or AA degree	1.9%	20.5%	32.8%	34.2%	10.5%	34,150
Bachelor's degree or higher	1.5%	21.4%	45.9%	25.7%	5.6%	41,104
<b>Household income (in 2012)</b>						
Less than \$20,000	15.3%	12.2%	20.3%	34.6%	17.6%	9,978
\$20,000 - \$34,999	2.8%	38.1%	25.4%	25.6%	8.0%	12,698
\$35,000 - \$49,999	0.2%	28.8%	31.1%	33.5%	6.4%	13,783
\$50,000 - \$99,999	0.6%	12.9%	50.4%	29.1%	6.9%	36,598
\$100,000+	0.2%	30.4%	24.2%	20.7%	24.6%	21,095
<b>Household type</b>						
Single adult, no children	4.2%	17.4%	35.6%	30.2%	12.6%	14,245
2+ adults, no children	2.6%	24.3%	36.5%	28.3%	8.2%	44,901
Single adult, 1+ children	8.7%	30.7%	20.0%	15.2%	25.5%	3,365
2+ adults, 1+ children	0.4%	20.0%	34.9%	27.8%	17.0%	33,891
<b>All areas included in the study</b>						
Benton County	6.5%	29.6%	34.4%	18.1%	11.5%	26,503
Chisago County	11.8%	31.9%	25.4%	18.4%	12.4%	38,433
Mille Lacs County	2.7%	15.7%	26.9%	36.5%	18.2%	19,163
Sherburne County	7.0%	26.1%	34.2%	18.9%	13.9%	61,875
Stearns County	6.2%	22.9%	31.8%	26.1%	13.0%	115,779
Entire five-county region	7.0%	25.1%	31.3%	23.2%	13.3%	261,753

**113. In your opinion, how much of a problem is each of these issues in your county? Alcohol use among those under 21**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	2.5%	16.0%	33.0%	29.6%	18.9%	95,984
<b>Gender</b>						
Female	2.1%	14.7%	32.6%	37.3%	13.2%	48,270
Male	2.9%	17.0%	33.4%	21.9%	24.8%	47,561
<b>Age</b>						
18-34	2.1%	13.4%	28.2%	30.2%	26.1%	41,330
35-44	0.7%	24.8%	43.7%	20.3%	10.5%	13,963
45-54	1.2%	16.4%	43.4%	32.2%	6.7%	15,439
55-64	1.5%	19.1%	31.0%	30.2%	18.1%	12,242
65-74	6.5%	9.1%	32.9%	36.9%	14.5%	6,288
75+	10.9%	12.0%	17.7%	33.7%	25.7%	5,921
<b>Highest level of education</b>						
Less than high school diploma/GED	35.5%	0.0%	20.3%	9.6%	34.5%	1,883
High school diploma/GED	0.4%	10.3%	35.3%	18.6%	35.4%	18,543
Some college or AA degree	3.9%	19.0%	32.5%	34.1%	10.5%	34,134
Bachelor's degree or higher	0.8%	16.5%	33.2%	32.1%	17.4%	40,965
<b>Household income (in 2012)</b>						
Less than \$20,000	14.4%	12.2%	18.9%	29.5%	25.0%	9,685
\$20,000 - \$34,999	0.7%	12.4%	47.2%	25.1%	14.6%	11,995
\$35,000 - \$49,999	0.2%	27.2%	38.8%	27.1%	6.8%	13,783
\$50,000 - \$99,999	2.2%	8.1%	35.6%	35.4%	18.6%	36,598
\$100,000+	0.2%	26.0%	22.6%	24.7%	26.5%	21,095
<b>Household type</b>						
Single adult, no children	4.1%	14.7%	35.0%	33.2%	13.1%	13,952
2+ adults, no children	3.2%	15.1%	31.2%	29.8%	20.8%	44,197
Single adult, 1+ children	9.5%	28.6%	29.4%	15.8%	16.8%	3,365
2+ adults, 1+ children	0.3%	16.1%	35.3%	29.4%	18.9%	33,891
<b>All areas included in the study</b>						
Benton County	7.3%	24.2%	33.4%	21.8%	13.3%	26,462
Chisago County	4.4%	22.1%	40.8%	19.0%	13.7%	38,373
Mille Lacs County	3.9%	16.9%	21.2%	38.1%	19.9%	19,165
Sherburne County	5.4%	24.6%	31.7%	24.0%	14.3%	61,798
Stearns County	4.0%	21.1%	30.9%	26.7%	17.3%	114,569
Entire five-county region	4.7%	22.1%	32.1%	25.3%	15.8%	260,367

**114. In your opinion, how much of a problem is each of these issues in your county? Adults allowing or tolerating youth alcohol use**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	3.7%	25.2%	28.9%	19.7%	22.5%	96,636
<b>Gender</b>						
Female	3.3%	22.2%	29.4%	25.9%	19.2%	48,237
Male	4.2%	27.9%	28.4%	13.6%	25.9%	48,246
<b>Age</b>						
18-34	2.7%	27.9%	20.3%	18.6%	30.5%	41,330
35-44	1.2%	30.4%	40.5%	17.0%	10.9%	13,963
45-54	6.8%	18.4%	41.2%	26.0%	7.6%	16,143
55-64	0.6%	27.1%	33.0%	19.7%	19.6%	12,194
65-74	7.7%	20.5%	18.4%	20.3%	33.1%	6,269
75+	11.2%	13.7%	29.2%	17.2%	28.8%	5,937
<b>Highest level of education</b>						
Less than high school diploma/GED	35.5%	10.5%	17.2%	1.4%	35.4%	1,883
High school diploma/GED	4.0%	27.5%	17.5%	18.2%	32.7%	19,198
Some college or AA degree	4.4%	24.5%	35.3%	18.2%	17.6%	33,993
Bachelor's degree or higher	1.6%	25.2%	29.7%	22.7%	20.8%	41,104
<b>Household income (in 2012)</b>						
Less than \$20,000	14.2%	9.1%	16.9%	34.1%	25.6%	9,821
\$20,000 - \$34,999	6.4%	42.2%	19.5%	15.9%	16.1%	12,511
\$35,000 - \$49,999	1.5%	33.2%	27.5%	26.4%	11.5%	13,783
\$50,000 - \$99,999	2.4%	19.0%	39.4%	17.1%	22.0%	36,598
\$100,000+	1.4%	29.0%	21.6%	16.5%	31.4%	21,095
<b>Household type</b>						
Single adult, no children	3.6%	26.2%	29.4%	24.7%	16.1%	13,900
2+ adults, no children	4.9%	24.7%	22.1%	21.4%	27.0%	44,901
Single adult, 1+ children	9.5%	28.6%	18.1%	18.4%	25.5%	3,365
2+ adults, 1+ children	1.8%	24.9%	38.7%	16.0%	18.7%	33,891
<b>All areas included in the study</b>						
Benton County	9.8%	29.3%	28.6%	17.3%	15.1%	26,324
Chisago County	7.6%	26.5%	32.1%	19.3%	14.5%	38,493
Mille Lacs County	4.8%	17.2%	24.3%	30.7%	23.0%	19,165
Sherburne County	7.8%	26.3%	29.4%	18.5%	18.0%	61,880
Stearns County	5.6%	27.3%	26.8%	19.2%	21.1%	115,420
Entire five-county region	6.8%	26.4%	28.2%	19.7%	18.9%	261,281

**115. In your opinion, how much of a problem is each of these issues in your county?**  
**Drinking and driving**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	1.7%	14.0%	35.7%	36.8%	11.8%	97,002
<b>Gender</b>						
Female	0.9%	13.6%	32.5%	42.1%	10.9%	48,563
Male	2.6%	14.1%	39.0%	31.5%	12.7%	48,285
<b>Age</b>						
18-34	2.1%	11.9%	30.6%	41.3%	14.1%	41,330
35-44	0.0%	13.9%	55.9%	24.2%	6.0%	13,963
45-54	1.0%	18.5%	38.2%	36.8%	5.5%	16,143
55-64	0.5%	20.0%	30.9%	38.9%	9.6%	12,242
65-74	6.5%	7.0%	31.0%	39.4%	16.1%	6,288
75+	2.6%	11.5%	31.5%	30.7%	23.7%	6,235
<b>Highest level of education</b>						
Less than high school diploma/GED	13.5%	10.5%	31.9%	10.4%	33.8%	1,883
High school diploma/GED	0.0%	7.3%	20.7%	43.4%	28.6%	19,385
Some college or AA degree	3.2%	15.7%	31.9%	41.2%	8.0%	34,150
Bachelor's degree or higher	0.7%	15.7%	46.5%	31.5%	5.6%	41,125
<b>Household income (in 2012)</b>						
Less than \$20,000	8.7%	13.6%	25.4%	39.3%	13.0%	9,978
\$20,000 - \$34,999	0.9%	12.4%	25.2%	48.1%	13.4%	12,698
\$35,000 - \$49,999	0.2%	20.1%	33.9%	42.1%	3.7%	13,783
\$50,000 - \$99,999	1.8%	9.4%	43.8%	38.6%	6.4%	36,619
\$100,000+	0.0%	19.3%	34.7%	23.0%	23.1%	21,095
<b>Household type</b>						
Single adult, no children	2.6%	21.9%	27.4%	35.0%	13.2%	14,245
2+ adults, no children	2.3%	9.6%	41.4%	38.9%	7.8%	44,921
Single adult, 1+ children	8.7%	28.6%	19.6%	17.7%	25.5%	3,365
2+ adults, 1+ children	0.0%	14.9%	33.5%	36.9%	14.7%	33,891
<b>All areas included in the study</b>						
Benton County	4.4%	25.5%	35.4%	26.9%	7.8%	26,433
Chisago County	6.3%	21.8%	31.3%	31.5%	9.2%	38,165
Mille Lacs County	3.4%	15.1%	29.2%	36.2%	16.1%	19,128
Sherburne County	3.8%	18.9%	34.3%	32.7%	10.4%	62,026
Stearns County	3.6%	18.9%	32.7%	33.6%	11.2%	115,878
Entire five-county region	4.1%	19.7%	32.9%	32.6%	10.7%	261,629



**116. In your opinion, how much of a problem is each of these issues in your county? Illegal drug use among youth**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	1.7%	20.7%	28.2%	33.0%	16.4%	96,877
<b>Gender</b>						
Female	2.0%	11.4%	31.2%	40.6%	14.9%	48,478
Male	1.4%	29.8%	25.3%	25.5%	18.0%	48,246
<b>Age</b>						
18-34	0.8%	21.7%	20.9%	39.7%	16.8%	41,330
35-44	0.3%	27.3%	30.3%	33.1%	8.9%	13,963
45-54	1.0%	24.2%	38.2%	17.4%	19.3%	16,143
55-64	0.6%	15.4%	44.3%	23.1%	16.6%	12,242
65-74	6.5%	13.2%	23.3%	40.7%	16.2%	6,269
75+	9.4%	8.2%	22.8%	37.7%	21.9%	6,129
<b>Highest level of education</b>						
Less than high school diploma/GED	35.5%	10.5%	0.0%	20.2%	33.8%	1,883
High school diploma/GED	0.0%	12.9%	19.1%	38.7%	29.3%	19,300
Some college or AA degree	1.8%	16.1%	24.0%	41.9%	16.3%	34,132
Bachelor's degree or higher	0.8%	28.5%	37.6%	23.8%	9.3%	41,104
<b>Household income (in 2012)</b>						
Less than \$20,000	14.0%	6.6%	17.4%	37.9%	24.2%	9,874
\$20,000 - \$34,999	0.6%	14.5%	19.0%	51.1%	14.7%	12,698
\$35,000 - \$49,999	0.3%	23.9%	34.6%	31.7%	9.5%	13,783
\$50,000 - \$99,999	0.2%	23.6%	29.0%	37.2%	10.0%	36,598
\$100,000+	0.1%	24.9%	33.9%	12.8%	28.3%	21,095
<b>Household type</b>						
Single adult, no children	2.7%	23.7%	23.1%	34.1%	16.4%	14,141
2+ adults, no children	1.9%	23.9%	30.5%	32.7%	11.0%	44,901
Single adult, 1+ children	8.7%	28.6%	22.4%	14.1%	26.3%	3,365
2+ adults, 1+ children	0.3%	14.3%	28.1%	35.0%	22.3%	33,891
<b>All areas included in the study</b>						
Benton County	2.5%	25.6%	28.5%	26.7%	16.8%	26,430
Chisago County	3.8%	21.9%	32.2%	27.7%	14.5%	38,810
Mille Lacs County	1.9%	14.8%	21.8%	41.6%	20.0%	19,233
Sherburne County	3.0%	23.2%	27.4%	29.6%	16.8%	62,104
Stearns County	3.0%	23.7%	27.5%	30.4%	15.4%	115,756
Entire five-county region	3.0%	22.8%	27.8%	30.3%	16.1%	262,332

**117. In your opinion, how much of a problem is each of these issues in your county? Illegal drug use among adults**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	1.8%	22.4%	25.7%	33.7%	16.4%	96,716
<b>Gender</b>						
Female	2.2%	13.5%	29.4%	39.3%	15.7%	48,445
Male	1.5%	31.1%	22.2%	28.1%	17.1%	48,118
<b>Age</b>						
18-34	0.8%	24.8%	16.5%	41.0%	16.8%	41,330
35-44	0.9%	24.4%	34.1%	32.1%	8.5%	13,963
45-54	1.0%	20.8%	39.5%	21.9%	16.8%	16,143
55-64	1.0%	21.0%	37.8%	23.0%	17.2%	12,242
65-74	6.6%	20.8%	16.7%	35.8%	20.1%	6,251
75+	9.9%	9.8%	20.9%	35.4%	24.0%	5,987
<b>Highest level of education</b>						
Less than high school diploma/GED	35.5%	10.5%	0.0%	19.4%	34.6%	1,883
High school diploma/GED	0.6%	9.5%	18.2%	42.2%	29.5%	19,300
Some college or AA degree	1.9%	14.9%	27.4%	38.7%	17.1%	34,080
Bachelor's degree or higher	0.8%	35.0%	29.4%	26.4%	8.4%	40,995
<b>Household income (in 2012)</b>						
Less than \$20,000	14.2%	10.2%	14.7%	36.3%	24.6%	9,893
\$20,000 - \$34,999	0.6%	13.7%	12.7%	58.6%	14.3%	12,698
\$35,000 - \$49,999	0.3%	27.7%	32.9%	29.9%	9.2%	13,783
\$50,000 - \$99,999	0.2%	26.0%	28.1%	35.8%	9.8%	36,419
\$100,000+	0.7%	24.9%	30.1%	16.0%	28.3%	21,095
<b>Household type</b>						
Single adult, no children	2.9%	26.1%	19.9%	34.6%	16.6%	14,050
2+ adults, no children	2.0%	24.8%	26.9%	35.5%	10.8%	44,831
Single adult, 1+ children	8.7%	28.9%	18.5%	17.6%	26.3%	3,365
2+ adults, 1+ children	0.5%	16.9%	27.6%	32.7%	22.3%	33,891
<b>All areas included in the study</b>						
Benton County	5.2%	24.0%	28.5%	26.9%	15.5%	26,320
Chisago County	5.3%	22.5%	32.1%	25.3%	14.8%	38,580
Mille Lacs County	2.6%	14.8%	21.6%	41.7%	19.3%	19,208
Sherburne County	5.2%	25.2%	27.0%	26.3%	16.3%	61,497
Stearns County	4.4%	24.9%	24.6%	29.6%	16.6%	115,698
Entire five-county region	4.6%	23.8%	26.4%	28.8%	16.4%	261,303

## Chronic disease and health habits

### 118. In your opinion, how much of a problem is each of these issues in your county? Asthma

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	8.5%	30.1%	24.9%	5.7%	30.9%	96,752
<b>Gender</b>						
Female	6.9%	29.0%	32.8%	6.8%	24.5%	48,403
Male	10.1%	30.9%	17.0%	4.5%	37.4%	48,196
<b>Age</b>						
18-34	9.5%	27.8%	16.9%	3.9%	41.9%	41,303
35-44	3.4%	36.5%	30.6%	10.0%	19.6%	13,840
45-54	8.1%	35.2%	37.1%	5.7%	13.9%	16,143
55-64	0.9%	34.3%	26.1%	7.9%	30.8%	12,156
65-74	14.9%	21.4%	30.3%	6.1%	27.4%	6,286
75+	22.9%	14.9%	26.4%	3.8%	31.9%	6,223
<b>Highest level of education</b>						
Less than high school diploma/GED	46.8%	17.2%	31.5%	1.7%	2.8%	1,883
High school diploma/GED	9.8%	25.3%	20.1%	8.6%	36.2%	19,426
Some college or AA degree	6.0%	32.2%	22.3%	3.4%	36.2%	33,948
Bachelor's degree or higher	8.2%	31.2%	29.1%	6.4%	25.1%	41,037
<b>Household income (in 2012)</b>						
Less than \$20,000	16.0%	17.0%	21.8%	13.1%	32.1%	10,004
\$20,000 - \$34,999	14.5%	45.1%	16.8%	3.9%	19.6%	12,648
\$35,000 - \$49,999	16.4%	19.1%	33.0%	2.2%	29.3%	13,635
\$50,000 - \$99,999	6.8%	28.8%	27.3%	3.7%	33.4%	36,568
\$100,000+	0.0%	37.7%	22.0%	8.8%	31.4%	21,095
<b>Household type</b>						
Single adult, no children	16.3%	16.8%	30.8%	6.3%	29.8%	14,242
2+ adults, no children	10.8%	28.2%	24.8%	6.6%	29.6%	44,798
Single adult, 1+ children	9.3%	39.6%	20.8%	4.1%	26.1%	3,365
2+ adults, 1+ children	2.1%	36.8%	23.2%	4.5%	33.5%	33,768
<b>All areas included in the study</b>						
Benton County	11.5%	32.1%	23.7%	6.3%	26.4%	26,212
Chisago County	14.1%	36.7%	19.2%	6.6%	23.3%	38,880
Mille Lacs County	9.2%	26.5%	28.7%	9.5%	26.1%	19,132
Sherburne County	12.3%	30.4%	25.5%	6.3%	25.5%	61,615
Stearns County	10.3%	30.7%	24.0%	5.4%	29.6%	115,636
Entire five-county region	11.4%	31.4%	24.0%	6.2%	27.1%	261,475

---

**119. In your opinion, how much of a problem is each of these issues in your county? Cancer**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	4.0%	13.6%	26.3%	38.4%	17.6%	96,822
<b>Gender</b>						
Female	2.4%	12.7%	33.7%	31.2%	20.0%	48,419
Male	5.7%	14.3%	19.0%	45.7%	15.3%	48,250
<b>Age</b>						
18-34	5.5%	6.9%	19.9%	47.7%	20.0%	41,303
35-44	2.0%	24.9%	34.2%	21.9%	16.9%	13,840
45-54	0.7%	18.5%	33.2%	39.3%	8.4%	16,143
55-64	1.6%	15.9%	31.0%	35.0%	16.5%	12,199
65-74	6.9%	11.2%	29.0%	29.7%	23.2%	6,286
75+	9.1%	13.3%	22.7%	31.4%	23.5%	6,251
<b>Highest level of education</b>						
Less than high school diploma/GED	5.7%	29.4%	41.4%	20.6%	2.8%	1,883
High school diploma/GED	3.0%	8.3%	13.3%	63.4%	12.1%	19,426
Some college or AA degree	3.5%	17.5%	20.5%	31.3%	27.3%	34,007
Bachelor's degree or higher	4.9%	12.0%	36.8%	33.6%	12.7%	41,048
<b>Household income (in 2012)</b>						
Less than \$20,000	10.0%	12.6%	16.8%	34.3%	26.2%	9,988
\$20,000 - \$34,999	3.6%	8.3%	21.6%	49.2%	17.4%	12,709
\$35,000 - \$49,999	10.6%	9.5%	19.3%	39.8%	20.8%	13,660
\$50,000 - \$99,999	2.7%	13.0%	27.7%	37.0%	19.6%	36,568
\$100,000+	0.0%	20.8%	35.6%	37.1%	6.5%	21,095
<b>Household type</b>						
Single adult, no children	12.9%	9.9%	24.1%	28.0%	25.1%	14,251
2+ adults, no children	3.5%	12.1%	24.4%	45.9%	14.1%	44,859
Single adult, 1+ children	8.7%	30.4%	23.5%	12.0%	25.5%	3,365
2+ adults, 1+ children	0.5%	15.5%	30.5%	35.4%	18.2%	33,768
<b>All areas included in the study</b>						
Benton County	5.9%	16.6%	30.9%	29.4%	17.2%	26,254
Chisago County	10.1%	18.6%	32.5%	18.9%	19.9%	38,880
Mille Lacs County	5.3%	16.2%	26.3%	30.1%	22.1%	19,132
Sherburne County	7.3%	19.0%	26.1%	27.5%	20.1%	61,678
Stearns County	5.5%	14.9%	27.4%	35.0%	17.1%	115,820
Entire five-county region	6.6%	16.7%	28.1%	29.9%	18.6%	261,765

---

**120. In your opinion, how much of a problem is each of these issues in your county? Chronic pain**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	5.0%	24.3%	30.2%	17.4%	23.0%	95,997
<b>Gender</b>						
Female	3.8%	27.3%	29.3%	16.1%	23.4%	47,852
Male	6.3%	21.3%	31.0%	18.8%	22.6%	48,131
<b>Age</b>						
18-34	9.0%	17.7%	25.7%	18.1%	29.4%	40,721
35-44	2.0%	38.5%	23.5%	18.1%	17.8%	13,720
45-54	0.5%	34.5%	39.2%	15.1%	10.8%	16,143
55-64	0.1%	24.8%	34.4%	19.4%	21.2%	12,199
65-74	2.2%	13.5%	41.3%	16.6%	26.4%	6,286
75+	10.8%	17.2%	32.0%	16.0%	23.9%	6,267
<b>Highest level of education</b>						
Less than high school diploma/GED	18.9%	63.1%	0.8%	13.1%	4.1%	1,301
High school diploma/GED	3.3%	14.2%	18.7%	36.4%	27.4%	19,426
Some college or AA degree	2.8%	22.4%	30.7%	9.4%	34.7%	33,904
Bachelor's degree or higher	7.3%	29.6%	36.2%	15.3%	11.6%	41,048
<b>Household income (in 2012)</b>						
Less than \$20,000	9.3%	16.9%	28.9%	17.4%	27.4%	9,302
\$20,000 - \$34,999	2.3%	22.9%	18.8%	16.7%	39.4%	12,709
\$35,000 - \$49,999	13.9%	19.5%	30.8%	12.8%	23.0%	13,660
\$50,000 - \$99,999	4.2%	24.9%	37.9%	9.7%	23.4%	36,568
\$100,000+	1.2%	31.9%	24.1%	33.5%	9.3%	21,095
<b>Household type</b>						
Single adult, no children	13.5%	17.1%	21.8%	21.6%	26.0%	14,267
2+ adults, no children	3.9%	23.8%	35.8%	13.3%	23.2%	44,276
Single adult, 1+ children	9.3%	32.7%	23.9%	8.0%	26.1%	3,365
2+ adults, 1+ children	2.6%	27.5%	27.2%	21.8%	20.9%	33,648
<b>All areas included in the study</b>						
Benton County	8.3%	27.1%	26.0%	14.7%	23.9%	26,069
Chisago County	8.9%	27.0%	27.1%	15.5%	21.5%	38,637
Mille Lacs County	6.1%	19.0%	29.0%	20.9%	25.0%	18,971
Sherburne County	10.1%	25.3%	25.9%	13.8%	24.9%	61,678
Stearns County	6.5%	25.6%	29.8%	14.9%	23.2%	114,958
Entire five-county region	7.9%	25.4%	28.0%	15.1%	23.5%	260,313

---

**121. In your opinion, how much of a problem is each of these issues in your county? Diabetes**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	5.2%	16.9%	24.5%	36.1%	17.4%	96,861
<b>Gender</b>						
Female	2.3%	22.5%	26.4%	29.3%	19.5%	48,451
Male	8.1%	11.2%	22.3%	43.1%	15.3%	48,257
<b>Age</b>						
18-34	5.6%	16.0%	15.9%	43.8%	18.7%	41,330
35-44	6.4%	24.3%	28.2%	26.4%	14.6%	13,840
45-54	5.5%	19.0%	26.1%	39.0%	10.4%	16,143
55-64	0.3%	11.3%	42.5%	28.7%	17.2%	12,185
65-74	2.2%	14.5%	21.4%	38.8%	23.1%	6,276
75+	11.6%	11.6%	34.9%	16.3%	25.5%	6,288
<b>Highest level of education</b>						
Less than high school diploma/GED	13.1%	73.3%	9.1%	1.7%	2.8%	1,883
High school diploma/GED	6.7%	7.6%	20.1%	53.5%	12.1%	19,426
Some college or AA degree	3.3%	17.9%	30.0%	20.2%	28.7%	34,019
Bachelor's degree or higher	5.6%	18.0%	22.5%	43.1%	10.8%	41,075
<b>Household income (in 2012)</b>						
Less than \$20,000	8.7%	19.0%	21.7%	24.0%	26.7%	10,020
\$20,000 - \$34,999	8.4%	14.8%	18.1%	40.9%	17.8%	12,709
\$35,000 - \$49,999	10.6%	7.6%	34.4%	25.1%	22.3%	13,646
\$50,000 - \$99,999	2.7%	19.0%	23.6%	36.1%	18.6%	36,568
\$100,000+	2.9%	20.0%	22.7%	48.9%	5.4%	21,095
<b>Household type</b>						
Single adult, no children	14.4%	8.8%	26.5%	24.2%	26.1%	14,270
2+ adults, no children	4.5%	16.4%	25.3%	41.0%	12.8%	44,880
Single adult, 1+ children	9.3%	31.0%	16.3%	17.2%	26.1%	3,365
2+ adults, 1+ children	1.8%	19.7%	22.7%	37.3%	18.5%	33,768
<b>All areas included in the study</b>						
Benton County	6.5%	21.0%	32.6%	19.6%	20.4%	26,319
Chisago County	8.2%	16.8%	26.7%	28.3%	20.0%	38,836
Mille Lacs County	6.4%	15.6%	25.4%	31.7%	20.9%	19,132
Sherburne County	8.5%	20.4%	27.4%	21.4%	22.3%	61,674
Stearns County	6.2%	19.4%	25.7%	30.8%	18.0%	115,705
Entire five-county region	7.1%	19.1%	26.9%	27.1%	19.8%	261,666

**122. In your opinion, how much of a problem is each of these issues in your county? Heart disease and stroke**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	5.4%	14.3%	32.1%	30.5%	17.7%	96,709
<b>Gender</b>						
Female	3.2%	17.0%	30.8%	29.2%	19.8%	48,264
Male	7.6%	11.7%	33.2%	31.9%	15.7%	48,292
<b>Age</b>						
18-34	8.1%	10.1%	29.7%	32.6%	19.5%	41,330
35-44	2.0%	22.3%	41.5%	19.2%	15.0%	13,840
45-54	5.2%	18.0%	28.7%	39.2%	8.9%	16,143
55-64	0.1%	12.6%	38.3%	29.9%	19.1%	12,033
65-74	2.2%	18.3%	25.3%	31.0%	23.2%	6,286
75+	8.7%	12.0%	30.1%	23.7%	25.5%	6,276
<b>Highest level of education</b>						
Less than high school diploma/GED	6.9%	39.9%	40.8%	9.6%	2.8%	1,883
High school diploma/GED	6.6%	7.3%	15.9%	57.7%	12.5%	19,426
Some college or AA degree	2.9%	15.2%	30.3%	21.2%	30.4%	34,012
Bachelor's degree or higher	6.7%	15.9%	40.8%	26.5%	10.0%	40,930
<b>Household income (in 2012)</b>						
Less than \$20,000	6.9%	15.3%	26.7%	23.4%	27.7%	10,031
\$20,000 - \$34,999	7.8%	11.4%	21.0%	42.5%	17.2%	12,709
\$35,000 - \$49,999	14.1%	10.9%	27.1%	24.0%	24.0%	13,660
\$50,000 - \$99,999	4.2%	13.6%	40.3%	23.7%	18.2%	36,557
\$100,000+	0.1%	19.4%	30.8%	43.2%	6.4%	20,930
<b>Household type</b>						
Single adult, no children	12.6%	10.5%	25.9%	23.9%	27.1%	14,294
2+ adults, no children	6.8%	14.1%	36.2%	29.5%	13.3%	44,702
Single adult, 1+ children	10.1%	30.4%	15.7%	17.7%	26.1%	3,365
2+ adults, 1+ children	0.0%	14.8%	30.9%	35.9%	18.4%	33,768
<b>All areas included in the study</b>						
Benton County	5.4%	21.5%	30.1%	19.1%	23.8%	26,307
Chisago County	7.8%	22.9%	25.6%	23.6%	20.1%	38,844
Mille Lacs County	6.3%	17.1%	30.3%	25.0%	21.4%	19,050
Sherburne County	6.5%	19.7%	31.6%	20.0%	22.3%	61,245
Stearns County	6.0%	16.6%	32.8%	26.8%	17.8%	115,654
Entire five-county region	6.3%	18.8%	31.0%	23.8%	20.0%	261,100

---

**123. In your opinion, how much of a problem is each of these issues in your county? Mental illness**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	5.2%	17.9%	28.3%	32.7%	15.9%	96,779
<b>Gender</b>						
Female	3.0%	16.8%	30.3%	34.2%	15.7%	48,429
Male	7.3%	19.1%	26.0%	31.3%	16.2%	48,196
<b>Age</b>						
18-34	5.7%	13.4%	30.8%	34.9%	15.3%	41,330
35-44	2.0%	26.9%	30.6%	26.5%	14.0%	13,840
45-54	5.0%	29.2%	15.6%	41.7%	8.5%	16,143
55-64	0.1%	15.3%	33.8%	32.3%	18.6%	12,199
65-74	7.0%	13.5%	16.0%	38.7%	24.8%	6,211
75+	17.8%	10.8%	34.8%	8.6%	28.0%	6,255
<b>Highest level of education</b>						
Less than high school diploma/GED	33.4%	10.5%	10.2%	42.2%	3.7%	1,883
High school diploma/GED	6.8%	12.4%	16.5%	53.3%	10.9%	19,393
Some college or AA degree	3.0%	21.2%	20.7%	28.0%	27.1%	33,969
Bachelor's degree or higher	4.9%	18.4%	40.9%	26.8%	9.2%	41,075
<b>Household income (in 2012)</b>						
Less than \$20,000	15.5%	7.3%	27.6%	32.6%	17.1%	10,031
\$20,000 - \$34,999	8.5%	14.4%	18.8%	42.2%	16.2%	12,676
\$35,000 - \$49,999	10.5%	19.1%	23.4%	22.5%	24.5%	13,585
\$50,000 - \$99,999	2.5%	18.3%	39.6%	23.0%	16.6%	36,568
\$100,000+	0.0%	25.1%	16.2%	52.5%	6.2%	21,095
<b>Household type</b>						
Single adult, no children	13.9%	7.6%	27.6%	24.4%	26.5%	14,294
2+ adults, no children	5.9%	18.0%	28.9%	33.5%	13.6%	44,773
Single adult, 1+ children	9.3%	29.7%	18.1%	15.9%	26.9%	3,365
2+ adults, 1+ children	0.1%	21.3%	28.2%	37.3%	13.1%	33,768
<b>All areas included in the study</b>						
Benton County	8.3%	22.7%	21.2%	24.5%	23.4%	26,124
Chisago County	8.5%	20.0%	26.1%	26.6%	18.7%	38,776
Mille Lacs County	7.1%	16.2%	21.3%	30.6%	24.7%	18,856
Sherburne County	7.1%	22.0%	29.4%	19.9%	21.7%	61,208
Stearns County	6.6%	21.0%	28.6%	27.0%	16.7%	115,593
Entire five-county region	7.2%	20.9%	27.1%	25.3%	19.4%	260,556



**124. In your opinion, how much of a problem is each of these issues in your county?**  
**Obesity among adults**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	3.7%	7.0%	21.6%	56.6%	11.0%	96,920
<b>Gender</b>						
Female	2.3%	6.2%	26.0%	53.0%	12.5%	48,475
Male	5.1%	7.8%	17.0%	60.5%	9.6%	48,292
<b>Age</b>						
18-34	5.6%	3.3%	15.5%	62.9%	12.7%	41,330
35-44	0.0%	13.2%	22.0%	59.4%	5.4%	13,840
45-54	1.0%	6.2%	35.7%	49.8%	7.3%	16,143
55-64	0.3%	11.8%	29.0%	50.1%	8.9%	12,228
65-74	6.5%	8.7%	14.4%	57.7%	12.6%	6,286
75+	10.8%	5.0%	17.9%	43.5%	22.8%	6,292
<b>Highest level of education</b>						
Less than high school diploma/GED	28.9%	14.7%	30.9%	22.6%	2.8%	1,883
High school diploma/GED	1.4%	5.6%	18.2%	67.9%	7.0%	19,426
Some college or AA degree	3.0%	11.4%	22.7%	44.9%	17.9%	34,028
Bachelor's degree or higher	4.2%	3.7%	21.8%	63.1%	7.2%	41,125
<b>Household income (in 2012)</b>						
Less than \$20,000	14.2%	5.1%	31.1%	40.1%	9.4%	10,015
\$20,000 - \$34,999	0.6%	4.5%	21.0%	58.9%	15.0%	12,709
\$35,000 - \$49,999	10.4%	3.0%	19.6%	52.1%	14.8%	13,660
\$50,000 - \$99,999	1.8%	7.3%	21.0%	56.3%	13.7%	36,619
\$100,000+	0.0%	10.4%	16.8%	71.1%	1.8%	21,095
<b>Household type</b>						
Single adult, no children	13.3%	7.8%	18.2%	48.3%	12.3%	14,278
2+ adults, no children	3.1%	5.5%	21.4%	60.3%	9.8%	44,930
Single adult, 1+ children	9.3%	27.9%	38.5%	24.3%	0.0%	3,365
2+ adults, 1+ children	0.0%	6.3%	21.4%	59.5%	12.8%	33,768
<b>All areas included in the study</b>						
Benton County	6.1%	15.5%	30.1%	38.4%	9.8%	26,328
Chisago County	5.4%	8.5%	27.5%	42.5%	16.1%	38,916
Mille Lacs County	5.9%	5.9%	27.0%	45.9%	15.3%	18,989
Sherburne County	3.4%	14.5%	26.7%	43.1%	12.3%	61,738
Stearns County	4.1%	9.6%	26.1%	48.6%	11.5%	115,348
Entire five-county region	4.5%	10.9%	26.9%	45.2%	12.5%	261,320

**125. In your opinion, how much of a problem is each of these issues in your county?**  
**Obesity among children**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	4.6%	7.9%	23.9%	52.1%	11.5%	96,610
<b>Gender</b>						
Female	2.0%	7.8%	27.0%	50.0%	13.2%	48,165
Male	7.2%	8.0%	20.5%	54.4%	9.8%	48,292
<b>Age</b>						
18-34	5.3%	5.2%	15.7%	59.8%	14.2%	41,330
35-44	0.9%	13.0%	23.8%	58.2%	4.0%	13,840
45-54	5.4%	7.2%	38.6%	41.2%	7.5%	15,982
55-64	0.2%	12.3%	38.7%	40.6%	8.3%	12,063
65-74	6.5%	9.7%	11.7%	59.2%	12.9%	6,286
75+	13.0%	3.1%	24.9%	35.7%	23.3%	6,309
<b>Highest level of education</b>						
Less than high school diploma/GED	35.5%	7.4%	30.9%	22.6%	3.6%	1,883
High school diploma/GED	5.0%	6.6%	12.5%	66.6%	9.3%	19,260
Some college or AA degree	3.1%	14.5%	22.9%	41.2%	18.3%	33,884
Bachelor's degree or higher	4.2%	3.3%	29.5%	56.2%	6.8%	41,125
<b>Household income (in 2012)</b>						
Less than \$20,000	14.1%	10.4%	27.5%	32.3%	15.7%	10,031
\$20,000 - \$34,999	6.2%	3.4%	20.6%	54.8%	15.1%	12,709
\$35,000 - \$49,999	10.6%	2.5%	29.0%	43.1%	14.8%	13,660
\$50,000 - \$99,999	2.1%	9.2%	18.5%	57.2%	13.0%	36,293
\$100,000+	0.0%	8.6%	28.6%	60.9%	1.9%	21,095
<b>Household type</b>						
Single adult, no children	15.3%	6.4%	21.8%	43.4%	13.1%	14,294
2+ adults, no children	4.7%	6.5%	20.6%	59.1%	9.1%	44,764
Single adult, 1+ children	0.7%	62.0%	15.0%	22.3%	0.0%	3,365
2+ adults, 1+ children	0.4%	4.8%	29.7%	50.5%	14.6%	33,608
<b>All areas included in the study</b>						
Benton County	6.8%	17.7%	32.5%	33.4%	9.6%	26,072
Chisago County	3.8%	11.2%	28.6%	43.1%	13.3%	38,880
Mille Lacs County	4.6%	7.7%	28.6%	45.1%	14.0%	19,074
Sherburne County	4.1%	16.5%	25.4%	42.0%	11.9%	61,611
Stearns County	4.5%	9.7%	28.6%	45.1%	12.1%	115,142
Entire five-county region	4.6%	12.2%	28.2%	42.9%	12.1%	260,779

**126. In your opinion, how much of a problem is each of these issues in your county?**  
**Lack of physical exercise**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	2.3%	12.6%	40.6%	35.5%	8.9%	96,946
<b>Gender</b>						
Female	3.1%	9.1%	46.2%	31.7%	10.0%	48,526
Male	1.5%	16.1%	34.9%	39.5%	7.9%	48,266
<b>Age</b>						
18-34	2.6%	11.5%	31.4%	43.9%	10.5%	41,286
35-44	1.7%	12.4%	50.1%	31.8%	4.0%	13,963
45-54	0.3%	12.9%	54.9%	27.0%	4.9%	16,063
55-64	0.1%	16.3%	43.2%	33.3%	7.0%	12,266
65-74	5.3%	7.1%	41.1%	37.2%	9.4%	6,280
75+	7.9%	14.8%	38.9%	17.3%	21.1%	6,288
<b>Highest level of education</b>						
Less than high school diploma/GED	27.0%	26.0%	0.6%	42.5%	4.0%	1,883
High school diploma/GED	0.5%	9.0%	42.6%	38.3%	9.7%	19,438
Some college or AA degree	3.3%	16.4%	40.3%	26.0%	13.9%	34,038
Bachelor's degree or higher	1.2%	10.5%	42.0%	42.1%	4.3%	41,128
<b>Household income (in 2012)</b>						
Less than \$20,000	7.1%	17.7%	30.0%	32.7%	12.5%	10,012
\$20,000 - \$34,999	0.1%	2.7%	56.2%	25.9%	15.2%	12,584
\$35,000 - \$49,999	3.6%	27.4%	43.3%	20.0%	5.7%	13,783
\$50,000 - \$99,999	2.7%	12.1%	35.7%	38.9%	10.7%	36,598
\$100,000+	0.0%	6.8%	43.8%	47.1%	2.3%	21,095
<b>Household type</b>						
Single adult, no children	1.5%	21.0%	36.5%	28.8%	12.3%	14,210
2+ adults, no children	2.6%	11.8%	41.3%	39.7%	4.5%	44,945
Single adult, 1+ children	0.0%	26.8%	51.6%	21.6%	0.0%	3,365
2+ adults, 1+ children	2.4%	8.5%	40.7%	34.6%	13.8%	33,847
<b>All areas included in the study</b>						
Benton County	5.7%	22.0%	37.3%	29.4%	5.5%	26,390
Chisago County	4.4%	17.2%	36.3%	34.6%	7.5%	38,891
Mille Lacs County	1.7%	10.9%	43.3%	39.3%	4.8%	19,156
Sherburne County	5.0%	15.5%	42.9%	27.8%	8.8%	61,837
Stearns County	3.2%	14.8%	41.6%	32.4%	8.1%	115,531
Entire five-county region	3.9%	15.8%	40.8%	31.8%	7.7%	261,806

**127. In your opinion, how much of a problem is each of these issues in your county?**  
**Unhealthy eating habits**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	1.7%	9.6%	29.5%	51.3%	7.9%	96,757
<b>Gender</b>						
Female	1.6%	6.5%	36.2%	47.7%	8.1%	48,337
Male	1.9%	12.8%	22.4%	55.0%	7.8%	48,266
<b>Age</b>						
18-34	1.3%	11.6%	19.9%	58.8%	8.4%	41,286
35-44	1.7%	11.1%	39.8%	43.3%	4.0%	13,942
45-54	0.3%	4.4%	39.3%	51.5%	4.5%	16,063
55-64	0.1%	9.8%	32.5%	49.2%	8.4%	12,237
65-74	2.6%	10.9%	25.3%	52.7%	8.4%	6,280
75+	10.4%	1.8%	44.1%	25.0%	18.8%	6,149
<b>Highest level of education</b>						
Less than high school diploma/GED	34.3%	0.8%	18.4%	42.5%	4.0%	1,883
High school diploma/GED	0.5%	8.3%	21.1%	62.9%	7.2%	19,438
Some college or AA degree	1.2%	12.9%	31.5%	40.8%	13.6%	34,038
Bachelor's degree or higher	1.2%	7.9%	32.2%	55.3%	3.3%	40,968
<b>Household income (in 2012)</b>						
Less than \$20,000	9.0%	13.9%	33.6%	37.7%	5.8%	9,874
\$20,000 - \$34,999	0.1%	4.8%	21.5%	62.5%	11.1%	12,563
\$35,000 - \$49,999	3.6%	22.4%	36.1%	31.9%	5.9%	13,783
\$50,000 - \$99,999	0.6%	7.6%	25.3%	55.4%	11.1%	36,568
\$100,000+	0.1%	5.4%	34.1%	58.1%	2.3%	21,095
<b>Household type</b>						
Single adult, no children	2.4%	19.2%	28.9%	40.9%	8.5%	14,071
2+ adults, no children	2.3%	8.0%	27.3%	57.5%	4.9%	44,916
Single adult, 1+ children	0.0%	26.3%	34.0%	39.7%	0.0%	3,344
2+ adults, 1+ children	0.9%	6.2%	31.6%	49.2%	12.1%	33,847
<b>All areas included in the study</b>						
Benton County	5.5%	18.8%	30.5%	39.9%	5.3%	26,374
Chisago County	4.3%	9.6%	41.2%	36.8%	8.1%	38,883
Mille Lacs County	1.2%	8.9%	41.5%	42.9%	5.5%	19,012
Sherburne County	3.1%	13.5%	37.4%	36.8%	9.3%	61,855
Stearns County	2.5%	11.5%	34.1%	44.8%	7.1%	115,261
Entire five-county region	3.1%	12.2%	36.1%	41.1%	7.5%	261,385

**128. In your opinion, how much of a problem is each of these issues in your county? Lack of access to healthy food**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	16.2%	33.0%	30.2%	10.7%	9.8%	96,610
<b>Gender</b>						
Female	13.5%	25.1%	32.8%	17.5%	11.0%	48,570
Male	18.8%	41.1%	27.6%	3.8%	8.6%	47,887
<b>Age</b>						
18-34	14.2%	35.4%	27.2%	13.1%	10.1%	41,330
35-44	7.3%	35.8%	39.6%	13.1%	4.2%	13,963
45-54	18.2%	31.9%	34.2%	11.1%	4.6%	16,063
55-64	19.2%	26.5%	33.3%	5.6%	15.3%	11,886
65-74	20.3%	38.1%	18.7%	8.5%	14.3%	6,280
75+	29.5%	25.8%	25.8%	1.8%	17.2%	6,288
<b>Highest level of education</b>						
Less than high school diploma/GED	53.4%	2.2%	0.0%	41.6%	2.8%	1,883
High school diploma/GED	8.0%	36.7%	38.8%	5.9%	10.6%	19,438
Some college or AA degree	18.0%	25.2%	32.8%	7.1%	16.9%	33,703
Bachelor's degree or higher	16.8%	39.4%	25.7%	14.5%	3.6%	41,128
<b>Household income (in 2012)</b>						
Less than \$20,000	21.3%	20.0%	22.7%	22.5%	13.5%	10,012
\$20,000 - \$34,999	10.4%	47.2%	20.3%	11.4%	10.8%	12,629
\$35,000 - \$49,999	17.7%	41.1%	28.0%	5.8%	7.4%	13,783
\$50,000 - \$99,999	14.6%	33.9%	30.4%	9.1%	12.1%	36,218
\$100,000+	15.9%	28.3%	41.7%	9.8%	4.3%	21,095
<b>Household type</b>						
Single adult, no children	16.7%	33.9%	24.1%	12.9%	12.3%	14,210
2+ adults, no children	18.8%	41.2%	23.9%	9.6%	6.4%	44,565
Single adult, 1+ children	19.1%	20.2%	40.7%	20.0%	0.0%	3,365
2+ adults, 1+ children	11.8%	23.6%	40.4%	10.5%	13.8%	33,891
<b>All areas included in the study</b>						
Benton County	27.5%	31.8%	22.0%	10.7%	8.1%	26,402
Chisago County	23.4%	31.1%	19.4%	17.4%	8.7%	38,592
Mille Lacs County	20.1%	29.4%	25.0%	18.5%	7.0%	19,016
Sherburne County	23.7%	28.4%	25.7%	13.1%	9.1%	61,813
Stearns County	20.0%	33.3%	28.7%	9.7%	8.3%	115,018
Entire five-county region	22.2%	31.4%	25.7%	12.4%	8.4%	260,841

## *Injury and violence*

### **129. In your opinion, how much of a problem is each of these issues in your county? Falls among the elderly**

	<b>No problem</b>	<b>Minor problem</b>	<b>Moderate problem</b>	<b>Serious problem</b>	<b>No opinion</b>	<b>N</b>
<b>St. Cloud metro area total</b>	4.4%	24.9%	33.3%	10.4%	27.1%	96,838
<b>Gender</b>						
Female	2.7%	19.3%	34.8%	15.8%	27.5%	48,548
Male	6.1%	30.3%	31.9%	4.9%	26.7%	48,137
<b>Age</b>						
18-34	8.0%	20.7%	26.3%	9.7%	35.3%	41,330
35-44	0.3%	40.7%	27.4%	15.0%	16.6%	13,963
45-54	0.8%	20.3%	49.7%	4.8%	24.4%	16,063
55-64	0.1%	32.8%	30.8%	10.1%	26.1%	12,266
65-74	6.9%	22.4%	39.7%	18.4%	12.6%	6,274
75+	4.5%	11.5%	51.7%	12.7%	19.5%	6,142
<b>Highest level of education</b>						
Less than high school diploma/GED	4.9%	26.4%	22.9%	42.9%	2.8%	1,883
High school diploma/GED	1.5%	23.1%	51.8%	11.7%	11.8%	19,422
Some college or AA degree	2.2%	24.3%	30.2%	9.8%	33.5%	33,968
Bachelor's degree or higher	7.4%	26.0%	27.9%	8.9%	29.8%	41,107
<b>Household income (in 2012)</b>						
Less than \$20,000	8.9%	13.4%	29.9%	25.5%	22.2%	9,990
\$20,000 - \$34,999	1.5%	40.8%	35.4%	4.9%	17.3%	12,520
\$35,000 - \$49,999	15.6%	17.4%	22.4%	22.7%	21.9%	13,762
\$50,000 - \$99,999	2.5%	19.4%	30.9%	7.3%	39.9%	36,598
\$100,000+	0.3%	34.3%	45.0%	4.2%	16.2%	21,095
<b>Household type</b>						
Single adult, no children	13.4%	17.9%	26.1%	20.7%	21.9%	14,078
2+ adults, no children	2.4%	27.2%	35.8%	11.0%	23.7%	44,925
Single adult, 1+ children	10.1%	20.9%	40.8%	0.8%	27.3%	3,365
2+ adults, 1+ children	2.7%	24.6%	32.7%	6.4%	33.5%	33,891
<b>All areas included in the study</b>						
Benton County	7.0%	32.6%	25.8%	9.4%	25.3%	26,262
Chisago County	11.0%	37.1%	24.4%	10.5%	16.9%	38,877
Mille Lacs County	4.3%	24.0%	36.1%	12.2%	23.5%	19,031
Sherburne County	10.8%	27.5%	24.1%	8.3%	29.2%	61,697
Stearns County	7.0%	28.9%	32.2%	8.8%	23.2%	115,797
Entire five-county region	8.3%	29.8%	28.7%	9.2%	23.9%	261,664

**130. In your opinion, how much of a problem is each of these issues in your county?**  
**Motor vehicle crashes**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	4.6%	23.0%	47.4%	13.5%	11.5%	96,809
<b>Gender</b>						
Female	1.6%	22.7%	45.9%	14.1%	15.7%	48,549
Male	7.5%	23.1%	49.1%	13.0%	7.3%	48,107
<b>Age</b>						
18-34	7.8%	18.6%	52.4%	13.2%	7.9%	41,330
35-44	0.6%	33.5%	36.1%	18.2%	11.6%	13,942
45-54	0.8%	25.2%	49.0%	11.3%	13.7%	16,063
55-64	0.1%	30.0%	38.0%	15.4%	16.5%	12,266
65-74	6.7%	22.5%	43.1%	13.3%	14.4%	6,280
75+	8.3%	5.1%	62.4%	9.0%	15.3%	6,128
<b>Highest level of education</b>						
Less than high school diploma/GED	6.5%	12.2%	75.1%	3.3%	3.0%	1,761
High school diploma/GED	1.2%	13.1%	55.3%	23.3%	7.2%	19,438
Some college or AA degree	3.8%	27.8%	38.8%	11.5%	18.0%	34,067
Bachelor's degree or higher	6.6%	23.9%	50.2%	11.1%	8.1%	41,085
<b>Household income (in 2012)</b>						
Less than \$20,000	14.2%	21.9%	45.2%	11.8%	6.9%	9,873
\$20,000 - \$34,999	2.5%	13.5%	41.0%	30.2%	12.9%	12,607
\$35,000 - \$49,999	14.0%	21.2%	34.0%	21.1%	9.8%	13,762
\$50,000 - \$99,999	1.9%	22.2%	54.7%	8.4%	12.8%	36,598
\$100,000+	0.3%	31.3%	49.2%	9.8%	9.5%	21,095
<b>Household type</b>						
Single adult, no children	14.1%	21.9%	31.9%	16.1%	16.0%	14,054
2+ adults, no children	3.9%	18.8%	52.0%	16.9%	8.3%	44,925
Single adult, 1+ children	9.4%	20.5%	43.9%	0.7%	25.6%	3,344
2+ adults, 1+ children	1.0%	28.8%	48.6%	9.4%	12.2%	33,891
<b>All areas included in the study</b>						
Benton County	8.5%	33.5%	33.7%	7.8%	16.5%	26,339
Chisago County	11.1%	39.6%	32.4%	6.7%	10.2%	38,805
Mille Lacs County	5.7%	30.4%	37.3%	17.0%	9.6%	19,135
Sherburne County	7.0%	34.4%	33.6%	10.1%	14.9%	61,886
Stearns County	7.3%	28.6%	43.2%	11.0%	9.9%	115,093
Entire five-county region	7.8%	32.3%	37.9%	10.3%	11.8%	261,258

**131. In your opinion, how much of a problem is each of these issues in your county? Improper use of or not using child car seats**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	11.4%	30.1%	19.6%	13.1%	25.7%	96,810
<b>Gender</b>						
Female	4.7%	30.7%	25.6%	10.6%	28.5%	48,411
Male	18.2%	29.3%	13.8%	15.7%	23.0%	48,246
<b>Age</b>						
18-34	19.0%	22.7%	15.6%	18.5%	24.3%	41,330
35-44	5.7%	38.1%	25.4%	16.9%	13.9%	13,963
45-54	2.6%	37.0%	27.5%	4.3%	28.6%	16,063
55-64	3.4%	30.9%	19.5%	11.8%	34.4%	12,266
65-74	7.9%	30.2%	22.4%	4.7%	34.8%	6,259
75+	16.7%	37.3%	13.2%	4.5%	28.2%	6,129
<b>Highest level of education</b>						
Less than high school diploma/GED	36.4%	17.9%	10.4%	32.6%	2.8%	1,883
High school diploma/GED	3.4%	23.0%	16.9%	23.3%	33.4%	19,300
Some college or AA degree	6.4%	30.3%	17.0%	17.0%	29.3%	34,083
Bachelor's degree or higher	18.2%	33.8%	23.7%	4.3%	19.9%	41,086
<b>Household income (in 2012)</b>						
Less than \$20,000	15.1%	24.4%	27.0%	15.3%	18.2%	9,874
\$20,000 - \$34,999	5.7%	30.1%	15.1%	26.9%	22.3%	12,629
\$35,000 - \$49,999	16.1%	34.6%	12.8%	10.4%	26.1%	13,762
\$50,000 - \$99,999	17.1%	24.4%	22.7%	13.7%	22.1%	36,577
\$100,000+	1.0%	37.9%	20.5%	5.0%	35.5%	21,095
<b>Household type</b>						
Single adult, no children	18.9%	29.0%	10.1%	7.4%	34.6%	14,071
2+ adults, no children	16.2%	26.5%	20.4%	16.5%	20.4%	44,903
Single adult, 1+ children	9.3%	47.9%	16.3%	1.0%	25.5%	3,365
2+ adults, 1+ children	2.4%	33.0%	23.3%	12.4%	28.9%	33,891
<b>All areas included in the study</b>						
Benton County	14.8%	32.7%	24.1%	6.4%	22.0%	26,297
Chisago County	22.2%	28.4%	22.6%	5.7%	21.2%	38,841
Mille Lacs County	9.7%	28.9%	26.9%	9.2%	25.2%	19,114
Sherburne County	15.0%	35.4%	18.8%	7.1%	23.7%	61,770
Stearns County	13.8%	32.1%	17.8%	11.8%	24.5%	115,495
Entire five-county region	15.1%	32.2%	20.0%	9.0%	23.6%	261,517



---

**132. In your opinion, how much of a problem is each of these issues in your county? Bullying**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	3.6%	16.7%	31.7%	36.6%	11.3%	96,444
<b>Gender</b>						
Female	0.8%	15.1%	34.1%	37.1%	12.9%	48,399
Male	6.6%	18.1%	29.4%	36.1%	9.8%	47,892
<b>Age</b>						
18-34	5.5%	10.4%	29.3%	49.4%	5.4%	41,330
35-44	0.0%	23.4%	34.2%	32.3%	10.1%	13,942
45-54	0.5%	23.7%	40.8%	21.0%	13.9%	15,699
55-64	0.6%	20.5%	28.9%	32.5%	17.5%	12,266
65-74	9.9%	9.3%	25.6%	29.8%	25.5%	6,280
75+	7.2%	21.6%	32.3%	20.3%	18.7%	6,127
<b>Highest level of education</b>						
Less than high school diploma/GED	24.0%	0.0%	29.4%	43.8%	2.8%	1,883
High school diploma/GED	0.1%	16.5%	32.5%	42.1%	8.9%	19,300
Some college or AA degree	3.0%	17.3%	28.3%	35.6%	15.8%	34,071
Bachelor's degree or higher	4.9%	17.0%	34.6%	34.8%	8.7%	40,732
<b>Household income (in 2012)</b>						
Less than \$20,000	9.2%	14.3%	25.7%	41.6%	9.2%	9,862
\$20,000 - \$34,999	2.2%	11.2%	48.6%	23.3%	14.7%	12,607
\$35,000 - \$49,999	10.5%	13.9%	29.7%	26.7%	19.2%	13,761
\$50,000 - \$99,999	2.3%	15.7%	28.7%	43.9%	9.4%	36,246
\$100,000+	0.0%	22.3%	32.0%	39.1%	6.5%	21,095
<b>Household type</b>						
Single adult, no children	12.4%	9.5%	36.1%	21.5%	20.6%	13,708
2+ adults, no children	3.4%	18.1%	30.9%	36.9%	10.6%	44,923
Single adult, 1+ children	8.7%	20.4%	29.2%	16.1%	25.6%	3,344
2+ adults, 1+ children	0.0%	17.4%	31.2%	44.8%	6.7%	33,891
<b>All areas included in the study</b>						
Benton County	6.5%	23.1%	33.6%	21.9%	15.0%	26,333
Chisago County	13.6%	20.8%	35.2%	13.3%	17.1%	38,757
Mille Lacs County	8.5%	14.0%	37.8%	24.4%	15.4%	19,132
Sherburne County	7.2%	20.9%	32.9%	19.9%	19.1%	61,548
Stearns County	4.4%	22.8%	30.8%	31.9%	10.1%	115,163
Entire five-county region	6.9%	21.4%	32.7%	24.8%	14.1%	260,933

**133. In your opinion, how much of a problem is each of these issues in your county? Abuse and neglect of children**

	<b>No problem</b>	<b>Minor problem</b>	<b>Moderate problem</b>	<b>Serious problem</b>	<b>No opinion</b>	<b>N</b>
<b>St. Cloud metro area total</b>	3.8%	23.8%	30.3%	31.3%	10.8%	96,743
<b>Gender</b>						
Female	1.3%	19.0%	36.0%	29.4%	14.3%	48,432
Male	6.3%	28.4%	24.7%	33.3%	7.3%	48,157
<b>Age</b>						
18-34	4.9%	25.2%	25.5%	40.4%	4.2%	41,330
35-44	0.9%	28.0%	23.0%	37.1%	11.0%	13,963
45-54	5.1%	25.0%	45.6%	13.7%	10.6%	16,063
55-64	0.6%	17.9%	33.7%	29.3%	18.5%	12,266
65-74	6.7%	20.7%	27.9%	22.1%	22.5%	6,280
75+	3.6%	15.1%	34.4%	19.7%	27.3%	6,040
<b>Highest level of education</b>						
Less than high school diploma/GED	13.5%	10.5%	22.1%	50.3%	3.7%	1,883
High school diploma/GED	4.1%	9.9%	21.1%	56.6%	8.2%	19,300
Some college or AA degree	2.0%	23.7%	28.2%	30.2%	15.9%	33,974
Bachelor's degree or higher	4.7%	30.9%	37.1%	19.6%	7.8%	41,128
<b>Household income (in 2012)</b>						
Less than \$20,000	9.9%	6.6%	36.4%	34.3%	12.8%	9,874
\$20,000 - \$34,999	6.0%	15.2%	22.4%	40.6%	15.7%	12,520
\$35,000 - \$49,999	12.1%	20.5%	26.7%	26.0%	14.7%	13,783
\$50,000 - \$99,999	0.5%	33.8%	31.3%	27.2%	7.1%	36,598
\$100,000+	0.1%	23.7%	32.5%	36.0%	7.7%	21,095
<b>Household type</b>						
Single adult, no children	12.7%	13.6%	38.4%	16.7%	18.5%	13,962
2+ adults, no children	3.1%	27.9%	27.7%	30.7%	10.6%	44,945
Single adult, 1+ children	10.1%	28.7%	22.4%	13.3%	25.5%	3,365
2+ adults, 1+ children	0.5%	22.0%	31.6%	39.8%	6.0%	33,891
<b>All areas included in the study</b>						
Benton County	6.7%	24.9%	29.2%	19.1%	20.2%	26,309
Chisago County	8.5%	28.8%	27.1%	13.4%	22.2%	38,648
Mille Lacs County	4.5%	29.7%	26.6%	24.8%	14.4%	19,111
Sherburne County	7.4%	30.0%	24.3%	16.4%	21.9%	61,683
Stearns County	6.4%	27.4%	29.6%	25.9%	10.6%	115,641
Entire five-county region	6.8%	28.1%	27.7%	21.1%	16.2%	261,392

**134. In your opinion, how much of a problem is each of these issues in your county? Abuse and neglect of vulnerable adults**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	5.5%	31.0%	24.4%	21.1%	18.0%	96,775
<b>Gender</b>						
Female	2.8%	27.2%	23.7%	24.2%	22.2%	48,432
Male	8.3%	34.6%	25.3%	18.0%	13.9%	48,190
<b>Age</b>						
18-34	6.8%	31.3%	20.2%	24.0%	17.8%	41,330
35-44	5.7%	30.7%	23.5%	24.8%	15.2%	13,901
45-54	5.7%	36.6%	31.2%	14.9%	11.7%	16,063
55-64	1.3%	26.7%	28.1%	22.0%	22.0%	12,252
65-74	6.7%	20.6%	26.5%	21.8%	24.4%	6,280
75+	3.8%	29.1%	31.2%	9.0%	27.0%	6,149
<b>Highest level of education</b>						
Less than high school diploma/GED	13.5%	32.6%	7.4%	42.9%	3.7%	1,883
High school diploma/GED	4.4%	15.2%	34.7%	36.2%	9.5%	19,300
Some college or AA degree	3.1%	26.1%	23.5%	18.3%	29.0%	34,069
Bachelor's degree or higher	7.6%	42.4%	21.4%	15.3%	13.2%	41,065
<b>Household income (in 2012)</b>						
Less than \$20,000	10.4%	11.9%	24.8%	32.6%	20.4%	9,874
\$20,000 - \$34,999	6.9%	20.8%	43.1%	11.0%	18.2%	12,629
\$35,000 - \$49,999	12.2%	26.2%	23.7%	19.4%	18.5%	13,721
\$50,000 - \$99,999	2.7%	38.9%	22.3%	16.2%	20.0%	36,584
\$100,000+	3.1%	37.5%	16.8%	31.9%	10.6%	21,095
<b>Household type</b>						
Single adult, no children	14.1%	22.9%	26.0%	14.7%	22.3%	13,994
2+ adults, no children	3.1%	33.3%	26.6%	23.8%	13.3%	44,945
Single adult, 1+ children	10.1%	20.4%	28.0%	15.3%	26.1%	3,365
2+ adults, 1+ children	4.8%	32.5%	20.4%	20.9%	21.4%	33,891
<b>All areas included in the study</b>						
Benton County	9.4%	30.9%	22.6%	13.7%	23.5%	26,329
Chisago County	11.9%	33.2%	17.9%	14.6%	22.4%	38,453
Mille Lacs County	7.7%	29.0%	22.9%	17.9%	22.5%	19,050
Sherburne County	10.0%	31.8%	19.9%	13.1%	25.1%	61,780
Stearns County	8.7%	33.0%	21.9%	17.4%	19.1%	115,543
Entire five-county region	9.5%	32.2%	21.0%	15.6%	21.7%	261,154

**135. In your opinion, how much of a problem is each of these issues in your county?**  
**Domestic violence**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	5.1%	21.6%	34.7%	27.6%	11.0%	96,727
<b>Gender</b>						
Female	2.4%	16.4%	35.8%	30.5%	14.9%	48,416
Male	7.8%	26.6%	33.6%	24.8%	7.2%	48,157
<b>Age</b>						
18-34	7.5%	24.8%	29.7%	31.9%	6.1%	41,330
35-44	0.9%	21.9%	39.4%	25.5%	12.3%	13,963
45-54	5.5%	22.8%	47.1%	15.7%	8.9%	16,063
55-64	0.1%	12.8%	37.7%	32.0%	17.4%	12,266
65-74	9.9%	17.2%	19.0%	32.3%	21.6%	6,280
75+	2.7%	11.4%	39.0%	24.8%	22.0%	6,024
<b>Highest level of education</b>						
Less than high school diploma/GED	24.0%	0.0%	7.4%	65.9%	2.8%	1,883
High school diploma/GED	3.8%	10.7%	20.2%	56.8%	8.4%	19,300
Some college or AA degree	4.1%	16.7%	45.0%	15.9%	18.3%	33,974
Bachelor's degree or higher	5.7%	31.6%	34.5%	22.0%	6.2%	41,128
<b>Household income (in 2012)</b>						
Less than \$20,000	11.2%	3.7%	33.1%	40.4%	11.5%	9,858
\$20,000 - \$34,999	5.6%	14.3%	25.6%	39.2%	15.3%	12,520
\$35,000 - \$49,999	15.0%	16.0%	32.5%	25.0%	11.5%	13,783
\$50,000 - \$99,999	2.7%	28.3%	41.2%	18.2%	9.6%	36,598
\$100,000+	0.2%	27.0%	31.5%	34.1%	7.3%	21,095
<b>Household type</b>						
Single adult, no children	13.9%	17.6%	34.0%	17.3%	17.1%	13,946
2+ adults, no children	3.0%	24.6%	27.7%	33.0%	11.7%	44,945
Single adult, 1+ children	10.1%	18.1%	33.6%	12.7%	25.5%	3,365
2+ adults, 1+ children	3.9%	19.5%	44.3%	26.5%	5.7%	33,891
<b>All areas included in the study</b>						
Benton County	8.4%	26.2%	26.4%	19.5%	19.5%	26,244
Chisago County	8.4%	29.5%	26.3%	11.4%	24.4%	38,463
Mille Lacs County	4.7%	27.7%	35.9%	18.3%	13.4%	19,039
Sherburne County	6.7%	29.0%	26.5%	16.2%	21.6%	61,774
Stearns County	6.1%	27.6%	32.9%	21.4%	11.9%	115,756
Entire five-county region	6.7%	28.1%	30.0%	18.3%	16.9%	261,277

**136. In your opinion, how much of a problem is each of these issues in your county?**  
**Rape and sexual assault**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	5.2%	23.8%	28.8%	27.8%	14.5%	96,657
<b>Gender</b>						
Female	1.7%	20.7%	36.1%	22.6%	18.8%	48,346
Male	8.7%	26.6%	21.5%	33.0%	10.1%	48,157
<b>Age</b>						
18-34	6.8%	25.4%	24.3%	33.9%	9.7%	41,330
35-44	2.1%	32.4%	25.5%	26.9%	13.1%	13,963
45-54	7.9%	23.0%	36.6%	21.1%	11.4%	16,063
55-64	0.6%	16.4%	36.3%	24.3%	22.4%	12,266
65-74	6.7%	13.9%	23.6%	26.1%	29.7%	6,280
75+	2.7%	13.9%	40.3%	18.0%	25.1%	5,955
<b>Highest level of education</b>						
Less than high school diploma/GED	13.5%	10.5%	22.1%	51.2%	2.8%	1,883
High school diploma/GED	4.3%	11.9%	15.4%	54.7%	13.7%	19,230
Some college or AA degree	4.8%	25.9%	30.7%	21.5%	17.1%	34,067
Bachelor's degree or higher	5.6%	28.1%	34.0%	19.5%	12.8%	41,019
<b>Household income (in 2012)</b>						
Less than \$20,000	12.7%	6.8%	28.9%	21.9%	29.7%	9,841
\$20,000 - \$34,999	5.9%	14.6%	20.3%	37.8%	21.3%	12,576
\$35,000 - \$49,999	17.1%	12.1%	31.0%	24.9%	14.8%	13,783
\$50,000 - \$99,999	1.6%	34.9%	30.8%	22.7%	10.0%	36,489
\$100,000+	0.2%	24.0%	29.1%	35.9%	10.9%	21,095
<b>Household type</b>						
Single adult, no children	13.9%	19.7%	25.7%	16.4%	24.4%	13,877
2+ adults, no children	3.9%	24.2%	32.6%	26.3%	13.0%	44,945
Single adult, 1+ children	10.1%	27.9%	33.2%	11.9%	16.8%	3,365
2+ adults, 1+ children	2.9%	24.4%	24.8%	36.1%	11.8%	33,891
<b>All areas included in the study</b>						
Benton County	11.6%	28.8%	22.8%	12.4%	24.4%	26,164
Chisago County	17.5%	29.7%	22.5%	5.8%	24.4%	38,721
Mille Lacs County	7.3%	30.2%	25.9%	12.9%	23.7%	19,068
Sherburne County	13.0%	32.1%	15.3%	13.4%	26.2%	61,580
Stearns County	7.6%	30.1%	25.0%	23.2%	14.0%	115,481
Entire five-county region	10.7%	30.4%	22.2%	16.5%	20.2%	261,015

## Mental health

### 137. In your opinion, how much of a problem is each of these issues in your county? Depression among youth

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	3.2%	19.6%	32.9%	28.8%	15.5%	97,011
<b>Gender</b>						
Female	0.9%	17.3%	39.1%	25.4%	17.3%	48,591
Male	5.5%	21.8%	26.7%	32.3%	13.8%	48,266
<b>Age</b>						
18-34	4.2%	13.1%	35.0%	33.1%	14.5%	41,330
35-44	0.2%	28.6%	34.4%	29.2%	7.6%	13,963
45-54	4.7%	22.8%	32.9%	30.6%	8.9%	16,143
55-64	0.2%	22.0%	28.7%	28.6%	20.5%	12,266
65-74	5.2%	16.3%	26.4%	21.6%	30.7%	6,274
75+	2.6%	33.5%	27.4%	5.6%	30.9%	6,235
<b>Highest level of education</b>						
Less than high school diploma/GED	21.1%	39.2%	33.8%	3.1%	2.8%	1,883
High school diploma/GED	3.9%	11.0%	20.2%	56.2%	8.7%	19,385
Some college or AA degree	1.3%	18.7%	32.2%	23.5%	24.3%	34,157
Bachelor's degree or higher	3.5%	23.4%	39.8%	21.6%	11.7%	41,128
<b>Household income (in 2012)</b>						
Less than \$20,000	5.2%	19.6%	29.5%	33.9%	11.8%	9,953
\$20,000 - \$34,999	5.5%	10.6%	23.8%	43.0%	17.1%	12,709
\$35,000 - \$49,999	10.5%	21.8%	32.8%	21.1%	13.9%	13,783
\$50,000 - \$99,999	0.9%	15.9%	42.1%	20.7%	20.4%	36,598
\$100,000+	0.1%	30.3%	23.5%	39.9%	6.2%	21,095
<b>Household type</b>						
Single adult, no children	11.6%	17.1%	34.2%	17.5%	19.6%	14,231
2+ adults, no children	2.3%	17.5%	37.7%	28.0%	14.5%	44,945
Single adult, 1+ children	10.1%	18.1%	43.0%	20.1%	8.7%	3,365
2+ adults, 1+ children	0.1%	23.3%	25.3%	35.7%	15.6%	33,891
<b>All areas included in the study</b>						
Benton County	5.5%	26.8%	32.4%	16.9%	18.5%	26,366
Chisago County	12.3%	16.0%	38.5%	13.0%	20.2%	38,523
Mille Lacs County	4.2%	23.6%	33.4%	20.4%	18.4%	19,132
Sherburne County	4.8%	24.7%	27.9%	20.9%	21.8%	61,893
Stearns County	4.1%	25.1%	32.5%	23.0%	15.4%	115,565
Entire five-county region	5.6%	23.7%	32.3%	20.2%	18.1%	261,478

**138. In your opinion, how much of a problem is each of these issues in your county? Depression among adults**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	2.0%	20.0%	33.6%	30.8%	13.6%	96,953
<b>Gender</b>						
Female	0.3%	19.6%	33.9%	31.7%	14.5%	48,534
Male	3.6%	20.2%	33.4%	30.1%	12.7%	48,266
<b>Age</b>						
18-34	3.5%	17.2%	31.7%	36.0%	11.5%	41,330
35-44	0.0%	22.1%	37.0%	33.9%	6.9%	13,963
45-54	0.3%	16.8%	43.0%	31.2%	8.7%	16,063
55-64	0.2%	25.2%	26.5%	26.8%	21.3%	12,266
65-74	2.0%	24.2%	29.2%	20.8%	23.7%	6,280
75+	4.0%	27.2%	30.5%	10.3%	28.0%	6,251
<b>Highest level of education</b>						
Less than high school diploma/GED	11.4%	42.0%	10.1%	33.7%	2.8%	1,900
High school diploma/GED	0.5%	10.8%	20.3%	60.3%	8.1%	19,385
Some college or AA degree	0.4%	19.9%	37.8%	21.8%	20.1%	34,083
Bachelor's degree or higher	3.5%	23.3%	37.8%	24.6%	10.8%	41,128
<b>Household income (in 2012)</b>						
Less than \$20,000	3.0%	19.1%	20.0%	46.7%	11.2%	9,975
\$20,000 - \$34,999	0.1%	9.3%	33.0%	41.4%	16.1%	12,629
\$35,000 - \$49,999	10.5%	26.4%	32.8%	19.4%	10.9%	13,783
\$50,000 - \$99,999	0.2%	18.4%	40.8%	22.6%	17.9%	36,598
\$100,000+	0.0%	25.5%	26.0%	42.1%	6.4%	21,095
<b>Household type</b>						
Single adult, no children	12.4%	14.7%	31.0%	23.6%	18.3%	14,157
2+ adults, no children	0.2%	21.6%	34.4%	32.7%	11.0%	44,945
Single adult, 1+ children	0.7%	26.9%	56.1%	16.3%	0.0%	3,365
2+ adults, 1+ children	0.0%	19.3%	31.4%	33.2%	16.0%	33,891
<b>All areas included in the study</b>						
Benton County	5.4%	24.6%	35.8%	16.6%	17.6%	26,343
Chisago County	9.4%	16.1%	42.2%	13.9%	18.5%	38,523
Mille Lacs County	4.8%	22.3%	39.8%	20.2%	13.0%	19,132
Sherburne County	5.5%	25.2%	29.7%	19.4%	20.3%	61,877
Stearns County	3.8%	24.8%	32.7%	24.9%	13.8%	115,647
Entire five-county region	5.3%	23.4%	34.2%	20.8%	16.4%	261,522

**139. In your opinion, how much of a problem is each of these issues in your county?**  
**Suicide among youth**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	5.6%	31.2%	22.2%	19.9%	21.2%	96,559
<b>Gender</b>						
Female	2.5%	29.0%	27.4%	17.5%	23.6%	48,526
Male	8.8%	33.1%	16.9%	22.4%	18.8%	47,879
<b>Age</b>						
18-34	8.6%	25.8%	20.3%	24.3%	20.9%	41,286
35-44	0.9%	43.2%	24.3%	16.3%	15.4%	13,963
45-54	5.4%	31.5%	28.4%	15.2%	19.4%	16,143
55-64	0.6%	32.1%	23.5%	20.5%	23.3%	12,266
65-74	5.2%	25.5%	20.9%	19.1%	29.3%	6,269
75+	7.5%	40.3%	11.9%	12.3%	28.0%	5,832
<b>Highest level of education</b>						
Less than high school diploma/GED	24.0%	39.2%	0.0%	3.1%	33.8%	1,883
High school diploma/GED	5.5%	16.3%	15.3%	48.9%	14.0%	19,385
Some college or AA degree	4.8%	19.6%	32.3%	12.3%	31.0%	33,705
Bachelor's degree or higher	5.4%	47.3%	18.2%	13.5%	15.6%	41,128
<b>Household income (in 2012)</b>						
Less than \$20,000	8.4%	20.0%	30.2%	13.4%	28.0%	9,932
\$20,000 - \$34,999	8.6%	16.0%	13.8%	41.7%	19.9%	12,555
\$35,000 - \$49,999	16.2%	26.8%	23.0%	17.6%	16.3%	13,783
\$50,000 - \$99,999	3.2%	37.5%	23.1%	9.6%	26.6%	36,320
\$100,000+	0.1%	37.9%	21.2%	30.3%	10.5%	21,095
<b>Household type</b>						
Single adult, no children	13.3%	26.3%	19.0%	15.5%	25.9%	14,101
2+ adults, no children	3.6%	34.3%	21.2%	24.3%	16.6%	44,667
Single adult, 1+ children	10.1%	24.2%	24.9%	14.6%	26.1%	3,365
2+ adults, 1+ children	4.6%	29.3%	24.9%	16.6%	24.6%	33,847
<b>All areas included in the study</b>						
Benton County	12.5%	27.3%	21.5%	10.2%	28.5%	26,246
Chisago County	16.6%	27.6%	21.1%	15.6%	19.2%	38,844
Mille Lacs County	8.5%	32.2%	24.9%	11.5%	22.7%	19,132
Sherburne County	8.2%	29.3%	22.8%	15.7%	24.0%	61,777
Stearns County	9.3%	33.9%	22.2%	16.5%	18.1%	115,287
Entire five-county region	10.4%	31.1%	22.3%	15.2%	21.0%	261,286



**140. In your opinion, how much of a problem is each of these issues in your county?**  
**Suicide among adults**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	6.0%	29.6%	24.9%	19.6%	19.9%	96,945
<b>Gender</b>						
Female	2.5%	27.0%	31.8%	17.3%	21.4%	48,553
Male	9.5%	32.0%	17.9%	22.0%	18.5%	48,239
<b>Age</b>						
18-34	8.6%	24.6%	25.0%	23.2%	18.6%	41,286
35-44	3.1%	40.5%	23.2%	18.3%	14.9%	13,963
45-54	5.6%	26.2%	32.7%	16.8%	18.7%	16,115
55-64	0.1%	32.4%	24.0%	19.3%	24.2%	12,266
65-74	5.1%	30.6%	25.2%	11.2%	27.8%	6,280
75+	9.1%	37.7%	9.4%	17.9%	26.0%	6,235
<b>Highest level of education</b>						
Less than high school diploma/GED	24.0%	39.2%	0.0%	3.1%	33.8%	1,883
High school diploma/GED	5.5%	16.2%	14.1%	50.4%	13.8%	19,385
Some college or AA degree	6.0%	20.7%	31.6%	12.8%	29.0%	34,091
Bachelor's degree or higher	5.4%	42.8%	25.8%	11.8%	14.2%	41,128
<b>Household income (in 2012)</b>						
Less than \$20,000	8.2%	19.0%	31.8%	13.1%	27.8%	9,959
\$20,000 - \$34,999	9.4%	14.9%	16.0%	40.0%	19.7%	12,664
\$35,000 - \$49,999	16.2%	31.1%	23.7%	13.9%	15.1%	13,755
\$50,000 - \$99,999	4.1%	35.8%	22.6%	11.5%	26.0%	36,598
\$100,000+	0.1%	32.0%	30.5%	29.1%	8.2%	21,095
<b>Household type</b>						
Single adult, no children	16.4%	22.9%	22.9%	14.4%	23.4%	14,209
2+ adults, no children	3.5%	35.8%	21.1%	24.3%	15.3%	44,945
Single adult, 1+ children	10.1%	24.2%	33.6%	14.6%	17.5%	3,365
2+ adults, 1+ children	4.6%	24.3%	30.1%	16.4%	24.6%	33,847
<b>All areas included in the study</b>						
Benton County	12.6%	29.2%	22.8%	9.7%	25.6%	26,337
Chisago County	19.7%	32.5%	16.4%	11.6%	19.7%	38,800
Mille Lacs County	7.2%	37.0%	20.4%	11.4%	24.1%	18,888
Sherburne County	10.9%	32.2%	22.0%	10.5%	24.5%	61,655
Stearns County	10.5%	31.7%	23.7%	16.4%	17.7%	115,232
Entire five-county region	12.0%	32.1%	21.9%	13.3%	20.8%	260,911

**141. In your opinion, how much of a problem is each of these issues in your county? Eating disorders such as anorexia, bulimia, or binge eating**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	7.0%	34.2%	28.7%	8.3%	21.8%	96,593
<b>Gender</b>						
Female	3.2%	32.0%	30.2%	10.5%	24.1%	48,472
Male	10.9%	36.2%	27.3%	6.0%	19.5%	47,968
<b>Age</b>						
18-34	10.8%	38.1%	27.6%	4.2%	19.3%	41,330
35-44	2.8%	39.6%	25.9%	16.8%	14.9%	13,911
45-54	5.2%	29.0%	34.3%	10.0%	21.5%	16,143
55-64	0.7%	27.3%	27.3%	12.5%	32.1%	12,266
65-74	5.2%	26.2%	36.8%	5.6%	26.2%	6,274
75+	10.6%	26.3%	26.2%	7.0%	29.8%	5,868
<b>Highest level of education</b>						
Less than high school diploma/GED	44.8%	17.2%	2.2%	0.0%	35.8%	1,883
High school diploma/GED	5.2%	30.7%	42.1%	7.0%	14.9%	19,385
Some college or AA degree	7.0%	25.1%	25.5%	8.9%	33.5%	33,765
Bachelor's degree or higher	6.1%	44.1%	26.5%	8.8%	14.4%	41,107
<b>Household income (in 2012)</b>						
Less than \$20,000	13.2%	27.5%	18.5%	6.2%	34.6%	9,959
\$20,000 - \$34,999	7.2%	38.0%	26.6%	9.4%	18.8%	12,688
\$35,000 - \$49,999	18.4%	13.4%	37.3%	11.7%	19.2%	13,709
\$50,000 - \$99,999	5.4%	36.6%	22.6%	8.2%	27.1%	36,268
\$100,000+	0.1%	45.9%	39.6%	6.6%	7.8%	21,095
<b>Household type</b>						
Single adult, no children	16.1%	18.9%	26.5%	12.1%	26.5%	14,163
2+ adults, no children	6.1%	40.4%	26.6%	9.8%	17.1%	44,647
Single adult, 1+ children	10.1%	31.7%	21.6%	10.5%	26.1%	3,365
2+ adults, 1+ children	4.2%	32.3%	33.6%	4.5%	25.4%	33,839
<b>All areas included in the study</b>						
Benton County	13.6%	27.2%	23.0%	9.4%	26.8%	26,291
Chisago County	14.2%	38.4%	16.1%	8.7%	22.6%	38,735
Mille Lacs County	6.9%	29.6%	21.6%	8.7%	33.2%	19,034
Sherburne County	9.3%	29.6%	21.0%	10.2%	29.9%	61,770
Stearns County	8.7%	38.5%	25.6%	6.4%	20.9%	115,056
Entire five-county region	10.0%	34.6%	22.5%	8.1%	24.8%	260,887

**142. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining mental health services for youth**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	13.6%	23.1%	22.1%	17.4%	23.8%	96,858
<b>Gender</b>						
Female	5.6%	25.5%	21.2%	19.6%	28.1%	48,459
Male	21.6%	20.5%	23.1%	15.2%	19.6%	48,246
<b>Age</b>						
18-34	19.7%	18.5%	23.8%	15.6%	22.3%	41,330
35-44	6.7%	32.7%	15.5%	24.9%	20.2%	13,963
45-54	7.4%	29.7%	21.7%	16.5%	24.7%	16,143
55-64	7.7%	19.3%	25.2%	25.8%	22.1%	12,266
65-74	11.5%	15.5%	25.8%	10.6%	36.6%	6,280
75+	18.9%	24.1%	20.4%	7.0%	29.5%	6,075
<b>Highest level of education</b>						
Less than high school diploma/GED	46.0%	9.8%	32.6%	1.4%	10.2%	1,883
High school diploma/GED	4.2%	18.1%	36.5%	20.4%	20.8%	19,246
Some college or AA degree	9.5%	21.1%	20.4%	14.2%	34.8%	34,142
Bachelor's degree or higher	19.9%	27.6%	16.5%	19.6%	16.4%	41,128
<b>Household income (in 2012)</b>						
Less than \$20,000	16.5%	16.4%	19.1%	19.2%	28.8%	9,821
\$20,000 - \$34,999	6.2%	23.8%	17.5%	29.2%	23.4%	12,709
\$35,000 - \$49,999	23.8%	13.6%	18.0%	15.6%	29.0%	13,783
\$50,000 - \$99,999	19.1%	21.5%	18.5%	13.8%	27.1%	36,598
\$100,000+	1.5%	34.7%	36.0%	17.6%	10.1%	21,095
<b>Household type</b>						
Single adult, no children	21.2%	10.3%	23.6%	15.3%	29.6%	14,098
2+ adults, no children	16.4%	24.7%	18.2%	21.7%	18.9%	44,925
Single adult, 1+ children	9.7%	26.4%	21.2%	16.6%	26.1%	3,365
2+ adults, 1+ children	7.2%	25.7%	27.2%	12.9%	27.0%	33,891
<b>All areas included in the study</b>						
Benton County	16.4%	22.2%	21.7%	13.1%	26.6%	26,403
Chisago County	13.0%	24.6%	20.5%	18.5%	23.3%	38,610
Mille Lacs County	13.9%	26.4%	21.6%	16.9%	21.3%	19,138
Sherburne County	15.4%	23.9%	18.3%	14.0%	28.3%	61,721
Stearns County	16.0%	23.8%	22.1%	15.0%	23.1%	115,451
Entire five-county region	15.3%	24.0%	20.9%	15.2%	24.6%	261,323

**143. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining mental health services for adults**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	13.5%	22.8%	24.2%	16.9%	22.5%	96,524
<b>Gender</b>						
Female	5.7%	23.7%	26.2%	18.5%	25.8%	48,371
Male	21.4%	21.7%	22.3%	15.4%	19.2%	48,000
<b>Age</b>						
18-34	19.7%	15.5%	27.3%	16.8%	20.6%	41,330
35-44	5.9%	32.2%	18.8%	23.1%	19.9%	13,901
45-54	7.6%	36.2%	18.6%	16.1%	21.4%	15,862
55-64	9.9%	17.2%	29.3%	21.7%	21.9%	12,266
65-74	11.7%	19.9%	24.1%	10.9%	33.4%	6,280
75+	14.8%	23.9%	23.5%	4.6%	33.3%	6,085
<b>Highest level of education</b>						
Less than high school diploma/GED	46.0%	0.0%	12.0%	31.8%	10.2%	1,883
High school diploma/GED	4.3%	15.5%	38.9%	22.5%	18.9%	19,054
Some college or AA degree	9.3%	25.6%	20.2%	13.2%	31.7%	34,075
Bachelor's degree or higher	19.9%	24.9%	21.6%	16.9%	16.7%	41,054
<b>Household income (in 2012)</b>						
Less than \$20,000	15.4%	12.3%	23.3%	27.2%	21.8%	9,821
\$20,000 - \$34,999	4.2%	21.8%	18.0%	30.9%	25.2%	12,698
\$35,000 - \$49,999	23.9%	18.2%	24.6%	10.6%	22.7%	13,721
\$50,000 - \$99,999	19.2%	22.6%	18.1%	13.4%	26.7%	36,510
\$100,000+	2.7%	31.7%	40.1%	14.5%	11.0%	20,903
<b>Household type</b>						
Single adult, no children	21.9%	10.9%	25.8%	17.3%	24.1%	13,936
2+ adults, no children	16.4%	23.1%	21.8%	20.0%	18.6%	44,753
Single adult, 1+ children	9.7%	27.2%	19.4%	17.6%	26.1%	3,365
2+ adults, 1+ children	6.8%	26.8%	27.8%	12.7%	25.9%	33,891
<b>All areas included in the study</b>						
Benton County	16.4%	20.6%	23.7%	13.0%	26.3%	26,159
Chisago County	15.1%	27.8%	18.4%	17.4%	21.3%	38,674
Mille Lacs County	15.2%	28.7%	23.7%	13.7%	18.8%	19,086
Sherburne County	15.9%	26.2%	17.1%	13.8%	26.9%	61,509
Stearns County	16.5%	23.7%	23.6%	14.5%	21.8%	115,185
Entire five-county region	16.0%	25.0%	21.3%	14.6%	23.1%	260,613

**144. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining alcohol and other drug abuse treatment for youth**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	12.1%	19.5%	26.3%	10.3%	31.8%	96,687
<b>Gender</b>						
Female	8.8%	19.1%	27.4%	16.0%	28.6%	48,288
Male	15.4%	19.7%	25.3%	4.6%	35.0%	48,246
<b>Age</b>						
18-34	11.3%	13.2%	26.5%	8.8%	40.1%	41,330
35-44	9.1%	33.8%	29.8%	15.2%	12.2%	13,963
45-54	15.6%	22.7%	22.9%	7.5%	31.4%	15,982
55-64	9.9%	19.8%	28.3%	16.6%	25.4%	12,266
65-74	14.3%	19.0%	22.6%	11.1%	33.0%	6,269
75+	14.0%	18.8%	29.3%	4.8%	33.2%	6,075
<b>Highest level of education</b>						
Less than high school diploma/GED	46.0%	0.0%	11.5%	1.4%	41.1%	1,883
High school diploma/GED	8.9%	12.6%	40.8%	6.7%	31.0%	19,236
Some college or AA degree	12.7%	17.8%	21.3%	11.6%	36.6%	33,982
Bachelor's degree or higher	11.6%	24.9%	24.6%	11.5%	27.4%	41,128
<b>Household income (in 2012)</b>						
Less than \$20,000	16.8%	13.5%	20.4%	16.6%	32.6%	9,821
\$20,000 - \$34,999	9.3%	14.8%	26.7%	5.2%	44.1%	12,709
\$35,000 - \$49,999	26.0%	15.0%	23.2%	7.4%	28.4%	13,783
\$50,000 - \$99,999	10.5%	17.4%	22.7%	12.1%	37.2%	36,427
\$100,000+	4.8%	32.5%	38.2%	9.0%	15.4%	21,095
<b>Household type</b>						
Single adult, no children	23.3%	12.8%	19.6%	14.2%	30.1%	14,088
2+ adults, no children	9.5%	17.4%	28.1%	10.7%	34.3%	44,925
Single adult, 1+ children	11.3%	38.7%	23.8%	17.0%	9.3%	3,365
2+ adults, 1+ children	11.2%	22.9%	27.4%	7.7%	30.8%	33,731
<b>All areas included in the study</b>						
Benton County	21.9%	25.3%	21.1%	10.0%	21.7%	26,246
Chisago County	19.1%	28.1%	22.3%	11.4%	19.1%	38,763
Mille Lacs County	15.1%	22.2%	25.2%	14.8%	22.7%	19,102
Sherburne County	16.6%	25.6%	19.5%	9.8%	28.5%	61,631
Stearns County	14.1%	23.7%	22.4%	9.4%	30.5%	115,223
Entire five-county region	16.3%	24.8%	21.8%	10.2%	26.9%	260,965

**145. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining alcohol and other drug abuse treatment for adults**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	12.2%	19.1%	28.8%	9.7%	30.2%	96,883
<b>Gender</b>						
Female	9.0%	21.8%	28.5%	14.6%	26.1%	48,443
Male	15.5%	16.1%	29.3%	4.8%	34.4%	48,287
<b>Age</b>						
18-34	11.1%	13.1%	29.8%	7.5%	38.4%	41,330
35-44	8.5%	34.3%	30.4%	17.0%	9.8%	13,963
45-54	15.5%	19.9%	28.6%	6.7%	29.3%	16,143
55-64	12.0%	15.9%	30.2%	14.9%	27.0%	12,266
65-74	14.4%	22.2%	24.1%	10.8%	28.5%	6,280
75+	14.4%	23.3%	24.9%	5.2%	32.3%	6,101
<b>Highest level of education</b>						
Less than high school diploma/GED	46.4%	0.0%	12.1%	0.0%	41.5%	1,867
High school diploma/GED	11.0%	13.4%	41.4%	6.0%	28.1%	19,246
Some college or AA degree	11.8%	17.5%	22.8%	11.3%	36.5%	34,163
Bachelor's degree or higher	11.6%	23.7%	29.0%	10.5%	25.1%	41,149
<b>Household income (in 2012)</b>						
Less than \$20,000	17.5%	9.5%	24.6%	15.5%	33.0%	9,821
\$20,000 - \$34,999	12.5%	14.5%	24.9%	6.0%	42.0%	12,709
\$35,000 - \$49,999	22.5%	20.6%	24.9%	7.9%	24.1%	13,783
\$50,000 - \$99,999	10.3%	17.2%	24.5%	10.5%	37.5%	36,619
\$100,000+	6.0%	29.1%	44.9%	8.7%	11.3%	21,095
<b>Household type</b>						
Single adult, no children	23.5%	16.6%	18.9%	14.4%	26.7%	14,082
2+ adults, no children	9.9%	17.2%	31.8%	8.6%	32.5%	44,966
Single adult, 1+ children	11.3%	38.7%	24.2%	16.6%	9.3%	3,365
2+ adults, 1+ children	10.9%	20.3%	30.0%	8.6%	30.2%	33,891
<b>All areas included in the study</b>						
Benton County	23.2%	23.8%	21.9%	9.5%	21.6%	26,459
Chisago County	21.3%	30.1%	20.6%	9.5%	18.5%	38,807
Mille Lacs County	15.2%	25.9%	26.2%	12.2%	20.5%	19,081
Sherburne County	17.0%	27.7%	17.8%	9.7%	27.8%	61,643
Stearns County	15.0%	22.9%	23.9%	9.0%	29.2%	115,509
Entire five-county region	17.3%	25.4%	21.9%	9.5%	25.9%	261,500

**146. In your opinion, how much of a problem is each of these issues in your county? People not taking prescribed medication for mental health problems**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
<b>St. Cloud metro area total</b>	6.9%	18.9%	27.9%	20.8%	25.5%	96,089
<b>Gender</b>						
Female	4.7%	19.1%	27.8%	25.4%	23.1%	47,876
Male	9.2%	18.4%	28.1%	16.3%	28.0%	48,059
<b>Age</b>						
18-34	9.2%	13.6%	33.5%	17.4%	26.3%	40,748
35-44	5.1%	30.8%	18.2%	31.8%	14.1%	13,963
45-54	7.9%	26.7%	21.7%	20.3%	23.3%	16,143
55-64	2.5%	17.0%	24.8%	28.2%	27.5%	12,219
65-74	2.0%	13.9%	39.0%	14.3%	30.9%	6,280
75+	8.0%	9.9%	25.3%	14.1%	42.7%	5,936
<b>Highest level of education</b>						
Less than high school diploma/GED	45.6%	15.9%	17.9%	2.7%	17.9%	1,162
High school diploma/GED	4.6%	9.5%	48.3%	25.4%	12.2%	19,246
Some college or AA degree	7.2%	17.3%	21.7%	19.5%	34.4%	34,142
Bachelor's degree or higher	6.7%	24.5%	24.1%	20.4%	24.3%	41,080
<b>Household income (in 2012)</b>						
Less than \$20,000	9.7%	6.5%	32.9%	24.0%	26.8%	9,099
\$20,000 - \$34,999	6.1%	15.3%	18.2%	35.9%	24.5%	12,709
\$35,000 - \$49,999	21.5%	14.4%	25.7%	18.5%	20.0%	13,783
\$50,000 - \$99,999	3.1%	17.8%	28.1%	15.9%	35.2%	36,598
\$100,000+	4.1%	30.2%	34.7%	20.7%	10.3%	21,048
<b>Household type</b>						
Single adult, no children	16.1%	10.9%	22.3%	24.4%	26.4%	13,940
2+ adults, no children	4.4%	16.8%	27.3%	25.5%	26.1%	44,314
Single adult, 1+ children	9.3%	20.2%	28.0%	15.5%	26.9%	3,365
2+ adults, 1+ children	6.4%	24.4%	31.6%	14.0%	23.6%	33,891
<b>All areas included in the study</b>						
Benton County	10.5%	23.1%	22.1%	17.2%	27.0%	26,102
Chisago County	10.9%	23.5%	32.2%	10.1%	23.3%	38,524
Mille Lacs County	5.0%	24.3%	20.1%	18.2%	32.4%	19,181
Sherburne County	9.9%	23.6%	20.8%	16.2%	29.6%	61,655
Stearns County	10.0%	19.4%	27.1%	18.2%	25.3%	114,729
Entire five-county region	9.8%	21.7%	25.3%	16.4%	26.7%	260,191

**147. What is your gender?**

	Male	Female	Total
<b>St. Cloud metro area total</b>	49.7%	50.3%	97,698
<b>Gender</b>			
Female	0.0%	100.0%	49,114
Male	100.0%	0.0%	48,584
<b>Age</b>			
18-34	50.4%	49.6%	41,484
35-44	53.4%	46.6%	13,963
45-54	50.5%	49.5%	16,143
55-64	50.3%	49.7%	12,266
65-74	47.4%	52.6%	6,299
75+	38.4%	61.6%	6,896
<b>Highest level of education</b>			
Less than high school diploma/GED	21.1%	78.9%	2,006
High school diploma/GED	66.2%	33.8%	19,765
Some college or AA degree	45.2%	54.8%	34,474
Bachelor's degree or higher	47.3%	52.7%	41,134
<b>Household income (in 2012)</b>			
Less than \$20,000	30.2%	69.8%	10,340
\$20,000 - \$34,999	52.5%	47.5%	12,725
\$35,000 - \$49,999	51.2%	48.8%	13,769
\$50,000 - \$99,999	49.1%	50.9%	36,897
\$100,000+	60.9%	39.1%	21,095
<b>Household type</b>			
Single adult, no children	53.9%	46.1%	14,544
2+ adults, no children	50.7%	49.3%	45,309
Single adult, 1+ children	56.1%	43.9%	3,365
2+ adults, 1+ children	46.8%	53.2%	33,891
<b>All areas included in the study</b>			
Benton County	50.5%	49.5%	27,032
Chisago County	51.7%	48.3%	40,040
Mille Lacs County	48.8%	51.2%	19,183
Sherburne County	51.1%	48.9%	62,547
Stearns County	50.2%	49.8%	117,424
Entire five-county region	50.6%	49.4%	266,226



---

**148. What is your age? (Mean)**

	Mean	Total
<b>St. Cloud metro area total</b>	43.1	97,051
<b>Gender</b>		
Female	44.4	48,750
Male	41.7	48,301
<b>Age</b>		
18-34	26.8	41,484
35-44	39.9	13,963
45-54	49.1	16,143
55-64	59.2	12,266
65-74	68.7	6,299
75+	81.3	6,896
<b>Highest level of education</b>		
Less than high school diploma/GED	62.0	2,006
High school diploma/GED	42.1	19,765
Some college or AA degree	44.1	34,167
Bachelor's degree or higher	41.7	40,995
<b>Household income (in 2012)</b>		
Less than \$20,000	45.4	10,340
\$20,000 - \$34,999	47.0	12,725
\$35,000 - \$49,999	41.4	13,745
\$50,000 - \$99,999	41.3	36,757
\$100,000+	41.6	21,095
<b>Household type</b>		
Single adult, no children	52.7	14,121
2+ adults, no children	46.5	45,285
Single adult, 1+ children	36.8	3,365
2+ adults, 1+ children	34.8	33,891
<b>All areas included in the study</b>		
Benton County	45.2	26,624
Chisago County	47.6	39,549
Mille Lacs County	49.9	19,237
Sherburne County	45.1	61,656
Stearns County	44.8	115,795
Entire five-county region	45.7	262,861

## 149. What is your age?

	18 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75+	Total
<b>St. Cloud metro area total</b>	42.7%	14.4%	16.6%	12.6%	6.5%	7.1%	97,051
<b>Gender</b>							
Female	42.2%	13.3%	16.4%	12.5%	6.8%	8.7%	48,750
Male	43.3%	15.4%	16.9%	12.8%	6.2%	5.5%	48,301
<b>Age</b>							
18-34	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	41,484
35-44	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	13,963
45-54	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	16,143
55-64	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	12,266
65-74	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	6,299
75+	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	6,896
<b>Highest level of education</b>							
Less than high school diploma/GED	29.0%	9.2%	2.7%	0.7%	11.8%	46.5%	2,006
High school diploma/GED	47.6%	12.6%	11.4%	9.8%	4.7%	13.9%	19,765
Some college or AA degree	33.5%	19.4%	23.4%	12.4%	7.2%	4.1%	34,167
Bachelor's degree or higher	48.9%	11.4%	14.2%	14.8%	6.4%	4.3%	40,995
<b>Household income (in 2012)</b>							
Less than \$20,000	49.3%	9.6%	4.8%	11.7%	7.7%	16.9%	10,340
\$20,000 - \$34,999	43.7%	4.8%	15.0%	9.0%	11.5%	16.0%	12,725
\$35,000 - \$49,999	46.3%	14.8%	14.5%	10.3%	10.6%	3.5%	13,745
\$50,000 - \$99,999	45.5%	17.7%	17.5%	9.7%	5.1%	4.5%	36,757
\$100,000+	34.8%	18.1%	22.5%	20.8%	3.2%	0.6%	21,095
<b>Household type</b>							
Single adult, no children	24.4%	14.7%	14.7%	14.6%	11.8%	19.7%	14,121
2+ adults, no children	39.1%	6.5%	15.0%	21.0%	9.9%	8.5%	45,285
Single adult, 1+ children	42.5%	42.5%	15.0%	0.0%	0.0%	0.0%	3,365
2+ adults, 1+ children	55.5%	22.2%	19.9%	2.0%	0.3%	0.0%	33,891
<b>All areas included in the study</b>							
Benton County	35.2%	17.7%	19.2%	13.8%	7.4%	6.7%	26,624
Chisago County	25.9%	20.5%	22.7%	15.3%	8.5%	7.0%	39,549
Mille Lacs County	26.0%	16.8%	20.6%	15.2%	11.4%	10.1%	19,237
Sherburne County	31.6%	22.0%	21.3%	13.4%	6.8%	5.0%	61,656
Stearns County	37.3%	15.0%	18.0%	13.9%	7.7%	8.1%	115,795
Entire five-county region	33.2%	17.9%	19.8%	14.0%	7.9%	7.2%	262,861

**150. How many adults (including you) and children live in your household?**  
**Number of adults age 18 or older (including you)**

	<b>1 adult</b>	<b>2 adults</b>	<b>3 more or adults</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	18.5%	57.1%	24.5%	97,123
<b>Gender</b>				
Female	16.8%	65.4%	17.8%	48,525
Male	20.0%	48.8%	31.1%	48,584
<b>Age</b>				
18-34	11.8%	62.8%	25.4%	41,413
35-44	25.1%	58.4%	16.5%	13,963
45-54	16.0%	40.1%	43.9%	16,143
55-64	16.9%	67.3%	15.8%	12,222
65-74	26.6%	50.2%	23.1%	6,286
75+	42.0%	51.0%	7.0%	6,635
<b>Highest level of education</b>				
Less than high school diploma/GED	19.6%	46.0%	34.4%	1,745
High school diploma/GED	16.2%	52.3%	31.5%	19,765
Some college or AA degree	21.8%	53.6%	24.6%	34,359
Bachelor's degree or higher	16.5%	62.9%	20.6%	41,149
<b>Household income (in 2012)</b>				
Less than \$20,000	42.9%	47.6%	9.4%	10,253
\$20,000 - \$34,999	24.1%	58.7%	17.2%	12,681
\$35,000 - \$49,999	30.9%	51.9%	17.2%	13,783
\$50,000 - \$99,999	12.0%	57.2%	30.8%	36,897
\$100,000+	3.3%	64.9%	31.8%	21,095
<b>Household type</b>				
Single adult, no children	100.0%	0.0%	0.0%	14,558
2+ adults, no children	0.0%	71.2%	28.8%	45,309
Single adult, 1+ children	100.0%	0.0%	0.0%	3,365
2+ adults, 1+ children	0.0%	68.4%	31.6%	33,891
<b>All areas included in the study</b>				
Benton County	24.8%	62.0%	13.2%	26,788
Chisago County	11.8%	62.0%	26.3%	39,389
Mille Lacs County	18.0%	69.4%	12.6%	18,919
Sherburne County	13.6%	64.8%	21.6%	62,412
Stearns County	15.1%	57.2%	27.7%	115,986
Entire five-county region	15.4%	61.1%	23.5%	263,494

**151. How many adults (including you) and children live in your household?**  
**Number of children under age 18**

	<b>0 children</b>	<b>1 child</b>	<b>2 children</b>	<b>3 or more children</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	49.6%	26.6%	14.9%	8.8%	74,207
<b>Gender</b>					
Female	47.3%	24.3%	19.1%	9.2%	37,260
Male	51.9%	29.0%	10.7%	8.5%	36,933
<b>Age</b>					
18-34	44.4%	33.9%	14.5%	7.2%	36,565
35-44	25.1%	25.0%	28.0%	21.8%	11,967
45-54	37.1%	30.9%	20.8%	11.2%	11,538
55-64	89.8%	9.5%	0.0%	0.6%	7,060
65-74	96.8%	3.2%	0.0%	0.0%	3,552
75+	100.0%	0.0%	0.0%	0.0%	3,090
<b>Highest level of education</b>					
Less than high school diploma/GED	82.9%	0.0%	17.1%	0.0%	1,083
High school diploma/GED	55.9%	41.4%	1.9%	0.8%	15,349
Some college or AA degree	40.5%	26.9%	21.6%	10.9%	25,806
Bachelor's degree or higher	52.8%	20.2%	15.7%	11.3%	31,925
<b>Household income (in 2012)</b>					
Less than \$20,000	64.3%	22.1%	9.8%	3.8%	7,782
\$20,000 - \$34,999	78.2%	12.3%	6.3%	3.3%	8,538
\$35,000 - \$49,999	63.5%	11.7%	12.3%	12.6%	8,250
\$50,000 - \$99,999	44.9%	29.1%	15.2%	10.8%	31,405
\$100,000+	26.7%	41.7%	22.1%	9.5%	16,472
<b>Household type</b>					
Single adult, no children	100.0%	0.0%	0.0%	0.0%	8,745
2+ adults, no children	100.0%	0.0%	0.0%	0.0%	28,091
Single adult, 1+ children	0.0%	71.7%	25.8%	2.5%	3,365
2+ adults, 1+ children	0.0%	51.1%	29.9%	19.0%	33,891
<b>All areas included in the study</b>					
Benton County	39.9%	27.2%	24.3%	8.5%	19,098
Chisago County	51.9%	23.6%	12.8%	11.7%	31,177
Mille Lacs County	48.6%	11.6%	29.4%	10.5%	13,502
Sherburne County	42.8%	19.4%	23.9%	14.0%	47,277
Stearns County	49.8%	24.4%	17.5%	8.2%	85,615
Entire five-county region	47.4%	22.5%	19.8%	10.3%	196,669

---

**152. Body mass index (BMI)<sup>a</sup> (Mean, calculated variable)**

	Mean	Total
<b>St. Cloud metro area total</b>	26.4	95,864
<b>Gender</b>		
Female	26.1	47,280
Male	26.6	48,584
<b>Age</b>		
18-34	24.7	40,748
35-44	26.3	13,754
45-54	27.3	15,758
55-64	28.5	12,169
65-74	28.7	6,171
75+	28.6	6,818
<b>Highest level of education</b>		
Less than high school diploma/GED	28.6	2,006
High school diploma/GED	25.4	19,738
Some college or AA degree	27.0	33,202
Bachelor's degree or higher	26.2	40,813
<b>Household income (in 2012)</b>		
Less than \$20,000	27.2	10,340
\$20,000 - \$34,999	26.1	12,405
\$35,000 - \$49,999	27.0	13,187
\$50,000 - \$99,999	26.9	36,511
\$100,000+	25.1	20,777
<b>Household type</b>		
Single adult, no children	28.5	14,385
2+ adults, no children	26.3	44,325
Single adult, 1+ children	26.0	3,238
2+ adults, 1+ children	25.6	33,540
<b>All areas included in the study</b>		
Benton County	27.2	26,326
Chisago County	28.1	39,270
Mille Lacs County	28.7	18,887
Sherburne County	27.3	60,167
Stearns County	26.9	114,285
Entire five-county region	27.3	258,935

<sup>a</sup> Body mass index, or BMI, is the measure of relative weight based on an individual's height and mass. An individual is considered to be underweight if they have a BMI of 18.5 or less, normal weight if their BMI is 18.5 to 24.9, overweight if 25-29.9, and obese if 30 or greater. BMI was calculated based on respondent answers to questions 37 and 38.

---

**153. Weight status according to BMI (calculated variable)**

	Not overweight	Overweight but not obese	Obese	Total
<b>St. Cloud metro area total</b>	48.0%	31.7%	20.3%	95,864
<b>Gender</b>				
Female	59.3%	19.6%	21.1%	47,280
Male	37.1%	43.4%	19.5%	48,584
<b>Age</b>				
18-34	59.3%	28.7%	12.0%	40,748
35-44	53.4%	27.9%	18.7%	13,754
45-54	40.0%	41.1%	18.9%	15,758
55-64	33.2%	26.7%	40.1%	12,169
65-74	17.3%	50.4%	32.2%	6,171
75+	39.8%	28.5%	31.7%	6,818
<b>Highest level of education</b>				
Less than high school diploma/GED	36.0%	16.2%	47.9%	2,006
High school diploma/GED	52.8%	33.2%	14.0%	19,738
Some college or AA degree	43.4%	28.5%	28.1%	33,202
Bachelor's degree or higher	50.1%	34.3%	15.6%	40,813
<b>Household income (in 2012)</b>				
Less than \$20,000	56.2%	13.0%	30.7%	10,340
\$20,000 - \$34,999	37.8%	44.9%	17.3%	12,405
\$35,000 - \$49,999	39.2%	35.3%	25.5%	13,187
\$50,000 - \$99,999	48.7%	30.1%	21.3%	36,511
\$100,000+	51.8%	35.0%	13.2%	20,777
<b>Household type</b>				
Single adult, no children	31.3%	39.9%	28.8%	14,385
2+ adults, no children	50.6%	28.5%	20.9%	44,325
Single adult, 1+ children	57.8%	25.0%	17.2%	3,238
2+ adults, 1+ children	50.8%	33.3%	15.9%	33,540
<b>All areas included in the study</b>				
Benton County	37.6%	36.2%	26.3%	26,326
Chisago County	25.8%	44.9%	29.3%	39,270
Mille Lacs County	29.2%	34.0%	36.8%	18,887
Sherburne County	39.0%	35.4%	25.6%	60,167
Stearns County	42.3%	36.0%	21.7%	114,285
Entire five-county region	37.6%	37.1%	25.3%	258,935

#### 154. Race/Ethnicity for St. Cloud metro area<sup>a</sup>

	Survey respondents (unweighted) <sup>b</sup>		Survey respondents (weighted)	U.S. Census <sup>c</sup>
	N	%	%	%
<b>St. Cloud metro area total</b>	597	100%	100%	100%
<b>Race</b>				
White, non-Hispanic	559	93.6%	96.4%	90.1%
American Indian	4	0.7%	0.5%	0.5%
Asian/Pacific Islander	7	1.2%	0.5%	2.8%
Black	9	1.5%	0.5%	4.0%
Somali <sup>d</sup>	1	0.2%	0.2%	NA
Hispanic	6	1.0%	1.1%	1.7%
Two or more races	3	0.5%	0.1%	0.9%
Some other race	0	0.0%	0.0%	0.1%
Missing/refused	9	1.5%	1.0%	NA

<sup>a</sup> Note that survey was conducted by mail and in English only. This may affect the degree to which non-English speaking residents or other residents who are uncomfortable or unfamiliar with mailed surveys may have responded.

<sup>b</sup> The data reflected in this column is not adjusted for age, gender, or number of people in the household and reflects the number of survey completes for the St. Cloud metro area (N=597).

<sup>c</sup> Source: US Census Bureau, Decennial Census, 2010, SF 1.

<sup>d</sup> Respondents were asked in a separate question whether or not they identified themselves to be part of the Somali ethnic or cultural group. Somali respondents were counted as Black for the purposes of this table.

---

**155. Which of the following best describes your current relationship status?**

	Married	Living with a partner	Divorced	Separated	Widowed	Never married	Total
<b>St. Cloud metro area total</b>	54.6%	17.2%	6.7%	0.9%	4.0%	16.6%	97,293
<b>Gender</b>							
Female	60.3%	14.7%	6.5%	0.2%	7.0%	11.4%	48,695
Male	48.9%	19.7%	6.9%	1.7%	1.0%	21.7%	48,584
<b>Age</b>							
18-34	39.7%	32.9%	0.2%	0.0%	0.1%	27.1%	41,328
35-44	61.6%	15.0%	9.4%	1.3%	0.2%	12.6%	13,963
45-54	72.1%	3.2%	10.8%	4.2%	0.1%	9.7%	16,143
55-64	75.1%	2.6%	12.7%	0.3%	2.6%	6.7%	12,266
65-74	59.6%	3.4%	19.1%	0.0%	15.4%	2.5%	6,236
75+	51.1%	0.3%	8.7%	0.0%	35.0%	4.9%	6,896
<b>Highest level of education</b>							
Less than high school diploma/GED	40.9%	29.0%	6.9%	3.4%	17.8%	1.9%	2,006
High school diploma/GED	36.5%	25.2%	6.5%	0.0%	3.2%	28.6%	19,609
Some college or AA degree	57.3%	12.7%	10.1%	1.4%	5.3%	13.2%	34,474
Bachelor's degree or higher	61.7%	16.6%	3.9%	0.8%	2.6%	14.3%	41,098
<b>Household income (in 2012)</b>							
Less than \$20,000	11.4%	29.6%	18.8%	2.0%	9.7%	28.4%	10,301
\$20,000 - \$34,999	35.3%	27.3%	11.5%	0.0%	8.5%	17.4%	12,658
\$35,000 - \$49,999	45.1%	13.4%	8.3%	0.0%	1.3%	32.0%	13,771
\$50,000 - \$99,999	67.8%	19.6%	4.5%	0.2%	2.9%	5.1%	36,897
\$100,000+	69.6%	5.6%	1.0%	2.9%	0.7%	20.2%	21,095
<b>Household type</b>							
Single adult, no children	6.4%	0.2%	23.5%	0.6%	17.7%	51.7%	14,519
2+ adults, no children	53.7%	34.2%	3.7%	0.6%	1.6%	6.2%	45,208
Single adult, 1+ children	21.5%	0.0%	39.8%	12.3%	0.6%	25.8%	3,365
2+ adults, 1+ children	80.4%	3.7%	0.1%	0.4%	0.8%	14.6%	33,825
<b>All areas included in the study</b>							
Benton County	60.2%	9.6%	10.6%	1.1%	5.3%	13.2%	26,839
Chisago County	70.8%	8.8%	7.0%	1.2%	3.9%	8.3%	40,003
Mille Lacs County	64.0%	15.7%	4.4%	1.6%	7.0%	7.3%	19,314
Sherburne County	71.8%	6.9%	6.4%	1.1%	3.4%	10.3%	61,438
Stearns County	60.8%	13.6%	5.0%	0.5%	4.3%	15.8%	116,432
Entire five-county region	65.0%	11.1%	6.2%	0.9%	4.3%	12.5%	264,027



**156. Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit?**

	<b>Yes</b>	<b>No</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	8.1%	91.9%	97,349
<b>Gender</b>			
Female	2.2%	97.8%	48,633
Male	14.0%	86.0%	48,563
<b>Age</b>			
18-34	2.4%	97.6%	41,484
35-44	0.0%	100.0%	13,963
45-54	13.7%	86.3%	15,966
55-64	9.2%	90.8%	12,218
65-74	30.5%	69.5%	6,274
75+	24.4%	75.6%	6,845
<b>Highest level of education</b>			
Less than high school diploma/GED	20.6%	79.4%	2,006
High school diploma/GED	8.5%	91.5%	19,748
Some college or AA degree	12.3%	87.7%	34,410
Bachelor's degree or higher	3.8%	96.2%	40,939
<b>Household income (in 2012)</b>			
Less than \$20,000	15.6%	84.4%	10,323
\$20,000 - \$34,999	7.6%	92.4%	12,710
\$35,000 - \$49,999	9.9%	90.1%	13,783
\$50,000 - \$99,999	8.9%	91.1%	36,863
\$100,000+	2.8%	97.2%	21,095
<b>Household type</b>			
Single adult, no children	9.4%	90.6%	14,478
2+ adults, no children	9.7%	90.3%	45,100
Single adult, 1+ children	10.5%	89.5%	3,365
2+ adults, 1+ children	5.3%	94.7%	33,891
<b>All areas included in the study</b>			
Benton County	10.5%	89.5%	26,911
Chisago County	9.9%	90.1%	39,917
Mille Lacs County	9.1%	90.9%	19,250
Sherburne County	10.8%	89.2%	62,420
Stearns County	8.2%	91.8%	116,854
Entire five-county region	9.4%	90.6%	265,353

**157. What is the highest level of education you have completed?**

	Less than high school	High school graduate or GED	Some college/ vocational school	Associate's degree (2-year degree)	College graduate (4-year degree)	Graduate school and beyond	Total
<b>St. Cloud metro area total</b>	2.1%	20.3%	21.2%	14.2%	27.5%	14.8%	97,393
<b>Gender</b>							
Female	3.2%	13.7%	25.3%	13.4%	29.2%	15.2%	48,823
Male	0.9%	26.9%	17.1%	15.0%	25.7%	14.4%	48,556
<b>Age</b>							
18-34	1.4%	22.7%	13.1%	14.5%	40.6%	7.8%	41,484
35-44	1.3%	17.8%	25.3%	22.2%	18.7%	14.7%	13,963
45-54	0.3%	13.9%	31.0%	18.6%	15.2%	20.8%	16,115
55-64	0.1%	15.9%	28.5%	6.0%	24.0%	25.6%	12,237
65-74	3.8%	15.0%	34.5%	4.7%	16.4%	25.6%	6,270
75+	13.6%	40.0%	15.3%	5.2%	11.0%	14.9%	6,864
<b>Highest level of education</b>							
Less than high school diploma/GED	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2,006
High school diploma/GED	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	19,765
Some college or AA degree	0.0%	0.0%	60.0%	40.0%	0.0%	0.0%	34,474
Bachelor's degree or higher	0.0%	0.0%	0.0%	0.0%	65.0%	35.0%	41,149
<b>Household income (in 2012)</b>							
Less than \$20,000	12.8%	29.4%	31.1%	10.4%	6.7%	9.7%	10,269
\$20,000 - \$34,999	0.2%	49.8%	16.5%	8.1%	17.5%	7.9%	12,719
\$35,000 - \$49,999	0.0%	9.2%	35.4%	14.7%	36.9%	3.7%	13,783
\$50,000 - \$99,999	1.0%	10.1%	21.3%	18.0%	35.8%	13.7%	36,867
\$100,000+	0.0%	23.5%	10.0%	11.4%	24.6%	30.5%	21,095

**157. What is the highest level of education you have completed? (continued)**

	Less than high school	High school graduate or GED	Some college/ vocational school	Associate's degree (2-year degree)	College graduate (4-year degree)	Graduate school and beyond	Total
<b>Household type</b>							
Single adult, no children	2.4%	16.0%	30.0%	9.1%	30.0%	12.6%	14,481
2+ adults, no children	2.7%	23.6%	20.9%	8.8%	25.6%	18.4%	45,280
Single adult, 1+ children	0.0%	26.2%	33.3%	21.2%	15.8%	3.4%	3,365
2+ adults, 1+ children	0.5%	17.4%	16.8%	22.8%	30.3%	12.2%	33,891
<b>All areas included in the study</b>							
Benton County	3.2%	17.4%	31.0%	19.3%	18.6%	10.5%	26,816
Chisago County	2.0%	15.5%	30.5%	12.0%	24.0%	16.0%	39,693
Mille Lacs County	4.5%	17.6%	33.9%	11.4%	18.0%	14.6%	19,274
Sherburne County	1.6%	16.7%	29.1%	13.2%	25.5%	13.9%	62,424
Stearns County	2.7%	23.0%	22.5%	15.5%	24.3%	12.0%	116,795
Entire five-county region	2.5%	19.4%	27.0%	14.5%	23.5%	13.1%	265,002

---

**158. What was your household's total income from all earners and all sources in 2012?**

	<b>Less than \$20,000</b>	<b>\$20,000 - \$34,999</b>	<b>\$35,000 - \$49,999</b>	<b>\$50,000 - \$74,999</b>	<b>\$75,000 - \$99,999</b>	<b>\$100,000 - \$149,999</b>	<b>\$150,000 or more</b>	<b>Total</b>
<b>St. Cloud metro area total</b>	10.9%	13.4%	14.5%	26.1%	12.8%	17.2%	5.1%	94,840
<b>Gender</b>								
Female	15.4%	12.9%	14.3%	25.5%	14.5%	15.4%	2.1%	47,009
Male	6.5%	14.0%	14.7%	26.8%	11.1%	18.8%	8.0%	47,816
<b>Age</b>								
18-34	12.4%	13.5%	15.5%	31.4%	9.3%	17.8%	0.1%	41,082
35-44	7.1%	4.3%	14.6%	28.9%	17.6%	20.7%	6.6%	13,963
45-54	3.2%	12.3%	12.8%	14.0%	27.3%	15.2%	15.3%	15,578
55-64	10.4%	9.8%	12.0%	23.4%	7.1%	29.5%	7.9%	11,724
65-74	12.8%	23.2%	23.2%	22.9%	7.2%	2.0%	8.7%	6,274
75+	28.9%	33.8%	8.1%	24.5%	2.7%	2.2%	0.0%	6,041
<b>Highest level of education</b>								
Less than high school diploma/GED	76.2%	1.5%	0.0%	22.2%	0.0%	0.0%	0.0%	1,722
High school diploma/GED	15.6%	32.8%	6.6%	15.0%	4.3%	25.7%	0.0%	19,311
Some college or AA degree	12.8%	9.4%	20.7%	25.7%	17.8%	13.4%	0.2%	33,311
Bachelor's degree or higher	4.2%	8.0%	13.9%	31.9%	13.3%	17.0%	11.8%	40,389
<b>Household income (in 2012)</b>								
Less than \$20,000	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	10,340
\$20,000 - \$34,999	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	12,725
\$35,000 - \$49,999	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	13,783
\$50,000 - \$99,999	0.0%	0.0%	0.0%	67.1%	32.9%	0.0%	0.0%	36,897
\$100,000+	0.0%	0.0%	0.0%	0.0%	0.0%	77.1%	22.9%	21,095

---


**158. What was your household's total income from all earners and all sources in 2012? (continued)**

	<b>Less than \$20,000</b>	<b>\$20,000 - \$34,999</b>	<b>\$35,000 - \$49,999</b>	<b>\$50,000 - \$74,999</b>	<b>\$75,000 - \$99,999</b>	<b>\$100,000 - \$149,999</b>	<b>\$150,000 or more</b>	<b>Total</b>
<b>Household type</b>								
Single adult, no children	26.2%	20.5%	30.7%	15.1%	5.4%	2.0%	0.2%	13,788
2+ adults, no children	8.9%	18.3%	14.9%	27.4%	10.7%	14.1%	5.8%	44,013
Single adult, 1+ children	25.8%	7.4%	0.8%	49.3%	3.5%	12.2%	0.9%	3,052
2+ adults, 1+ children	5.7%	4.7%	8.8%	26.9%	19.4%	27.9%	6.6%	33,855
<b>All areas included in the study</b>								
Benton County	13.7%	12.1%	15.9%	23.7%	15.3%	17.2%	2.0%	26,196
Chisago County	8.8%	11.1%	13.1%	15.8%	14.0%	19.2%	17.8%	37,926
Mille Lacs County	12.9%	17.1%	11.1%	29.8%	12.4%	13.6%	3.1%	18,766
Sherburne County	6.5%	7.8%	16.1%	24.1%	21.6%	17.9%	6.0%	60,276
Stearns County	8.4%	12.3%	16.8%	26.9%	13.5%	16.7%	5.4%	112,017
Entire five-county region	8.9%	11.4%	15.6%	24.4%	15.6%	17.2%	6.9%	255,181

# Appendix

*Survey instrument*

*Codebook for open-ended responses*



# Central Minnesota Community Health Survey

## Survey instrument

### GENERAL HEALTH AND HEALTH CARE

1. **In general, would you say that your health is:**  
☐ Excellent    ☐ Very good    ☐ Good    ☐ Fair    ☐ Poor
2. **About how long has it been since you last visited a doctor or other health care professional for a routine check-up?**  
☐ Within the past year  
☐ Within the past 2 years  
☐ Within the past 5 years  
☐ 5 or more years ago  
☐ Never
3. **During the past 12 months, was there a time when you thought you needed medical care but did not get it or delayed getting it?**  
☐ Yes    ☐ No ➔ IF NO, GO TO QUESTION 5
4. **Why did you not get or delay getting the medical care you thought you needed? Please check all that apply.**  

<input type="checkbox"/> The care I needed cost too much	<input type="checkbox"/> I could not get an appointment
<input type="checkbox"/> My co-pay was too expensive	<input type="checkbox"/> I did not think it was serious enough
<input type="checkbox"/> My deductible was too expensive	<input type="checkbox"/> I had transportation problems
<input type="checkbox"/> My insurance did not cover it	<input type="checkbox"/> Other reason: <div style="border: 1px solid black; height: 40px; width: 100%;"></div>
<input type="checkbox"/> I did not have insurance	
5. **How would you rate your overall level of stress?**  
☐ High    ☐ Medium    ☐ Low
6. **During the past 30 days, for about how many days have you felt sad, blue, or depressed?** days
7. **During the past 12 months, was there a time when you wanted to talk with or seek help from a health professional about emotional problems such as stress, depression, excess worrying, troubling thoughts, or emotional problems, but did not or delayed talking with someone?**  
☐ Yes    ☐ No ➔ IF NO, GO TO QUESTION 9 ON NEXT PAGE
8. **Why did you not get or delay getting the care you thought you needed? Please check all that apply.**  

<input type="checkbox"/> The care I needed cost too much	<input type="checkbox"/> I could not get an appointment
<input type="checkbox"/> My co-pay was too expensive	<input type="checkbox"/> I did not think it was serious enough
<input type="checkbox"/> My deductible was too expensive	<input type="checkbox"/> I had transportation problems
<input type="checkbox"/> My insurance did not cover it	<input type="checkbox"/> I did not know where to go
<input type="checkbox"/> I did not have insurance	<input type="checkbox"/> Other reason: <div style="border: 1px solid black; height: 40px; width: 100%;"></div>
<input type="checkbox"/> I was too nervous or afraid	

**9. Which statement best describes the medications prescribed for you in the past 6 months?**

- ☐ I had no medications prescribed for me (GO TO QUESTION 11)
- ☐ I had medications prescribed for me and I filled them all (GO TO QUESTION 11)
- ☐ I had medications prescribed for me and I did not fill at least one of them

**10. Why did you not fill at least one prescription? Please check all that apply.**

- |  |  |
|--|--|
| <input type="checkbox"/> The medication I needed cost too much | <input type="checkbox"/> I do not like taking medications  |
| <input type="checkbox"/> My co-pay was too expensive           | <input type="checkbox"/> I did not like the side effects   |
| <input type="checkbox"/> My deductible was too expensive       | <input type="checkbox"/> I had transportation problems   |
| <input type="checkbox"/> My insurance did not cover it         | <input type="checkbox"/> Pharmacy services are not available in my community   |
| <input type="checkbox"/> I did not have insurance              | <input type="checkbox"/> Other reason: <div style="border: 1px solid black; width: 250px; height: 30px; display: inline-block;"></div> |

**11. Do you currently have any kind of health care coverage, including health insurance or government plans such as Medicaid, Medicare, or Indian Health Services?**

- ☐ Yes      ☐ No ➔ IF NO, GO TO QUESTION 14

**12. Is your health insurance a high deductible plan?**

- ☐ Yes      ☐ No

**13. Which of the following types of health insurance do you have? Please check all that apply.**

- |   |                          |
|---|--------------------------|
| a. Health insurance or coverage through your employer or your spouse/partner, parent, or someone else's employer  | <input type="checkbox"/> |
| b. Health insurance or coverage bought directly by you or your family   | <input type="checkbox"/> |
| c. Indian or Tribal Health Service  | <input type="checkbox"/> |
| d. Medicare   | <input type="checkbox"/> |
| e. Medicaid, Medical Assistance (MA), or Prepaid Medical Assistance Program (PMAP)  | <input type="checkbox"/> |
| f. Minnesota Comprehensive Health Association (MCHA)  | <input type="checkbox"/> |
| g. MinnesotaCare  | <input type="checkbox"/> |
| h. CHAMPUS, TRICARE, or Veterans' benefits  | <input type="checkbox"/> |
| i. Other health insurance or coverage (please specify): <div style="border: 1px solid black; width: 250px; height: 20px; display: inline-block;"></div> | <input type="checkbox"/> |

**14. Have you ever been told by a doctor or other health care professional that you have...**

- |                            | Yes                      | No                       |
|----------------------------|--------------------------|--------------------------|
| a. Diabetes?               | <input type="checkbox"/> | <input type="checkbox"/> |
| b. High blood pressure?    | <input type="checkbox"/> | <input type="checkbox"/> |
| c. High blood cholesterol? | <input type="checkbox"/> | <input type="checkbox"/> |



## HEALTH HABITS

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day
<b>15. About how often do you drink...</b>					
a. Pop or soda (regular)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Pop or soda (diet)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. Energy drinks such as Red Bull, 5-hour Energy, or Monster?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. Other sugar-sweetened drinks such as sweet tea, coffee drinks, juice drinks, Kool-Aid, or Gatorade?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
e. Water?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
f. Milk?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**16a. A serving of fruit is one medium sized fruit, or a half cup chopped, cut, or canned fruit. Yesterday, how many servings of fruit did you eat? Do NOT include fruit juice.**

servings

**16b. Yesterday, how many 6 ounce servings of 100% fruit juice did you drink?**

servings

**16c. A serving of vegetables is a half cup of any vegetable or one cup of salad greens. Yesterday, how many servings of vegetables did you eat? Do NOT include vegetable juice, french fries or other fried potatoes.**

servings

**17. During the past 7 days, how many times did you eat from a fast food restaurant, including carry-out or delivery?**

- ☐ 0 times      ☐ 7-10 times  
☐ 1-2 times      ☐ 11-14 times  
☐ 3-6 times      ☐ 15 or more times

**18. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies?**

hours       minutes

**19. During an average week, whether at work, at home, or anywhere else, on how many days do you get at least 30 minutes of moderate physical activity?** Moderate activities cause light sweating and a small increase in breathing or heart rate.

days per week

**20. How often do you feel safe in your community?**

- ☐ Always      ☐ Often      ☐ Sometimes      ☐ Never

**21. Are you in a relationship where you are (or have ever been) physically hurt, threatened, or made to feel afraid?**

- ☐ Yes      ☐ No

22. How often do you wear a seat belt when you drive or ride in a car or other vehicle?

☐ Always ☐ Often ☐ Sometimes ☐ Never

23. Do you ever drive a car or other vehicle?

☐ Yes ☐ No ➔ IF NO, GO TO QUESTION 25

24. When DRIVING a car or other vehicle, how often do you...

Often Sometimes Never Not applicable:  
I don't have a  
cell phone

a. Read incoming text messages or emails?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Send text messages or emails?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. Make or answer a phone call?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. Do other activities such as eat, read, or apply makeup or shave?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

25. In general, how often do you...

Every day Some days Never

a. Smoke cigarettes?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Chew tobacco?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. Smoke cigars, cigarillos, or little cigars?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. Use marijuana?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
e. Use other illegal drugs such as cocaine, heroin, or meth?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
f. Use prescription drugs that are not prescribed for you or that you take only to get high?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

26. During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage, or liquor?

☐ Yes ☐ No ➔ IF NO, GO TO QUESTION 31 ON NEXT PAGE

27. During the past 30 days, on how many days did you have at least one drink of any alcoholic beverage?

Days during the past 30 days

28. During the past 30 days, on the days when you drank, about how many drinks did you drink on average? A drink is one can of beer, one glass of wine, or a drink with one shot of liquor.

Number of drinks

29. Considering all types of alcoholic beverages, how many times during the past 30 days did you have...

FOR FEMALES: 4 or more drinks on one occasion

Number of times

FOR MALES: 5 or more drinks on one occasion

Number of times

30. During the past 30 days, how many times have you driven when you've had perhaps too much to drink?

Number of times

31. Do you...	Yes	No
a. Perform monthly self-exams for cancer (self-breast exam or self-testicular exam)?	<input type="checkbox"/>	<input type="checkbox"/>
b. Get a yearly flu shot or flu immunization?	<input type="checkbox"/>	<input type="checkbox"/>
c. Need medication to control a chronic physical or mental condition?	<input type="checkbox"/>	<input type="checkbox"/>
d. Have a family emergency plan?	<input type="checkbox"/>	<input type="checkbox"/>
e. Live with someone who smokes?	<input type="checkbox"/>	<input type="checkbox"/>

## COMMUNITY CONCERNS

32. In your opinion, how much of a problem is each of these issues in your county?	No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
<b>A. HEALTH CARE DELIVERY</b>					
1. People without health insurance or medical coverage	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. People not getting needed care because of inadequate health insurance or high deductibles	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Too few health care providers	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Too few dental providers	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Language barriers in getting health care	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Lack of provider knowledge about the health care needs of people of different cultures	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Ambulance/rescue squad response time to 911	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. County government's lack of preparation for a disaster, disease outbreak, or terrorist event	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9. Difficulty obtaining family planning services	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10. Lack of services to allow people to continue living at home	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>B. SOCIAL CONDITIONS</b>					
1. Crime	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Unemployment	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Children in poverty	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Families experiencing financial stress	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Youth not graduating high school	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>C. PREGNANCY, BIRTH, AND CHILD DEVELOPMENT</b>					
1. Parents with inadequate or poor parenting skills	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Teen pregnancy	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Unplanned pregnancy	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Infant death or premature birth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## COMMUNITY CONCERNS continued

**32. In your opinion, how much of a problem is each of these issues in your county?**

**No Problem    Minor Problem    Moderate Problem    Serious Problem    No Opinion**

### **D. INFECTIOUS DISEASES**

1. Adults not getting their immunizations such as flu, tetanus, or pneumonia	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Children not getting their immunizations such as pertussis, flu, or tetanus	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Infectious diseases such as flu, pneumonia, or whooping cough	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Sexually transmitted diseases such as chlamydia, syphilis, or HIV/AIDS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Insect-borne diseases such as Lyme disease or West Nile virus	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

### **E. ENVIRONMENT**

1. Indoor air pollution related to radon	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Unsafe drinking water	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Unsafe food in restaurants	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Extreme heat – days of high heat and humidity	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Extreme weather such as drought, floods, or tornadoes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Lack of access to public space for no-cost recreational use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Lack of safe places to walk or bike	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

### **F. ALCOHOL, TOBACCO, AND OTHER DRUG USE**

1. Smoking or other tobacco use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Abuse of prescription drugs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Alcohol abuse among those aged 21 or over	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Alcohol use among those under 21	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Adults allowing or tolerating youth alcohol use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Drinking and driving	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Illegal drug use among youth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. Illegal drug use among adults	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

### **G. CHRONIC DISEASE AND HEALTH HABITS**

1. Asthma	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Cancer	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Chronic pain	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Diabetes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Heart disease and stroke	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Mental illness	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Obesity among adults	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. Obesity among children	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## COMMUNITY CONCERNS continued

32. In your opinion, how much of a problem is each of these issues in your county?

No Problem    Minor Problem    Moderate Problem    Serious Problem    No Opinion

### G. CHRONIC DISEASE AND HEALTH HABITS (cont'd)

9. Lack of physical exercise	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10. Unhealthy eating habits	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11. Lack of access to healthy food	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

### H. INJURY AND VIOLENCE

1. Falls among the elderly	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Motor vehicle crashes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Improper use of or not using child car seats	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Bullying	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Abuse and neglect of children	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Abuse and neglect of vulnerable adults	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Domestic violence	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. Rape and sexual assault	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

### I. MENTAL HEALTH

1. Depression among youth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Depression among adults	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Suicide among youth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Suicide among adults	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Eating disorders such as anorexia, bulimia, or binge eating	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Difficulty obtaining mental health services for youth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Difficulty obtaining mental health services for adults	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. Difficulty obtaining alcohol and other drug abuse treatment for youth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9. Difficulty obtaining alcohol and other drug abuse treatment for adults	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10. People not taking prescribed medication for mental health problems	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## ABOUT YOU

33. What county do you live in?

- ☐ Benton                      ☐ Sherburne  
☐ Chisago                      ☐ Stearns  
☐ Mille Lacs                      ☐ Other, please specify:

34. What is your gender?

☐ Male

☐ Female

35. What is your age?

36. How many adults (including you) and children live in your household?

Number of adults age 18 or older (including you):

Number of children under age 18:

37. About how tall are you without shoes?

feet

inches

38. About how much do you weigh without shoes?

pounds

39. Are you a member of either of the following ethnic or cultural groups?

Yes

No

a. Hispanic or Latino/Latina

☐☐

b. Somali

☐☐

40. Which of the following best describe you? Please check all that apply.

☐ American Indian or Alaska Native

☐ African native

☐ Asian or Pacific Islander

☐ White

☐ Black or African American

☐ Other:

41. Which of the following best describes your current relationship status?

☐ Married

☐ Separated

☐ Living with a partner

☐ Widowed

☐ Divorced

☐ Never married

42. Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit?

☐ Yes

☐ No

43. What is the highest level of education you have completed?

☐ Less than high school

☐ Associate's degree (2-year degree)

☐ High school graduate or GED

☐ College graduate (4-year degree)

☐ Some college/vocational school

☐ Graduate school and beyond

44. What was your household's total income from all earners and all sources in 2012?

☐ Less than \$20,000

☐ \$75,000 - \$99,999

☐ \$20,000 - \$34,999

☐ \$100,000 - \$149,999

☐ \$35,000 - \$49,999

☐ \$150,000 or more

☐ \$50,000 - \$74,999

**THANK YOU!**

## Codebook for open ended comments

### **Q4 & Q8 - Why did you not get or delay getting the medical care you thought you needed? Please check all that apply.**

- 1 - The care I needed cost too much
- 2 - My co-pay was too expensive
- 3 - My deductible was too expensive
- 4 - My insurance did not cover it
- 5 - I did not have insurance
- 6 - I could not get an appointment
- 7 - I did not think it was serious enough
- 8 - I had transportation problems
- 9 - I did not know where to go (for Q8 only)
  
- 10 - Cost
- 11 - Previous medical bills weren't paid
- 12 - Trying to minimize health costs
- 13 - Other bills take priority
  
- 20 - Insurance policy or coverage difficulties
- 21 - Geographic regulations of insurance policy
- 22 - Technical problems (computer, database)
- 23 - Providers in insurance network are not accepting more patients
  
- 30 - Self-care
- 31 - Pain or ailment went away
- 32 - Diagnosis is always the same
- 33 - Wanted to try self-care before involving doctors
- 34 - Sought advice from friends or relatives in the medical profession/I work in the medical profession
- 35 - No longer sick by appointment
- 36 - Attend counseling
- 37 - Prayer or religious methods to curing sickness
  
- 40 - Scheduling/busy
- 41 - No time (general)
- 42 - Work or professional conflicts
- 43 - School or education conflicts
- 44 - Timing of ailment (e.g., during vacation, on weekend)
- 45 - Didn't know clinic schedule
- 46 - Appointment too far in the future
  
- 50 - Problems with medical staff
- 51 - Didn't like or trust medical staff
- 52 - Didn't think medical staff could help
- 53 - Disagreed with medical staff
- 54 - Medical staff refuses to treat specific condition
- 55 - Medical staff refused to treat respondent because of demographic characteristic (homosexual)
- 56 - Familiar with medical staff in personal life
- 57 - Fear of judgment from medical staff
  
- 60 - Problems with health care system
- 62 - Too much bureaucracy
- 63 - Too much money in medicine
- 64 - Problems switching between providers
- 65 - Unnecessary tests

70 - Fear of medical practices (general)

71 - Fear of diagnosis

72 - Fear of stigma

80 - Family issues

81 - No childcare

82 - Lack of support from family

90 - Other

91 - Non-responsive answer

92 - Mental health kept respondent from visiting doctor

93 - Too sick to visit doctor

94 - Didn't make time/lazy/didn't care

-8 - Don't know

**Q10 - Why did you not fill at least one prescription? Please check all that apply.**

1 - The medication I needed cost too much

2 - My co-pay was too expensive

3 - My deductible was too expensive

4 - My insurance did not cover it

5 - I did not have insurance

6 - I do not like taking medications

7 - I did not like the side effects

8 - I had transportation problems

9 - Pharmacy services are not available in my community

20 - Other concerns about side effects

21 - Worried about prescription interacting with other medications

30 - Self-care

31 - Did not need prescription medication

32 - Used over-the-counter medication

33 - Alternative/complementary medicine

40 - Problems with medical staff

41 - Didn't like or trust medical staff

42 - Advice from other medical staff against prescription

50 - Problems with health care system

51 - Too much bureaucracy/too much paperwork

52 - Too difficult to schedule a follow-up appointment

90 - Other

91 - Non-response answer

-8 - Don't know

-9 - N/A



**Q13: Which of the following types of health insurance do you have? Please check all that apply.**

- 1 - Health insurance or coverage through your employer or your spouse/partner, parent, or someone else's employer
- 2 - Health insurance or coverage bought directly by you or your family
- 3 - Indian or Tribal Health Service
- 4 - Medicare
- 5 - Medicaid, Medical Assistance (MA), or Prepaid Medical Assistance Program (PMAP)
- 6 - Minnesota Comprehensive Health Association (MCHA)
- 7 - MinnesotaCare
- 8 - CHAMPUS, TRICARE, or Veterans' benefits
  
- 10 - Specific insurance provider named - source unknown
  
- 90 - Other
- 91 - Non-response answer

**Q33 - What county do you live in?\***

- 1 - Benton
- 2 - Chisago
- 3 - Sherburne
- 4 - Stearns
- 5 - Mille Lacs
  
- 10 - Aitkin
- 11 - Hennepin
- 12 - Kanabec
- 13 - Morrison
- 14 - Watonwan
- 15 - Isanti
- 16 - Carver
- 17 - Pope
- 18 - Todd

91 - Non-responsive answer

\*Note: Although respondents were sampled based on their household address being in one of the five target counties, some respondents indicated they actually live in another county. The respondents' original sample information that included the address where the survey was mailed was used to determine their county of residence for the purposes of reporting results.

**Q40 - Which of the following best describe you? Please check all that apply.**

- 1 - American Indian
- 2 - Asian or Pacific Islander
- 3 - Black or African American
- 4 - African native
- 5 - White
  
- 10 - American/Human
- 11 - Latino
  
- 91 - Non-responsive answer
  
- 7 - Refused