

Sherburne County Community Health Data Book

*Detailed results from the 2013 Central
Minnesota Community Health Survey*

A P R I L 2 0 1 4

For more information, contact:

Nicole MartinRogers
Senior Research Manager, Wilder Research
651-280-2682
nicole.martinrogers@wilder.org

*This report was prepared by Wilder Research
www.wilderresearch.org*

Contents

Introduction and methods	1
Survey instrument	1
Sample.....	1
Data collection	1
Weighting and analysis	2
Talking points about the study methods	6
How to use this data book.....	7
Survey findings – Data tables	8
General health and health care	8
Health habits	35
Community concerns	87
About you.....	155
Appendix.....	169
Survey instrument	170
Codebook for open ended comments.....	178

Figures and data tables

1. Central Minnesota Adult Health Survey sample and respondents.....	3
2. Central Minnesota Adult Health Survey area	4
3. Map of respondent locations in the participating counties	5
4. In general, would you say that your health is	8
5. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?.....	9
6. During the past 12 months, was there a time when you thought you needed medical care but did not get it or delayed getting it?.....	10
7. (Of those who said they had delayed getting medical care they needed in the past 12 months) Why did you not get or delay getting the medical care you thought you needed?	11
8. How would you rate your overall level of stress?.....	13
9. During the past 30 days, for about how many days have you felt sad, blue, or depressed?	14
10. During the past 12 months, was there a time when you wanted to talk with or seek help from a health professional about emotional problems such as stress, depression, excess worrying, troubling thoughts, or emotional problems, but did not or delayed talking with someone?	15
11. (Of those who said they had delayed getting care they needed for emotional problems in the past 12 months) Why did you not get or delay getting the care you thought you needed?	16
12. Which statement best describes the medications prescribed for you in the past 6 months?	18
13. (Of those who said they had not filled at least one of their prescriptions in the past 6 months) Why did you not fill at least one prescription?.....	19
14. Do you currently have any kind of health care coverage, including health insurance or government plans such as Medicaid, Medicare, or Indian Health Services?	21
15. (Of those who said they have health insurance) Is your health insurance a high deductible plan?	22
16. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Health insurance or coverage through your employer or your spouse/partner, parent, or someone else's employer.....	23
17. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Health insurance or coverage bought directly by you or your family	24

Figures and data tables (continued)

18. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Indian or Tribal Health Service	25
19. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Medicare	26
20. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Medicaid, Medical Assistance (MA), or Prepaid Medical Assistance Program (PMAP)	27
21. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Minnesota Comprehensive Health Association (MCHA)	28
22. (Of those who said they have health insurance) Which of the following types of health insurance do you have? MinnesotaCare	29
23. (Of those who said they have health insurance) Which of the following types of health insurance do you have? CHAMPUS, TRICARE, or Veterans' benefits	30
24. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Other health insurance or coverage	31
25. Have you ever been told by a doctor or other health care professional that you have diabetes?	32
26. Have you ever been told by a doctor or other health care professional that you have high blood pressure?	33
27. Have you ever been told by a doctor or other health care professional that you have high blood cholesterol?	34
28. About how often do you drink pop or soda (regular)?	35
29. About how often do you drink pop or soda (diet)?	36
30. About how often do you drink energy drinks such as Red Bull, 5-hour Energy, or Monster?	37
31. About how often do you drink other sugar-sweetened drinks such as sweet tea, coffee drinks, juice drinks, Kool-Aid, or Gatorade?	38
32. About how often do you drink water?	39
33. About how often do you drink milk?	40
34. A serving of fruit is one medium sized fruit, or a half cup chopped, cut, or canned fruit. Yesterday, how many servings of fruit did you eat?	41
35. Yesterday, how many 6 ounce servings of 100% fruit juice did you drink?	42
36. A serving of vegetables is a half cup of any vegetable or one cup of salad greens. Yesterday, how many servings of vegetables did you eat?	43

Figures and data tables (continued)

37. Number of fruits and vegetables eaten yesterday (Mean, calculated variable)	44
38. Number of fruits and vegetables eaten yesterday (calculated variable)	45
39. During the past 7 days, how many times did you eat from a fast food restaurant, including carry-out or delivery?.....	46
40. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies? (Mean)	47
41. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies?.....	48
42. During an average week, whether at work, at home, or anywhere else, on how many days do you get at least 30 minutes of moderate physical activity? (Moderate exercise 3+ days)	50
43. During an average week, whether at work, at home, or anywhere else, on how many days do you get at least 30 minutes of moderate physical activity? (Moderate exercise 5+ days)	51
44. How often do you feel safe in your community?.....	52
45. Are you in a relationship where you are (or have ever been) physically hurt, threatened, or made to feel afraid?.....	53
46. How often do you wear a seat belt when you drive or ride in a car or other vehicle?.....	54
47. Do you ever drive a car or other vehicle?.....	55
48. (Of those who said they drive) When driving a car or other vehicle, how often do you read incoming text messages or emails?.....	56
49. (Of those who said they drive) When driving a car or other vehicle, how often do you send text messages or emails?.....	57
50. (Of those who said they drive) When driving a car or other vehicle, how often do you make or answer a phone call?	58
51. (Of those who said they drive) When driving a car or other vehicle, how often do you do other activities such as eat, read, or apply makeup or shave?.....	59
52. In general, how often do you smoke cigarettes?.....	60
53. Smoking status (calculated variable)	61
54. In general, how often do you chew tobacco?.....	62
55. Chewing tobacco user status (calculated variable)	63
56. In general, how often do you smoke cigars, cigarillos, or little cigars?	64

Figures and data tables (continued)

57. Cigars, cigarillos, or little cigar smoking status (calculated variable).....	65
58. In general, how often do you use marijuana?	66
59. Marijuana user status (calculated variable).....	67
60. In general, how often do you use other illegal drugs such as cocaine, heroin, or meth?	68
62. Other illegal drugs such as cocaine, heroin, or meth user status (calculated variable)	69
62. In general, how often do you use prescription drugs that are not prescribed for you or that you take only to get high?.....	70
63. Prescription drugs (that are not prescribed for you or that you take only to get high) user status (calculated variable)	71
64. During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage, or liquor?	72
65. (Of those who said they had at least one alcoholic beverage in the past 30 days) During the past 30 days, on how many days did you have at least one drink of any alcoholic beverage? (Mean)	73
66. (Of those who said they had at least one alcoholic beverage in the past 30 days) During the past 30 days, on the days when you drank, about how many drinks did you drink on average? (Mean)	74
67. (Of those who said they had at least one alcoholic beverage in the past 30 days) Total number of drinks in past 30 days (Mean, calculated variable).....	75
68. During the past 30 days, on the days when you drank, about how many drinks did you drink on average? ^a (calculated variable)	76
69. Chronic drinking (calculated variable, gender specific) ^a	77
70. (Of those who said they had at least one alcoholic beverage in the past 30 days) Considering all types of alcoholic beverages, how many times during the past 30 days did you have 4 or more drinks on one occasion (binge drinking—females ^a) (Mean).....	78
71. (Of those who said they had at least one alcoholic beverage in the past 30 days) Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks on one occasion (binge drinking—males ^a) (Mean).....	79
72. Binge drinking (calculated variable, gender specific) ^a	80
73. During the past 30 days, how many times have you driven when you've had perhaps too much to drink?.....	81

Figures and data tables (continued)

74. Do you perform monthly self-exams for cancer (self-breast exam or self-testicular exam)?	82
75. Do you get a yearly flu shot or flu immunization?	83
76. Do you need medication to control a chronic physical or mental condition?	84
77. Do you have a family emergency plan?	85
78. Do you live with someone who smokes?	86
79. In your opinion, how much of a problem is each of these issues in your county? People without health insurance or medical coverage	87
80. In your opinion, how much of a problem is each of these issues in your county? People not getting needed care because of inadequate health insurance or high deductibles	88
81. In your opinion, how much of a problem is each of these issues in your county? Too few health care providers	89
82. In your opinion, how much of a problem is each of these issues in your county? Too few dental providers	90
83. In your opinion, how much of a problem is each of these issues in your county? Language barriers in getting health care	91
84. In your opinion, how much of a problem is each of these issues in your county? Lack of provider knowledge about the health care needs of people of different cultures	92
85. In your opinion, how much of a problem is each of these issues in your county? Ambulance/rescue squad response time to 911	93
86. In your opinion, how much of a problem is each of these issues in your county? County government's lack of preparation for a disaster, disease outbreak, or terrorist event	94
87. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining family planning services	95
88. In your opinion, how much of a problem is each of these issues in your county? Lack of services to allow people to continue living at home	96
89. In your opinion, how much of a problem is each of these issues in your county? Crime	97
90. In your opinion, how much of a problem is each of these issues in your county? Unemployment	98
91. In your opinion, how much of a problem is each of these issues in your county? Children in poverty	99

Figures and data tables (continued)

92. In your opinion, how much of a problem is each of these issues in your county? Families experiencing financial stress	100
93. In your opinion, how much of a problem is each of these issues in your county? Youth not graduating high school	101
94. In your opinion, how much of a problem is each of these issues in your county? Parents with inadequate or poor parenting skills	102
95. In your opinion, how much of a problem is each of these issues in your county? Teen pregnancy	103
96. In your opinion, how much of a problem is each of these issues in your county? Unplanned pregnancy	104
97. In your opinion, how much of a problem is each of these issues in your county? Infant death or premature birth	105
98. In your opinion, how much of a problem is each of these issues in your county? Adults not getting their immunizations such as flu, tetanus, or pneumonia	106
99. In your opinion, how much of a problem is each of these issues in your county? Children not getting their immunizations such as pertussis, flu, or tetanus	107
100. In your opinion, how much of a problem is each of these issues in your county? Infectious diseases such as flu, pneumonia, or whooping cough	108
101. In your opinion, how much of a problem is each of these issues in your county? Sexually transmitted diseases such as chlamydia, syphilis, or HIV/AIDS	109
102. In your opinion, how much of a problem is each of these issues in your county? Insect-borne diseases such as Lyme disease or West Nile virus	110
103. In your opinion, how much of a problem is each of these issues in your county? Indoor air pollution related to radon	111
104. In your opinion, how much of a problem is each of these issues in your county? Unsafe drinking water	112
105. In your opinion, how much of a problem is each of these issues in your county? Unsafe food in restaurants	113
106. In your opinion, how much of a problem is each of these issues in your county? Extreme heat – days of high heat and humidity	114
107. In your opinion, how much of a problem is each of these issues in your county? Extreme weather such as drought, floods, or tornadoes	115
108. In your opinion, how much of a problem is each of these issues in your county? Lack of access to public space for no-cost recreational use	116

Figures and data tables (continued)

109. In your opinion, how much of a problem is each of these issues in your county? Lack of safe places to walk or bike.....	117
110. In your opinion, how much of a problem is each of these issues in your county? Smoking or other tobacco use.....	118
111. In your opinion, how much of a problem is each of these issues in your county? Abuse of prescription drugs	119
112. In your opinion, how much of a problem is each of these issues in your county? Alcohol abuse among those aged 21 or over	120
113. In your opinion, how much of a problem is each of these issues in your county? Alcohol use among those under 21	121
114. In your opinion, how much of a problem is each of these issues in your county? Adults allowing or tolerating youth alcohol use	122
115. In your opinion, how much of a problem is each of these issues in your county? Drinking and driving.....	123
116. In your opinion, how much of a problem is each of these issues in your county? Illegal drug use among youth.....	124
117. In your opinion, how much of a problem is each of these issues in your county? Illegal drug use among adults	125
118. In your opinion, how much of a problem is each of these issues in your county? Asthma	126
119. In your opinion, how much of a problem is each of these issues in your county? Cancer	127
120. In your opinion, how much of a problem is each of these issues in your county? Chronic pain.....	128
121. In your opinion, how much of a problem is each of these issues in your county? Diabetes.....	129
122. In your opinion, how much of a problem is each of these issues in your county? Heart disease and stroke.....	130
123. In your opinion, how much of a problem is each of these issues in your county? Mental illness	131
124. In your opinion, how much of a problem is each of these issues in your county? Obesity among adults.....	132
125. In your opinion, how much of a problem is each of these issues in your county? Obesity among children	133

Figures and data tables (continued)

126. In your opinion, how much of a problem is each of these issues in your county?	
Lack of physical exercise.....	134
127. In your opinion, how much of a problem is each of these issues in your county?	
Unhealthy eating habits.....	135
128. In your opinion, how much of a problem is each of these issues in your county?	
Lack of access to healthy food.....	136
129. In your opinion, how much of a problem is each of these issues in your county?	
Falls among the elderly	137
130. In your opinion, how much of a problem is each of these issues in your county?	
Motor vehicle crashes	138
131. In your opinion, how much of a problem is each of these issues in your county?	
Improper use of or not using child car seats	139
132. In your opinion, how much of a problem is each of these issues in your county?	
Bullying.....	140
133. In your opinion, how much of a problem is each of these issues in your county?	
Abuse and neglect of children.....	141
134. In your opinion, how much of a problem is each of these issues in your county?	
Abuse and neglect of vulnerable adults	142
135. In your opinion, how much of a problem is each of these issues in your county?	
Domestic violence.....	143
136. In your opinion, how much of a problem is each of these issues in your county?	
Rape and sexual assault	144
137. In your opinion, how much of a problem is each of these issues in your county?	
Depression among youth.....	145
138. In your opinion, how much of a problem is each of these issues in your county?	
Depression among adults	146
139. In your opinion, how much of a problem is each of these issues in your county?	
Suicide among youth.....	147
140. In your opinion, how much of a problem is each of these issues in your county?	
Suicide among adults	148
141. In your opinion, how much of a problem is each of these issues in your county?	
Eating disorders such as anorexia, bulimia, or binge eating.....	149
142. In your opinion, how much of a problem is each of these issues in your county?	
Difficulty obtaining mental health services for youth	150

Figures and data tables (continued)

143. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining mental health services for adults.....	151
144. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining alcohol and other drug abuse treatment for youth.....	152
145. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining alcohol and other drug abuse treatment for adults	153
146. In your opinion, how much of a problem is each of these issues in your county? People not taking prescribed medication for mental health problems	154
147. What is your gender?	155
148. What is your age? (Mean).....	156
149. What is your age?.....	157
150. How many adults (including you) and children live in your household? Number of adults age 18 or older (including you).....	158
151. How many adults (including you) and children live in your household? Number of children under age 18	159
152. Body mass index (BMI) ^a (Mean, calculated variable)	160
153. Weight status according to BMI (calculated variable)	161
154. Race/Ethnicity for Sherburne County ^a	162
155. Which of the following best describes your current relationship status?	163
156. Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit?	164
157. What is the highest level of education you have completed?	165
158. What was your household's total income from all earners and all sources in 2012? ..	167

Acknowledgments

Wilder Research would like to thank the members of the Central Minnesota Community Health Survey working group, who advised us on all aspects of the study design and reporting. This includes: Benton County, Chisago County, Mille Lacs County, Sherburne County, Stearns County, Albany Area Hospital and Medical Center, CentraCare Health—Melrose, CentraCare Health—Paynesville, CentraCare Health—Sauk Centre, CentraCare Health—St. Cloud Hospital, and CentraCare Health—Long Prairie.

It is important to note that at the time of the study, Paynesville Area Health Care had not yet been acquired by CentraCare Health, but the decision to affiliate had been made by the Paynesville Area Health Center Board.

We would also like to thank Ann Kinney, from the Minnesota Department of Health, and Mansour Fahimi, of GfK, for their assistance with the technical aspects of instrument design, sampling, weighting, and analysis.

This study was conducted in part with generous funding from:

- Benton, Chisago, Mille Lacs, Sherburne, and Stearns counties.
- Albany Area Hospital and Medical Center
- CentraCare Health
- Otto Bremer Foundation
- Medica Foundation
- UCare Foundation
- Fiscal Agency was provided by CentraCare Health Foundation with the support of CentraCare Health which paid the administrative costs of serving as fiscal agent.

The following Wilder Research staff contributed to the completion of this project:

Mark Anton
Jennifer Bohlke
Marilyn Conrad
Madeline Hansen
Denise Huynh
Sophak Mom

And finally, we would like to thank the 2,930 residents of Central Minnesota who participated in this survey. Without them, this report would not be possible!

CATHOLIC HEALTH
INITIATIVES

Albany Area Hospital
& Medical Center

OTTO BREMER FOUNDATION



Public Health
Prevent. Promote. Protect.

CENTRA CARE
Health System



Statewide Health Improvement Program | **SHIP**
HEALTH REFORM

MEDICA®
FOUNDATION

MILLE LACS
COUNTY



Health care that starts with you.®

Introduction and methods

In spring and summer 2013, Wilder Research was contracted to conduct a survey of adults in five counties in Central Minnesota (Benton, Chisago, Mille Lacs, Sherburne, and Stearns) to learn more about their health status and health behaviors, as well as their perceptions of health concerns in their communities. The public health agencies in each of the participating counties, CentraCare Health System, and Albany Area Hospital and Medical Center all provided representatives to participate in the study's working group, which advised Wilder Research on the development of the survey instrument and data collection methods. This group also provided final approvals on project decisions.

Survey instrument

The survey instrument was designed by Wilder Research in collaboration with the Central Minnesota Community Health Survey working group. Previous community health surveys conducted by Wilder and other counties were also used as examples when designing the survey. The survey instrument was developed for paper self-administration and was conducted in English only. See the Appendix for the complete survey instrument.

Sample

We used address-based sampling, to ensure all households were included in the sampling frame regardless of their phone status. The sample was purchased from Marketing Systems Group. See Figure 1 for an illustration of the number of sampled addresses, number of completed surveys, response rate, and margin of error for each of the sampling areas.

Data collection

Sampled addresses were contacted three times by mail, using the “modified Dillman” method of survey mailing, whereby sampled addresses are sent an initial survey packet including a cover letter, survey, and postage-paid return envelope. After two weeks, all households that did not return their completed survey were sent a post card reminder. After an additional two weeks, all sampled households that still did not complete the survey were sent a final survey packet. Of note, the survey was conducted during winter and early spring in Minnesota. Therefore, caution should be used when interpreting the results, especially related to physical activity and consumption of fresh produce, as these measures vary by season. Seasonality should be taken into consideration when comparing these survey data to other data sources across time.

There was one exception to this mailing sequence in the Sherburne County portion of zip code 56304, which is in Reporting Area #1. The initial study sample mistakenly did not include sample from this area so a remedial follow-up mailing was sent to sampled addresses in this area. Enough sample was released in this case so that only one mailing of the survey packet was needed to obtain the desired number of completes to correct for the initial error.

Adults were randomly selected from within the sampled households using the “most recent birthday” method (asking the adult who most recently had a birthday to fill out the one survey for that household) to ensure gender balance in survey respondents.

Weighting and analysis

Survey data are weighted to produce reliable estimates of population parameters. Weighting also compensates for practical limitations of a sample survey, such as differential nonresponse and under-coverage. By taking advantage of demographic information about the target population, weighting can reduce the variability of survey estimates.

The weighting process entails three steps. The first step consists of the computation of *design* or *base weights* to reflect any differential selection based on number of adults in the sampled household. In the second step, base weights are adjusted so that the resulting weights can aggregate to reported totals for the target population. For this study, survey weights were calculated using the method of *Iterative Proportional Fitting*, which is commonly referred to as *Raking*. Finally, adjusted weights are put through a series of quality control checks to detect extreme outliers and to prevent any computational or procedural errors.

Given the sample size and the demographic composition of the adult population of the five county region, design weights were adjusted by age and gender. Survey data for these demographic questions included missing values. All such missing values were first imputed using a hot-deck procedure before construction of the survey weights. The data were weighted against the U.S. Census Bureau’s March Supplement of the Current Population Survey (CPS) 2012.

Coding was completed to categorize responses to the open-ended questions. See the Appendix for the codebook.


1. Central Minnesota Adult Health Survey sample and respondents

Area No.	Reporting area (County and Zip Code)	Adult (age 18+) population of area ^a	Number of addresses sampled	Number of completed surveys	Response rate	Margin of error ^b
1	St. Cloud metro (56301, 56303, 56304, 56374, 56377, 56379, and 56387)	97,949	3,352	597	17.8%	5.9%
2	Stearns county whole	117,563	2,073	497	24.0%	6.5%
3	Stearns County “rural” (Stearns excluding 56301, 56303, 56374, 56377, and 56387)	44,970	1,200	289	24.1%	8.5%
4	Benton County whole	27,130	2,179	517	23.7%	6.3%
5	Benton County “rural” (Benton excluding 56304, 56379 and 56377)	9,485	1,200	315	26.3%	8.0%
6	Sherburne County whole	62,722	7,500	1,392	18.6%	3.8%
7	Sherburne County 55308 (Becker)	6,037	1,200	247	20.6%	9.0%
8	Sherburne County 55309 (Big Lake)	12,177	1,200	223	18.6%	9.6%
9	Sherburne County 55330 (Elk River)	19,076	1,200	243	20.3%	9.3%
10	Sherburne County 55398 (Zimmerman)	10,107	1,200	244	20.3%	9.2%
11	Sherburne County balance (Sherburne excluding 55308, 55309, 55330, and 55398, but including the Sherburne portion of 56304)	15,235	2,700	435	16.1%	6.9%
12	Chisago County	40,040	1,200	256	21.3%	9.0%
13	Mille Lacs County	19,482	1,200	268	22.3%	8.8%
All	Five county region	266,937	14,152	2,930	20.7%	2.7%


^a Source: US Census Bureau, Decennial Census, 2010, SF 1.

^b The margins of error are adjusted due to the statistical weighting procedures used to adjust age and gender.

2. Central Minnesota Adult Health Survey area



3. Map of respondent locations in the participating counties



Talking points about the study methods

To assist the representatives from the participating public health agencies and health care systems in communicating with their stakeholders (including their Community Health Boards, other organizational leadership, the media, and the general public) about this study, the following “talking points” can be used to help explain the study methods:

- This is a mailed survey. According to best practices in survey research (i.e., best response rate for lowest cost), we used a three-mailing sequence for all sampled households, which includes an initial survey packet, a reminder post card, and a final packet.
- The survey was sent to a random sample of households in the five counties. All households had an equal chance of being sampled, regardless of their phone status (i.e., households without landlines were not excluded, and households with more than one phone were not more likely to be sampled).
- The response rate for this survey is within the expected range for surveys using the three mailing sequence, and with no incentive offered for participation.
- The survey data are corrected with post-stratification and design weighting, which are statistical techniques commonly used to adjust for nonresponse bias (whereby certain types of people are more or less likely to respond to surveys).
- These methods ultimately produced a sample that is statistically representative of the adult population. (Because we obtained fewer completed surveys than was originally targeted, the margin of error has increased somewhat in each of the sampling areas. However, these data are still representative of the population.)

How to use this data book

The “area of focus” for this data book is Sherburne County. Data books using this same format have been developed for each of 13 reporting areas, which correspond to the reporting areas described above, as shown in Figure 1.

Please see the other data books in this series for more detailed information about these other areas. (Some summary information on some of these areas may be shown in this data book, as noted below). For every table in this data book, results are displayed for sub-groups of respondents from Sherburne County based on:

- Gender including male and female
- Age, including adults ages 18-34, 35-44, 45-54, 55-64, 65-74, and 75+
- Highest level of education including less than high school diploma/GED, high school diploma/GED, some college or AA degree, and bachelor’s degree or higher
- Annual household income ranges including less than \$20,000, \$20,000-34,999, \$35,000-49,000, \$50,000-99,999, and \$100,000 or more.
- Household type, including single adults with no children, 2+ adults with no children, single adults with 1+ children, and 2+ adults with 1+ children
- Totals for each of the five participating counties and the entire five county region

The columns in each table correspond to the response options respondents were given on the survey (see Appendix for the survey instrument). If a table presents a survey question with fixed response categories, each column indicates the percentage of respondents who gave that response to the question. Some answer categories are combined because of the low number of responses in those categories. The last column in each row of the table always presents the number of people (weighted up to the total population of the area) related to the percentages in that row. Some questions apply only to certain types of respondents (due to skip patterns in the survey). In these cases, the total includes only the proportion of residents in the area (weighted up from the number of respondents) for whom the question was applicable.

Some questions were open-ended, such that respondents wrote their own answers. Responses were grouped according to theme in order to reveal which trends are most notable. In some cases, respondents were allowed to provide more than one answer. The number of residents in the selected area that the percentages represent (based on the responses weighted up to the population level using inflationary weights) can be seen in each table. Where fewer than ten respondents submitted an answer fitting a particular theme, that theme is grouped with other answers in an “Other” category.

Survey findings – Data tables

General health and health care

4. In general, would you say that your health is ...

	Excellent	Very good	Good	Fair	Poor	N
Sherburne County total	16.2%	41.2%	33.1%	7.8%	1.7%	62,180
Gender						
Female	16.4%	44.9%	31.4%	6.6%	0.7%	30,276
Male	15.7%	37.7%	35.0%	8.9%	2.7%	31,728
Age						
18-34	20.4%	41.4%	29.0%	6.6%	2.6%	19,478
35-44	19.0%	45.8%	28.3%	6.0%	0.9%	13,386
45-54	15.3%	43.1%	34.9%	6.7%	0.0%	13,095
55-64	8.0%	38.1%	39.9%	11.4%	2.7%	8,060
65-74	9.9%	38.2%	40.5%	9.4%	2.1%	4,089
75+	4.0%	21.3%	51.8%	18.4%	4.5%	3,006
Highest level of education						
Less than high school diploma/GED	0.0%	26.3%	43.7%	28.3%	1.7%	973
High school diploma/GED	13.4%	31.8%	43.3%	9.8%	1.6%	10,286
Some college or AA degree	11.0%	41.0%	38.2%	8.5%	1.3%	26,202
Bachelor's degree or higher	23.6%	45.7%	23.1%	5.4%	2.2%	24,458
Household income (in 2012)						
Less than \$20,000	8.1%	19.7%	56.2%	12.9%	3.2%	3,895
\$20,000 - \$34,999	6.9%	34.5%	42.2%	12.6%	3.8%	4,599
\$35,000 - \$49,999	13.2%	38.8%	32.8%	8.9%	6.2%	9,697
\$50,000 - \$99,999	14.9%	42.6%	36.7%	5.3%	0.5%	27,308
\$100,000+	25.6%	47.7%	18.0%	8.5%	0.1%	14,304
Household type						
Single adult, no children	15.7%	34.2%	37.0%	9.8%	3.3%	5,858
2+ adults, no children	11.7%	39.1%	35.9%	10.5%	2.7%	29,241
Single adult, 1+ children	17.4%	54.8%	26.4%	1.4%	0.0%	2,510
2+ adults, 1+ children	21.7%	43.7%	29.8%	4.6%	0.3%	24,262
All areas included in the study						
Benton County	13.1%	39.5%	37.7%	8.6%	1.0%	26,930
Chisago County	17.1%	44.3%	27.9%	9.7%	1.1%	39,822
Mille Lacs County	10.0%	35.6%	33.3%	17.1%	4.0%	19,289
Sherburne County	16.2%	41.2%	33.1%	7.8%	1.7%	62,180
Stearns County	13.6%	47.8%	30.9%	4.7%	3.1%	117,219
Entire five-county region	14.4%	44.0%	31.8%	7.5%	2.3%	265,440

5. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?

	Within the past year	Within the past 2 years	Within the past 5 years	5 or more years ago	Never	N
Sherburne County total	72.4%	13.8%	7.0%	6.0%	0.7%	62,606
Gender						
Female	78.5%	13.9%	4.8%	2.6%	0.2%	30,468
Male	66.5%	13.7%	9.2%	9.4%	1.2%	31,962
Age						
18-34	64.3%	16.4%	7.2%	11.9%	0.1%	19,478
35-44	64.1%	19.0%	11.6%	3.2%	2.2%	13,507
45-54	74.4%	13.2%	5.5%	5.9%	1.1%	13,118
55-64	82.6%	9.7%	6.2%	1.5%	0.0%	8,248
65-74	88.4%	5.2%	3.6%	2.8%	0.0%	4,133
75+	95.7%	4.1%	0.2%	0.0%	0.0%	3,056
Highest level of education						
Less than high school diploma/GED	68.5%	21.3%	0.0%	10.2%	0.0%	973
High school diploma/GED	71.5%	9.7%	3.1%	11.8%	3.9%	10,380
Some college or AA degree	68.8%	17.3%	8.0%	5.6%	0.2%	26,410
Bachelor's degree or higher	76.6%	11.4%	8.0%	4.0%	0.0%	24,581
Household income (in 2012)						
Less than \$20,000	76.2%	10.5%	12.2%	1.1%	0.0%	3,903
\$20,000 - \$34,999	79.8%	8.0%	10.6%	1.6%	0.0%	4,687
\$35,000 - \$49,999	67.9%	11.5%	8.0%	12.5%	0.2%	9,729
\$50,000 - \$99,999	71.9%	14.0%	6.4%	6.1%	1.6%	27,486
\$100,000+	71.0%	18.6%	5.8%	4.6%	0.0%	14,392
Household type						
Single adult, no children	75.9%	5.5%	10.6%	7.1%	0.8%	5,940
2+ adults, no children	70.2%	15.2%	6.2%	8.3%	0.2%	29,490
Single adult, 1+ children	78.0%	13.6%	5.1%	3.3%	0.0%	2,510
2+ adults, 1+ children	73.4%	14.2%	7.5%	3.4%	1.5%	24,355
All areas included in the study						
Benton County	62.0%	14.0%	11.1%	10.2%	2.6%	27,085
Chisago County	66.0%	16.1%	3.2%	10.5%	4.1%	40,040
Mille Lacs County	80.8%	10.1%	3.0%	5.7%	0.3%	19,464
Sherburne County	72.4%	13.8%	7.0%	6.0%	0.7%	62,606
Stearns County	63.4%	15.9%	9.4%	8.1%	3.1%	117,563
Entire five-county region	67.1%	14.8%	7.6%	8.0%	2.5%	266,757

6. During the past 12 months, was there a time when you thought you needed medical care but did not get it or delayed getting it?

	Yes	No	Total
Sherburne County total	32.1%	67.9%	62,552
Gender			
Female	35.0%	65.0%	30,491
Male	29.5%	70.5%	31,885
Age			
18-34	37.4%	62.6%	19,478
35-44	38.0%	62.0%	13,545
45-54	34.8%	65.2%	13,120
55-64	28.6%	71.4%	8,175
65-74	10.3%	89.7%	4,137
75+	9.9%	90.1%	3,031
Highest level of education			
Less than high school diploma/GED	46.9%	53.1%	981
High school diploma/GED	25.9%	74.1%	10,371
Some college or AA degree	37.8%	62.2%	26,373
Bachelor's degree or higher	28.3%	71.7%	24,529
Household income (in 2012)			
Less than \$20,000	25.8%	74.2%	3,914
\$20,000 - \$34,999	45.6%	54.4%	4,675
\$35,000 - \$49,999	37.2%	62.8%	9,715
\$50,000 - \$99,999	32.6%	67.4%	27,531
\$100,000+	28.3%	71.7%	14,319
Household type			
Single adult, no children	31.3%	68.7%	5,956
2+ adults, no children	28.8%	71.2%	29,460
Single adult, 1+ children	31.4%	68.6%	2,510
2+ adults, 1+ children	36.8%	63.2%	24,331
All areas included in the study			
Benton County	38.9%	61.1%	26,922
Chisago County	34.4%	65.6%	39,980
Mille Lacs County	35.6%	64.4%	19,401
Sherburne County	32.1%	67.9%	62,552
Stearns County	29.7%	70.3%	116,370
Entire five-county region	32.4%	67.6%	265,225

7. (Of those who said they had delayed getting medical care they needed in the past 12 months) Why did you not get or delay getting the medical care you thought you needed?

	Cost of care	Insurance issues/lack of insurance coverage	Self-care or other healing approaches	Transportation or personal scheduling barriers	Clinical access or scheduling barriers	Mistrust or fear of health care	Other reasons	Total
Sherburne County total	46.3%	29.3%	39.2%	8.7%	5.1%	1.1%	1.3%	20,056
Gender								
Female	50.4%	31.1%	30.6%	10.6%	7.3%	1.3%	2.3%	10,676
Male	41.7%	27.3%	49.0%	6.5%	2.6%	0.9%	0.2%	9,380
Age								
18-34	35.6%	38.5%	34.0%	10.7%	4.9%	0.3%	0.5%	7,276
35-44	55.6%	21.9%	40.9%	6.0%	6.9%	0.4%	0.0%	5,149
45-54	55.9%	30.4%	40.6%	7.0%	1.6%	1.7%	2.3%	4,572
55-64	47.8%	22.2%	41.7%	8.9%	7.1%	3.7%	3.3%	2,307
65-74	38.5%	11.3%	57.5%	15.1%	10.7%	4.6%	0.0%	425
75+	0.0%	0.0%	70.2%	20.7%	8.2%	0.0%	13.5%	290
Highest level of education								
Less than high school diploma/GED	58.5%	33.0%	46.6%	8.4%	1.6%	0.0%	0.0%	460
High school diploma/GED	52.7%	32.0%	42.7%	18.0%	4.2%	3.2%	0.9%	2,690
Some college or AA degree	50.4%	31.6%	34.3%	4.9%	2.7%	0.9%	1.9%	9,948
Bachelor's degree or higher	37.1%	24.6%	44.2%	10.1%	8.4%	0.7%	0.7%	6,904
Household income (in 2012)								
Less than \$20,000	30.9%	53.7%	16.3%	14.6%	8.9%	2.0%	5.4%	1,009
\$20,000 - \$34,999	44.8%	44.5%	33.0%	15.9%	1.8%	0.0%	5.6%	2,130
\$35,000 - \$49,999	44.3%	40.4%	30.7%	9.5%	0.4%	1.0%	0.0%	3,617
\$50,000 - \$99,999	57.4%	22.0%	45.0%	4.7%	4.0%	1.2%	0.7%	8,979
\$100,000+	28.7%	22.2%	42.8%	10.9%	9.8%	1.5%	0.6%	4,023

7. (Of those who said they had delayed getting medical care they needed in the past 12 months) Why did you not get or delay getting the medical care you thought you needed? (continued)

	Cost of care	Insurance issues/lack of insurance coverage	Self-care or other healing approaches	Transportation or personal scheduling barriers	Clinical access or scheduling barriers	Mistrust or fear of health care	Other reasons	Total
Household type								
Single adult, no children	59.4%	23.2%	44.2%	5.1%	2.0%	3.8%	2.1%	1,864
2+ adults, no children	43.4%	33.6%	36.5%	6.5%	4.5%	0.4%	1.5%	8,439
Single adult, 1+ children	43.1%	48.1%	21.6%	7.2%	24.9%	3.2%	0.9%	787
2+ adults, 1+ children	46.7%	25.0%	42.3%	11.5%	4.6%	1.1%	1.0%	8,949
All areas included in the study								
Benton County	54.3%	25.8%	45.4%	7.5%	9.8%	10.7%	2.5%	10,281
Chisago County	44.0%	25.5%	51.6%	5.5%	5.7%	5.0%	0.5%	13,761
Mille Lacs County	50.2%	20.2%	39.0%	9.8%	5.3%	8.4%	0.7%	6,898
Sherburne County	46.3%	29.3%	39.2%	8.7%	5.1%	1.1%	1.3%	20,056
Stearns County	46.9%	28.0%	45.9%	10.3%	5.9%	1.5%	3.4%	34,262
Entire five-county region	47.5%	27.0%	44.6%	8.8%	6.1%	3.7%	2.1%	85,258

8. How would you rate your overall level of stress?

	High	Medium	Low	Total
Sherburne County total	17.6%	58.0%	24.4%	62,292
Gender				
Female	17.2%	63.5%	19.3%	30,159
Male	18.1%	53.2%	28.7%	31,957
Age				
18-34	18.4%	60.8%	20.9%	19,396
35-44	24.6%	55.6%	19.8%	13,459
45-54	19.6%	65.5%	14.9%	13,120
55-64	15.2%	57.1%	27.7%	8,109
65-74	5.1%	45.6%	49.3%	4,118
75+	1.5%	49.1%	49.4%	3,023
Highest level of education				
Less than high school diploma/GED	12.8%	67.8%	19.4%	981
High school diploma/GED	16.0%	60.0%	24.0%	10,382
Some college or AA degree	18.2%	58.4%	23.4%	26,224
Bachelor's degree or higher	18.0%	56.3%	25.7%	24,444
Household income (in 2012)				
Less than \$20,000	33.1%	52.4%	14.5%	3,882
\$20,000 - \$34,999	20.6%	55.5%	23.9%	4,660
\$35,000 - \$49,999	14.3%	51.5%	34.2%	9,684
\$50,000 - \$99,999	19.2%	57.1%	23.7%	27,415
\$100,000+	12.5%	68.6%	19.0%	14,242
Household type				
Single adult, no children	15.7%	57.4%	26.9%	5,933
2+ adults, no children	15.6%	55.7%	28.7%	29,301
Single adult, 1+ children	33.5%	44.7%	21.9%	2,496
2+ adults, 1+ children	18.9%	62.5%	18.6%	24,252
All areas included in the study				
Benton County	22.1%	56.5%	21.4%	26,988
Chisago County	21.7%	57.1%	21.2%	39,578
Mille Lacs County	15.9%	64.0%	20.1%	19,002
Sherburne County	17.6%	58.0%	24.4%	62,292
Stearns County	18.7%	54.3%	27.0%	116,678
Entire five-county region	19.1%	56.5%	24.4%	264,538

9. During the past 30 days, for about how many days have you felt sad, blue, or depressed?

	0 days	1-9 days	10-19 days	20-29 days	All 30 days	Total
Sherburne County total	36.6%	45.0%	10.1%	6.2%	2.1%	60,587
Gender						
Female	32.6%	48.8%	12.0%	5.2%	1.4%	29,531
Male	40.4%	41.2%	8.3%	7.2%	2.8%	30,881
Age						
18-34	28.8%	50.7%	10.7%	6.6%	3.2%	19,253
35-44	38.5%	39.0%	13.7%	6.8%	2.0%	13,070
45-54	34.4%	48.2%	9.2%	7.7%	0.6%	12,853
55-64	39.7%	44.3%	6.1%	6.5%	3.4%	7,713
65-74	50.0%	38.3%	7.3%	2.9%	1.6%	3,957
75+	47.1%	42.4%	9.9%	0.6%	0.0%	2,695
Highest level of education						
Less than high school diploma/GED	30.2%	26.5%	22.8%	8.1%	12.4%	892
High school diploma/GED	35.1%	40.6%	16.1%	5.0%	3.3%	9,856
Some college or AA degree	36.2%	44.8%	11.1%	6.3%	1.6%	25,318
Bachelor's degree or higher	37.7%	47.8%	6.1%	6.7%	1.8%	24,223
Household income (in 2012)						
Less than \$20,000	31.4%	25.8%	25.0%	9.5%	8.2%	3,709
\$20,000 - \$34,999	19.1%	50.6%	19.9%	7.8%	2.7%	4,421
\$35,000 - \$49,999	35.7%	40.9%	11.9%	11.0%	0.5%	9,315
\$50,000 - \$99,999	38.0%	46.1%	7.5%	5.7%	2.8%	26,913
\$100,000+	38.5%	50.9%	7.0%	3.2%	0.3%	13,941
Household type						
Single adult, no children	33.5%	36.0%	16.6%	8.8%	5.1%	5,452
2+ adults, no children	36.4%	45.4%	9.3%	6.8%	2.1%	28,380
Single adult, 1+ children	34.0%	50.5%	4.7%	10.4%	0.5%	2,465
2+ adults, 1+ children	38.0%	46.0%	10.1%	4.4%	1.5%	23,996
All areas included in the study						
Benton County	34.9%	43.3%	13.7%	4.3%	3.7%	25,346
Chisago County	36.6%	48.2%	8.9%	4.6%	1.6%	38,382
Mille Lacs County	32.2%	51.3%	6.3%	5.3%	4.9%	18,517
Sherburne County	36.6%	45.0%	10.1%	6.2%	2.1%	60,587
Stearns County	36.8%	44.6%	7.4%	6.8%	4.4%	113,146
Entire five-county region	36.2%	45.6%	8.8%	6.0%	3.4%	255,977

10. During the past 12 months, was there a time when you wanted to talk with or seek help from a health professional about emotional problems such as stress, depression, excess worrying, troubling thoughts, or emotional problems, but did not or delayed talking with someone?

	Yes	No	Total
Sherburne County total	17.5%	82.5%	62,497
Gender			
Female	20.8%	79.2%	30,433
Male	14.4%	85.6%	31,889
Age			
18-34	18.4%	81.6%	19,455
35-44	21.3%	78.7%	13,489
45-54	17.9%	82.1%	13,120
55-64	19.9%	80.1%	8,255
65-74	7.7%	92.3%	4,110
75+	5.1%	94.9%	3,001
Highest level of education			
Less than high school diploma/GED	40.0%	60.0%	981
High school diploma/GED	16.5%	83.5%	10,305
Some college or AA degree	18.7%	81.3%	26,302
Bachelor's degree or higher	15.7%	84.3%	24,611
Household income (in 2012)			
Less than \$20,000	21.8%	78.2%	3,923
\$20,000 - \$34,999	21.7%	78.3%	4,687
\$35,000 - \$49,999	25.0%	75.0%	9,619
\$50,000 - \$99,999	15.9%	84.1%	27,490
\$100,000+	13.8%	86.2%	14,385
Household type			
Single adult, no children	24.9%	75.1%	5,967
2+ adults, no children	15.8%	84.2%	29,417
Single adult, 1+ children	26.3%	73.7%	2,510
2+ adults, 1+ children	17.0%	83.0%	24,308
All areas included in the study			
Benton County	22.3%	77.7%	26,544
Chisago County	19.6%	80.4%	39,800
Mille Lacs County	19.8%	80.2%	19,385
Sherburne County	17.5%	82.5%	62,497
Stearns County	22.4%	77.6%	116,931
Entire five-county region	20.6%	79.4%	265,156

11. (Of those who said they had delayed getting care they needed for emotional problems in the past 12 months) Why did you not get or delay getting the care you thought you needed?

	Cost of care	Insurance issues/lack of insurance coverage	Self-care or other healing approaches	Transportation or personal scheduling barriers	Clinical access or scheduling barriers	Mistrust or fear of health care	Other reasons	Total
Sherburne County total	37.8%	23.6%	38.4%	9.2%	19.2%	31.0%	5.7%	10,767
Gender								
Female	36.9%	23.4%	50.1%	13.2%	23.5%	31.4%	3.3%	6,251
Male	38.9%	23.9%	22.3%	3.6%	13.4%	30.6%	9.2%	4,515
Age								
18-34	37.7%	24.2%	32.9%	7.4%	18.8%	44.6%	9.1%	3,582
35-44	40.4%	31.4%	48.7%	11.9%	14.4%	27.2%	3.1%	2,871
45-54	37.7%	23.2%	35.2%	10.7%	24.0%	24.9%	4.9%	2,271
55-64	37.2%	13.6%	31.2%	5.9%	23.8%	21.4%	4.2%	1,582
65-74	29.0%	12.2%	60.2%	0.0%	13.7%	20.3%	2.1%	301
75+	14.7%	0.0%	53.0%	25.4%	9.8%	0.0%	11.8%	152
Highest level of education								
Less than high school diploma/GED	32.8%	12.1%	0.0%	4.8%	0.0%	50.3%	0.0%	338
High school diploma/GED	35.0%	26.3%	30.1%	10.2%	35.1%	14.0%	4.3%	1,699
Some college or AA degree	33.4%	26.6%	38.2%	8.3%	11.6%	33.5%	2.9%	4,861
Bachelor's degree or higher	44.3%	18.9%	45.2%	9.3%	22.8%	33.1%	10.6%	3,831
Household income (in 2012)								
Less than \$20,000	56.1%	43.7%	14.3%	10.3%	18.3%	22.3%	3.8%	801
\$20,000 - \$34,999	52.5%	41.2%	32.7%	9.6%	13.6%	12.1%	11.4%	1,001
\$35,000 - \$49,999	45.8%	22.4%	33.7%	5.7%	19.7%	24.7%	0.0%	2,404
\$50,000 - \$99,999	35.8%	22.3%	36.8%	7.1%	18.3%	37.9%	10.0%	4,293
\$100,000+	17.6%	11.4%	61.1%	16.8%	21.8%	32.8%	2.2%	1,970

11. (Of those who said they had delayed getting care they needed for emotional problems in the past 12 months) Why did you not get or delay getting the care you thought you needed? (continued)

	Cost of care	Insurance issues/lack of insurance coverage	Self-care or other healing approaches	Transportation or personal scheduling barriers	Clinical access or scheduling barriers	Mistrust or fear of health care	Other reasons	Total
Household type								
Single adult, no children	23.3%	40.9%	42.8%	5.3%	23.9%	22.0%	3.7%	1,388
2+ adults, no children	51.8%	14.8%	25.3%	9.0%	15.3%	34.4%	8.8%	4,576
Single adult, 1+ children	30.5%	26.8%	4.9%	0.0%	48.9%	5.2%	8.5%	659
2+ adults, 1+ children	28.4%	27.3%	57.1%	11.8%	17.3%	34.6%	2.6%	4,127
All areas included in the study								
Benton County	39.0%	25.7%	47.1%	17.0%	24.1%	25.9%	4.4%	5,680
Chisago County	39.7%	23.8%	43.9%	0.9%	11.3%	24.7%	10.6%	7,810
Mille Lacs County	34.0%	16.8%	33.1%	22.9%	10.9%	13.5%	1.8%	3,757
Sherburne County	37.8%	23.6%	38.4%	9.2%	19.2%	31.0%	5.7%	10,767
Stearns County	32.0%	20.1%	43.6%	6.7%	16.4%	37.5%	1.4%	26,154
Entire five-county region	35.1%	21.7%	42.3%	8.6%	16.7%	31.5%	3.9%	54,167

12. Which statement best describes the medications prescribed for you in the past 6 months?

	I had no medications prescribed for me	I had medications prescribed for me and I filled them all	I had medications prescribed for me and I did not fill at least one of them	Total
Sherburne County total	38.6%	53.1%	8.3%	62,421
Gender				
Female	35.3%	57.8%	6.9%	30,270
Male	41.6%	48.7%	9.7%	31,976
Age				
18-34	48.8%	39.8%	11.4%	19,390
35-44	45.2%	47.8%	7.0%	13,507
45-54	38.5%	51.1%	10.4%	13,075
55-64	24.4%	70.2%	5.4%	8,223
65-74	15.7%	79.7%	4.6%	4,144
75+	12.4%	85.5%	2.0%	3,016
Highest level of education				
Less than high school diploma/GED	8.2%	74.5%	17.3%	981
High school diploma/GED	40.5%	51.8%	7.7%	10,372
Some college or AA degree	35.7%	54.5%	9.8%	26,246
Bachelor's degree or higher	42.3%	51.1%	6.6%	24,524
Household income (in 2012)				
Less than \$20,000	26.0%	69.1%	4.9%	3,904
\$20,000 - \$34,999	26.1%	69.0%	4.9%	4,640
\$35,000 - \$49,999	38.1%	43.1%	18.8%	9,729
\$50,000 - \$99,999	41.3%	52.4%	6.3%	27,381
\$100,000+	43.8%	48.4%	7.9%	14,322
Household type				
Single adult, no children	36.7%	60.0%	3.3%	5,955
2+ adults, no children	36.5%	53.5%	10.0%	29,416
Single adult, 1+ children	35.6%	62.5%	1.8%	2,445
2+ adults, 1+ children	41.7%	50.0%	8.3%	24,296
All areas included in the study				
Benton County	47.3%	45.6%	7.1%	26,828
Chisago County	37.7%	55.1%	7.1%	39,719
Mille Lacs County	32.7%	62.4%	5.0%	19,284
Sherburne County	38.6%	53.1%	8.3%	62,421
Stearns County	48.9%	47.2%	3.9%	117,103
Entire five-county region	43.5%	50.7%	5.8%	265,356

13. (Of those who said they had not filled at least one of their prescriptions in the past 6 months) Why did you not fill at least one prescription?

	Cost or insurance issues	Concerns about medications	Used alternatives to prescription medication	Concerns about staff or clinic / Provider access barrier	Other issues	Total
Sherburne County total	63.3%	22.7%	16.4%	1.5%	4.5%	4,831
Gender						
Female	52.0%	35.0%	13.6%	3.6%	10.3%	2,099
Male	71.9%	13.2%	18.5%	0.0%	0.0%	2,732
Age						
18-34	68.1%	1.2%	28.9%	0.0%	1.8%	1,887
35-44	66.2%	30.0%	19.9%	5.1%	4.0%	945
45-54	58.5%	42.2%	2.9%	2.0%	5.8%	1,307
55-64	72.3%	14.6%	4.4%	0.0%	8.8%	442
65-74	24.3%	75.7%	0.0%	0.0%	0.0%	190
75+	26.7%	51.5%	0.0%	0.0%	48.5%	61
Highest level of education						
Less than high school diploma/GED	100.0%	86.0%	0.0%	0.0%	14.0%	116
High school diploma/GED	74.9%	20.9%	0.0%	0.0%	4.2%	803
Some college or AA degree	68.3%	25.8%	6.4%	0.5%	4.6%	2,246
Bachelor's degree or higher	47.2%	13.1%	39.8%	1.6%	1.5%	1,629
Household income (in 2012)						
Less than \$20,000	83.7%	5.4%	0.0%	0.0%	22.6%	138
\$20,000 - \$34,999	61.3%	38.7%	0.0%	0.0%	0.0%	226
\$35,000 - \$49,999	53.7%	4.8%	41.5%	0.0%	0.0%	1,515
\$50,000 - \$99,999	62.5%	41.0%	8.3%	2.2%	2.0%	1,727
\$100,000+	73.2%	16.2%	1.7%	0.0%	8.9%	1,127

13. (Of those who said they had not filled at least one of their prescriptions in the past 6 months) Why did you not fill at least one prescription? (continued)

	Cost or insurance issues	Concerns about medications	Used alternatives to prescription medication	Concerns about staff or clinic / Provider access barrier	Other issues	Total
Household type						
Single adult, no children	49.4%	50.6%	0.0%	0.0%	0.0%	144
2+ adults, no children	78.7%	20.7%	2.2%	1.4%	3.4%	2,611
Single adult, 1+ children	76.7%	23.3%	0.0%	23.3%	0.0%	45
2+ adults, 1+ children	43.7%	23.5%	36.4%	1.3%	5.4%	2,015
All areas included in the study						
Benton County	62.1%	35.1%	2.0%	1.1%	2.1%	1,781
Chisago County	44.7%	58.7%	21.7%	0.0%	0.0%	2,839
Mille Lacs County	68.8%	61.0%	0.0%	0.0%	17.6%	889
Sherburne County	63.3%	22.7%	16.4%	1.5%	4.5%	4,831
Stearns County	65.2%	41.0%	4.9%	0.9%	13.8%	4,526
Entire five-county region	60.5%	38.9%	11.2%	0.9%	6.9%	14,866

14. Do you currently have any kind of health care coverage, including health insurance or government plans such as Medicaid, Medicare, or Indian Health Services?

	Yes	No	Total
Sherburne County total	85.9%	14.1%	62,644
Gender			
Female	85.4%	14.6%	30,502
Male	86.2%	13.8%	31,967
Age			
18-34	79.4%	20.6%	19,455
35-44	85.4%	14.6%	13,545
45-54	85.9%	14.1%	13,098
55-64	88.4%	11.6%	8,262
65-74	98.7%	1.3%	4,163
75+	99.8%	0.2%	3,055
Highest level of education			
Less than high school diploma/GED	80.0%	20.0%	981
High school diploma/GED	87.7%	12.3%	10,363
Some college or AA degree	79.6%	20.4%	26,413
Bachelor's degree or higher	92.0%	8.0%	24,589
Household income (in 2012)			
Less than \$20,000	79.9%	20.1%	3,914
\$20,000 - \$34,999	80.9%	19.1%	4,687
\$35,000 - \$49,999	83.4%	16.6%	9,729
\$50,000 - \$99,999	86.0%	14.0%	27,523
\$100,000+	89.0%	11.0%	14,370
Household type			
Single adult, no children	91.0%	9.0%	5,965
2+ adults, no children	82.8%	17.2%	29,550
Single adult, 1+ children	85.3%	14.7%	2,510
2+ adults, 1+ children	88.7%	11.3%	24,309
All areas included in the study			
Benton County	87.2%	12.8%	27,021
Chisago County	87.9%	12.1%	39,980
Mille Lacs County	88.7%	11.3%	19,350
Sherburne County	85.9%	14.1%	62,644
Stearns County	88.2%	11.8%	117,368
Entire five-county region	87.6%	12.4%	266,363

15. (Of those who said they have health insurance) Is your health insurance a high deductible plan?

	Yes	No	Total
Sherburne County total	42.7%	57.3%	50,789
Gender			
Female	43.4%	56.6%	24,289
Male	41.9%	58.1%	26,325
Age			
18-34	39.2%	60.8%	14,975
35-44	48.2%	51.8%	11,089
45-54	56.3%	43.7%	10,389
55-64	48.9%	51.1%	7,014
65-74	13.3%	86.7%	3,677
75+	10.8%	89.2%	2,597
Highest level of education			
Less than high school diploma/GED	50.5%	49.5%	756
High school diploma/GED	36.0%	64.0%	8,511
Some college or AA degree	48.4%	51.6%	20,186
Bachelor's degree or higher	39.5%	60.5%	21,116
Household income (in 2012)			
Less than \$20,000	30.3%	69.7%	2,928
\$20,000 - \$34,999	30.7%	69.3%	3,556
\$35,000 - \$49,999	30.9%	69.1%	7,568
\$50,000 - \$99,999	46.6%	53.4%	22,515
\$100,000+	49.3%	50.7%	12,246
Household type			
Single adult, no children	37.2%	62.8%	4,885
2+ adults, no children	42.8%	57.2%	23,328
Single adult, 1+ children	52.0%	48.0%	2,072
2+ adults, 1+ children	43.1%	56.9%	20,305
All areas included in the study			
Benton County	41.3%	58.7%	22,030
Chisago County	39.2%	60.8%	32,818
Mille Lacs County	50.5%	49.5%	15,917
Sherburne County	42.7%	57.3%	50,789
Stearns County	41.0%	59.0%	95,177
Entire five-county region	41.9%	58.1%	216,731

16. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Health insurance or coverage through your employer or your spouse/partner, parent, or someone else's employer

	Checked	Not checked	Total
Sherburne County total	73.2%	26.8%	51,852
Gender			
Female	72.8%	27.2%	24,947
Male	73.4%	26.6%	26,730
Age			
18-34	77.7%	22.3%	15,317
35-44	86.5%	13.5%	11,252
45-54	85.0%	15.0%	10,621
55-64	72.3%	27.7%	7,066
65-74	25.1%	74.9%	3,773
75+	23.8%	76.2%	2,776
Highest level of education			
Less than high school diploma/GED	45.6%	54.4%	769
High school diploma/GED	59.3%	40.7%	8,871
Some college or AA degree	70.6%	29.4%	20,460
Bachelor's degree or higher	82.4%	17.6%	21,496
Household income (in 2012)			
Less than \$20,000	15.9%	84.1%	3,034
\$20,000 - \$34,999	41.5%	58.5%	3,674
\$35,000 - \$49,999	50.5%	49.5%	7,830
\$50,000 - \$99,999	83.8%	16.2%	22,783
\$100,000+	93.7%	6.3%	12,400
Household type			
Single adult, no children	59.6%	40.4%	5,207
2+ adults, no children	63.6%	36.4%	23,688
Single adult, 1+ children	80.4%	19.6%	2,072
2+ adults, 1+ children	87.0%	13.0%	20,693
All areas included in the study			
Benton County	66.1%	33.9%	22,951
Chisago County	71.5%	28.5%	33,651
Mille Lacs County	62.5%	37.5%	16,222
Sherburne County	73.2%	26.8%	51,852
Stearns County	71.1%	28.9%	96,375
Entire five-county region	70.5%	29.5%	221,051

17. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Health insurance or coverage bought directly by you or your family

	Checked	Not checked	Total
Sherburne County total	11.3%	88.7%	51,852
Gender			
Female	13.8%	86.2%	24,947
Male	9.1%	90.9%	26,730
Age			
18-34	6.5%	93.5%	15,317
35-44	4.0%	96.0%	11,252
45-54	10.0%	90.0%	10,621
55-64	12.8%	87.2%	7,066
65-74	30.3%	69.7%	3,773
75+	44.9%	55.1%	2,776
Highest level of education			
Less than high school diploma/GED	20.3%	79.7%	769
High school diploma/GED	15.5%	84.5%	8,871
Some college or AA degree	10.5%	89.5%	20,460
Bachelor's degree or higher	9.9%	90.1%	21,496
Household income (in 2012)			
Less than \$20,000	14.3%	85.7%	3,034
\$20,000 - \$34,999	19.3%	80.7%	3,674
\$35,000 - \$49,999	21.8%	78.2%	7,830
\$50,000 - \$99,999	9.6%	90.4%	22,783
\$100,000+	4.0%	96.0%	12,400
Household type			
Single adult, no children	15.2%	84.8%	5,207
2+ adults, no children	16.6%	83.4%	23,688
Single adult, 1+ children	4.2%	95.8%	2,072
2+ adults, 1+ children	5.0%	95.0%	20,693
All areas included in the study			
Benton County	16.6%	83.4%	22,951
Chisago County	13.4%	86.6%	33,651
Mille Lacs County	16.1%	83.9%	16,222
Sherburne County	11.3%	88.7%	51,852
Stearns County	13.6%	86.4%	96,375
Entire five-county region	13.5%	86.5%	221,051

18. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Indian or Tribal Health Service

	Checked	Not checked	Total
Sherburne County total	0.1%	99.9%	51,852
Gender			
Female	0.2%	99.8%	24,947
Male	0.0%	100.0%	26,730
Age			
18-34	0.0%	100.0%	15,317
35-44	0.3%	99.7%	11,252
45-54	0.0%	100.0%	10,621
55-64	0.0%	100.0%	7,066
65-74	0.3%	99.7%	3,773
75+	0.0%	100.0%	2,776
Highest level of education			
Less than high school diploma/GED	0.0%	100.0%	769
High school diploma/GED	0.0%	100.0%	8,871
Some college or AA degree	0.0%	100.0%	20,460
Bachelor's degree or higher	0.1%	99.9%	21,496
Household income (in 2012)			
Less than \$20,000	0.0%	100.0%	3,034
\$20,000 - \$34,999	0.0%	100.0%	3,674
\$35,000 - \$49,999	0.0%	100.0%	7,830
\$50,000 - \$99,999	0.1%	99.9%	22,783
\$100,000+	0.0%	100.0%	12,400
Household type			
Single adult, no children	0.0%	100.0%	5,207
2+ adults, no children	0.2%	99.8%	23,688
Single adult, 1+ children	0.0%	100.0%	2,072
2+ adults, 1+ children	0.0%	100.0%	20,693
All areas included in the study			
Benton County	0.1%	99.9%	22,951
Chisago County	0.0%	100.0%	33,651
Mille Lacs County	3.1%	96.9%	16,222
Sherburne County	0.1%	99.9%	51,852
Stearns County	0.0%	100.0%	96,375
Entire five-county region	0.3%	99.7%	221,051

19. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Medicare

	Checked	Not checked	Total
Sherburne County total	15.1%	84.9%	51,852
Gender			
Female	16.0%	84.0%	24,947
Male	14.3%	85.7%	26,730
Age			
18-34	1.3%	98.7%	15,317
35-44	2.6%	97.4%	11,252
45-54	1.5%	98.5%	10,621
55-64	7.2%	92.8%	7,066
65-74	92.8%	7.2%	3,773
75+	92.1%	7.9%	2,776
Highest level of education			
Less than high school diploma/GED	47.9%	52.1%	769
High school diploma/GED	24.7%	75.3%	8,871
Some college or AA degree	15.5%	84.5%	20,460
Bachelor's degree or higher	9.1%	90.9%	21,496
Household income (in 2012)			
Less than \$20,000	39.1%	60.9%	3,034
\$20,000 - \$34,999	42.4%	57.6%	3,674
\$35,000 - \$49,999	22.3%	77.7%	7,830
\$50,000 - \$99,999	9.8%	90.2%	22,783
\$100,000+	2.0%	98.0%	12,400
Household type			
Single adult, no children	40.8%	59.2%	5,207
2+ adults, no children	21.0%	79.0%	23,688
Single adult, 1+ children	0.9%	99.1%	2,072
2+ adults, 1+ children	3.1%	96.9%	20,693
All areas included in the study			
Benton County	18.2%	81.8%	22,951
Chisago County	15.7%	84.3%	33,651
Mille Lacs County	25.8%	74.2%	16,222
Sherburne County	15.1%	84.9%	51,852
Stearns County	18.4%	81.6%	96,375
Entire five-county region	17.7%	82.3%	221,051

20. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Medicaid, Medical Assistance (MA), or Prepaid Medical Assistance Program (PMAP)

	Checked	Not checked	Total
Sherburne County total	6.0%	94.0%	51,852
Gender			
Female	5.9%	94.1%	24,947
Male	6.1%	93.9%	26,730
Age			
18-34	12.4%	87.6%	15,317
35-44	4.7%	95.3%	11,252
45-54	2.7%	97.3%	10,621
55-64	2.0%	98.0%	7,066
65-74	3.1%	96.9%	3,773
75+	4.8%	95.2%	2,776
Highest level of education			
Less than high school diploma/GED	12.3%	87.7%	769
High school diploma/GED	12.9%	87.1%	8,871
Some college or AA degree	5.8%	94.2%	20,460
Bachelor's degree or higher	2.9%	97.1%	21,496
Household income (in 2012)			
Less than \$20,000	40.2%	59.8%	3,034
\$20,000 - \$34,999	11.9%	88.1%	3,674
\$35,000 - \$49,999	13.1%	86.9%	7,830
\$50,000 - \$99,999	1.0%	99.0%	22,783
\$100,000+	0.0%	100.0%	12,400
Household type			
Single adult, no children	6.5%	93.5%	5,207
2+ adults, no children	5.9%	94.1%	23,688
Single adult, 1+ children	11.0%	89.0%	2,072
2+ adults, 1+ children	5.3%	94.7%	20,693
All areas included in the study			
Benton County	6.6%	93.4%	22,951
Chisago County	6.5%	93.5%	33,651
Mille Lacs County	8.5%	91.5%	16,222
Sherburne County	6.0%	94.0%	51,852
Stearns County	7.0%	93.0%	96,375
Entire five-county region	6.8%	93.2%	221,051

21. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Minnesota Comprehensive Health Association (MCHA)

	Checked	Not checked	Total
Sherburne County total	0.6%	99.4%	51,852
Gender			
Female	0.6%	99.4%	24,947
Male	0.5%	99.5%	26,730
Age			
18-34	0.0%	100.0%	15,317
35-44	0.3%	99.7%	11,252
45-54	0.1%	99.9%	10,621
55-64	3.1%	96.9%	7,066
65-74	0.0%	100.0%	3,773
75+	0.6%	99.4%	2,776
Highest level of education			
Less than high school diploma/GED	0.0%	100.0%	769
High school diploma/GED	1.0%	99.0%	8,871
Some college or AA degree	0.6%	99.4%	20,460
Bachelor's degree or higher	0.2%	99.8%	21,496
Household income (in 2012)			
Less than \$20,000	0.5%	99.5%	3,034
\$20,000 - \$34,999	0.0%	100.0%	3,674
\$35,000 - \$49,999	1.2%	98.8%	7,830
\$50,000 - \$99,999	0.6%	99.4%	22,783
\$100,000+	0.1%	99.9%	12,400
Household type			
Single adult, no children	1.6%	98.4%	5,207
2+ adults, no children	0.8%	99.2%	23,688
Single adult, 1+ children	0.0%	100.0%	2,072
2+ adults, 1+ children	0.1%	99.9%	20,693
All areas included in the study			
Benton County	0.7%	99.3%	22,951
Chisago County	0.8%	99.2%	33,651
Mille Lacs County	0.6%	99.4%	16,222
Sherburne County	0.6%	99.4%	51,852
Stearns County	0.3%	99.7%	96,375
Entire five-county region	0.5%	99.5%	221,051

22. (Of those who said they have health insurance) Which of the following types of health insurance do you have? MinnesotaCare

	Checked	Not checked	Total
Sherburne County total	2.1%	97.9%	51,852
Gender			
Female	3.2%	96.8%	24,947
Male	1.1%	98.9%	26,730
Age			
18-34	0.6%	99.4%	15,317
35-44	4.1%	95.9%	11,252
45-54	1.6%	98.4%	10,621
55-64	3.1%	96.9%	7,066
65-74	1.8%	98.2%	3,773
75+	2.3%	97.7%	2,776
Highest level of education			
Less than high school diploma/GED	4.1%	95.9%	769
High school diploma/GED	3.6%	96.4%	8,871
Some college or AA degree	2.5%	97.5%	20,460
Bachelor's degree or higher	0.7%	99.3%	21,496
Household income (in 2012)			
Less than \$20,000	9.7%	90.3%	3,034
\$20,000 - \$34,999	9.2%	90.8%	3,674
\$35,000 - \$49,999	1.6%	98.4%	7,830
\$50,000 - \$99,999	1.1%	98.9%	22,783
\$100,000+	0.0%	100.0%	12,400
Household type			
Single adult, no children	1.0%	99.0%	5,207
2+ adults, no children	1.8%	98.2%	23,688
Single adult, 1+ children	5.3%	94.7%	2,072
2+ adults, 1+ children	2.3%	97.7%	20,693
All areas included in the study			
Benton County	4.9%	95.1%	22,951
Chisago County	2.4%	97.6%	33,651
Mille Lacs County	3.0%	97.0%	16,222
Sherburne County	2.1%	97.9%	51,852
Stearns County	2.4%	97.6%	96,375
Entire five-county region	2.6%	97.4%	221,051

23. (Of those who said they have health insurance) Which of the following types of health insurance do you have? CHAMPUS, TRICARE, or Veterans' benefits

	Checked	Not checked	Total
Sherburne County total	3.6%	96.4%	51,852
Gender			
Female	1.6%	98.4%	24,947
Male	5.6%	94.4%	26,730
Age			
18-34	0.2%	99.8%	15,317
35-44	2.6%	97.4%	11,252
45-54	2.0%	98.0%	10,621
55-64	11.4%	88.6%	7,066
65-74	4.7%	95.3%	3,773
75+	13.5%	86.5%	2,776
Highest level of education			
Less than high school diploma/GED	2.0%	98.0%	769
High school diploma/GED	2.9%	97.1%	8,871
Some college or AA degree	4.9%	95.1%	20,460
Bachelor's degree or higher	2.7%	97.3%	21,496
Household income (in 2012)			
Less than \$20,000	2.9%	97.1%	3,034
\$20,000 - \$34,999	3.6%	96.4%	3,674
\$35,000 - \$49,999	5.6%	94.4%	7,830
\$50,000 - \$99,999	4.2%	95.8%	22,783
\$100,000+	1.8%	98.2%	12,400
Household type			
Single adult, no children	3.2%	96.8%	5,207
2+ adults, no children	5.4%	94.6%	23,688
Single adult, 1+ children	0.0%	100.0%	2,072
2+ adults, 1+ children	2.0%	98.0%	20,693
All areas included in the study			
Benton County	3.5%	96.5%	22,951
Chisago County	2.2%	97.8%	33,651
Mille Lacs County	5.1%	94.9%	16,222
Sherburne County	3.6%	96.4%	51,852
Stearns County	3.5%	96.5%	96,375
Entire five-county region	3.4%	96.6%	221,051

24. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Other health insurance or coverage

	Checked	Not checked	Total
Sherburne County total	6.4%	93.6%	51,852
Gender			
Female	6.3%	93.7%	24,947
Male	6.5%	93.5%	26,730
Age			
18-34	6.4%	93.6%	15,317
35-44	2.5%	97.5%	11,252
45-54	1.1%	98.9%	10,621
55-64	3.0%	97.0%	7,066
65-74	23.6%	76.4%	3,773
75+	28.9%	71.1%	2,776
Highest level of education			
Less than high school diploma/GED	16.8%	83.2%	769
High school diploma/GED	8.8%	91.2%	8,871
Some college or AA degree	8.0%	92.0%	20,460
Bachelor's degree or higher	3.2%	96.8%	21,496
Household income (in 2012)			
Less than \$20,000	30.8%	69.2%	3,034
\$20,000 - \$34,999	11.3%	88.7%	3,674
\$35,000 - \$49,999	9.8%	90.2%	7,830
\$50,000 - \$99,999	2.9%	97.1%	22,783
\$100,000+	2.1%	97.9%	12,400
Household type			
Single adult, no children	11.3%	88.7%	5,207
2+ adults, no children	9.9%	90.1%	23,688
Single adult, 1+ children	0.5%	99.5%	2,072
2+ adults, 1+ children	1.8%	98.2%	20,693
All areas included in the study			
Benton County	6.2%	93.8%	22,951
Chisago County	5.1%	94.9%	33,651
Mille Lacs County	10.2%	89.8%	16,222
Sherburne County	6.4%	93.6%	51,852
Stearns County	7.3%	92.7%	96,375
Entire five-county region	6.8%	93.2%	221,051

25. Have you ever been told by a doctor or other health care professional that you have diabetes?

	Yes	No	Total
Sherburne County total	7.5%	92.5%	57,275
Gender			
Female	6.1%	93.9%	28,556
Male	8.8%	91.2%	28,543
Age			
18-34	3.5%	96.5%	18,914
35-44	1.7%	98.3%	12,224
45-54	5.9%	94.1%	12,127
55-64	15.9%	84.1%	7,505
65-74	23.5%	76.5%	3,540
75+	26.0%	74.0%	2,447
Highest level of education			
Less than high school diploma/GED	10.3%	89.7%	743
High school diploma/GED	12.9%	87.1%	8,761
Some college or AA degree	6.1%	93.9%	24,289
Bachelor's degree or higher	6.9%	93.1%	23,321
Household income (in 2012)			
Less than \$20,000	10.3%	89.7%	3,498
\$20,000 - \$34,999	13.2%	86.8%	4,246
\$35,000 - \$49,999	14.2%	85.8%	8,497
\$50,000 - \$99,999	5.5%	94.5%	25,037
\$100,000+	3.9%	96.1%	13,760
Household type			
Single adult, no children	13.2%	86.8%	5,125
2+ adults, no children	11.0%	89.0%	26,815
Single adult, 1+ children	0.8%	99.2%	2,277
2+ adults, 1+ children	2.7%	97.3%	22,765
All areas included in the study			
Benton County	9.1%	90.9%	24,738
Chisago County	9.1%	90.9%	36,432
Mille Lacs County	14.6%	85.4%	16,828
Sherburne County	7.5%	92.5%	57,275
Stearns County	6.4%	93.6%	105,950
Entire five-county region	7.9%	92.1%	241,223

26. Have you ever been told by a doctor or other health care professional that you have high blood pressure?

	Yes	No	Total
Sherburne County total	26.4%	73.6%	60,214
Gender			
Female	22.7%	77.3%	29,635
Male	29.9%	70.1%	30,404
Age			
18-34	10.0%	90.0%	18,913
35-44	15.1%	84.9%	13,050
45-54	26.8%	73.2%	12,852
55-64	43.6%	56.4%	7,681
65-74	66.2%	33.8%	4,070
75+	72.0%	28.0%	2,839
Highest level of education			
Less than high school diploma/GED	52.3%	47.7%	932
High school diploma/GED	37.2%	62.8%	9,623
Some college or AA degree	28.1%	71.9%	25,592
Bachelor's degree or higher	18.5%	81.5%	23,769
Household income (in 2012)			
Less than \$20,000	27.3%	72.7%	3,691
\$20,000 - \$34,999	36.3%	63.7%	4,480
\$35,000 - \$49,999	27.4%	72.6%	8,836
\$50,000 - \$99,999	25.2%	74.8%	26,783
\$100,000+	22.1%	77.9%	14,053
Household type			
Single adult, no children	31.5%	68.5%	5,263
2+ adults, no children	33.8%	66.2%	28,789
Single adult, 1+ children	30.9%	69.1%	2,510
2+ adults, 1+ children	15.5%	84.5%	23,342
All areas included in the study			
Benton County	25.6%	74.4%	26,016
Chisago County	30.8%	69.2%	38,934
Mille Lacs County	34.3%	65.7%	17,966
Sherburne County	26.4%	73.6%	60,214
Stearns County	30.6%	69.4%	114,709
Entire five-county region	29.4%	70.6%	257,839

27. Have you ever been told by a doctor or other health care professional that you have high blood cholesterol?

	Yes	No	Total
Sherburne County total	28.5%	71.5%	60,276
Gender			
Female	26.8%	73.2%	29,548
Male	30.1%	69.9%	30,553
Age			
18-34	6.9%	93.1%	19,071
35-44	19.4%	80.6%	12,966
45-54	34.4%	65.6%	12,637
55-64	49.1%	50.9%	7,966
65-74	66.1%	33.9%	3,920
75+	61.6%	38.4%	2,651
Highest level of education			
Less than high school diploma/GED	50.3%	49.7%	733
High school diploma/GED	36.9%	63.1%	9,469
Some college or AA degree	26.0%	74.0%	25,411
Bachelor's degree or higher	26.7%	73.3%	24,365
Household income (in 2012)			
Less than \$20,000	37.5%	62.5%	3,642
\$20,000 - \$34,999	34.9%	65.1%	4,312
\$35,000 - \$49,999	30.4%	69.6%	9,073
\$50,000 - \$99,999	28.9%	71.1%	26,770
\$100,000+	18.8%	81.2%	14,108
Household type			
Single adult, no children	35.8%	64.2%	5,525
2+ adults, no children	34.2%	65.8%	28,294
Single adult, 1+ children	25.4%	74.6%	2,277
2+ adults, 1+ children	20.4%	79.6%	23,872
All areas included in the study			
Benton County	29.1%	70.9%	26,248
Chisago County	27.4%	72.6%	37,894
Mille Lacs County	40.2%	59.8%	17,722
Sherburne County	28.5%	71.5%	60,276
Stearns County	24.3%	75.7%	109,453
Entire five-county region	27.4%	72.6%	251,593

Health habits

28. About how often do you drink pop or soda (regular)?

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	Total
Sherburne County total	32.0%	33.0%	17.1%	9.6%	8.4%	60,770
Gender						
Female	39.1%	33.3%	14.4%	7.0%	6.2%	29,843
Male	24.8%	32.8%	19.7%	12.2%	10.5%	30,752
Age						
18-34	29.5%	27.4%	20.1%	7.9%	15.2%	18,809
35-44	28.9%	33.4%	16.3%	12.7%	8.7%	13,359
45-54	30.4%	35.4%	15.8%	13.6%	4.8%	12,861
55-64	38.7%	35.6%	16.2%	5.0%	4.4%	8,074
65-74	38.0%	43.6%	8.6%	7.9%	1.9%	3,746
75+	48.0%	35.4%	12.2%	3.8%	0.6%	2,855
Highest level of education						
Less than high school diploma/GED	36.2%	15.9%	14.2%	0.0%	33.7%	896
High school diploma/GED	23.9%	36.9%	8.9%	11.5%	18.8%	10,053
Some college or AA degree	26.6%	30.8%	22.1%	11.6%	8.8%	25,178
Bachelor's degree or higher	40.8%	33.9%	15.3%	7.2%	2.8%	24,345
Household income (in 2012)						
Less than \$20,000	19.0%	24.1%	6.9%	11.4%	38.6%	3,566
\$20,000 - \$34,999	26.5%	27.9%	17.2%	23.7%	4.7%	4,599
\$35,000 - \$49,999	31.6%	35.0%	13.5%	9.2%	10.7%	9,492
\$50,000 - \$99,999	31.3%	34.3%	20.2%	9.6%	4.5%	26,561
\$100,000+	37.6%	31.3%	17.7%	5.5%	7.9%	14,153
Household type						
Single adult, no children	24.7%	29.7%	25.8%	11.5%	8.3%	5,614
2+ adults, no children	34.7%	32.6%	16.8%	6.3%	9.6%	28,265
Single adult, 1+ children	27.0%	44.2%	8.8%	10.5%	9.5%	2,500
2+ adults, 1+ children	31.0%	33.0%	16.0%	13.1%	6.9%	24,082
All areas included in the study						
Benton County	30.8%	28.6%	15.7%	14.4%	10.5%	26,189
Chisago County	32.2%	36.5%	10.8%	7.9%	12.6%	38,039
Mille Lacs County	29.2%	42.9%	15.4%	6.6%	5.9%	18,979
Sherburne County	32.0%	33.0%	17.1%	9.6%	8.4%	60,770
Stearns County	33.0%	30.8%	21.4%	11.5%	3.3%	115,006
Entire five-county region	32.2%	32.8%	17.8%	10.5%	6.8%	258,982

29. About how often do you drink pop or soda (diet)?

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	Total
Sherburne County total	49.1%	19.0%	12.2%	8.6%	11.1%	60,855
Gender						
Female	42.5%	24.7%	13.6%	11.2%	8.0%	29,841
Male	55.7%	13.2%	10.9%	6.2%	14.0%	30,853
Age						
18-34	55.0%	18.9%	6.1%	8.3%	11.7%	19,455
35-44	48.4%	17.6%	11.8%	8.1%	14.1%	12,869
45-54	48.6%	15.8%	16.2%	8.7%	10.8%	12,843
55-64	43.6%	20.3%	14.9%	10.6%	10.6%	7,975
65-74	41.0%	24.0%	13.7%	14.4%	7.0%	3,973
75+	45.8%	33.1%	13.2%	3.0%	4.8%	2,688
Highest level of education						
Less than high school diploma/GED	45.9%	8.3%	3.1%	8.5%	34.2%	878
High school diploma/GED	56.8%	16.4%	6.9%	6.6%	13.3%	10,100
Some college or AA degree	53.3%	17.3%	13.2%	8.0%	8.2%	25,409
Bachelor's degree or higher	41.1%	22.5%	13.7%	10.2%	12.4%	24,170
Household income (in 2012)						
Less than \$20,000	66.4%	16.2%	2.9%	8.2%	6.4%	3,724
\$20,000 - \$34,999	54.3%	22.9%	9.9%	4.3%	8.6%	4,616
\$35,000 - \$49,999	55.7%	17.4%	10.0%	6.8%	10.2%	9,464
\$50,000 - \$99,999	44.7%	19.7%	15.9%	8.5%	11.1%	26,986
\$100,000+	48.4%	16.8%	8.6%	11.3%	14.8%	13,725
Household type						
Single adult, no children	55.5%	19.9%	12.7%	5.8%	6.1%	5,693
2+ adults, no children	49.4%	19.7%	10.8%	9.0%	11.1%	28,338
Single adult, 1+ children	50.4%	27.3%	6.3%	6.5%	9.5%	2,450
2+ adults, 1+ children	47.3%	16.8%	14.2%	9.2%	12.4%	24,064
All areas included in the study						
Benton County	40.7%	22.9%	19.1%	7.2%	10.2%	25,929
Chisago County	34.8%	26.4%	12.6%	11.8%	14.5%	37,938
Mille Lacs County	37.6%	29.3%	13.3%	11.9%	7.9%	18,728
Sherburne County	49.1%	19.0%	12.2%	8.6%	11.1%	60,855
Stearns County	45.1%	26.5%	13.5%	8.4%	6.4%	112,846
Entire five-county region	43.5%	24.6%	13.6%	9.1%	9.2%	256,296

30. About how often do you drink energy drinks such as Red Bull, 5-hour Energy, or Monster?

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	Total
Sherburne County total	78.5%	17.9%	2.5%	0.7%	0.4%	61,958
Gender						
Female	88.3%	8.3%	2.7%	0.6%	0.1%	30,130
Male	69.0%	27.1%	2.4%	0.8%	0.8%	31,702
Age						
18-34	58.6%	34.9%	5.4%	0.3%	0.7%	19,411
35-44	84.8%	11.5%	1.3%	2.4%	0.0%	13,372
45-54	79.6%	17.9%	2.1%	0.3%	0.0%	13,085
55-64	94.8%	3.2%	0.4%	0.0%	1.6%	8,168
65-74	97.7%	2.1%	0.2%	0.0%	0.0%	3,989
75+	96.3%	2.5%	0.3%	0.9%	0.0%	2,916
Highest level of education						
Less than high school diploma/GED	68.4%	19.1%	0.0%	0.0%	12.5%	890
High school diploma/GED	71.2%	24.1%	4.0%	0.0%	0.7%	10,186
Some college or AA degree	79.1%	17.6%	2.3%	0.9%	0.1%	26,117
Bachelor's degree or higher	81.1%	15.6%	2.2%	0.8%	0.3%	24,485
Household income (in 2012)						
Less than \$20,000	57.8%	33.7%	5.5%	0.0%	2.9%	3,763
\$20,000 - \$34,999	87.0%	10.3%	2.7%	0.0%	0.0%	4,651
\$35,000 - \$49,999	74.4%	23.2%	1.8%	0.4%	0.2%	9,599
\$50,000 - \$99,999	78.8%	17.8%	2.5%	0.6%	0.3%	27,369
\$100,000+	81.1%	14.5%	2.3%	1.6%	0.5%	14,281
Household type						
Single adult, no children	79.3%	15.0%	4.5%	0.0%	1.2%	5,804
2+ adults, no children	76.2%	21.9%	1.7%	0.1%	0.1%	29,223
Single adult, 1+ children	72.9%	20.2%	4.1%	0.0%	2.8%	2,450
2+ adults, 1+ children	81.6%	13.4%	2.9%	1.7%	0.5%	24,221
All areas included in the study						
Benton County	75.1%	15.6%	5.9%	1.1%	2.3%	26,720
Chisago County	77.0%	13.6%	7.8%	1.6%	0.0%	38,890
Mille Lacs County	89.8%	7.5%	0.9%	1.8%	0.0%	19,040
Sherburne County	78.5%	17.9%	2.5%	0.7%	0.4%	61,958
Stearns County	86.2%	8.3%	1.7%	3.7%	0.1%	115,655
Entire five-county region	82.1%	12.0%	3.2%	2.3%	0.4%	262,263

31. About how often do you drink other sugar-sweetened drinks such as sweet tea, coffee drinks, juice drinks, Kool-Aid, or Gatorade?

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	Total
Sherburne County total	25.9%	35.5%	15.9%	15.2%	7.6%	61,733
Gender						
Female	30.3%	34.9%	14.4%	15.3%	5.1%	30,270
Male	21.7%	35.8%	17.4%	15.1%	10.0%	31,288
Age						
18-34	11.7%	39.9%	19.0%	20.9%	8.6%	18,945
35-44	23.0%	30.4%	21.9%	15.5%	9.2%	13,485
45-54	26.8%	41.1%	14.0%	13.4%	4.6%	13,061
55-64	41.7%	30.6%	10.3%	9.6%	7.8%	8,139
65-74	45.2%	31.5%	8.1%	10.4%	4.8%	4,048
75+	49.7%	22.5%	7.5%	11.7%	8.6%	2,991
Highest level of education						
Less than high school diploma/GED	22.5%	3.4%	42.4%	21.0%	10.7%	912
High school diploma/GED	31.2%	20.2%	15.3%	23.8%	9.5%	10,258
Some college or AA degree	20.4%	38.2%	17.2%	14.8%	9.4%	26,224
Bachelor's degree or higher	29.6%	40.2%	13.8%	11.9%	4.5%	24,041
Household income (in 2012)						
Less than \$20,000	17.0%	25.0%	19.3%	14.7%	24.0%	3,852
\$20,000 - \$34,999	37.4%	29.3%	13.9%	11.7%	7.7%	4,659
\$35,000 - \$49,999	31.0%	34.1%	11.4%	20.0%	3.6%	9,684
\$50,000 - \$99,999	22.1%	33.9%	20.6%	15.8%	7.7%	26,867
\$100,000+	26.2%	44.8%	10.4%	12.3%	6.2%	14,339
Household type						
Single adult, no children	31.8%	29.5%	14.1%	18.3%	6.3%	5,890
2+ adults, no children	29.0%	32.9%	15.4%	13.4%	9.4%	28,788
Single adult, 1+ children	15.2%	29.2%	25.6%	25.8%	4.2%	2,450
2+ adults, 1+ children	22.0%	40.5%	15.8%	15.6%	6.1%	24,296
All areas included in the study						
Benton County	21.4%	32.7%	21.1%	19.2%	5.6%	26,368
Chisago County	29.5%	26.9%	13.8%	23.2%	6.6%	39,118
Mille Lacs County	31.4%	29.9%	12.7%	17.0%	9.0%	19,121
Sherburne County	25.9%	35.5%	15.9%	15.2%	7.6%	61,733
Stearns County	25.2%	35.1%	17.8%	15.3%	6.6%	116,742
Entire five-county region	26.1%	33.4%	16.7%	17.0%	6.9%	263,083

32. About how often do you drink water?

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	Total
Sherburne County total	0.2%	1.8%	5.0%	13.5%	79.5%	62,412
Gender						
Female	0.2%	1.5%	3.8%	8.1%	86.4%	30,300
Male	0.1%	2.1%	6.2%	18.8%	72.8%	31,937
Age						
18-34	0.1%	4.2%	5.9%	14.9%	74.8%	19,433
35-44	0.0%	0.6%	6.4%	11.6%	81.5%	13,545
45-54	0.4%	0.8%	3.7%	16.9%	78.3%	13,123
55-64	0.2%	0.7%	5.8%	13.0%	80.3%	8,169
65-74	0.3%	1.1%	2.2%	11.8%	84.5%	4,152
75+	0.0%	0.9%	2.8%	6.9%	89.4%	2,925
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	14.2%	22.2%	63.6%	966
High school diploma/GED	0.0%	1.6%	13.0%	18.7%	66.7%	10,254
Some college or AA degree	0.3%	2.6%	3.8%	13.9%	79.4%	26,341
Bachelor's degree or higher	0.1%	1.1%	2.8%	10.8%	85.2%	24,554
Household income (in 2012)						
Less than \$20,000	0.5%	20.7%	19.7%	7.7%	51.3%	3,823
\$20,000 - \$34,999	0.0%	1.8%	2.2%	7.1%	88.9%	4,676
\$35,000 - \$49,999	0.0%	0.6%	6.5%	14.3%	78.6%	9,685
\$50,000 - \$99,999	0.3%	0.5%	2.8%	16.5%	79.9%	27,450
\$100,000+	0.1%	0.3%	5.7%	12.6%	81.4%	14,370
Household type						
Single adult, no children	0.3%	1.3%	2.7%	16.9%	78.7%	5,867
2+ adults, no children	0.2%	2.1%	4.0%	15.0%	78.8%	29,408
Single adult, 1+ children	0.0%	3.0%	11.2%	10.2%	75.6%	2,510
2+ adults, 1+ children	0.1%	1.5%	6.3%	11.4%	80.7%	24,333
All areas included in the study						
Benton County	0.9%	0.8%	3.7%	11.9%	82.7%	26,612
Chisago County	1.2%	0.9%	3.0%	12.9%	82.0%	39,801
Mille Lacs County	0.6%	0.9%	3.5%	11.6%	83.3%	19,369
Sherburne County	0.2%	1.8%	5.0%	13.5%	79.5%	62,412
Stearns County	0.6%	1.4%	1.9%	14.6%	81.6%	117,225
Entire five-county region	0.6%	1.3%	3.1%	13.6%	81.4%	265,419

33. About how often do you drink milk?

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	Total
Sherburne County total	10.5%	12.1%	19.9%	31.7%	25.9%	62,390
Gender						
Female	12.4%	12.4%	17.8%	30.5%	26.8%	30,344
Male	8.7%	11.8%	21.9%	32.8%	24.8%	31,872
Age						
18-34	11.1%	12.2%	24.7%	31.5%	20.6%	19,455
35-44	8.1%	12.2%	17.9%	30.9%	30.9%	13,545
45-54	9.5%	10.5%	23.1%	32.6%	24.3%	13,123
55-64	15.8%	14.0%	13.8%	25.2%	31.1%	8,162
65-74	6.7%	11.1%	14.3%	43.1%	24.9%	4,109
75+	13.0%	17.1%	9.9%	35.7%	24.3%	2,930
Highest level of education						
Less than high school diploma/GED	29.2%	7.1%	11.9%	33.9%	17.9%	954
High school diploma/GED	9.5%	11.6%	24.3%	28.7%	25.9%	10,271
Some college or AA degree	10.0%	12.7%	20.7%	29.9%	26.7%	26,331
Bachelor's degree or higher	10.7%	11.9%	17.6%	34.8%	25.0%	24,536
Household income (in 2012)						
Less than \$20,000	18.6%	21.9%	9.6%	30.4%	19.4%	3,818
\$20,000 - \$34,999	9.8%	14.6%	28.8%	23.8%	23.0%	4,666
\$35,000 - \$49,999	6.7%	12.7%	26.6%	36.7%	17.3%	9,690
\$50,000 - \$99,999	10.3%	11.3%	19.0%	29.3%	30.1%	27,450
\$100,000+	11.9%	9.3%	17.1%	36.6%	25.1%	14,341
Household type						
Single adult, no children	10.6%	13.7%	19.9%	30.1%	25.7%	5,853
2+ adults, no children	12.2%	13.3%	18.1%	32.5%	23.9%	29,384
Single adult, 1+ children	6.9%	20.6%	20.4%	22.4%	29.6%	2,510
2+ adults, 1+ children	8.7%	9.4%	21.8%	32.0%	28.1%	24,333
All areas included in the study						
Benton County	15.7%	15.1%	14.0%	33.6%	21.6%	26,761
Chisago County	11.1%	7.2%	16.6%	38.1%	26.9%	39,966
Mille Lacs County	7.8%	12.2%	11.1%	37.2%	31.6%	19,381
Sherburne County	10.5%	12.1%	19.9%	31.7%	25.9%	62,390
Stearns County	8.9%	9.9%	29.9%	29.0%	22.4%	116,984
Entire five-county region	10.2%	10.7%	22.6%	32.1%	24.5%	265,483

34. A serving of fruit is one medium sized fruit, or a half cup chopped, cut, or canned fruit. Yesterday, how many servings of fruit did you eat?

	0 servings	1-2 servings	3-4 servings	5 or more servings	Total
Sherburne County total	25.0%	58.8%	14.5%	1.7%	62,306
Gender					
Female	18.6%	58.6%	20.3%	2.4%	30,368
Male	31.1%	59.2%	8.8%	1.0%	31,763
Age					
18-34	30.4%	57.1%	12.0%	0.4%	19,455
35-44	31.8%	49.7%	14.3%	4.2%	13,528
45-54	20.4%	62.5%	15.5%	1.6%	13,098
55-64	19.6%	58.1%	20.7%	1.5%	8,179
65-74	15.5%	69.9%	13.9%	0.8%	4,120
75+	8.2%	78.9%	11.9%	1.0%	2,861
Highest level of education					
Less than high school diploma/GED	28.8%	66.1%	5.1%	0.0%	981
High school diploma/GED	32.6%	55.6%	10.9%	0.8%	10,208
Some college or AA degree	28.8%	58.1%	11.9%	1.2%	26,280
Bachelor's degree or higher	17.4%	60.9%	19.4%	2.4%	24,540
Household income (in 2012)					
Less than \$20,000	37.3%	55.8%	5.9%	1.1%	3,823
\$20,000 - \$34,999	31.2%	54.2%	14.3%	0.3%	4,658
\$35,000 - \$49,999	21.4%	67.7%	10.1%	0.8%	9,554
\$50,000 - \$99,999	22.6%	61.5%	14.8%	1.1%	27,480
\$100,000+	27.5%	50.9%	17.8%	3.8%	14,370
Household type					
Single adult, no children	34.2%	54.2%	11.2%	0.4%	5,792
2+ adults, no children	24.9%	58.2%	15.7%	1.1%	29,402
Single adult, 1+ children	27.0%	58.3%	12.5%	2.2%	2,493
2+ adults, 1+ children	22.8%	60.8%	13.9%	2.6%	24,309
All areas included in the study					
Benton County	21.7%	66.2%	11.8%	0.3%	26,854
Chisago County	31.7%	47.8%	16.5%	4.0%	39,714
Mille Lacs County	15.9%	69.7%	14.1%	0.4%	19,368
Sherburne County	25.0%	58.8%	14.5%	1.7%	62,306
Stearns County	21.9%	60.7%	16.3%	1.1%	116,415
Entire five-county region	23.6%	59.5%	15.3%	1.5%	264,657

35. Yesterday, how many 6 ounce servings of 100% fruit juice did you drink?

	0 servings	1-2 servings	3-4 servings	5 or more servings	Total
Sherburne County total	63.3%	32.5%	2.8%	1.3%	62,146
Gender					
Female	74.6%	23.4%	1.7%	0.3%	30,328
Male	52.6%	41.1%	4.0%	2.3%	31,644
Age					
18-34	62.1%	29.6%	5.5%	2.8%	19,455
35-44	67.5%	29.2%	1.5%	1.8%	13,545
45-54	69.2%	29.4%	1.3%	0.2%	13,052
55-64	62.2%	35.7%	1.7%	0.4%	8,102
65-74	58.2%	39.4%	2.4%	0.0%	4,111
75+	43.9%	53.7%	2.4%	0.0%	2,815
Highest level of education					
Less than high school diploma/GED	52.5%	47.5%	0.0%	0.0%	954
High school diploma/GED	63.9%	30.7%	2.0%	3.4%	10,123
Some college or AA degree	64.3%	32.7%	2.8%	0.1%	26,285
Bachelor's degree or higher	62.2%	32.6%	3.3%	1.9%	24,487
Household income (in 2012)					
Less than \$20,000	60.3%	36.4%	2.5%	0.8%	3,831
\$20,000 - \$34,999	66.1%	33.1%	0.8%	0.0%	4,628
\$35,000 - \$49,999	60.6%	35.8%	3.3%	0.3%	9,578
\$50,000 - \$99,999	63.1%	33.0%	2.9%	1.0%	27,398
\$100,000+	62.9%	30.0%	3.5%	3.6%	14,297
Household type					
Single adult, no children	52.4%	46.4%	1.2%	0.0%	5,880
2+ adults, no children	56.8%	36.2%	5.1%	1.9%	29,184
Single adult, 1+ children	58.8%	39.4%	0.0%	1.8%	2,510
2+ adults, 1+ children	74.1%	24.1%	0.8%	0.9%	24,263
All areas included in the study					
Benton County	64.6%	31.5%	3.8%	0.1%	26,110
Chisago County	68.4%	30.1%	1.2%	0.4%	39,725
Mille Lacs County	58.5%	40.0%	0.5%	1.0%	19,428
Sherburne County	63.3%	32.5%	2.8%	1.3%	62,146
Stearns County	69.2%	29.6%	0.8%	0.5%	116,222
Entire five-county region	66.4%	31.3%	1.6%	0.7%	263,631

36. A serving of vegetables is a half cup of any vegetable or one cup of salad greens. Yesterday, how many servings of vegetables did you eat?

	0 servings	1-2 servings	3-4 servings	5 or more servings	Total
Sherburne County total	14.6%	61.9%	18.5%	5.0%	62,350
Gender					
Female	11.2%	60.2%	23.9%	4.8%	30,326
Male	17.9%	63.7%	13.2%	5.2%	31,848
Age					
18-34	22.2%	57.2%	12.7%	7.9%	19,455
35-44	14.4%	55.7%	26.0%	3.9%	13,504
45-54	11.0%	64.4%	19.1%	5.6%	13,083
55-64	9.5%	66.2%	22.0%	2.4%	8,152
65-74	6.2%	74.2%	18.8%	0.8%	4,133
75+	11.6%	74.3%	12.2%	1.8%	2,957
Highest level of education					
Less than high school diploma/GED	22.5%	70.4%	7.0%	0.0%	981
High school diploma/GED	20.2%	62.1%	16.4%	1.3%	10,277
Some college or AA degree	14.7%	62.6%	19.5%	3.2%	26,296
Bachelor's degree or higher	12.0%	60.6%	19.0%	8.5%	24,498
Household income (in 2012)					
Less than \$20,000	43.5%	36.8%	19.1%	0.6%	3,874
\$20,000 - \$34,999	13.5%	68.4%	16.1%	2.0%	4,687
\$35,000 - \$49,999	13.8%	62.5%	14.8%	8.9%	9,575
\$50,000 - \$99,999	13.5%	64.3%	17.6%	4.5%	27,412
\$100,000+	10.9%	60.0%	23.4%	5.7%	14,370
Household type					
Single adult, no children	16.6%	64.0%	17.5%	1.9%	5,854
2+ adults, no children	18.6%	62.0%	15.1%	4.3%	29,463
Single adult, 1+ children	8.7%	66.3%	24.7%	0.3%	2,510
2+ adults, 1+ children	10.2%	61.0%	22.0%	6.8%	24,213
All areas included in the study					
Benton County	14.8%	63.5%	20.1%	1.5%	26,925
Chisago County	13.7%	62.9%	16.8%	6.6%	39,753
Mille Lacs County	9.3%	70.8%	17.6%	2.2%	19,238
Sherburne County	14.6%	61.9%	18.5%	5.0%	62,350
Stearns County	21.3%	55.2%	21.5%	2.0%	116,446
Entire five-county region	17.1%	59.9%	19.7%	3.3%	264,713

37. Number of fruits and vegetables eaten yesterday (Mean, calculated variable)

	Mean	Total
Sherburne County total	3.9	61,828
Gender		
Female	4.0	30,104
Male	3.8	31,549
Age		
18-34	4.0	19,455
35-44	3.9	13,486
45-54	3.8	13,012
55-64	4.0	8,013
65-74	3.9	4,050
75+	3.8	2,745
Highest level of education		
Less than high school diploma/GED	3.0	954
High school diploma/GED	3.7	10,010
Some college or AA degree	3.6	26,182
Bachelor's degree or higher	4.4	24,385
Household income (in 2012)		
Less than \$20,000	2.9	3,780
\$20,000 - \$34,999	3.2	4,611
\$35,000 - \$49,999	3.9	9,468
\$50,000 - \$99,999	3.8	27,269
\$100,000+	4.5	14,297
Household type		
Single adult, no children	3.4	5,761
2+ adults, no children	4.0	29,123
Single adult, 1+ children	4.0	2,493
2+ adults, 1+ children	3.9	24,142
All areas included in the study		
Benton County	3.5	25,997
Chisago County	3.9	39,472
Mille Lacs County	3.8	19,113
Sherburne County	3.9	61,828
Stearns County	3.5	115,025
Entire five-county region	3.7	261,435

38. Number of fruits and vegetables eaten yesterday (calculated variable)

	0 servings	1-2 servings	3-4 servings	5 or more servings	Total
Sherburne County total	6.2%	24.4%	33.0%	36.4%	61,828
Gender					
Female	6.1%	20.1%	34.1%	39.7%	30,104
Male	6.3%	28.4%	32.1%	33.2%	31,549
Age					
18-34	6.2%	27.6%	33.3%	32.8%	19,455
35-44	9.6%	19.6%	32.7%	38.1%	13,486
45-54	6.9%	25.9%	27.1%	40.1%	13,012
55-64	2.9%	25.5%	31.1%	40.5%	8,013
65-74	2.9%	20.2%	43.9%	33.1%	4,050
75+	2.5%	23.7%	42.2%	31.6%	2,745
Highest level of education					
Less than high school diploma/GED	8.6%	40.0%	25.9%	25.5%	954
High school diploma/GED	9.8%	28.2%	31.8%	30.1%	10,010
Some college or AA degree	4.7%	29.9%	34.7%	30.8%	26,182
Bachelor's degree or higher	6.3%	16.1%	31.9%	45.7%	24,385
Household income (in 2012)					
Less than \$20,000	23.4%	23.6%	31.4%	21.6%	3,780
\$20,000 - \$34,999	6.6%	33.0%	35.9%	24.5%	4,611
\$35,000 - \$49,999	3.3%	24.7%	36.3%	35.7%	9,468
\$50,000 - \$99,999	5.6%	25.4%	33.1%	36.0%	27,269
\$100,000+	5.0%	19.2%	30.2%	45.7%	14,297
Household type					
Single adult, no children	5.9%	29.5%	37.8%	26.8%	5,761
2+ adults, no children	5.3%	26.8%	32.0%	35.9%	29,123
Single adult, 1+ children	3.6%	22.6%	38.0%	35.9%	2,493
2+ adults, 1+ children	7.8%	20.6%	32.7%	39.0%	24,142
All areas included in the study					
Benton County	4.9%	29.2%	34.5%	31.4%	25,997
Chisago County	7.3%	28.0%	30.7%	34.0%	39,472
Mille Lacs County	4.3%	18.0%	46.9%	30.7%	19,113
Sherburne County	6.2%	24.4%	33.0%	36.4%	61,828
Stearns County	9.0%	26.9%	30.2%	33.9%	115,025
Entire five-county region	7.3%	26.0%	32.6%	34.0%	261,435

39. During the past 7 days, how many times did you eat from a fast food restaurant, including carry-out or delivery?

	0 times	1-2 times	3-6 times	7-10 times	11-14 times	15 or more times	Total
Sherburne County total	32.5%	50.7%	14.4%	1.5%	0.6%	0.3%	62,493
Gender							
Female	33.7%	56.3%	9.5%	0.5%	0.0%	0.0%	30,427
Male	31.1%	45.7%	19.2%	2.4%	1.1%	0.5%	31,891
Age							
18-34	25.7%	48.6%	20.6%	3.2%	1.2%	0.8%	19,455
35-44	25.6%	59.0%	15.0%	0.4%	0.0%	0.0%	13,545
45-54	31.3%	52.1%	15.4%	1.1%	0.2%	0.0%	13,115
55-64	38.8%	50.9%	8.3%	0.7%	1.4%	0.0%	8,132
65-74	47.9%	45.1%	5.9%	1.1%	0.0%	0.0%	4,133
75+	62.7%	35.9%	1.3%	0.0%	0.0%	0.0%	3,048
Highest level of education							
Less than high school diploma/GED	33.7%	44.8%	10.1%	0.0%	11.3%	0.0%	981
High school diploma/GED	31.0%	43.6%	18.4%	4.8%	2.2%	0.0%	10,353
Some college or AA degree	33.7%	53.1%	11.3%	1.3%	0.0%	0.6%	26,310
Bachelor's degree or higher	31.4%	51.8%	16.4%	0.3%	0.1%	0.0%	24,552
Household income (in 2012)							
Less than \$20,000	39.3%	31.4%	14.1%	12.4%	2.8%	0.0%	3,906
\$20,000 - \$34,999	39.1%	42.9%	17.7%	0.3%	0.0%	0.0%	4,687
\$35,000 - \$49,999	25.4%	57.8%	13.2%	1.0%	2.6%	0.0%	9,729
\$50,000 - \$99,999	32.2%	51.7%	14.8%	0.7%	0.0%	0.6%	27,369
\$100,000+	31.8%	52.0%	15.2%	1.0%	0.0%	0.0%	14,370
Household type							
Single adult, no children	46.2%	34.1%	13.3%	3.4%	0.4%	2.7%	5,943
2+ adults, no children	35.7%	49.3%	12.8%	2.3%	0.0%	0.0%	29,404
Single adult, 1+ children	35.5%	54.2%	7.7%	2.6%	0.0%	0.0%	2,510
2+ adults, 1+ children	25.1%	56.1%	17.4%	0.0%	1.4%	0.0%	24,333
All areas included in the study							
Benton County	32.9%	51.5%	14.1%	1.4%	0.0%	0.0%	27,028
Chisago County	31.4%	59.7%	7.9%	0.6%	0.3%	0.0%	40,040
Mille Lacs County	38.6%	48.1%	9.9%	3.3%	0.0%	0.0%	19,482
Sherburne County	32.5%	50.7%	14.4%	1.5%	0.6%	0.3%	62,493
Stearns County	28.3%	51.7%	18.9%	1.0%	0.0%	0.1%	117,390
Entire five-county region	31.0%	52.4%	15.1%	1.3%	0.2%	0.1%	266,433

40. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies? (Mean)

	Mean	Total
Sherburne County total	182.1	62,170
Gender		
Female	178.4	30,209
Male	186.0	31,785
Age		
18-34	194.0	19,455
35-44	167.5	13,528
45-54	176.9	13,075
55-64	208.5	8,118
65-74	179.5	4,064
75+	147.9	2,864
Highest level of education		
Less than high school diploma/GED	263.8	880
High school diploma/GED	230.2	10,202
Some college or AA degree	178.2	26,265
Bachelor's degree or higher	164.5	24,525
Household income (in 2012)		
Less than \$20,000	262.4	3,852
\$20,000 - \$34,999	183.4	4,524
\$35,000 - \$49,999	193.6	9,716
\$50,000 - \$99,999	176.8	27,356
\$100,000+	168.9	14,322
Household type		
Single adult, no children	189.2	5,848
2+ adults, no children	194.9	29,169
Single adult, 1+ children	179.9	2,510
2+ adults, 1+ children	166.8	24,333
All areas included in the study		
Benton County	194.6	26,598
Chisago County	154.5	39,944
Mille Lacs County	172.9	19,280
Sherburne County	182.1	62,170
Stearns County	191.8	115,040
Entire five-county region	182.7	263,032

41. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies?

	0 minutes	Less than 1 hour	1 hour to less than 2 hours	2 hour to less than 3 hours	3 hour to less than 4 hours	4 hour to less than 5 hours	5 or more hours	Total
Sherburne County total	2.2%	7.3%	17.9%	26.9%	18.7%	8.6%	18.5%	62,170
Gender								
Female	2.2%	8.2%	18.5%	25.4%	19.8%	9.3%	16.6%	30,209
Male	2.2%	6.2%	17.3%	28.4%	17.7%	7.9%	20.3%	31,785
Age								
18-34	0.0%	2.7%	19.2%	30.7%	19.2%	6.7%	21.5%	19,455
35-44	1.1%	5.9%	19.8%	28.7%	20.4%	10.6%	13.5%	13,528
45-54	0.5%	13.2%	16.5%	29.3%	16.9%	6.2%	17.5%	13,075
55-64	3.3%	10.4%	15.1%	16.9%	22.0%	9.2%	23.2%	8,118
65-74	6.0%	9.5%	12.8%	23.0%	17.4%	12.8%	18.5%	4,064
75+	21.6%	5.3%	10.9%	16.8%	13.0%	18.4%	14.0%	2,864
Highest level of education								
Less than high school diploma/GED	3.9%	0.0%	0.0%	21.3%	29.9%	13.4%	31.5%	880
High school diploma/GED	5.9%	4.1%	9.1%	24.9%	14.4%	8.4%	33.3%	10,202
Some college or AA degree	1.4%	6.0%	17.7%	28.4%	22.0%	8.7%	15.9%	26,265
Bachelor's degree or higher	1.4%	9.9%	22.7%	26.2%	16.6%	8.4%	14.8%	24,525
Household income (in 2012)								
Less than \$20,000	7.4%	2.7%	10.4%	21.2%	15.3%	7.8%	35.1%	3,852
\$20,000 - \$34,999	5.3%	4.6%	21.3%	18.2%	21.4%	13.8%	15.5%	4,524
\$35,000 - \$49,999	3.0%	4.9%	12.1%	26.3%	17.9%	11.8%	24.0%	9,716
\$50,000 - \$99,999	1.2%	6.8%	17.5%	30.9%	20.7%	7.8%	15.1%	27,356
\$100,000+	0.3%	10.7%	23.5%	25.6%	15.0%	6.9%	18.1%	14,322

41. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies? (continued)

	0 minutes	Less than 1 hour	1 hour to less than 2 hours	2 hour to less than 3 hours	3 hour to less than 4 hours	4 hour to less than 5 hours	5 or more hours	Total
Household type								
Single adult, no children	7.0%	3.9%	17.9%	22.5%	13.5%	17.6%	17.6%	5,848
2+ adults, no children	2.8%	6.7%	15.0%	24.0%	21.6%	7.5%	22.4%	29,169
Single adult, 1+ children	0.0%	4.9%	18.2%	39.0%	21.1%	4.1%	12.6%	2,510
2+ adults, 1+ children	0.5%	8.7%	21.3%	30.1%	16.3%	8.2%	14.8%	24,333
All areas included in the study								
Benton County	5.5%	11.2%	16.1%	21.4%	15.7%	10.9%	19.3%	26,598
Chisago County	2.4%	7.4%	26.3%	26.7%	15.9%	9.8%	11.5%	39,944
Mille Lacs County	7.9%	4.5%	17.6%	27.3%	13.8%	11.5%	17.5%	19,280
Sherburne County	2.2%	7.3%	17.9%	26.9%	18.7%	8.6%	18.5%	62,170
Stearns County	3.5%	4.9%	19.1%	28.2%	19.7%	9.3%	15.3%	115,040
Entire five-county region	3.6%	6.5%	19.5%	26.9%	18.0%	9.5%	16.0%	263,032

42. During an average week, whether at work, at home, or anywhere else, on how many days do you get at least 30 minutes of moderate physical activity? (Moderate exercise 3+ days)

	Moderate exercise on 0-2 days per week	Moderate exercise on 3 or more days per week	Total
Sherburne County total	32.4%	67.6%	62,254
Gender			
Female	37.6%	62.4%	30,247
Male	27.6%	72.4%	31,832
Age			
18-34	32.6%	67.4%	19,420
35-44	30.5%	69.5%	13,418
45-54	31.4%	68.6%	13,123
55-64	35.8%	64.2%	8,100
65-74	26.8%	73.2%	4,123
75+	43.3%	56.7%	3,005
Highest level of education			
Less than high school diploma/GED	49.2%	50.8%	965
High school diploma/GED	35.7%	64.3%	10,251
Some college or AA degree	34.1%	65.9%	26,298
Bachelor's degree or higher	28.3%	71.7%	24,443
Household income (in 2012)			
Less than \$20,000	43.5%	56.5%	3,903
\$20,000 - \$34,999	32.3%	67.7%	4,687
\$35,000 - \$49,999	28.7%	71.3%	9,641
\$50,000 - \$99,999	33.0%	67.0%	27,361
\$100,000+	30.0%	70.0%	14,280
Household type			
Single adult, no children	25.5%	74.5%	5,874
2+ adults, no children	33.0%	67.0%	29,404
Single adult, 1+ children	20.9%	79.1%	2,475
2+ adults, 1+ children	34.7%	65.3%	24,206
All areas included in the study			
Benton County	33.6%	66.4%	26,641
Chisago County	31.7%	68.3%	39,791
Mille Lacs County	39.0%	61.0%	19,387
Sherburne County	32.4%	67.6%	62,254
Stearns County	29.1%	70.9%	115,181
Entire five-county region	31.5%	68.5%	263,254

43. During an average week, whether at work, at home, or anywhere else, on how many days do you get at least 30 minutes of moderate physical activity? (Moderate exercise 5+ days)

	Moderate exercise on 0-4 days per week	Moderate exercise on 5 or more days per week	Total
Sherburne County total	60.6%	39.4%	62,254
Gender			
Female	68.2%	31.8%	30,247
Male	53.7%	46.3%	31,832
Age			
18-34	61.4%	38.6%	19,420
35-44	62.8%	37.2%	13,418
45-54	55.4%	44.6%	13,123
55-64	62.5%	37.5%	8,100
65-74	60.6%	39.4%	4,123
75+	72.5%	27.5%	3,005
Highest level of education			
Less than high school diploma/GED	87.8%	12.2%	965
High school diploma/GED	61.3%	38.7%	10,251
Some college or AA degree	59.5%	40.5%	26,298
Bachelor's degree or higher	60.7%	39.3%	24,443
Household income (in 2012)			
Less than \$20,000	74.9%	25.1%	3,903
\$20,000 - \$34,999	67.4%	32.6%	4,687
\$35,000 - \$49,999	49.8%	50.2%	9,641
\$50,000 - \$99,999	62.3%	37.7%	27,361
\$100,000+	59.0%	41.0%	14,280
Household type			
Single adult, no children	57.6%	42.4%	5,874
2+ adults, no children	59.4%	40.6%	29,404
Single adult, 1+ children	54.3%	45.7%	2,475
2+ adults, 1+ children	63.7%	36.3%	24,206
All areas included in the study			
Benton County	60.9%	39.1%	26,641
Chisago County	52.2%	47.8%	39,791
Mille Lacs County	61.7%	38.3%	19,387
Sherburne County	60.6%	39.4%	62,254
Stearns County	65.3%	34.7%	115,181
Entire five-county region	61.5%	38.5%	263,254

44. How often do you feel safe in your community?

	Always	Often	Sometimes	Never	Total
Sherburne County total	67.5%	28.7%	2.6%	1.2%	62,486
Gender					
Female	67.5%	30.6%	1.6%	0.2%	30,456
Male	67.4%	27.0%	3.5%	2.1%	31,856
Age					
18-34	56.0%	36.8%	4.7%	2.5%	19,385
35-44	73.0%	25.7%	1.0%	0.3%	13,545
45-54	70.7%	27.2%	1.8%	0.4%	13,073
55-64	70.1%	26.0%	2.3%	1.6%	8,191
65-74	74.4%	23.7%	1.3%	0.6%	4,163
75+	80.0%	16.8%	2.4%	0.7%	3,064
Highest level of education					
Less than high school diploma/GED	77.2%	6.0%	5.5%	11.3%	981
High school diploma/GED	66.9%	30.9%	1.9%	0.2%	10,372
Some college or AA degree	67.3%	29.0%	3.3%	0.3%	26,246
Bachelor's degree or higher	67.8%	28.2%	1.9%	2.1%	24,589
Household income (in 2012)					
Less than \$20,000	56.2%	35.2%	4.8%	3.7%	3,923
\$20,000 - \$34,999	56.2%	41.6%	1.6%	0.5%	4,687
\$35,000 - \$49,999	63.6%	29.3%	1.8%	5.3%	9,729
\$50,000 - \$99,999	70.5%	25.6%	3.8%	0.1%	27,332
\$100,000+	69.5%	29.6%	.8%	0.1%	14,370
Household type					
Single adult, no children	76.4%	18.7%	4.1%	0.8%	5,924
2+ adults, no children	64.2%	30.0%	4.1%	1.7%	29,480
Single adult, 1+ children	74.0%	22.9%	1.6%	1.5%	2,510
2+ adults, 1+ children	68.3%	30.6%	0.5%	0.6%	24,263
All areas included in the study					
Benton County	54.3%	39.4%	5.8%	0.5%	27,101
Chisago County	66.9%	30.9%	1.8%	0.4%	40,004
Mille Lacs County	62.9%	33.6%	2.8%	0.6%	19,430
Sherburne County	67.5%	28.7%	2.6%	1.2%	62,486
Stearns County	52.9%	38.9%	7.3%	0.8%	116,842
Entire five-county region	59.3%	35.0%	4.9%	0.8%	265,863

45. Are you in a relationship where you are (or have ever been) physically hurt, threatened, or made to feel afraid?

	Yes	No	Total
Sherburne County total	2.7%	97.3%	62,490
Gender			
Female	4.0%	96.0%	30,421
Male	1.6%	98.4%	31,894
Age			
18-34	0.5%	99.5%	19,411
35-44	4.2%	95.8%	13,500
45-54	3.4%	96.6%	13,123
55-64	5.6%	94.4%	8,191
65-74	1.4%	98.6%	4,163
75+	3.6%	96.4%	3,048
Highest level of education			
Less than high school diploma/GED	12.8%	87.2%	981
High school diploma/GED	2.5%	97.5%	10,327
Some college or AA degree	3.2%	96.8%	26,306
Bachelor's degree or higher	2.0%	98.0%	24,578
Household income (in 2012)			
Less than \$20,000	7.5%	92.5%	3,906
\$20,000 - \$34,999	6.9%	93.1%	4,598
\$35,000 - \$49,999	2.1%	97.9%	9,718
\$50,000 - \$99,999	1.7%	98.3%	27,452
\$100,000+	2.7%	97.3%	14,370
Household type			
Single adult, no children	4.9%	95.1%	5,901
2+ adults, no children	1.8%	98.2%	29,480
Single adult, 1+ children	4.2%	95.8%	2,510
2+ adults, 1+ children	3.3%	96.7%	24,289
All areas included in the study			
Benton County	3.9%	96.1%	27,057
Chisago County	5.4%	94.6%	40,040
Mille Lacs County	3.2%	96.8%	19,482
Sherburne County	2.7%	97.3%	62,490
Stearns County	5.0%	95.0%	117,451
Entire five-county region	4.3%	95.7%	266,520

46. How often do you wear a seat belt when you drive or ride in a car or other vehicle?

	Always	Often	Sometimes	Never	Total
Sherburne County total	94.6%	3.5%	1.4%	0.6%	62,551
Gender					
Female	96.1%	2.2%	1.2%	0.4%	30,399
Male	93.1%	4.7%	1.5%	0.7%	31,976
Age					
18-34	92.4%	4.3%	2.6%	0.7%	19,455
35-44	96.9%	2.5%	0.6%	0.0%	13,489
45-54	96.1%	2.6%	1.0%	0.4%	13,145
55-64	92.9%	4.3%	1.5%	1.3%	8,228
65-74	97.1%	0.6%	0.5%	1.9%	4,119
75+	99.8%	0.2%	0.0%	0.0%	3,049
Highest level of education					
Less than high school diploma/GED	88.7%	0.0%	0.0%	11.3%	981
High school diploma/GED	92.1%	6.1%	1.0%	0.8%	10,360
Some college or AA degree	94.4%	3.4%	1.5%	0.7%	26,401
Bachelor's degree or higher	96.1%	2.6%	1.4%	0.0%	24,511
Household income (in 2012)					
Less than \$20,000	95.9%	0.6%	0.5%	3.0%	3,923
\$20,000 - \$34,999	91.2%	6.9%	1.9%	0.0%	4,687
\$35,000 - \$49,999	90.1%	7.3%	1.9%	0.7%	9,715
\$50,000 - \$99,999	95.2%	2.4%	1.7%	0.7%	27,425
\$100,000+	96.5%	3.0%	0.6%	0.0%	14,392
Household type					
Single adult, no children	88.9%	9.7%	0.4%	0.9%	5,974
2+ adults, no children	94.8%	2.5%	2.5%	0.2%	29,473
Single adult, 1+ children	98.0%	1.2%	0.7%	0.0%	2,510
2+ adults, 1+ children	95.3%	3.4%	0.3%	1.0%	24,299
All areas included in the study					
Benton County	95.3%	3.5%	0.9%	0.2%	26,836
Chisago County	87.1%	5.0%	6.4%	1.5%	39,858
Mille Lacs County	93.5%	4.5%	1.2%	0.8%	19,186
Sherburne County	94.6%	3.5%	1.4%	0.6%	62,551
Stearns County	94.4%	3.8%	0.7%	1.2%	117,471
Entire five-county region	93.4%	3.9%	1.8%	1.0%	265,902

47. Do you ever drive a car or other vehicle?

	Yes	No	Total
Sherburne County total	97.0%	3.0%	62,689
Gender			
Female	96.6%	3.4%	30,538
Male	97.4%	2.6%	31,976
Age			
18-34	97.1%	2.9%	19,478
35-44	98.7%	1.3%	13,545
45-54	97.5%	2.5%	13,145
55-64	99.1%	0.9%	8,243
65-74	96.9%	3.1%	4,149
75+	81.1%	18.9%	3,064
Highest level of education			
Less than high school diploma/GED	74.6%	25.4%	981
High school diploma/GED	92.6%	7.4%	10,375
Some college or AA degree	97.6%	2.4%	26,424
Bachelor's degree or higher	99.1%	0.9%	24,611
Household income (in 2012)			
Less than \$20,000	79.2%	20.8%	3,923
\$20,000 - \$34,999	94.7%	5.3%	4,687
\$35,000 - \$49,999	98.4%	1.6%	9,715
\$50,000 - \$99,999	98.4%	1.6%	27,526
\$100,000+	98.8%	1.2%	14,392
Household type			
Single adult, no children	93.9%	6.1%	5,974
2+ adults, no children	96.3%	3.7%	29,540
Single adult, 1+ children	97.0%	3.0%	2,510
2+ adults, 1+ children	98.8%	1.2%	24,355
All areas included in the study			
Benton County	94.8%	5.2%	27,116
Chisago County	98.4%	1.6%	40,040
Mille Lacs County	94.0%	6.0%	19,186
Sherburne County	97.0%	3.0%	62,689
Stearns County	96.5%	3.5%	117,359
Entire five-county region	96.6%	3.4%	266,390

48. (Of those who said they drive) When driving a car or other vehicle, how often do you read incoming text messages or emails?

	Often	Sometimes	Never	Total
Sherburne County total	5.2%	44.4%	50.4%	58,353
Gender				
Female	4.5%	43.5%	52.1%	28,447
Male	5.9%	45.6%	48.5%	29,730
Age				
18-34	8.3%	63.6%	28.1%	18,694
35-44	5.1%	56.6%	38.3%	13,084
45-54	5.1%	38.2%	56.7%	12,602
55-64	1.9%	22.3%	75.8%	7,471
65-74	0.0%	2.8%	97.2%	3,602
75+	0.0%	1.8%	98.2%	2,128
Highest level of education				
Less than high school diploma/GED	17.5%	42.4%	40.1%	635
High school diploma/GED	0.2%	39.5%	60.2%	9,175
Some college or AA degree	5.4%	41.7%	52.9%	24,383
Bachelor's degree or higher	6.6%	49.6%	43.8%	23,862
Household income (in 2012)				
Less than \$20,000	8.9%	37.6%	53.6%	2,868
\$20,000 - \$34,999	2.8%	31.4%	65.8%	4,133
\$35,000 - \$49,999	3.0%	44.1%	52.8%	9,054
\$50,000 - \$99,999	7.0%	46.8%	46.2%	26,209
\$100,000+	3.2%	48.8%	47.9%	13,912
Household type				
Single adult, no children	2.1%	33.8%	64.1%	5,073
2+ adults, no children	3.9%	37.9%	58.2%	27,150
Single adult, 1+ children	5.0%	56.9%	38.1%	2,273
2+ adults, 1+ children	7.2%	53.0%	39.8%	23,579
All areas included in the study				
Benton County	4.4%	40.4%	55.2%	24,465
Chisago County	9.7%	40.2%	50.1%	38,155
Mille Lacs County	2.5%	37.8%	59.7%	16,894
Sherburne County	5.2%	44.4%	50.4%	58,353
Stearns County	7.9%	49.1%	43.0%	108,369
Entire five-county region	6.8%	45.0%	48.2%	246,236

49. (Of those who said they drive) When driving a car or other vehicle, how often do you send text messages or emails?

	Often	Sometimes	Never	Total
Sherburne County total	3.2%	30.4%	66.4%	58,397
Gender				
Female	3.0%	27.2%	69.8%	28,431
Male	3.4%	33.7%	62.9%	29,791
Age				
18-34	7.3%	48.5%	44.2%	18,694
35-44	1.8%	36.5%	61.6%	13,144
45-54	1.2%	26.5%	72.2%	12,602
55-64	1.6%	6.4%	92.0%	7,471
65-74	0.0%	2.0%	98.0%	3,602
75+	0.0%	0.0%	100.0%	2,119
Highest level of education				
Less than high school diploma/GED	17.5%	15.7%	66.9%	635
High school diploma/GED	0.0%	27.3%	72.7%	9,182
Some college or AA degree	4.0%	26.2%	69.8%	24,383
Bachelor's degree or higher	3.4%	36.7%	60.0%	23,915
Household income (in 2012)				
Less than \$20,000	5.3%	36.5%	58.2%	2,860
\$20,000 - \$34,999	2.8%	13.2%	84.0%	4,133
\$35,000 - \$49,999	2.7%	32.9%	64.4%	9,054
\$50,000 - \$99,999	4.4%	31.0%	64.6%	26,202
\$100,000+	1.6%	32.6%	65.8%	13,912
Household type				
Single adult, no children	1.7%	22.2%	76.1%	5,057
2+ adults, no children	3.1%	27.7%	69.2%	27,150
Single adult, 1+ children	4.9%	43.1%	52.0%	2,334
2+ adults, 1+ children	3.4%	34.3%	62.4%	23,579
All areas included in the study				
Benton County	1.2%	22.8%	75.9%	24,484
Chisago County	8.5%	20.3%	71.2%	38,155
Mille Lacs County	0.9%	15.9%	83.2%	16,894
Sherburne County	3.2%	30.4%	66.4%	58,397
Stearns County	7.0%	33.9%	59.2%	108,202
Entire five-county region	5.3%	28.6%	66.1%	246,133

50. (Of those who said they drive) When driving a car or other vehicle, how often do you make or answer a phone call?

	Often	Sometimes	Never	Total
Sherburne County total	28.0%	61.4%	10.5%	58,291
Gender				
Female	26.6%	62.9%	10.5%	28,446
Male	29.5%	59.9%	10.5%	29,670
Age				
18-34	38.2%	60.9%	0.8%	18,717
35-44	38.9%	53.8%	7.3%	13,024
45-54	27.4%	66.8%	5.8%	12,639
55-64	7.6%	75.5%	17.0%	7,433
65-74	2.6%	55.3%	42.1%	3,564
75+	0.0%	42.8%	57.2%	2,142
Highest level of education				
Less than high school diploma/GED	59.9%	9.4%	30.8%	635
High school diploma/GED	29.7%	49.6%	20.7%	9,201
Some college or AA degree	23.2%	67.2%	9.5%	24,280
Bachelor's degree or higher	31.8%	61.4%	6.8%	23,877
Household income (in 2012)				
Less than \$20,000	14.1%	50.6%	35.3%	2,882
\$20,000 - \$34,999	14.2%	60.5%	25.3%	4,133
\$35,000 - \$49,999	24.1%	62.7%	13.2%	9,060
\$50,000 - \$99,999	32.0%	60.8%	7.2%	26,021
\$100,000+	32.3%	64.4%	3.2%	13,958
Household type				
Single adult, no children	18.4%	56.3%	25.3%	5,092
2+ adults, no children	18.0%	68.6%	13.4%	26,999
Single adult, 1+ children	34.9%	64.0%	1.0%	2,334
2+ adults, 1+ children	41.1%	54.0%	5.0%	23,588
All areas included in the study				
Benton County	28.2%	58.3%	13.5%	24,490
Chisago County	33.8%	53.6%	12.6%	37,896
Mille Lacs County	25.3%	58.2%	16.5%	16,822
Sherburne County	28.0%	61.4%	10.5%	58,291
Stearns County	25.5%	62.3%	12.1%	107,813
Entire five-county region	27.7%	60.1%	12.2%	245,312

51. (Of those who said they drive) When driving a car or other vehicle, how often do you do other activities such as eat, read, or apply makeup or shave?

	Often	Sometimes	Never	Total
Sherburne County total	5.8%	43.1%	51.0%	60,006
Gender				
Female	5.0%	46.6%	48.4%	29,222
Male	6.6%	39.8%	53.5%	30,609
Age				
18-34	7.1%	41.2%	51.7%	18,636
35-44	7.3%	48.5%	44.2%	13,187
45-54	7.9%	48.4%	43.7%	12,777
55-64	1.8%	43.9%	54.3%	8,048
65-74	0.9%	37.6%	61.5%	3,912
75+	0.7%	14.4%	84.9%	2,393
Highest level of education				
Less than high school diploma/GED	16.5%	53.3%	30.2%	674
High school diploma/GED	7.3%	29.8%	62.9%	9,480
Some college or AA degree	4.9%	45.8%	49.2%	25,422
Bachelor's degree or higher	5.9%	45.6%	48.4%	24,149
Household income (in 2012)				
Less than \$20,000	6.9%	19.1%	74.0%	3,058
\$20,000 - \$34,999	3.0%	44.2%	52.8%	4,350
\$35,000 - \$49,999	4.2%	37.8%	57.9%	9,539
\$50,000 - \$99,999	5.4%	45.8%	48.8%	26,662
\$100,000+	9.3%	47.1%	43.6%	14,140
Household type				
Single adult, no children	5.0%	28.2%	66.8%	5,547
2+ adults, no children	2.8%	41.7%	55.5%	27,910
Single adult, 1+ children	0.4%	51.6%	48.0%	2,351
2+ adults, 1+ children	10.1%	47.1%	42.7%	23,920
All areas included in the study				
Benton County	5.2%	34.5%	60.3%	25,277
Chisago County	10.8%	43.2%	46.0%	38,729
Mille Lacs County	4.9%	41.7%	53.4%	17,770
Sherburne County	5.8%	43.1%	51.0%	60,006
Stearns County	5.4%	44.0%	50.6%	110,553
Entire five-county region	6.3%	42.6%	51.2%	252,336

52. In general, how often do you smoke cigarettes?

	Everyday	Some days	Never	Total
Sherburne County total	11.4%	3.2%	85.4%	62,549
Gender				
Female	9.3%	3.8%	86.9%	30,471
Male	13.5%	2.7%	83.9%	31,903
Age				
18-34	11.1%	3.8%	85.1%	19,478
35-44	12.6%	5.5%	81.9%	13,545
45-54	16.3%	1.1%	82.6%	13,145
55-64	9.2%	3.0%	87.8%	8,170
65-74	8.4%	1.6%	90.0%	4,138
75+	0.5%	1.9%	97.6%	3,008
Highest level of education				
Less than high school diploma/GED	11.4%	3.9%	84.6%	948
High school diploma/GED	18.9%	3.9%	77.2%	10,357
Some college or AA degree	14.6%	2.2%	83.2%	26,334
Bachelor's degree or higher	4.8%	3.9%	91.3%	24,611
Household income (in 2012)				
Less than \$20,000	24.7%	1.6%	73.7%	3,879
\$20,000 - \$34,999	26.5%	2.3%	71.2%	4,687
\$35,000 - \$49,999	10.6%	4.8%	84.6%	9,715
\$50,000 - \$99,999	9.4%	4.4%	86.2%	27,453
\$100,000+	7.7%	0.8%	91.5%	14,392
Household type				
Single adult, no children	15.9%	8.0%	76.1%	5,923
2+ adults, no children	11.0%	1.5%	87.5%	29,467
Single adult, 1+ children	33.1%	4.3%	62.6%	2,510
2+ adults, 1+ children	8.4%	4.0%	87.6%	24,355
All areas included in the study				
Benton County	13.8%	6.8%	79.4%	27,116
Chisago County	13.2%	4.5%	82.3%	39,790
Mille Lacs County	12.9%	5.4%	81.7%	19,113
Sherburne County	11.4%	3.2%	85.4%	62,549
Stearns County	7.4%	1.6%	91.0%	116,859
Entire five-county region	10.3%	3.2%	86.5%	265,426

53. Smoking status (calculated variable)

	Non-smoker ^a	Current smoker ^b	Total
Sherburne County total	85.4%	14.6%	62,549
Gender			
Female	86.9%	13.1%	30,471
Male	83.9%	16.1%	31,903
Age			
18-34	85.1%	14.9%	19,478
35-44	81.9%	18.1%	13,545
45-54	82.6%	17.4%	13,145
55-64	87.8%	12.2%	8,170
65-74	90.0%	10.0%	4,138
75+	97.6%	2.4%	3,008
Highest level of education			
Less than high school diploma/GED	84.6%	15.4%	948
High school diploma/GED	77.2%	22.8%	10,357
Some college or AA degree	83.2%	16.8%	26,334
Bachelor's degree or higher	91.3%	8.7%	24,611
Household income (in 2012)			
Less than \$20,000	73.7%	26.3%	3,879
\$20,000 - \$34,999	71.2%	28.8%	4,687
\$35,000 - \$49,999	84.6%	15.4%	9,715
\$50,000 - \$99,999	86.2%	13.8%	27,453
\$100,000+	91.5%	8.5%	14,392
Household type			
Single adult, no children	76.1%	23.9%	5,923
2+ adults, no children	87.5%	12.5%	29,467
Single adult, 1+ children	62.6%	37.4%	2,510
2+ adults, 1+ children	87.6%	12.4%	24,355
All areas included in the study			
Benton County	79.4%	20.6%	27,116
Chisago County	82.3%	17.7%	39,790
Mille Lacs County	81.7%	18.3%	19,113
Sherburne County	85.4%	14.6%	62,549
Stearns County	91.0%	9.0%	116,859
Entire five-county region	86.5%	13.5%	265,426

^a Note: A respondent was determined to be a "non-smoker" if they answered "never" to question 25a: "In general, how often do you smoke cigarettes?"

^b Note: A respondent was determined to be a "current smoker" if they answered "every day" or "some days" to question 25a: "In general, how often do you smoke cigarettes?"

54. In general, how often do you chew tobacco?

	Everyday	Some days	Never	Total
Sherburne County total	2.5%	3.2%	94.2%	62,505
Gender				
Female	0.1%	0.0%	99.9%	30,426
Male	4.9%	6.3%	88.8%	31,903
Age				
18-34	2.0%	7.1%	90.9%	19,478
35-44	1.3%	2.8%	95.9%	13,545
45-54	4.5%	0.9%	94.6%	13,035
55-64	0.7%	0.4%	98.9%	8,243
65-74	2.7%	0.1%	97.2%	4,138
75+	0.0%	0.0%	100.0%	3,000
Highest level of education				
Less than high school diploma/GED	20.5%	0.0%	79.5%	948
High school diploma/GED	0.8%	8.9%	90.3%	10,345
Some college or AA degree	3.0%	2.3%	94.8%	26,302
Bachelor's degree or higher	2.1%	1.9%	96.0%	24,611
Household income (in 2012)				
Less than \$20,000	0.6%	11.8%	87.6%	3,879
\$20,000 - \$34,999	0.8%	2.8%	96.4%	4,687
\$35,000 - \$49,999	3.1%	0.3%	96.6%	9,679
\$50,000 - \$99,999	4.1%	3.0%	92.9%	27,494
\$100,000+	0.6%	4.0%	95.4%	14,343
Household type				
Single adult, no children	4.8%	8.3%	86.9%	5,879
2+ adults, no children	2.4%	4.1%	93.5%	29,467
Single adult, 1+ children	2.8%	0.0%	97.2%	2,510
2+ adults, 1+ children	2.1%	1.3%	96.5%	24,355
All areas included in the study				
Benton County	0.2%	4.9%	94.9%	26,827
Chisago County	3.6%	3.1%	93.3%	39,851
Mille Lacs County	1.3%	1.2%	97.5%	19,091
Sherburne County	2.5%	3.2%	94.2%	62,505
Stearns County	2.3%	0.8%	96.9%	116,951
Entire five-county region	2.3%	2.2%	95.6%	265,225

55. Chewing tobacco user status (calculated variable)

	Non-user ^a	Current user ^b	Total
Sherburne County total	94.2%	5.8%	62,505
Gender			
Female	99.9%	0.1%	30,426
Male	88.8%	11.2%	31,903
Age			
18-34	90.9%	9.1%	19,478
35-44	95.9%	4.1%	13,545
45-54	94.6%	5.4%	13,035
55-64	98.9%	1.1%	8,243
65-74	97.2%	2.8%	4,138
75+	100.0%	0.0%	3,000
Highest level of education			
Less than high school diploma/GED	79.5%	20.5%	948
High school diploma/GED	90.3%	9.7%	10,345
Some college or AA degree	94.8%	5.2%	26,302
Bachelor's degree or higher	96.0%	4.0%	24,611
Household income (in 2012)			
Less than \$20,000	87.6%	12.4%	3,879
\$20,000 - \$34,999	96.4%	3.6%	4,687
\$35,000 - \$49,999	96.6%	3.4%	9,679
\$50,000 - \$99,999	92.9%	7.1%	27,494
\$100,000+	95.4%	4.6%	14,343
Household type			
Single adult, no children	86.9%	13.1%	5,879
2+ adults, no children	93.5%	6.5%	29,467
Single adult, 1+ children	97.2%	2.8%	2,510
2+ adults, 1+ children	96.5%	3.5%	24,355
All areas included in the study			
Benton County	94.9%	5.1%	26,827
Chisago County	93.3%	6.7%	39,851
Mille Lacs County	97.5%	2.5%	19,091
Sherburne County	94.2%	5.8%	62,505
Stearns County	96.9%	3.1%	116,951
Entire five-county region	95.6%	4.4%	265,225

^a Note: A respondent was determined to be a "non-user" if they answered "never" to question 25b: "In general, how often do you chew tobacco?"

^b Note: A respondent was determined to be a "current user" if they answered "every day" or "some days" to question 25b: "In general, how often do you chew tobacco?"

56. In general, how often do you smoke cigars, cigarillos, or little cigars?

	Everyday	Some days	Never	Total
Sherburne County total	0.4%	5.0%	94.7%	62,505
Gender				
Female	0.3%	0.8%	98.9%	30,435
Male	0.4%	8.9%	90.6%	31,895
Age				
18-34	0.4%	7.9%	91.7%	19,478
35-44	0.0%	3.4%	96.6%	13,515
45-54	0.0%	3.4%	96.6%	13,108
55-64	1.8%	4.4%	93.9%	8,243
65-74	0.3%	1.1%	98.6%	4,138
75+	0.0%	0.0%	100.0%	2,957
Highest level of education				
Less than high school diploma/GED	11.7%	0.0%	88.3%	948
High school diploma/GED	0.0%	7.0%	93.0%	10,299
Some college or AA degree	0.5%	5.2%	94.3%	26,376
Bachelor's degree or higher	0.0%	4.0%	96.0%	24,584
Household income (in 2012)				
Less than \$20,000	3.3%	24.7%	72.0%	3,863
\$20,000 - \$34,999	0.2%	0.0%	99.8%	4,687
\$35,000 - \$49,999	0.8%	5.6%	93.5%	9,649
\$50,000 - \$99,999	0.1%	4.9%	95.0%	27,492
\$100,000+	0.0%	1.6%	98.4%	14,392
Household type				
Single adult, no children	0.2%	6.7%	93.1%	5,833
2+ adults, no children	0.1%	7.5%	92.4%	29,513
Single adult, 1+ children	0.0%	0.0%	100.0%	2,510
2+ adults, 1+ children	0.8%	2.0%	97.2%	24,355
All areas included in the study				
Benton County	0.1%	3.4%	96.6%	27,111
Chisago County	0.2%	4.0%	95.9%	38,918
Mille Lacs County	0.6%	0.9%	98.5%	19,091
Sherburne County	0.4%	5.0%	94.7%	62,505
Stearns County	0.1%	5.5%	94.4%	117,204
Entire five-county region	0.2%	4.6%	95.2%	264,829

57. Cigars, cigarillos, or little cigar smoking status (calculated variable)

	Non-smoker ^a	Current smoker ^b	Total
Sherburne County total	94.7%	5.3%	62,505
Gender			
Female	98.9%	1.1%	30,435
Male	90.6%	9.4%	31,895
Age			
18-34	91.7%	8.3%	19,478
35-44	96.6%	3.4%	13,515
45-54	96.6%	3.4%	13,108
55-64	93.9%	6.1%	8,243
65-74	98.6%	1.4%	4,138
75+	100.0%	0.0%	2,957
Highest level of education			
Less than high school diploma/GED	88.3%	11.7%	948
High school diploma/GED	93.0%	7.0%	10,299
Some college or AA degree	94.3%	5.7%	26,376
Bachelor's degree or higher	96.0%	4.0%	24,584
Household income (in 2012)			
Less than \$20,000	72.0%	28.0%	3,863
\$20,000 - \$34,999	99.8%	0.2%	4,687
\$35,000 - \$49,999	93.5%	6.5%	9,649
\$50,000 - \$99,999	95.0%	5.0%	27,492
\$100,000+	98.4%	1.6%	14,392
Household type			
Single adult, no children	93.1%	6.9%	5,833
2+ adults, no children	92.4%	7.6%	29,513
Single adult, 1+ children	100.0%	0.0%	2,510
2+ adults, 1+ children	97.2%	2.8%	24,355
All areas included in the study			
Benton County	96.6%	3.4%	27,111
Chisago County	95.9%	4.1%	38,918
Mille Lacs County	98.5%	1.5%	19,091
Sherburne County	94.7%	5.3%	62,505
Stearns County	94.4%	5.6%	117,204
Entire five-county region	95.2%	4.8%	264,829

^a Note: A respondent was determined to be a "non-smoker" if they answered "never" to question 25c: "In general, how often do you smoke cigars, cigarillos, or little cigars?"

^b Note: A respondent was determined to be a "current smoker" if they answered "every day" or "some days" to question 25c: "In general, how often do you smoke cigars, cigarillos, or little cigars?"

58. In general, how often do you use marijuana?

	Everyday	Some days	Never	Total
Sherburne County total	1.4%	4.2%	94.4%	62,472
Gender				
Female	0.5%	1.6%	97.9%	30,420
Male	2.2%	6.7%	91.1%	31,877
Age				
18-34	0.6%	7.0%	92.4%	19,478
35-44	3.7%	3.9%	92.4%	13,457
45-54	1.0%	2.9%	96.1%	13,108
55-64	1.3%	4.5%	94.2%	8,243
65-74	0.0%	0.1%	99.9%	4,138
75+	0.0%	0.0%	100.0%	2,994
Highest level of education				
Less than high school diploma/GED	11.7%	17.9%	70.4%	948
High school diploma/GED	2.3%	8.9%	88.7%	10,313
Some college or AA degree	1.2%	3.8%	95.0%	26,400
Bachelor's degree or higher	0.7%	2.2%	97.1%	24,512
Household income (in 2012)				
Less than \$20,000	3.2%	1.4%	95.4%	3,872
\$20,000 - \$34,999	2.7%	4.9%	92.4%	4,687
\$35,000 - \$49,999	2.9%	7.2%	89.9%	9,667
\$50,000 - \$99,999	0.9%	4.9%	94.2%	27,519
\$100,000+	0.5%	2.1%	97.4%	14,304
Household type				
Single adult, no children	0.6%	9.7%	89.7%	5,885
2+ adults, no children	0.4%	5.7%	93.9%	29,515
Single adult, 1+ children	0.0%	3.7%	96.3%	2,510
2+ adults, 1+ children	2.8%	1.1%	96.1%	24,267
All areas included in the study				
Benton County	0.4%	5.4%	94.2%	27,036
Chisago County	0.2%	4.7%	95.1%	39,851
Mille Lacs County	0.5%	2.1%	97.4%	19,161
Sherburne County	1.4%	4.2%	94.4%	62,472
Stearns County	1.0%	3.0%	96.0%	117,563
Entire five-county region	0.9%	3.7%	95.4%	266,083

59. Marijuana user status (calculated variable)

	Non-user ^a	Current user ^b	Total
Sherburne County total	94.4%	5.6%	62,472
Gender			
Female	97.9%	2.1%	30,420
Male	91.1%	8.9%	31,877
Age			
18-34	92.4%	7.6%	19,478
35-44	92.4%	7.6%	13,457
45-54	96.1%	3.9%	13,108
55-64	94.2%	5.8%	8,243
65-74	99.9%	0.1%	4,138
75+	100.0%	0.0%	2,994
Highest level of education			
Less than high school diploma/GED	70.4%	29.6%	948
High school diploma/GED	88.7%	11.3%	10,313
Some college or AA degree	95.0%	5.0%	26,400
Bachelor's degree or higher	97.1%	2.9%	24,512
Household income (in 2012)			
Less than \$20,000	95.4%	4.6%	3,872
\$20,000 - \$34,999	92.4%	7.6%	4,687
\$35,000 - \$49,999	89.9%	10.1%	9,667
\$50,000 - \$99,999	94.2%	5.8%	27,519
\$100,000+	97.4%	2.6%	14,304
Household type			
Single adult, no children	89.7%	10.3%	5,885
2+ adults, no children	93.9%	6.1%	29,515
Single adult, 1+ children	96.3%	3.7%	2,510
2+ adults, 1+ children	96.1%	3.9%	24,267
All areas included in the study			
Benton County	94.2%	5.8%	27,036
Chisago County	95.1%	4.9%	39,851
Mille Lacs County	97.4%	2.6%	19,161
Sherburne County	94.4%	5.6%	62,472
Stearns County	96.0%	4.0%	117,563
Entire five-county region	95.4%	4.6%	266,083

^a Note: A respondent was determined to be a "non-user" if they answered "never" to question 25d: "In general, how often do you use marijuana?"

^b Note: A respondent was determined to be a "current user" if they answered "every day" or "some days" to question 25d: "In general, how often do you use marijuana?"

60. In general, how often do you use other illegal drugs such as cocaine, heroin, or meth?

	Everyday	Some days	Never	Total
Sherburne County total	0.1%	0.6%	99.2%	62,578
Gender				
Female	0.0%	0.2%	99.8%	30,426
Male	0.3%	1.0%	98.7%	31,976
Age				
18-34	0.0%	1.7%	98.3%	19,478
35-44	0.6%	0.0%	99.4%	13,545
45-54	0.0%	0.4%	99.6%	13,108
55-64	0.0%	0.0%	100.0%	8,243
65-74	0.0%	0.1%	99.9%	4,138
75+	0.0%	0.0%	100.0%	3,000
Highest level of education				
Less than high school diploma/GED	0.0%	0.0%	100.0%	948
High school diploma/GED	0.0%	0.0%	100.0%	10,320
Some college or AA degree	0.3%	0.3%	99.4%	26,400
Bachelor's degree or higher	0.0%	1.3%	98.7%	24,611
Household income (in 2012)				
Less than \$20,000	0.0%	0.8%	99.2%	3,879
\$20,000 - \$34,999	1.9%	0.8%	97.3%	4,687
\$35,000 - \$49,999	0.0%	0.0%	100.0%	9,678
\$50,000 - \$99,999	0.0%	1.1%	98.9%	27,519
\$100,000+	0.0%	0.0%	100.0%	14,392
Household type				
Single adult, no children	0.0%	0.3%	99.7%	5,903
2+ adults, no children	0.3%	1.2%	98.5%	29,515
Single adult, 1+ children	0.0%	0.4%	99.6%	2,510
2+ adults, 1+ children	0.0%	0.0%	100.0%	24,355
All areas included in the study				
Benton County	0.0%	1.5%	98.5%	27,111
Chisago County	0.0%	0.0%	100.0%	39,851
Mille Lacs County	0.0%	0.0%	100.0%	19,057
Sherburne County	0.1%	0.6%	99.2%	62,578
Stearns County	0.6%	0.0%	99.4%	117,563
Entire five-county region	0.3%	0.3%	99.4%	266,159

62. Other illegal drugs such as cocaine, heroin, or meth user status (calculated variable)

	Non-user ^a	Current user ^b	Total
Sherburne County total	99.2%	0.8%	62,578
Gender			
Female	99.8%	0.2%	30,426
Male	98.7%	1.3%	31,976
Age			
18-34	98.3%	1.7%	19,478
35-44	99.4%	0.6%	13,545
45-54	99.6%	0.4%	13,108
55-64	100.0%	0.0%	8,243
65-74	99.9%	0.1%	4,138
75+	100.0%	0.0%	3,000
Highest level of education			
Less than high school diploma/GED	100.0%	0.0%	948
High school diploma/GED	100.0%	0.0%	10,320
Some college or AA degree	99.4%	0.6%	26,400
Bachelor's degree or higher	98.7%	1.3%	24,611
Household income (in 2012)			
Less than \$20,000	99.2%	0.8%	3,879
\$20,000 - \$34,999	97.3%	2.7%	4,687
\$35,000 - \$49,999	100.0%	0.0%	9,678
\$50,000 - \$99,999	98.9%	1.1%	27,519
\$100,000+	100.0%	0.0%	14,392
Household type			
Single adult, no children	99.7%	0.3%	5,903
2+ adults, no children	98.5%	1.5%	29,515
Single adult, 1+ children	99.6%	0.4%	2,510
2+ adults, 1+ children	100.0%	0.0%	24,355
All areas included in the study			
Benton County	98.5%	1.5%	27,111
Chisago County	100.0%	0.0%	39,851
Mille Lacs County	100.0%	0.0%	19,057
Sherburne County	99.2%	0.8%	62,578
Stearns County	99.4%	0.6%	117,563
Entire five-county region	99.4%	0.6%	266,159

^a Note: A respondent was determined to be a "non-user" if they answered "never" to question 25e: "In general, how often do you use other illegal drugs such as cocaine, heroin, or meth?"

^b Note: A respondent was determined to be a "current user" if they answered "every day" or "some days" to question 25e: "In general, how often do you use other illegal drugs such as cocaine, heroin, or meth?"

62. In general, how often do you use prescription drugs that are not prescribed for you or that you take only to get high?

	Everyday	Some days	Never	Total
Sherburne County total	0.0%	1.0%	98.9%	62,337
Gender				
Female	0.1%	0.2%	99.8%	30,401
Male	0.0%	1.8%	98.2%	31,761
Age				
18-34	0.0%	1.6%	98.4%	19,478
35-44	0.0%	0.7%	99.3%	13,504
45-54	0.0%	0.7%	99.3%	12,893
55-64	0.0%	1.7%	98.3%	8,243
65-74	0.0%	0.1%	99.9%	4,138
75+	0.5%	0.0%	99.5%	3,016
Highest level of education				
Less than high school diploma/GED	1.7%	11.5%	86.8%	965
High school diploma/GED	0.0%	0.5%	99.5%	10,105
Some college or AA degree	0.0%	0.6%	99.4%	26,400
Bachelor's degree or higher	0.0%	1.4%	98.6%	24,570
Household income (in 2012)				
Less than \$20,000	0.4%	3.0%	96.6%	3,895
\$20,000 - \$34,999	0.0%	1.9%	98.1%	4,687
\$35,000 - \$49,999	0.0%	0.3%	99.7%	9,463
\$50,000 - \$99,999	0.0%	1.5%	98.5%	27,477
\$100,000+	0.0%	0.0%	100.0%	14,392
Household type				
Single adult, no children	0.0%	0.5%	99.5%	5,903
2+ adults, no children	0.0%	1.6%	98.4%	29,515
Single adult, 1+ children	0.0%	0.0%	100.0%	2,295
2+ adults, 1+ children	0.0%	0.6%	99.4%	24,314
All areas included in the study				
Benton County	0.0%	1.9%	98.1%	27,036
Chisago County	0.0%	0.9%	99.1%	39,718
Mille Lacs County	0.0%	0.0%	100.0%	19,028
Sherburne County	0.0%	1.0%	98.9%	62,337
Stearns County	0.0%	1.9%	98.1%	117,341
Entire five-county region	0.0%	1.4%	98.6%	265,460

63. Prescription drugs (that are not prescribed for you or that you take only to get high) user status (calculated variable)

	Non-user ^a	Current user ^b	Total
Sherburne County total	98.9%	1.1%	62,337
Gender			
Female	99.8%	0.2%	30,401
Male	98.2%	1.8%	31,761
Age			
18-34	98.4%	1.6%	19,478
35-44	99.3%	0.7%	13,504
45-54	99.3%	0.7%	12,893
55-64	98.3%	1.7%	8,243
65-74	99.9%	0.1%	4,138
75+	99.5%	0.5%	3,016
Highest level of education			
Less than high school diploma/GED	86.8%	13.2%	965
High school diploma/GED	99.5%	0.5%	10,105
Some college or AA degree	99.4%	0.6%	26,400
Bachelor's degree or higher	98.6%	1.4%	24,570
Household income (in 2012)			
Less than \$20,000	96.6%	3.4%	3,895
\$20,000 - \$34,999	98.1%	1.9%	4,687
\$35,000 - \$49,999	99.7%	0.3%	9,463
\$50,000 - \$99,999	98.5%	1.5%	27,477
\$100,000+	100.0%	0.0%	14,392
Household type			
Single adult, no children	99.5%	0.5%	5,903
2+ adults, no children	98.4%	1.6%	29,515
Single adult, 1+ children	100.0%	0.0%	2,295
2+ adults, 1+ children	99.4%	0.6%	24,314
All areas included in the study			
Benton County	98.1%	1.9%	27,036
Chisago County	99.1%	0.9%	39,718
Mille Lacs County	100.0%	0.0%	19,028
Sherburne County	98.9%	1.1%	62,337
Stearns County	98.1%	1.9%	117,341
Entire five-county region	98.6%	1.4%	265,460

^a Note: A respondent was determined to be a "non-user" if they answered "never" to question 25f: "In general, how often do you use prescription drugs that are not prescribed for you or that you take only to get high?"

^b Note: A respondent was determined to be a "current user" if they answered "every day" or "some days" to question 25f: "In general, how often do you use prescription drugs that are not prescribed for you or that you take only to get high?"

64. During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage, or liquor?

	Yes	No	Total
Sherburne County total	72.3%	27.7%	62,676
Gender			
Female	69.0%	31.0%	30,525
Male	75.9%	24.1%	31,976
Age			
18-34	77.2%	22.8%	19,478
35-44	77.5%	22.5%	13,545
45-54	71.4%	28.6%	13,145
55-64	66.2%	33.8%	8,243
65-74	59.8%	40.2%	4,136
75+	56.0%	44.0%	3,064
Highest level of education			
Less than high school diploma/GED	66.6%	33.4%	981
High school diploma/GED	71.3%	28.7%	10,362
Some college or AA degree	71.3%	28.7%	26,424
Bachelor's degree or higher	74.3%	25.7%	24,611
Household income (in 2012)			
Less than \$20,000	58.2%	41.8%	3,923
\$20,000 - \$34,999	58.2%	41.8%	4,687
\$35,000 - \$49,999	71.1%	28.9%	9,715
\$50,000 - \$99,999	73.6%	26.4%	27,526
\$100,000+	78.2%	21.8%	14,392
Household type			
Single adult, no children	63.3%	36.7%	5,974
2+ adults, no children	76.6%	23.4%	29,527
Single adult, 1+ children	79.8%	20.2%	2,510
2+ adults, 1+ children	68.9%	31.1%	24,355
All areas included in the study			
Benton County	72.4%	27.6%	27,063
Chisago County	66.0%	34.0%	40,040
Mille Lacs County	71.6%	28.4%	19,137
Sherburne County	72.3%	27.7%	62,676
Stearns County	73.0%	27.0%	117,436
Entire five-county region	71.6%	28.4%	266,353

65. (Of those who said they had at least one alcoholic beverage in the past 30 days) During the past 30 days, on how many days did you have at least one drink of any alcoholic beverage? (Mean)

	Mean	Total
Sherburne County total	8.1	45,120
Gender		
Female	7.2	20,862
Male	8.8	24,258
Age		
18-34	6.5	15,037
35-44	7.4	10,369
45-54	8.2	9,334
55-64	10.8	5,440
65-74	10.9	2,475
75+	12.5	1,708
Highest level of education		
Less than high school diploma/GED	18.3	629
High school diploma/GED	8.4	7,254
Some college or AA degree	8.2	18,832
Bachelor's degree or higher	7.6	18,237
Household income (in 2012)		
Less than \$20,000	7.4	2,233
\$20,000 - \$34,999	7.8	2,672
\$35,000 - \$49,999	8.5	6,881
\$50,000 - \$99,999	8.4	20,222
\$100,000+	7.8	11,232
Household type		
Single adult, no children	9.7	3,756
2+ adults, no children	9.4	22,559
Single adult, 1+ children	8.8	1,957
2+ adults, 1+ children	5.9	16,685
All areas included in the study		
Benton County	9.1	19,571
Chisago County	10.1	26,363
Mille Lacs County	9.6	13,671
Sherburne County	8.1	45,120
Stearns County	8.3	85,357
Entire five-county region	8.7	190,082

66. (Of those who said they had at least one alcoholic beverage in the past 30 days) During the past 30 days, on the days when you drank, about how many drinks did you drink on average? (Mean)

	Mean	Total
Sherburne County total	2.6	45,189
Gender		
Female	2.6	20,940
Male	2.6	24,249
Age		
18-34	2.9	15,014
35-44	2.7	10,414
45-54	2.8	9,383
55-64	2.3	5,453
65-74	1.7	2,462
75+	1.3	1,705
Highest level of education		
Less than high school diploma/GED	5.4	653
High school diploma/GED	2.8	7,317
Some college or AA degree	2.7	18,803
Bachelor's degree or higher	2.3	18,247
Household income (in 2012)		
Less than \$20,000	3.0	2,284
\$20,000 - \$34,999	2.5	2,672
\$35,000 - \$49,999	2.6	6,893
\$50,000 - \$99,999	2.7	20,260
\$100,000+	2.5	11,232
Household type		
Single adult, no children	2.3	3,775
2+ adults, no children	2.5	22,564
Single adult, 1+ children	3.9	2,002
2+ adults, 1+ children	2.7	16,685
All areas included in the study		
Benton County	2.5	19,403
Chisago County	3.2	26,372
Mille Lacs County	2.5	13,671
Sherburne County	2.6	45,189
Stearns County	2.5	85,412
Entire five-county region	2.6	190,047

67. (Of those who said they had at least one alcoholic beverage in the past 30 days) Total number of drinks in past 30 days (Mean, calculated variable)

	Mean	Total
Sherburne County total	23.4	45,068
Gender		
Female	21.6	20,820
Male	24.9	24,249
Age		
18-34	19.2	15,014
35-44	22.5	10,369
45-54	27.9	9,334
55-64	32.2	5,433
65-74	22.7	2,462
75+	18.8	1,699
Highest level of education		
Less than high school diploma/GED	118.8	629
High school diploma/GED	25.7	7,241
Some college or AA degree	25.0	18,803
Bachelor's degree or higher	17.6	18,228
Household income (in 2012)		
Less than \$20,000	34.1	2,233
\$20,000 - \$34,999	19.0	2,672
\$35,000 - \$49,999	28.4	6,868
\$50,000 - \$99,999	23.9	20,215
\$100,000+	19.7	11,232
Household type		
Single adult, no children	26.3	3,749
2+ adults, no children	25.7	22,514
Single adult, 1+ children	34.2	1,957
2+ adults, 1+ children	18.3	16,685
All areas included in the study		
Benton County	25.8	19,403
Chisago County	33.3	26,303
Mille Lacs County	29.4	13,637
Sherburne County	23.4	45,068
Stearns County	23.8	85,299
Entire five-county region	25.7	189,710

68. During the past 30 days, on the days when you drank, about how many drinks did you drink on average?^a (calculated variable)

	No drinking	Drinking, not chronic – gender specific	Chronic drinking -- gender specific	Total
Sherburne County total	27.8%	61.0%	11.2%	62,420
Gender				
Female	31.2%	56.2%	12.5%	30,278
Male	24.1%	65.9%	10.0%	31,967
Age				
18-34	22.8%	66.6%	10.6%	19,455
35-44	22.7%	64.4%	12.9%	13,416
45-54	28.7%	59.2%	12.1%	13,095
55-64	33.9%	57.9%	8.2%	8,216
65-74	40.3%	46.9%	12.8%	4,124
75+	44.3%	42.5%	13.3%	3,048
Highest level of education				
Less than high school diploma/GED	34.3%	22.0%	43.7%	957
High school diploma/GED	29.1%	54.0%	16.9%	10,217
Some college or AA degree	28.8%	59.9%	11.4%	26,394
Bachelor's degree or higher	25.8%	66.8%	7.5%	24,555
Household income (in 2012)				
Less than \$20,000	42.3%	50.5%	7.2%	3,872
\$20,000 - \$34,999	42.3%	45.5%	12.2%	4,631
\$35,000 - \$49,999	29.0%	57.9%	13.0%	9,678
\$50,000 - \$99,999	26.4%	62.5%	11.1%	27,474
\$100,000+	21.8%	67.5%	10.7%	14,364
Household type				
Single adult, no children	36.9%	52.0%	11.1%	5,940
2+ adults, no children	23.5%	63.9%	12.6%	29,433
Single adult, 1+ children	20.6%	57.1%	22.3%	2,465
2+ adults, 1+ children	31.3%	60.5%	8.3%	24,271
All areas included in the study				
Benton County	27.8%	56.2%	16.0%	26,881
Chisago County	34.1%	54.2%	11.7%	39,910
Mille Lacs County	28.5%	56.9%	14.6%	19,069
Sherburne County	27.8%	61.0%	11.2%	62,420
Stearns County	27.1%	62.4%	10.5%	116,960
Entire five-county region	28.5%	59.8%	11.7%	265,240

^a Note: The values in this table were based on respondent answers to survey questions 26, 27, and 28. Chronic drinking is defined for males of having 60 or more drinks in a 30 day period. For females, chronic drinking is defined as having 30 or more drinks in a 30 day period. "Drinking—not chronic, gender specific" is the percentage of respondents who drank in the last 30 days, but are not considered chronic drinkers (less than 60 drinks in a 30 day period for men and less than 30 drinks in a 30 day period for women). "No drinking" represents the respondents who reported not drinking in the past 30 days.

69. Chronic drinking (calculated variable, gender specific)^a

	Chronic drinking	No drinking or, not chronic	Total
Sherburne County total	11.2%	88.8%	62,420
Gender			
Female	12.5%	87.5%	30,278
Male	10.0%	90.0%	31,967
Age			
18-34	10.6%	89.4%	19,455
35-44	12.9%	87.1%	13,416
45-54	12.1%	87.9%	13,095
55-64	8.2%	91.8%	8,216
65-74	12.8%	87.2%	4,124
75+	13.3%	86.7%	3,048
Highest level of education			
Less than high school diploma/GED	43.7%	56.3%	957
High school diploma/GED	16.9%	83.1%	10,217
Some college or AA degree	11.4%	88.6%	26,394
Bachelor's degree or higher	7.5%	92.5%	24,555
Household income (in 2012)			
Less than \$20,000	7.2%	92.8%	3,872
\$20,000 - \$34,999	12.2%	87.8%	4,631
\$35,000 - \$49,999	13.0%	87.0%	9,678
\$50,000 - \$99,999	11.1%	88.9%	27,474
\$100,000+	10.7%	89.3%	14,364
Household type			
Single adult, no children	11.1%	88.9%	5,940
2+ adults, no children	12.6%	87.4%	29,433
Single adult, 1+ children	22.3%	77.7%	2,465
2+ adults, 1+ children	8.3%	91.7%	24,271
All areas included in the study			
Benton County	16.0%	84.0%	26,881
Chisago County	11.7%	88.3%	39,910
Mille Lacs County	14.6%	85.4%	19,069
Sherburne County	11.2%	88.8%	62,420
Stearns County	10.5%	89.5%	116,960
Entire five-county region	11.7%	88.3%	265,240

^aNote: The values in this table were based on respondent answers to survey questions 26, 27, and 28. Chronic drinking is defined for males of having 60 or more drinks in a 30 day period. For females, chronic drinking is defined as having 30 or more drinks in a 30 day period. "No drinking or, not chronic" represents the respondents who reported not drinking in the past 30 days and the percentage of respondents who drank in the last 30 days, but are not considered chronic drinkers (less than 60 drinks in a 30 day period for men and less than 30 drinks in a 30 day period for women).

70. (Of those who said they had at least one alcoholic beverage in the past 30 days) Considering all types of alcoholic beverages, how many times during the past 30 days did you have 4 or more drinks on one occasion (binge drinking—females^a) (Mean)

	Mean	Total
Sherburne County total	1.1	20,883
Gender		
Female	1.1	20,883
Male		0
Age		
18-34	1.3	6,869
35-44	1.6	4,718
45-54	1.3	4,580
55-64	0.4	2,502
65-74	0.2	1,062
75+	0.1	903
Highest level of education		
Less than high school diploma/GED	2.1	142
High school diploma/GED	0.7	3,020
Some college or AA degree	1.5	8,884
Bachelor's degree or higher	0.9	8,789
Household income (in 2012)		
Less than \$20,000	0.7	764
\$20,000 - \$34,999	1.2	2,125
\$35,000 - \$49,999	1.5	2,747
\$50,000 - \$99,999	1.1	8,268
\$100,000+	1.1	5,749
Household type		
Single adult, no children	0.7	1,533
2+ adults, no children	1.0	7,805
Single adult, 1+ children	2.1	1,211
2+ adults, 1+ children	1.1	10,173
All areas included in the study		
Benton County	1.4	9,775
Chisago County	1.8	11,016
Mille Lacs County	0.5	6,586
Sherburne County	1.1	20,883
Stearns County	0.8	39,960
Entire five-county region	1.0	88,221

^a Note: Binge drinking for females is consuming four or more drinks on one occasion.

71. (Of those who said they had at least one alcoholic beverage in the past 30 days) Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks on one occasion (binge drinking–males^a) (Mean)

	Mean	Total
Sherburne County total	1.9	24,171
Gender		
Female		0
Male	1.9	24,171
Age		
18-34	2.1	8,168
35-44	2.0	5,714
45-54	2.1	4,740
55-64	2.2	2,918
65-74	0.2	1,360
75+	0.3	762
Highest level of education		
Less than high school diploma/GED	16.2	484
High school diploma/GED	2.5	4,291
Some college or AA degree	1.7	9,908
Bachelor's degree or higher	1.1	9,368
Household income (in 2012)		
Less than \$20,000	5.1	1,478
\$20,000 - \$34,999	1.5	537
\$35,000 - \$49,999	1.4	4,159
\$50,000 - \$99,999	2.1	12,000
\$100,000+	1.1	5,425
Household type		
Single adult, no children	1.5	2,210
2+ adults, no children	1.8	14,638
Single adult, 1+ children	4.2	791
2+ adults, 1+ children	1.8	6,531
All areas included in the study		
Benton County	2.4	9,662
Chisago County	3.2	15,313
Mille Lacs County	1.7	7,027
Sherburne County	1.9	24,171
Stearns County	1.7	44,431
Entire five-county region	2.0	100,603

^a Note: Binge drinking for males is consuming five or more drinks on one occasion.

72. Binge drinking (calculated variable, gender specific)^a

	No drinking or no binge drinking	Any binge drinking	Total
Sherburne County total	75.1%	24.9%	62,406
Gender			
Female	78.1%	21.9%	30,341
Male	72.1%	27.9%	31,889
Age			
18-34	66.2%	33.8%	19,478
35-44	75.4%	24.6%	13,480
45-54	70.9%	29.1%	13,082
55-64	81.7%	18.3%	8,203
65-74	95.3%	4.7%	4,084
75+	95.7%	4.3%	3,014
Highest level of education			
Less than high school diploma/GED	55.8%	44.2%	954
High school diploma/GED	74.2%	25.8%	10,287
Some college or AA degree	74.2%	25.8%	26,384
Bachelor's degree or higher	76.9%	23.1%	24,483
Household income (in 2012)			
Less than \$20,000	77.7%	22.3%	3,880
\$20,000 - \$34,999	83.0%	17.0%	4,621
\$35,000 - \$49,999	77.2%	22.8%	9,715
\$50,000 - \$99,999	71.5%	28.5%	27,526
\$100,000+	76.0%	24.0%	14,307
Household type			
Single adult, no children	78.6%	21.4%	5,934
2+ adults, no children	73.8%	26.2%	29,361
Single adult, 1+ children	58.9%	41.1%	2,510
2+ adults, 1+ children	77.6%	22.4%	24,290
All areas included in the study			
Benton County	67.1%	32.9%	26,916
Chisago County	72.8%	27.2%	39,936
Mille Lacs County	73.7%	26.3%	19,045
Sherburne County	75.1%	24.9%	62,406
Stearns County	69.7%	30.3%	116,051
Entire five-county region	71.5%	28.5%	264,354

^a Binge drinking is defined as consuming four or more drinks on one occasion for females and five or more drinks on one occasion for males.

73. During the past 30 days, how many times have you driven when you've had perhaps too much to drink?

	No drinking or no drinking and driving	Any drinking and driving	Total
Sherburne County total	96.7%	3.3%	62,535
Gender			
Female	98.3%	1.7%	30,420
Male	95.1%	4.9%	31,940
Age			
18-34	96.7%	3.3%	19,433
35-44	95.1%	4.9%	13,517
45-54	96.3%	3.7%	13,145
55-64	96.7%	3.3%	8,206
65-74	99.6%	0.4%	4,111
75+	100.0%	0.0%	3,056
Highest level of education			
Less than high school diploma/GED	88.7%	11.3%	981
High school diploma/GED	97.4%	2.6%	10,261
Some college or AA degree	97.0%	3.0%	26,424
Bachelor's degree or higher	96.2%	3.8%	24,572
Household income (in 2012)			
Less than \$20,000	96.9%	3.1%	3,923
\$20,000 - \$34,999	98.8%	1.2%	4,635
\$35,000 - \$49,999	97.0%	3.0%	9,679
\$50,000 - \$99,999	96.5%	3.5%	27,514
\$100,000+	95.5%	4.5%	14,364
Household type			
Single adult, no children	98.1%	1.9%	5,930
2+ adults, no children	96.6%	3.4%	29,502
Single adult, 1+ children	90.2%	9.8%	2,510
2+ adults, 1+ children	97.0%	3.0%	24,283
All areas included in the study			
Benton County	93.2%	6.8%	26,367
Chisago County	97.0%	3.0%	39,908
Mille Lacs County	93.6%	6.4%	19,027
Sherburne County	96.7%	3.3%	62,535
Stearns County	95.3%	4.7%	116,523
Entire five-county region	95.5%	4.5%	264,360

74. Do you perform monthly self-exams for cancer (self-breast exam or self-testicular exam)?

	Yes	No	Total
Sherburne County total	35.1%	64.9%	62,294
Gender			
Female	43.0%	57.0%	30,418
Male	27.3%	72.7%	31,715
Age			
18-34	35.0%	65.0%	19,455
35-44	26.9%	73.1%	13,545
45-54	36.9%	63.1%	13,097
55-64	38.4%	61.6%	8,104
65-74	42.1%	57.9%	4,123
75+	39.0%	61.0%	2,917
Highest level of education			
Less than high school diploma/GED	32.9%	67.1%	927
High school diploma/GED	26.8%	73.2%	10,278
Some college or AA degree	31.5%	68.5%	26,225
Bachelor's degree or higher	42.5%	57.5%	24,566
Household income (in 2012)			
Less than \$20,000	29.2%	70.8%	3,841
\$20,000 - \$34,999	40.5%	59.5%	4,655
\$35,000 - \$49,999	35.2%	64.8%	9,565
\$50,000 - \$99,999	36.8%	63.2%	27,427
\$100,000+	29.9%	70.1%	14,369
Household type			
Single adult, no children	37.7%	62.3%	5,895
2+ adults, no children	37.9%	62.1%	29,246
Single adult, 1+ children	50.7%	49.3%	2,510
2+ adults, 1+ children	29.4%	70.6%	24,333
All areas included in the study			
Benton County	41.5%	58.5%	26,941
Chisago County	32.4%	67.6%	39,892
Mille Lacs County	43.2%	56.8%	19,229
Sherburne County	35.1%	64.9%	62,294
Stearns County	35.5%	64.5%	116,139
Entire five-county region	36.1%	63.9%	264,495

75. Do you get a yearly flu shot or flu immunization?

	Yes	No	Total
Sherburne County total	54.8%	45.2%	62,574
Gender			
Female	59.6%	40.4%	30,512
Male	50.3%	49.7%	31,887
Age			
18-34	46.5%	53.5%	19,478
35-44	45.7%	54.3%	13,545
45-54	53.0%	47.0%	13,145
55-64	62.8%	37.2%	8,165
65-74	84.7%	15.3%	4,163
75+	89.0%	11.0%	3,013
Highest level of education			
Less than high school diploma/GED	43.2%	56.8%	981
High school diploma/GED	52.8%	47.2%	10,366
Some college or AA degree	48.4%	51.6%	26,334
Bachelor's degree or higher	63.5%	36.5%	24,595
Household income (in 2012)			
Less than \$20,000	57.9%	42.1%	3,906
\$20,000 - \$34,999	48.9%	51.1%	4,662
\$35,000 - \$49,999	53.7%	46.3%	9,729
\$50,000 - \$99,999	55.3%	44.7%	27,455
\$100,000+	55.0%	45.0%	14,385
Household type			
Single adult, no children	63.3%	36.7%	5,925
2+ adults, no children	55.5%	44.5%	29,473
Single adult, 1+ children	59.0%	41.0%	2,510
2+ adults, 1+ children	51.5%	48.5%	24,355
All areas included in the study			
Benton County	47.2%	52.8%	27,043
Chisago County	53.7%	46.3%	39,870
Mille Lacs County	56.3%	43.7%	19,258
Sherburne County	54.8%	45.2%	62,574
Stearns County	48.9%	51.1%	117,120
Entire five-county region	51.4%	48.6%	265,865

76. Do you need medication to control a chronic physical or mental condition?

	Yes	No	Total
Sherburne County total	26.3%	73.7%	62,435
Gender			
Female	26.9%	73.1%	30,423
Male	26.0%	74.0%	31,837
Age			
18-34	22.3%	77.7%	19,478
35-44	24.4%	75.6%	13,508
45-54	23.5%	76.5%	13,145
55-64	38.3%	61.7%	8,153
65-74	32.4%	67.6%	4,144
75+	41.1%	58.9%	2,962
Highest level of education			
Less than high school diploma/GED	38.6%	61.4%	954
High school diploma/GED	24.9%	75.1%	10,304
Some college or AA degree	28.3%	71.7%	26,307
Bachelor's degree or higher	24.5%	75.5%	24,586
Household income (in 2012)			
Less than \$20,000	33.1%	66.9%	3,866
\$20,000 - \$34,999	40.0%	60.0%	4,645
\$35,000 - \$49,999	26.9%	73.1%	9,663
\$50,000 - \$99,999	25.1%	74.9%	27,455
\$100,000+	22.4%	77.6%	14,373
Household type			
Single adult, no children	22.1%	77.9%	5,922
2+ adults, no children	32.0%	68.0%	29,407
Single adult, 1+ children	15.4%	84.6%	2,510
2+ adults, 1+ children	21.6%	78.4%	24,300
All areas included in the study			
Benton County	21.6%	78.4%	26,906
Chisago County	23.0%	77.0%	39,820
Mille Lacs County	33.1%	66.9%	19,161
Sherburne County	26.3%	73.7%	62,435
Stearns County	20.0%	80.0%	115,823
Entire five-county region	23.1%	76.9%	264,145

77. Do you have a family emergency plan?

	Yes	No	Total
Sherburne County total	31.1%	68.9%	62,164
Gender			
Female	34.7%	65.3%	30,328
Male	27.7%	72.3%	31,675
Age			
18-34	21.3%	78.7%	19,478
35-44	33.9%	66.1%	13,507
45-54	32.3%	67.7%	13,120
55-64	33.2%	66.8%	7,985
65-74	42.3%	57.7%	4,094
75+	46.2%	53.8%	2,928
Highest level of education			
Less than high school diploma/GED	28.1%	71.9%	954
High school diploma/GED	22.9%	77.1%	10,301
Some college or AA degree	32.6%	67.4%	26,282
Bachelor's degree or higher	33.1%	66.9%	24,329
Household income (in 2012)			
Less than \$20,000	23.3%	76.7%	3,873
\$20,000 - \$34,999	27.2%	72.8%	4,645
\$35,000 - \$49,999	31.3%	68.7%	9,701
\$50,000 - \$99,999	31.9%	68.1%	27,183
\$100,000+	32.2%	67.8%	14,335
Household type			
Single adult, no children	32.0%	68.0%	5,901
2+ adults, no children	30.3%	69.7%	29,126
Single adult, 1+ children	46.4%	53.6%	2,510
2+ adults, 1+ children	30.1%	69.9%	24,318
All areas included in the study			
Benton County	32.1%	67.9%	26,917
Chisago County	26.4%	73.6%	39,597
Mille Lacs County	31.6%	68.4%	19,127
Sherburne County	31.1%	68.9%	62,164
Stearns County	23.9%	76.1%	116,559
Entire five-county region	27.4%	72.6%	264,364

78. Do you live with someone who smokes?

	Yes	No	Total
Sherburne County total	16.8%	83.2%	62,355
Gender			
Female	17.2%	82.8%	30,481
Male	16.5%	83.5%	31,698
Age			
18-34	20.7%	79.3%	19,478
35-44	13.4%	86.6%	13,409
45-54	19.2%	80.8%	13,145
55-64	19.3%	80.7%	8,172
65-74	7.3%	92.7%	4,152
75+	8.7%	91.3%	2,934
Highest level of education			
Less than high school diploma/GED	34.4%	65.6%	938
High school diploma/GED	25.5%	74.5%	10,353
Some college or AA degree	23.4%	76.6%	26,240
Bachelor's degree or higher	5.5%	94.5%	24,526
Household income (in 2012)			
Less than \$20,000	29.7%	70.3%	3,863
\$20,000 - \$34,999	28.5%	71.5%	4,676
\$35,000 - \$49,999	20.8%	79.2%	9,608
\$50,000 - \$99,999	11.9%	88.1%	27,408
\$100,000+	16.9%	83.1%	14,354
Household type			
Single adult, no children	9.1%	90.9%	5,848
2+ adults, no children	19.1%	80.9%	29,386
Single adult, 1+ children	19.1%	80.9%	2,510
2+ adults, 1+ children	15.9%	84.1%	24,318
All areas included in the study			
Benton County	14.3%	85.7%	27,029
Chisago County	22.2%	77.8%	39,996
Mille Lacs County	15.7%	84.3%	19,357
Sherburne County	16.8%	83.2%	62,355
Stearns County	15.6%	84.4%	116,982
Entire five-county region	16.8%	83.2%	265,718

Community concerns

Health care delivery

79. In your opinion, how much of a problem is each of these issues in your county? People without health insurance or medical coverage

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	5.7%	13.8%	27.1%	33.9%	19.4%	61,930
Gender						
Female	2.5%	9.9%	28.7%	39.9%	19.0%	30,261
Male	8.6%	17.7%	25.7%	28.3%	19.8%	31,606
Age						
18-34	9.8%	17.5%	25.2%	27.4%	20.0%	19,478
35-44	5.5%	11.9%	26.3%	40.6%	15.6%	13,249
45-54	2.9%	13.6%	30.8%	33.1%	19.6%	13,091
55-64	2.3%	10.6%	30.4%	42.5%	14.2%	8,209
65-74	3.0%	8.4%	28.8%	31.3%	28.4%	4,051
75+	4.4%	9.9%	19.5%	27.5%	38.6%	2,898
Highest level of education						
Less than high school diploma/GED	9.5%	8.4%	15.6%	50.5%	16.0%	930
High school diploma/GED	9.9%	11.5%	23.3%	31.4%	23.9%	10,239
Some college or AA degree	4.9%	10.7%	24.8%	41.0%	18.7%	26,023
Bachelor's degree or higher	4.8%	18.5%	32.0%	26.7%	18.1%	24,440
Household income (in 2012)						
Less than \$20,000	15.8%	5.3%	30.7%	26.8%	21.4%	3,781
\$20,000 - \$34,999	1.0%	8.3%	28.9%	46.5%	15.4%	4,650
\$35,000 - \$49,999	7.6%	14.2%	19.6%	35.6%	23.0%	9,699
\$50,000 - \$99,999	5.1%	15.9%	27.3%	32.0%	19.7%	27,387
\$100,000+	4.4%	14.4%	31.0%	34.3%	16.0%	14,036
Household type						
Single adult, no children	3.8%	17.8%	24.0%	22.1%	32.2%	5,879
2+ adults, no children	7.8%	13.8%	27.6%	33.7%	17.1%	28,960
Single adult, 1+ children	2.8%	8.6%	28.7%	46.8%	13.2%	2,510
2+ adults, 1+ children	3.9%	13.5%	26.9%	35.8%	19.8%	24,302
All areas included in the study						
Benton County	7.3%	14.2%	30.3%	30.0%	18.2%	26,542
Chisago County	9.1%	13.0%	23.7%	35.0%	19.2%	39,360
Mille Lacs County	4.0%	7.0%	29.4%	45.3%	14.3%	19,211
Sherburne County	5.7%	13.8%	27.1%	33.9%	19.4%	61,930
Stearns County	4.7%	11.9%	29.6%	35.8%	18.1%	116,201
Entire five-county region	5.8%	12.4%	28.2%	35.3%	18.3%	263,244

80. In your opinion, how much of a problem is each of these issues in your county? People not getting needed care because of inadequate health insurance or high deductibles

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	4.6%	11.9%	30.2%	35.9%	17.5%	61,386
Gender						
Female	2.1%	7.5%	30.7%	42.9%	16.7%	30,022
Male	6.9%	16.1%	29.6%	29.2%	18.2%	31,301
Age						
18-34	8.4%	13.9%	27.2%	30.9%	19.6%	19,161
35-44	1.7%	11.8%	32.3%	42.4%	11.7%	13,249
45-54	3.8%	10.2%	35.8%	33.9%	16.3%	12,929
55-64	1.9%	8.1%	32.1%	43.8%	14.1%	8,158
65-74	3.6%	8.9%	29.8%	30.5%	27.1%	4,049
75+	5.1%	14.6%	18.5%	26.3%	35.5%	2,886
Highest level of education						
Less than high school diploma/GED	5.0%	10.6%	37.2%	26.9%	20.3%	938
High school diploma/GED	6.4%	10.3%	23.1%	33.9%	26.3%	10,232
Some college or AA degree	4.9%	8.4%	26.8%	43.0%	16.9%	25,808
Bachelor's degree or higher	3.7%	16.3%	36.8%	29.2%	14.1%	24,111
Household income (in 2012)						
Less than \$20,000	14.8%	8.0%	24.7%	29.1%	23.3%	3,770
\$20,000 - \$34,999	0.9%	6.4%	27.2%	51.9%	13.5%	4,623
\$35,000 - \$49,999	2.5%	13.6%	15.4%	41.3%	27.1%	9,699
\$50,000 - \$99,999	4.1%	13.8%	34.5%	32.7%	14.8%	26,964
\$100,000+	5.2%	9.9%	34.9%	35.2%	14.8%	13,954
Household type						
Single adult, no children	5.9%	15.2%	22.6%	26.7%	29.6%	5,886
2+ adults, no children	6.9%	12.3%	27.4%	35.8%	17.5%	28,544
Single adult, 1+ children	1.0%	3.7%	29.4%	58.9%	7.0%	2,510
2+ adults, 1+ children	1.9%	11.2%	35.6%	35.7%	15.6%	24,168
All areas included in the study						
Benton County	4.5%	15.6%	29.5%	33.2%	17.1%	26,758
Chisago County	6.3%	12.3%	20.1%	44.3%	17.0%	39,236
Mille Lacs County	4.0%	7.8%	27.9%	44.2%	16.1%	19,150
Sherburne County	4.6%	11.9%	30.2%	35.9%	17.5%	61,386
Stearns County	5.5%	14.5%	25.6%	38.1%	16.4%	115,417
Entire five-county region	5.2%	13.2%	26.4%	38.4%	16.8%	261,947

81. In your opinion, how much of a problem is each of these issues in your county?
Too few health care providers

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	42.0%	25.4%	12.6%	5.1%	15.0%	61,755
Gender						
Female	37.0%	25.7%	15.9%	7.1%	14.3%	30,097
Male	46.5%	25.1%	9.6%	3.2%	15.7%	31,483
Age						
18-34	51.4%	21.0%	7.0%	6.3%	14.3%	19,478
35-44	38.9%	32.4%	9.3%	5.9%	13.6%	13,249
45-54	34.0%	28.6%	19.2%	3.9%	14.4%	13,055
55-64	38.4%	28.0%	19.9%	2.2%	11.4%	8,174
65-74	36.1%	21.8%	14.6%	7.0%	20.5%	4,082
75+	41.0%	11.5%	11.7%	4.0%	31.9%	2,772
Highest level of education						
Less than high school diploma/GED	32.1%	11.8%	38.7%	1.6%	15.8%	938
High school diploma/GED	44.6%	18.3%	7.6%	3.6%	25.9%	10,137
Some college or AA degree	38.3%	28.8%	11.9%	6.8%	14.2%	26,087
Bachelor's degree or higher	45.3%	25.3%	14.4%	4.0%	11.0%	24,416
Household income (in 2012)						
Less than \$20,000	51.8%	8.6%	11.6%	4.4%	23.6%	3,775
\$20,000 - \$34,999	40.4%	25.7%	10.9%	7.6%	15.5%	4,580
\$35,000 - \$49,999	38.8%	24.8%	7.5%	3.7%	25.2%	9,719
\$50,000 - \$99,999	42.1%	26.4%	13.6%	4.9%	13.0%	27,413
\$100,000+	41.7%	29.6%	14.1%	5.4%	9.2%	14,019
Household type						
Single adult, no children	47.4%	9.4%	13.6%	4.2%	25.4%	5,876
2+ adults, no children	41.7%	27.5%	11.2%	5.1%	14.4%	28,984
Single adult, 1+ children	41.2%	29.7%	13.2%	2.8%	13.1%	2,510
2+ adults, 1+ children	41.0%	26.0%	14.0%	5.6%	13.5%	24,106
All areas included in the study						
Benton County	34.3%	31.3%	13.1%	6.3%	15.0%	26,596
Chisago County	38.7%	30.1%	11.9%	6.7%	12.5%	38,803
Mille Lacs County	32.9%	23.6%	18.6%	14.3%	10.6%	19,169
Sherburne County	42.0%	25.4%	12.6%	5.1%	15.0%	61,755
Stearns County	35.5%	30.8%	15.0%	6.0%	12.8%	115,293
Entire five-county region	37.2%	28.9%	14.0%	6.5%	13.3%	261,616

82. In your opinion, how much of a problem is each of these issues in your county?
Too few dental providers

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	44.2%	22.4%	12.5%	6.2%	14.6%	61,707
Gender						
Female	40.4%	24.8%	13.9%	7.5%	13.5%	30,161
Male	47.7%	20.2%	11.3%	5.0%	15.8%	31,371
Age						
18-34	48.2%	18.4%	12.6%	7.9%	12.9%	19,252
35-44	44.2%	23.3%	10.3%	7.1%	15.2%	13,249
45-54	39.2%	29.6%	13.6%	4.1%	13.6%	13,026
55-64	44.5%	26.0%	14.9%	3.6%	11.0%	8,136
65-74	43.0%	16.6%	12.7%	7.2%	20.4%	4,069
75+	45.8%	8.5%	10.7%	4.8%	30.2%	2,922
Highest level of education						
Less than high school diploma/GED	31.5%	9.7%	17.9%	27.0%	13.9%	954
High school diploma/GED	40.9%	16.4%	6.9%	11.9%	24.0%	9,967
Some college or AA degree	41.9%	21.6%	16.7%	5.8%	14.0%	26,023
Bachelor's degree or higher	48.8%	26.5%	10.2%	3.2%	11.3%	24,466
Household income (in 2012)						
Less than \$20,000	34.9%	9.6%	11.2%	21.7%	22.6%	3,766
\$20,000 - \$34,999	32.1%	30.2%	13.9%	9.8%	14.0%	4,625
\$35,000 - \$49,999	40.5%	20.9%	12.8%	2.8%	22.9%	9,494
\$50,000 - \$99,999	46.2%	24.8%	10.1%	5.6%	13.4%	27,431
\$100,000+	49.7%	21.0%	16.8%	2.7%	9.7%	14,015
Household type						
Single adult, no children	45.9%	14.4%	9.1%	4.6%	25.9%	5,850
2+ adults, no children	44.4%	21.5%	13.0%	7.1%	14.1%	29,018
Single adult, 1+ children	37.3%	30.6%	15.6%	5.5%	10.9%	2,510
2+ adults, 1+ children	44.0%	24.7%	12.6%	5.8%	13.0%	24,034
All areas included in the study						
Benton County	40.9%	28.0%	8.5%	6.6%	16.0%	26,695
Chisago County	43.1%	26.0%	11.1%	6.2%	13.6%	39,001
Mille Lacs County	33.8%	16.4%	20.7%	17.5%	11.5%	19,230
Sherburne County	44.2%	22.4%	12.5%	6.2%	14.6%	61,707
Stearns County	41.0%	27.8%	11.6%	4.7%	14.9%	116,164
Entire five-county region	41.5%	25.5%	12.1%	6.4%	14.5%	262,798

83. In your opinion, how much of a problem is each of these issues in your county? Language barriers in getting health care

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	35.5%	22.8%	13.7%	2.7%	25.4%	61,688
Gender						
Female	26.5%	24.9%	15.2%	3.9%	29.5%	29,969
Male	43.8%	20.8%	12.3%	1.5%	21.5%	31,569
Age						
18-34	42.7%	21.7%	14.7%	1.1%	19.7%	19,398
35-44	31.2%	23.9%	15.1%	3.3%	26.6%	13,137
45-54	33.7%	25.2%	13.3%	3.4%	24.4%	13,000
55-64	32.7%	25.0%	11.3%	3.3%	27.7%	8,243
65-74	31.0%	21.3%	12.2%	4.5%	31.0%	4,014
75+	20.5%	17.9%	11.3%	3.4%	47.0%	2,855
Highest level of education						
Less than high school diploma/GED	57.6%	9.3%	9.1%	0.0%	24.0%	921
High school diploma/GED	47.2%	15.9%	5.8%	5.5%	25.5%	10,100
Some college or AA degree	35.2%	21.0%	14.3%	3.0%	26.5%	25,869
Bachelor's degree or higher	30.6%	28.2%	16.0%	1.4%	23.9%	24,500
Household income (in 2012)						
Less than \$20,000	51.2%	12.3%	7.0%	2.8%	26.7%	3,775
\$20,000 - \$34,999	34.1%	22.5%	11.3%	2.7%	29.3%	4,632
\$35,000 - \$49,999	42.7%	12.7%	14.8%	3.9%	25.9%	9,561
\$50,000 - \$99,999	36.3%	26.0%	15.5%	2.0%	20.2%	27,338
\$100,000+	27.6%	28.4%	11.3%	2.0%	30.7%	14,005
Household type						
Single adult, no children	34.5%	19.1%	10.0%	4.0%	32.4%	5,875
2+ adults, no children	36.7%	22.0%	12.2%	2.4%	26.7%	28,899
Single adult, 1+ children	40.1%	25.9%	8.9%	9.5%	15.5%	2,485
2+ adults, 1+ children	33.8%	24.4%	16.7%	2.0%	23.1%	24,151
All areas included in the study						
Benton County	25.7%	27.8%	17.5%	5.7%	23.4%	26,731
Chisago County	44.1%	25.8%	7.0%	1.3%	21.8%	38,906
Mille Lacs County	54.7%	17.2%	4.5%	2.2%	21.5%	19,037
Sherburne County	35.5%	22.8%	13.7%	2.7%	25.4%	61,688
Stearns County	30.7%	21.6%	23.3%	5.8%	18.6%	115,758
Entire five-county region	35.1%	22.8%	16.7%	4.1%	21.3%	262,120

84. In your opinion, how much of a problem is each of these issues in your county? Lack of provider knowledge about the health care needs of people of different cultures

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	30.0%	18.6%	12.9%	3.7%	34.9%	61,796
Gender						
Female	21.8%	22.1%	13.1%	4.2%	38.9%	30,055
Male	37.7%	15.5%	12.7%	3.2%	30.9%	31,566
Age						
18-34	35.6%	16.4%	17.4%	4.2%	26.3%	19,407
35-44	28.9%	20.3%	12.0%	5.1%	33.7%	13,212
45-54	30.5%	21.3%	9.9%	0.9%	37.4%	13,050
55-64	25.6%	19.8%	11.1%	3.2%	40.3%	8,158
65-74	17.0%	20.9%	9.0%	7.0%	46.1%	4,064
75+	16.9%	13.3%	10.3%	4.3%	55.1%	2,839
Highest level of education						
Less than high school diploma/GED	46.3%	8.1%	4.0%	12.4%	29.2%	893
High school diploma/GED	43.6%	12.9%	6.0%	4.0%	33.4%	10,212
Some college or AA degree	28.5%	17.6%	10.7%	4.9%	38.4%	25,900
Bachelor's degree or higher	25.5%	22.7%	18.0%	2.0%	31.9%	24,493
Household income (in 2012)						
Less than \$20,000	43.8%	11.3%	6.7%	5.2%	33.0%	3,765
\$20,000 - \$34,999	24.6%	23.8%	10.1%	6.7%	34.8%	4,626
\$35,000 - \$49,999	39.9%	9.7%	17.2%	1.2%	32.1%	9,649
\$50,000 - \$99,999	28.5%	19.7%	14.5%	4.2%	33.1%	27,337
\$100,000+	26.3%	24.5%	8.9%	2.2%	38.1%	14,043
Household type						
Single adult, no children	29.6%	15.6%	10.9%	2.9%	41.0%	5,861
2+ adults, no children	29.1%	18.7%	12.1%	4.2%	35.9%	28,967
Single adult, 1+ children	37.0%	21.3%	9.6%	1.7%	30.4%	2,510
2+ adults, 1+ children	29.8%	19.2%	14.7%	3.5%	32.8%	24,180
All areas included in the study						
Benton County	23.3%	26.2%	17.8%	3.3%	29.5%	26,656
Chisago County	32.4%	26.6%	10.3%	1.4%	29.3%	39,144
Mille Lacs County	41.5%	20.0%	11.6%	1.0%	25.9%	19,056
Sherburne County	30.0%	18.6%	12.9%	3.7%	34.9%	61,796
Stearns County	26.0%	22.0%	21.0%	4.7%	26.3%	115,525
Entire five-county region	28.7%	22.2%	16.5%	3.6%	29.1%	262,177

85. In your opinion, how much of a problem is each of these issues in your county?
Ambulance/rescue squad response time to 911

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	51.2%	15.8%	4.4%	2.4%	26.2%	61,766
Gender						
Female	45.1%	19.4%	5.9%	2.4%	27.1%	30,096
Male	57.0%	12.5%	3.0%	2.3%	25.2%	31,607
Age						
18-34	53.5%	16.8%	4.0%	0.7%	25.0%	19,413
35-44	44.1%	16.3%	6.1%	2.6%	30.9%	13,222
45-54	51.0%	17.0%	3.0%	4.8%	24.2%	13,020
55-64	54.7%	16.6%	5.1%	3.7%	19.9%	8,209
65-74	54.7%	13.0%	3.8%	0.0%	28.4%	4,045
75+	63.4%	8.9%	1.4%	1.3%	25.1%	2,904
Highest level of education						
Less than high school diploma/GED	48.7%	17.1%	17.8%	11.6%	4.8%	954
High school diploma/GED	55.9%	11.2%	2.3%	2.1%	28.5%	10,261
Some college or AA degree	52.3%	14.7%	3.2%	3.6%	26.2%	25,950
Bachelor's degree or higher	48.7%	19.1%	6.2%	0.8%	25.2%	24,304
Household income (in 2012)						
Less than \$20,000	61.0%	7.1%	3.4%	5.1%	23.4%	3,805
\$20,000 - \$34,999	47.7%	16.0%	4.3%	2.3%	29.7%	4,674
\$35,000 - \$49,999	56.8%	9.6%	6.0%	0.3%	27.3%	9,729
\$50,000 - \$99,999	52.8%	17.8%	4.0%	2.8%	22.6%	27,180
\$100,000+	45.5%	19.8%	3.4%	2.0%	29.4%	14,043
Household type						
Single adult, no children	53.8%	6.0%	6.2%	2.0%	31.9%	5,882
2+ adults, no children	53.1%	16.8%	3.7%	1.4%	25.0%	28,877
Single adult, 1+ children	41.6%	28.4%	3.8%	0.0%	26.2%	2,445
2+ adults, 1+ children	48.9%	16.0%	4.9%	3.9%	26.3%	24,274
All areas included in the study						
Benton County	45.3%	23.1%	4.8%	1.1%	25.7%	26,702
Chisago County	51.3%	17.1%	9.7%	1.4%	20.5%	39,202
Mille Lacs County	50.8%	13.0%	12.1%	2.5%	21.6%	19,261
Sherburne County	51.2%	15.8%	4.4%	2.4%	26.2%	61,766
Stearns County	46.5%	20.1%	4.7%	1.8%	27.0%	116,385
Entire five-county region	48.5%	18.4%	5.9%	1.8%	25.3%	263,316

86. In your opinion, how much of a problem is each of these issues in your county? County government's lack of preparation for a disaster, disease outbreak, or terrorist event

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	30.2%	16.9%	11.0%	5.0%	37.0%	62,016
Gender						
Female	24.6%	18.6%	14.0%	3.7%	39.1%	30,207
Male	35.5%	15.4%	8.1%	6.1%	34.8%	31,634
Age						
18-34	33.6%	15.9%	14.5%	4.0%	32.0%	19,478
35-44	23.8%	22.9%	11.2%	3.5%	38.5%	13,231
45-54	31.0%	13.8%	8.6%	7.3%	39.3%	13,033
55-64	31.6%	16.8%	8.1%	6.4%	37.1%	8,243
65-74	28.5%	17.6%	9.4%	4.3%	40.2%	4,049
75+	29.2%	16.1%	10.2%	1.2%	43.3%	2,917
Highest level of education						
Less than high school diploma/GED	18.7%	13.5%	26.4%	11.6%	29.8%	954
High school diploma/GED	42.5%	7.9%	6.0%	2.6%	41.0%	10,222
Some college or AA degree	29.0%	17.1%	9.2%	8.0%	36.7%	26,015
Bachelor's degree or higher	27.1%	20.9%	14.3%	2.0%	35.7%	24,528
Household income (in 2012)						
Less than \$20,000	44.7%	7.0%	10.0%	7.5%	30.8%	3,798
\$20,000 - \$34,999	20.2%	21.1%	17.6%	7.3%	33.7%	4,642
\$35,000 - \$49,999	30.8%	14.1%	12.5%	1.5%	41.1%	9,715
\$50,000 - \$99,999	30.4%	17.2%	11.0%	6.8%	34.6%	27,441
\$100,000+	30.8%	19.7%	7.4%	2.2%	39.9%	14,043
Household type						
Single adult, no children	36.1%	7.3%	7.5%	3.4%	45.9%	5,883
2+ adults, no children	29.3%	18.9%	10.8%	4.6%	36.4%	29,045
Single adult, 1+ children	34.3%	21.4%	13.5%	2.6%	28.2%	2,492
2+ adults, 1+ children	29.3%	16.2%	11.8%	6.1%	36.7%	24,302
All areas included in the study						
Benton County	26.5%	22.5%	13.3%	7.2%	30.5%	26,613
Chisago County	26.7%	14.8%	15.4%	6.4%	36.7%	38,945
Mille Lacs County	29.4%	14.7%	16.1%	7.3%	32.5%	19,169
Sherburne County	30.2%	16.9%	11.0%	5.0%	37.0%	62,016
Stearns County	23.1%	26.2%	9.1%	7.4%	34.2%	115,404
Entire five-county region	26.1%	21.1%	11.4%	6.6%	34.7%	262,146

87. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining family planning services

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	40.5%	13.6%	5.9%	2.7%	37.3%	61,735
Gender						
Female	32.5%	15.7%	6.9%	3.1%	41.8%	30,014
Male	47.9%	11.7%	4.9%	2.4%	33.1%	31,571
Age						
18-34	49.2%	14.7%	8.1%	3.4%	24.6%	19,441
35-44	34.7%	17.4%	4.6%	3.1%	40.2%	13,191
45-54	39.4%	12.5%	7.2%	1.6%	39.3%	13,028
55-64	36.2%	13.6%	2.7%	2.6%	44.9%	8,124
65-74	30.0%	9.7%	4.3%	2.5%	53.5%	4,025
75+	34.2%	3.7%	3.5%	3.2%	55.4%	2,884
Highest level of education						
Less than high school diploma/GED	39.0%	23.7%	0.0%	11.8%	25.4%	938
High school diploma/GED	51.9%	6.4%	2.7%	2.0%	37.0%	10,190
Some college or AA degree	36.8%	11.8%	8.0%	1.6%	41.7%	25,931
Bachelor's degree or higher	40.2%	18.2%	5.2%	3.9%	32.5%	24,378
Household income (in 2012)						
Less than \$20,000	48.0%	6.1%	2.4%	8.7%	34.8%	3,746
\$20,000 - \$34,999	42.5%	8.9%	4.2%	3.4%	41.0%	4,668
\$35,000 - \$49,999	44.5%	8.7%	4.8%	5.6%	36.3%	9,665
\$50,000 - \$99,999	39.8%	16.0%	7.4%	1.6%	35.2%	27,275
\$100,000+	39.3%	16.1%	5.0%	1.0%	38.6%	14,043
Household type						
Single adult, no children	34.9%	14.4%	3.5%	2.0%	45.3%	5,871
2+ adults, no children	40.6%	14.5%	6.0%	1.3%	37.6%	28,935
Single adult, 1+ children	36.3%	16.9%	4.4%	10.0%	32.5%	2,510
2+ adults, 1+ children	41.9%	12.1%	6.5%	3.9%	35.6%	24,140
All areas included in the study						
Benton County	41.0%	15.5%	9.3%	1.9%	32.3%	26,740
Chisago County	40.1%	18.0%	5.6%	1.1%	35.1%	39,203
Mille Lacs County	34.8%	15.7%	7.7%	4.1%	37.8%	19,150
Sherburne County	40.5%	13.6%	5.9%	2.7%	37.3%	61,735
Stearns County	34.6%	18.6%	7.0%	1.6%	38.3%	116,385
Entire five-county region	37.5%	16.8%	6.8%	2.0%	36.9%	263,213

88. In your opinion, how much of a problem is each of these issues in your county? Lack of services to allow people to continue living at home

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	23.7%	19.3%	16.1%	7.4%	33.5%	61,880
Gender						
Female	16.7%	18.1%	20.7%	10.0%	34.4%	30,212
Male	30.4%	20.5%	11.7%	4.9%	32.4%	31,517
Age						
18-34	29.0%	20.0%	13.9%	4.7%	32.3%	19,441
35-44	16.8%	23.4%	14.0%	8.0%	37.8%	13,249
45-54	24.3%	16.5%	18.2%	7.8%	33.1%	12,968
55-64	17.7%	17.0%	19.9%	14.3%	31.0%	8,209
65-74	22.5%	20.1%	24.2%	5.6%	27.6%	4,064
75+	29.4%	18.0%	13.7%	5.6%	33.3%	2,908
Highest level of education						
Less than high school diploma/GED	27.4%	3.9%	29.8%	5.8%	33.0%	954
High school diploma/GED	33.6%	17.1%	10.4%	5.8%	33.1%	10,219
Some college or AA degree	22.7%	18.6%	16.8%	7.6%	34.3%	25,994
Bachelor's degree or higher	20.8%	21.7%	17.2%	8.0%	32.3%	24,416
Household income (in 2012)						
Less than \$20,000	46.7%	6.9%	9.9%	10.5%	26.0%	3,798
\$20,000 - \$34,999	15.7%	23.7%	20.1%	12.3%	28.1%	4,674
\$35,000 - \$49,999	27.5%	10.7%	21.0%	4.5%	36.3%	9,680
\$50,000 - \$99,999	21.4%	25.2%	15.2%	6.9%	31.3%	27,317
\$100,000+	22.8%	15.7%	15.8%	8.0%	37.7%	14,020
Household type						
Single adult, no children	25.6%	17.9%	11.8%	8.0%	36.5%	5,859
2+ adults, no children	25.1%	17.9%	18.3%	7.5%	31.2%	29,022
Single adult, 1+ children	19.3%	17.9%	14.7%	9.1%	39.0%	2,487
2+ adults, 1+ children	21.7%	21.6%	14.5%	7.1%	35.2%	24,203
All areas included in the study						
Benton County	20.7%	24.7%	21.3%	7.3%	26.0%	26,720
Chisago County	22.0%	25.8%	16.7%	7.8%	27.6%	38,901
Mille Lacs County	24.9%	16.0%	25.2%	9.6%	24.4%	19,218
Sherburne County	23.7%	19.3%	16.1%	7.4%	33.5%	61,880
Stearns County	21.6%	27.0%	18.2%	6.5%	26.6%	115,968
Entire five-county region	22.3%	24.0%	18.3%	7.2%	28.2%	262,687

Social conditions

89. In your opinion, how much of a problem is each of these issues in your county? Crime

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	14.6%	44.6%	28.0%	7.7%	5.0%	62,376
Gender						
Female	12.5%	42.7%	30.3%	9.1%	5.4%	30,269
Male	16.5%	46.3%	26.1%	6.5%	4.6%	31,931
Age						
18-34	22.9%	42.5%	25.7%	3.1%	5.8%	19,478
35-44	13.9%	49.8%	24.8%	6.7%	4.9%	13,545
45-54	9.6%	47.5%	27.2%	12.8%	2.9%	13,067
55-64	8.6%	46.2%	31.2%	10.6%	3.3%	8,231
65-74	10.7%	37.5%	32.3%	12.1%	7.5%	4,077
75+	10.2%	23.6%	48.1%	9.1%	8.9%	2,912
Highest level of education						
Less than high school diploma/GED	12.3%	25.8%	41.2%	16.2%	4.5%	938
High school diploma/GED	23.0%	31.3%	25.3%	10.2%	10.2%	10,262
Some college or AA degree	14.1%	41.1%	29.9%	10.8%	4.0%	26,362
Bachelor's degree or higher	12.0%	55.0%	26.3%	3.0%	3.7%	24,516
Household income (in 2012)						
Less than \$20,000	43.8%	19.0%	15.6%	10.1%	11.5%	3,805
\$20,000 - \$34,999	10.1%	34.6%	34.2%	15.0%	6.2%	4,656
\$35,000 - \$49,999	11.6%	41.7%	34.3%	4.6%	7.8%	9,707
\$50,000 - \$99,999	15.9%	45.5%	28.2%	6.8%	3.5%	27,514
\$100,000+	8.6%	58.0%	22.3%	8.0%	3.1%	14,314
Household type						
Single adult, no children	15.3%	41.5%	25.7%	6.6%	10.9%	5,912
2+ adults, no children	13.7%	41.8%	32.9%	6.8%	4.7%	29,397
Single adult, 1+ children	21.7%	48.8%	18.5%	8.9%	2.2%	2,510
2+ adults, 1+ children	14.7%	48.3%	23.9%	9.1%	4.0%	24,278
All areas included in the study						
Benton County	10.0%	39.9%	33.0%	12.9%	4.1%	26,749
Chisago County	15.1%	46.2%	27.7%	7.1%	4.0%	39,104
Mille Lacs County	11.3%	34.7%	33.2%	16.2%	4.8%	19,196
Sherburne County	14.6%	44.6%	28.0%	7.7%	5.0%	62,376
Stearns County	9.7%	34.4%	42.7%	9.9%	3.3%	116,334
Entire five-county region	11.8%	39.2%	35.3%	9.7%	4.0%	263,758

90. In your opinion, how much of a problem is each of these issues in your county? Unemployment

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	5.2%	17.8%	41.7%	27.3%	7.9%	61,851
Gender						
Female	2.5%	17.4%	40.4%	31.3%	8.4%	30,128
Male	7.7%	18.1%	42.9%	23.7%	7.5%	31,548
Age						
18-34	10.3%	17.7%	44.1%	18.0%	10.0%	19,163
35-44	1.8%	24.6%	37.5%	31.7%	4.4%	13,461
45-54	3.5%	18.0%	42.6%	30.0%	5.9%	13,067
55-64	2.6%	9.5%	46.8%	34.7%	6.4%	8,141
65-74	4.1%	11.7%	40.2%	31.4%	12.6%	4,064
75+	3.8%	13.8%	39.7%	26.0%	16.7%	2,930
Highest level of education						
Less than high school diploma/GED	3.2%	15.9%	18.7%	54.2%	8.1%	938
High school diploma/GED	9.3%	11.0%	34.6%	26.5%	18.5%	9,936
Some college or AA degree	4.8%	17.4%	37.1%	33.5%	7.2%	26,192
Bachelor's degree or higher	4.2%	21.0%	50.6%	19.8%	4.4%	24,488
Household income (in 2012)						
Less than \$20,000	29.8%	8.9%	20.6%	33.1%	7.7%	3,776
\$20,000 - \$34,999	2.2%	10.9%	42.8%	36.0%	8.1%	4,652
\$35,000 - \$49,999	2.3%	15.6%	41.9%	24.5%	15.8%	9,707
\$50,000 - \$99,999	4.4%	20.0%	45.4%	25.1%	5.1%	27,422
\$100,000+	3.1%	21.5%	39.8%	28.1%	7.6%	13,955
Household type						
Single adult, no children	8.8%	14.7%	36.6%	23.6%	16.3%	5,889
2+ adults, no children	6.9%	16.3%	39.7%	28.5%	8.6%	28,936
Single adult, 1+ children	0.0%	25.9%	38.5%	31.9%	3.7%	2,510
2+ adults, 1+ children	2.8%	19.5%	45.7%	26.5%	5.6%	24,238
All areas included in the study						
Benton County	1.9%	27.3%	41.0%	23.6%	6.3%	26,700
Chisago County	8.2%	17.7%	37.5%	28.8%	7.9%	38,960
Mille Lacs County	1.6%	23.2%	26.9%	42.0%	6.3%	19,227
Sherburne County	5.2%	17.8%	41.7%	27.3%	7.9%	61,851
Stearns County	4.5%	24.9%	34.0%	31.3%	5.4%	116,130
Entire five-county region	4.7%	22.3%	36.5%	30.0%	6.5%	262,868

91. In your opinion, how much of a problem is each of these issues in your county? Children in poverty

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	9.6%	23.5%	32.0%	22.1%	12.7%	61,463
Gender						
Female	5.5%	22.5%	32.8%	25.3%	13.9%	30,057
Male	13.4%	24.6%	31.1%	19.1%	11.7%	31,230
Age						
18-34	16.6%	25.2%	29.1%	14.5%	14.6%	19,010
35-44	4.2%	25.4%	32.2%	28.8%	9.4%	13,222
45-54	9.8%	23.9%	33.6%	21.3%	11.3%	13,065
55-64	4.1%	21.3%	39.1%	26.4%	9.1%	8,222
65-74	4.7%	17.5%	26.0%	31.2%	20.5%	4,049
75+	5.3%	14.6%	34.8%	23.7%	21.7%	2,829
Highest level of education						
Less than high school diploma/GED	12.5%	11.3%	17.5%	41.3%	17.4%	915
High school diploma/GED	10.7%	20.6%	24.5%	22.5%	21.6%	9,921
Some college or AA degree	7.7%	22.9%	30.4%	26.9%	12.0%	25,848
Bachelor's degree or higher	11.0%	26.0%	37.5%	15.8%	9.6%	24,480
Household income (in 2012)						
Less than \$20,000	26.6%	14.5%	13.2%	26.8%	18.8%	3,772
\$20,000 - \$34,999	3.7%	16.5%	36.8%	29.2%	13.8%	4,639
\$35,000 - \$49,999	9.5%	23.0%	23.8%	22.8%	20.9%	9,707
\$50,000 - \$99,999	10.3%	25.2%	33.1%	22.9%	8.5%	27,300
\$100,000+	6.3%	26.5%	40.1%	15.4%	11.7%	13,728
Household type						
Single adult, no children	5.9%	26.9%	27.8%	18.6%	20.8%	5,918
2+ adults, no children	12.1%	19.9%	33.7%	22.2%	12.1%	28,633
Single adult, 1+ children	0.5%	30.9%	24.9%	30.9%	12.9%	2,510
2+ adults, 1+ children	8.4%	26.1%	31.9%	21.9%	11.6%	24,150
All areas included in the study						
Benton County	3.9%	29.1%	28.9%	21.5%	16.6%	26,537
Chisago County	13.2%	24.1%	29.1%	19.3%	14.4%	38,984
Mille Lacs County	3.9%	24.6%	28.1%	32.4%	11.1%	19,181
Sherburne County	9.6%	23.5%	32.0%	22.1%	12.7%	61,463
Stearns County	8.0%	33.0%	22.9%	25.1%	11.0%	115,129
Entire five-county region	8.4%	28.4%	27.0%	23.7%	12.5%	261,294

92. In your opinion, how much of a problem is each of these issues in your county? Families experiencing financial stress

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	2.8%	11.3%	40.1%	38.1%	7.7%	61,784
Gender						
Female	0.9%	9.7%	36.3%	45.1%	8.1%	29,965
Male	4.5%	12.8%	43.7%	31.7%	7.3%	31,644
Age						
18-34	5.6%	14.0%	41.3%	31.3%	7.7%	19,268
35-44	1.2%	6.9%	40.5%	47.1%	4.3%	13,222
45-54	1.5%	14.4%	39.2%	39.6%	5.2%	13,053
55-64	1.3%	6.0%	44.0%	42.1%	6.6%	8,243
65-74	1.3%	9.0%	35.7%	37.9%	16.1%	4,077
75+	2.1%	11.4%	35.0%	28.4%	23.1%	2,895
Highest level of education						
Less than high school diploma/GED	0.0%	23.3%	19.5%	44.7%	12.6%	938
High school diploma/GED	5.5%	13.7%	35.6%	32.4%	12.8%	10,288
Some college or AA degree	3.5%	10.9%	32.3%	45.0%	8.3%	25,862
Bachelor's degree or higher	1.2%	10.3%	51.3%	32.6%	4.6%	24,398
Household income (in 2012)						
Less than \$20,000	25.3%	11.1%	18.0%	33.7%	11.9%	3,793
\$20,000 - \$34,999	0.6%	3.7%	32.1%	55.6%	7.9%	4,674
\$35,000 - \$49,999	1.5%	22.4%	29.4%	33.1%	13.6%	9,707
\$50,000 - \$99,999	1.1%	11.0%	42.6%	40.3%	5.0%	27,230
\$100,000+	1.7%	7.1%	52.5%	32.2%	6.6%	14,043
Household type						
Single adult, no children	2.6%	13.9%	40.3%	27.9%	15.3%	5,920
2+ adults, no children	4.8%	12.2%	38.2%	36.1%	8.8%	29,023
Single adult, 1+ children	0.0%	16.9%	26.1%	52.2%	4.8%	2,510
2+ adults, 1+ children	0.6%	8.9%	44.1%	41.7%	4.7%	24,052
All areas included in the study						
Benton County	2.0%	14.6%	35.7%	39.3%	8.4%	26,626
Chisago County	5.8%	7.9%	35.3%	41.1%	9.9%	38,982
Mille Lacs County	1.4%	9.0%	30.2%	51.8%	7.6%	19,186
Sherburne County	2.8%	11.3%	40.1%	38.1%	7.7%	61,784
Stearns County	2.0%	16.7%	36.9%	36.9%	7.4%	115,696
Entire five-county region	2.7%	13.4%	36.8%	39.1%	8.0%	262,275

93. In your opinion, how much of a problem is each of these issues in your county? Youth not graduating high school

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	8.3%	32.7%	27.3%	15.9%	15.9%	61,157
Gender						
Female	6.4%	31.0%	27.7%	17.6%	17.3%	29,816
Male	10.1%	34.1%	26.9%	14.3%	14.5%	31,239
Age						
18-34	9.8%	33.3%	29.1%	12.4%	15.4%	18,918
35-44	6.9%	30.9%	24.8%	20.2%	17.2%	13,222
45-54	10.8%	40.7%	23.9%	13.0%	11.6%	12,974
55-64	6.8%	29.0%	32.1%	18.0%	14.0%	8,151
65-74	4.1%	20.3%	28.4%	23.0%	24.3%	3,990
75+	6.3%	22.1%	29.8%	16.0%	25.9%	2,909
Highest level of education						
Less than high school diploma/GED	32.2%	34.0%	10.9%	8.8%	14.2%	938
High school diploma/GED	10.4%	28.3%	26.2%	14.0%	21.1%	9,943
Some college or AA degree	5.9%	29.2%	26.4%	19.7%	18.9%	25,680
Bachelor's degree or higher	9.1%	37.9%	29.6%	12.9%	10.6%	24,299
Household income (in 2012)						
Less than \$20,000	23.0%	24.3%	15.3%	15.8%	21.6%	3,467
\$20,000 - \$34,999	5.1%	16.0%	34.6%	23.9%	20.4%	4,583
\$35,000 - \$49,999	3.2%	38.4%	16.1%	22.7%	19.7%	9,702
\$50,000 - \$99,999	10.2%	35.0%	29.1%	13.3%	12.4%	27,338
\$100,000+	5.4%	32.8%	31.6%	13.3%	16.9%	13,728
Household type						
Single adult, no children	5.4%	26.6%	29.7%	11.1%	27.1%	5,866
2+ adults, no children	7.5%	30.2%	27.4%	18.8%	16.0%	28,520
Single adult, 1+ children	1.4%	40.7%	29.1%	13.5%	15.3%	2,510
2+ adults, 1+ children	10.7%	36.1%	26.5%	13.5%	13.2%	24,058
All areas included in the study						
Benton County	5.7%	31.4%	29.9%	16.0%	16.9%	26,739
Chisago County	13.4%	34.4%	16.9%	21.3%	14.0%	39,020
Mille Lacs County	4.2%	22.0%	34.6%	21.7%	17.4%	19,135
Sherburne County	8.3%	32.7%	27.3%	15.9%	15.9%	61,157
Stearns County	7.9%	35.2%	22.1%	21.0%	13.9%	115,585
Entire five-county region	8.3%	33.1%	24.2%	19.4%	14.9%	261,636

Pregnancy, birth, and child development

94. In your opinion, how much of a problem is each of these issues in your county? Parents with inadequate or poor parenting skills

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	2.7%	16.8%	31.3%	33.6%	15.6%	61,724
Gender						
Female	2.7%	13.9%	34.0%	32.4%	17.0%	30,176
Male	2.5%	19.4%	28.8%	35.0%	14.3%	31,374
Age						
18-34	3.5%	14.1%	32.6%	34.8%	15.0%	19,478
35-44	0.9%	15.7%	38.8%	31.8%	12.8%	13,249
45-54	3.0%	23.1%	25.7%	36.0%	12.2%	13,065
55-64	2.5%	15.5%	31.6%	36.4%	14.1%	8,003
65-74	2.5%	9.9%	26.8%	31.9%	28.9%	4,007
75+	3.8%	17.1%	23.2%	17.7%	38.2%	2,857
Highest level of education						
Less than high school diploma/GED	8.4%	12.2%	31.5%	33.7%	14.1%	911
High school diploma/GED	3.3%	19.0%	27.7%	27.8%	22.2%	10,254
Some college or AA degree	4.1%	14.7%	29.4%	35.0%	16.9%	25,900
Bachelor's degree or higher	0.7%	18.3%	35.1%	34.4%	11.4%	24,362
Household income (in 2012)						
Less than \$20,000	17.5%	6.4%	13.8%	33.5%	28.9%	3,716
\$20,000 - \$34,999	3.6%	9.4%	26.8%	41.5%	18.8%	4,626
\$35,000 - \$49,999	1.7%	19.0%	33.4%	27.2%	18.7%	9,667
\$50,000 - \$99,999	1.8%	19.2%	32.3%	34.6%	12.1%	27,340
\$100,000+	0.8%	16.5%	35.6%	33.3%	13.9%	14,023
Household type						
Single adult, no children	4.9%	11.9%	23.4%	33.2%	26.6%	5,848
2+ adults, no children	2.6%	17.3%	28.7%	35.0%	16.4%	28,786
Single adult, 1+ children	0.9%	21.9%	26.0%	43.8%	7.5%	2,510
2+ adults, 1+ children	2.3%	16.8%	36.8%	31.3%	12.8%	24,302
All areas included in the study						
Benton County	1.2%	14.3%	36.4%	36.2%	11.9%	26,487
Chisago County	4.6%	15.0%	31.9%	32.9%	15.5%	39,225
Mille Lacs County	1.8%	19.3%	29.4%	39.5%	10.0%	19,174
Sherburne County	2.7%	16.8%	31.3%	33.6%	15.6%	61,724
Stearns County	3.6%	19.1%	33.2%	35.2%	8.9%	115,944
Entire five-county region	3.2%	17.5%	32.6%	34.9%	11.8%	262,555

95. In your opinion, how much of a problem is each of these issues in your county? Teen pregnancy

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	4.9%	24.9%	29.7%	19.2%	21.4%	61,531
Gender						
Female	4.4%	21.4%	33.1%	18.8%	22.2%	30,151
Male	5.2%	28.0%	26.5%	19.7%	20.7%	31,229
Age						
18-34	7.2%	22.6%	30.9%	20.8%	18.5%	19,163
35-44	1.8%	26.3%	27.6%	18.5%	25.8%	13,249
45-54	7.3%	30.5%	29.1%	19.2%	13.9%	13,040
55-64	2.7%	23.7%	28.6%	21.7%	23.2%	8,149
65-74	2.5%	13.5%	34.7%	16.1%	33.2%	4,031
75+	2.6%	17.2%	29.9%	12.4%	37.9%	2,857
Highest level of education						
Less than high school diploma/GED	6.8%	5.8%	48.8%	22.8%	15.9%	911
High school diploma/GED	3.7%	33.6%	20.8%	14.8%	27.2%	9,963
Some college or AA degree	3.3%	23.2%	30.8%	21.4%	21.3%	25,851
Bachelor's degree or higher	7.1%	23.9%	30.9%	18.8%	19.3%	24,508
Household income (in 2012)						
Less than \$20,000	8.0%	22.7%	13.9%	29.6%	25.9%	3,740
\$20,000 - \$34,999	4.1%	12.4%	36.1%	25.8%	21.7%	4,626
\$35,000 - \$49,999	1.7%	23.3%	30.1%	20.5%	24.4%	9,667
\$50,000 - \$99,999	6.6%	28.0%	30.6%	18.0%	16.9%	27,438
\$100,000+	3.5%	25.3%	29.9%	16.3%	25.0%	13,708
Household type						
Single adult, no children	7.2%	28.8%	25.4%	12.4%	26.3%	5,872
2+ adults, no children	3.7%	21.7%	31.9%	21.7%	21.0%	28,568
Single adult, 1+ children	1.9%	28.4%	28.9%	21.3%	19.5%	2,510
2+ adults, 1+ children	6.0%	27.3%	28.2%	17.9%	20.7%	24,302
All areas included in the study						
Benton County	1.7%	26.0%	31.8%	20.1%	20.4%	26,363
Chisago County	6.8%	29.0%	24.8%	18.5%	20.9%	39,056
Mille Lacs County	2.1%	16.7%	34.0%	27.8%	19.4%	19,169
Sherburne County	4.9%	24.9%	29.7%	19.2%	21.4%	61,531
Stearns County	3.5%	31.5%	35.2%	17.0%	12.8%	115,980
Entire five-county region	4.0%	27.9%	31.9%	18.9%	17.3%	262,098

96. In your opinion, how much of a problem is each of these issues in your county?
Unplanned pregnancy

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	4.9%	24.6%	30.3%	15.9%	24.3%	61,445
Gender						
Female	4.3%	23.2%	31.5%	16.4%	24.7%	30,085
Male	5.3%	25.8%	29.3%	15.4%	24.1%	31,209
Age						
18-34	5.2%	26.5%	30.7%	18.1%	19.6%	19,163
35-44	4.7%	22.4%	30.9%	13.5%	28.5%	13,249
45-54	6.4%	29.4%	33.0%	13.4%	17.9%	13,065
55-64	3.4%	21.5%	28.9%	19.6%	26.6%	8,119
65-74	3.3%	14.3%	29.9%	15.1%	37.4%	3,999
75+	2.1%	14.8%	27.8%	11.1%	44.2%	2,850
Highest level of education						
Less than high school diploma/GED	6.8%	35.3%	20.1%	22.0%	15.9%	911
High school diploma/GED	6.9%	26.0%	24.6%	13.1%	29.4%	9,920
Some college or AA degree	3.5%	23.6%	30.8%	17.5%	24.6%	25,849
Bachelor's degree or higher	5.4%	24.8%	32.7%	14.7%	22.3%	24,468
Household income (in 2012)						
Less than \$20,000	3.7%	21.0%	28.0%	16.3%	31.0%	3,740
\$20,000 - \$34,999	4.6%	9.3%	43.6%	20.0%	22.5%	4,594
\$35,000 - \$49,999	3.8%	25.6%	29.3%	15.3%	25.9%	9,667
\$50,000 - \$99,999	7.5%	27.2%	29.1%	16.0%	20.2%	27,425
\$100,000+	0.9%	26.1%	32.2%	13.9%	26.9%	13,708
Household type						
Single adult, no children	4.2%	26.0%	25.0%	13.5%	31.2%	5,864
2+ adults, no children	3.4%	25.3%	27.9%	19.2%	24.2%	28,531
Single adult, 1+ children	5.5%	30.6%	23.6%	20.4%	19.8%	2,510
2+ adults, 1+ children	6.5%	22.6%	35.3%	12.2%	23.4%	24,262
All areas included in the study						
Benton County	3.3%	27.4%	29.3%	18.6%	21.3%	26,418
Chisago County	6.8%	25.0%	30.1%	14.5%	23.6%	38,904
Mille Lacs County	1.7%	19.0%	31.0%	26.3%	21.9%	19,169
Sherburne County	4.9%	24.6%	30.3%	15.9%	24.3%	61,445
Stearns County	5.5%	33.5%	28.7%	18.1%	14.2%	115,949
Entire five-county region	5.1%	28.5%	29.5%	17.7%	19.3%	261,885

97. In your opinion, how much of a problem is each of these issues in your county? Infant death or premature birth

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	13.2%	28.9%	12.4%	8.1%	37.5%	60,954
Gender						
Female	11.6%	26.2%	13.6%	8.3%	40.2%	30,006
Male	14.7%	31.3%	11.2%	7.9%	34.9%	30,846
Age						
18-34	17.5%	29.5%	15.0%	8.3%	29.6%	18,780
35-44	12.3%	30.3%	9.3%	7.8%	40.3%	13,249
45-54	14.2%	30.2%	11.4%	9.6%	34.6%	12,993
55-64	9.4%	27.8%	13.4%	7.6%	41.9%	8,095
65-74	6.2%	21.9%	13.4%	7.9%	50.5%	3,988
75+	7.1%	17.8%	12.3%	2.0%	60.7%	2,857
Highest level of education						
Less than high school diploma/GED	8.4%	29.1%	11.2%	4.3%	46.9%	911
High school diploma/GED	19.9%	16.3%	9.7%	9.2%	45.0%	9,519
Some college or AA degree	9.5%	31.8%	10.5%	8.5%	39.7%	25,772
Bachelor's degree or higher	14.8%	30.3%	15.5%	7.5%	31.9%	24,454
Household income (in 2012)						
Less than \$20,000	19.7%	24.9%	7.1%	7.6%	40.6%	3,709
\$20,000 - \$34,999	7.6%	25.8%	20.2%	7.5%	39.0%	4,613
\$35,000 - \$49,999	5.3%	30.0%	9.9%	15.0%	39.9%	9,284
\$50,000 - \$99,999	17.5%	28.7%	13.9%	6.5%	33.4%	27,336
\$100,000+	10.9%	32.1%	10.4%	6.9%	39.7%	13,708
Household type						
Single adult, no children	14.7%	19.3%	11.3%	7.3%	47.3%	5,714
2+ adults, no children	12.6%	27.0%	13.4%	8.4%	38.6%	28,454
Single adult, 1+ children	4.8%	34.9%	16.1%	7.4%	36.7%	2,510
2+ adults, 1+ children	14.5%	32.5%	10.9%	8.1%	34.1%	24,046
All areas included in the study						
Benton County	14.7%	34.9%	13.0%	6.0%	31.4%	26,551
Chisago County	12.7%	29.9%	15.2%	5.9%	36.3%	38,940
Mille Lacs County	9.7%	31.1%	11.1%	6.7%	41.3%	19,086
Sherburne County	13.2%	28.9%	12.4%	8.1%	37.5%	60,954
Stearns County	10.1%	45.7%	13.3%	4.8%	26.0%	115,252
Entire five-county region	11.7%	37.3%	13.2%	6.0%	31.9%	260,784

Infectious diseases

98. In your opinion, how much of a problem is each of these issues in your county? Adults not getting their immunizations such as flu, tetanus, or pneumonia

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	21.0%	31.0%	21.8%	5.4%	20.8%	61,949
Gender						
Female	13.9%	33.3%	22.7%	6.1%	24.0%	30,149
Male	27.7%	29.0%	21.0%	4.8%	17.6%	31,625
Age						
18-34	28.3%	29.3%	17.3%	5.1%	19.9%	19,455
35-44	21.2%	33.1%	18.1%	10.4%	17.2%	13,222
45-54	20.9%	29.6%	24.6%	2.6%	22.3%	13,035
55-64	13.8%	31.5%	29.0%	3.4%	22.4%	8,182
65-74	9.2%	35.4%	25.1%	5.1%	25.2%	4,080
75+	12.7%	33.1%	25.8%	5.5%	22.9%	2,908
Highest level of education						
Less than high school diploma/GED	23.1%	26.5%	22.3%	3.3%	24.8%	938
High school diploma/GED	24.6%	24.0%	16.8%	6.4%	28.2%	10,277
Some college or AA degree	16.9%	30.3%	21.4%	6.4%	24.9%	25,982
Bachelor's degree or higher	23.7%	35.2%	23.9%	4.0%	13.1%	24,455
Household income (in 2012)						
Less than \$20,000	22.5%	20.3%	22.3%	15.7%	19.2%	3,804
\$20,000 - \$34,999	9.1%	36.6%	24.1%	8.6%	21.6%	4,631
\$35,000 - \$49,999	19.7%	22.3%	25.5%	8.5%	24.0%	9,662
\$50,000 - \$99,999	27.9%	32.7%	19.5%	3.9%	16.0%	27,512
\$100,000+	12.6%	35.8%	23.2%	3.0%	25.5%	14,036
Household type						
Single adult, no children	13.4%	31.7%	17.1%	10.6%	27.2%	5,920
2+ adults, no children	24.7%	31.4%	18.8%	4.2%	21.0%	29,050
Single adult, 1+ children	6.9%	42.2%	28.1%	2.7%	20.1%	2,510
2+ adults, 1+ children	19.4%	29.4%	26.1%	5.8%	19.3%	24,197
All areas included in the study						
Benton County	23.7%	33.1%	18.7%	3.6%	20.8%	26,327
Chisago County	20.4%	41.4%	14.9%	1.7%	21.7%	38,784
Mille Lacs County	12.7%	37.7%	29.4%	3.5%	16.7%	19,157
Sherburne County	21.0%	31.0%	21.8%	5.4%	20.8%	61,949
Stearns County	20.8%	37.0%	19.2%	3.1%	19.9%	116,244
Entire five-county region	20.5%	35.9%	19.9%	3.5%	20.2%	262,460

99. In your opinion, how much of a problem is each of these issues in your county? Children not getting their immunizations such as pertussis, flu, or tetanus

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	19.4%	27.7%	19.8%	12.8%	20.4%	61,944
Gender						
Female	14.4%	29.6%	21.1%	12.0%	22.9%	30,173
Male	24.1%	26.1%	18.6%	13.6%	17.7%	31,620
Age						
18-34	26.8%	28.6%	16.8%	9.9%	17.8%	19,455
35-44	16.2%	27.6%	18.7%	20.6%	16.9%	13,222
45-54	18.8%	27.4%	21.2%	10.2%	22.4%	13,072
55-64	15.3%	28.3%	22.0%	12.8%	21.6%	8,178
65-74	10.9%	27.8%	24.5%	11.0%	25.7%	4,080
75+	12.1%	22.8%	23.8%	11.2%	30.1%	2,895
Highest level of education						
Less than high school diploma/GED	18.7%	32.4%	21.4%	16.2%	11.3%	938
High school diploma/GED	23.7%	14.0%	22.1%	10.9%	29.3%	10,273
Some college or AA degree	17.9%	26.7%	18.1%	15.0%	22.3%	26,001
Bachelor's degree or higher	19.3%	34.6%	20.2%	11.2%	14.8%	24,435
Household income (in 2012)						
Less than \$20,000	23.9%	10.0%	25.3%	19.3%	21.5%	3,799
\$20,000 - \$34,999	8.5%	31.9%	18.3%	18.3%	23.0%	4,651
\$35,000 - \$49,999	15.6%	21.3%	21.4%	16.9%	24.9%	9,674
\$50,000 - \$99,999	27.0%	27.6%	17.6%	11.4%	16.3%	27,488
\$100,000+	10.2%	37.1%	21.4%	10.4%	20.9%	14,043
Household type						
Single adult, no children	11.0%	27.9%	14.7%	11.6%	34.8%	5,889
2+ adults, no children	23.2%	27.8%	18.8%	10.7%	19.5%	29,022
Single adult, 1+ children	5.4%	28.0%	34.8%	12.6%	19.3%	2,510
2+ adults, 1+ children	17.6%	27.8%	20.8%	15.6%	18.1%	24,252
All areas included in the study						
Benton County	23.9%	28.4%	19.7%	7.8%	20.2%	26,418
Chisago County	22.0%	28.4%	20.4%	7.6%	21.7%	38,586
Mille Lacs County	10.4%	34.0%	30.2%	6.6%	18.8%	19,248
Sherburne County	19.4%	27.7%	19.8%	12.8%	20.4%	61,944
Stearns County	17.9%	34.9%	18.2%	11.7%	17.3%	116,392
Entire five-county region	18.9%	31.5%	19.9%	10.6%	19.1%	262,588

100. In your opinion, how much of a problem is each of these issues in your county? Infectious diseases such as flu, pneumonia, or whooping cough

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	14.9%	33.8%	25.4%	9.0%	16.9%	61,753
Gender						
Female	9.3%	34.4%	28.7%	9.4%	18.3%	30,174
Male	20.3%	33.4%	22.4%	8.7%	15.3%	31,453
Age						
18-34	23.1%	32.8%	23.4%	7.4%	13.4%	19,455
35-44	11.4%	35.1%	27.9%	11.9%	13.7%	13,101
45-54	14.3%	32.2%	25.5%	9.0%	18.9%	13,026
55-64	8.2%	37.2%	28.2%	8.1%	18.2%	8,198
65-74	7.7%	32.2%	23.9%	9.3%	26.9%	4,080
75+	9.4%	33.2%	25.3%	8.7%	23.4%	2,876
Highest level of education						
Less than high school diploma/GED	18.7%	15.3%	38.4%	16.2%	11.3%	938
High school diploma/GED	22.4%	19.9%	23.1%	7.7%	26.9%	10,240
Some college or AA degree	11.6%	34.6%	22.5%	12.6%	18.6%	25,944
Bachelor's degree or higher	15.0%	39.3%	29.2%	5.6%	10.9%	24,334
Household income (in 2012)						
Less than \$20,000	22.6%	17.2%	23.0%	15.4%	21.8%	3,818
\$20,000 - \$34,999	6.6%	41.1%	22.3%	14.6%	15.4%	4,665
\$35,000 - \$49,999	16.0%	31.8%	20.3%	10.1%	21.7%	9,674
\$50,000 - \$99,999	20.0%	32.4%	25.3%	9.0%	13.4%	27,313
\$100,000+	5.2%	41.4%	30.5%	5.9%	17.0%	14,043
Household type						
Single adult, no children	9.5%	33.1%	18.0%	13.2%	26.1%	5,908
2+ adults, no children	19.2%	33.2%	24.4%	6.0%	17.1%	28,981
Single adult, 1+ children	6.4%	24.9%	49.9%	6.0%	12.8%	2,510
2+ adults, 1+ children	11.9%	35.3%	26.1%	11.9%	14.8%	24,131
All areas included in the study						
Benton County	13.0%	37.1%	26.1%	8.7%	15.0%	26,475
Chisago County	22.3%	32.4%	21.8%	6.1%	17.4%	38,548
Mille Lacs County	7.5%	38.9%	31.5%	7.6%	14.5%	19,221
Sherburne County	14.9%	33.8%	25.4%	9.0%	16.9%	61,753
Stearns County	11.0%	40.4%	21.6%	14.9%	12.1%	116,309
Entire five-county region	13.5%	37.2%	23.7%	11.1%	14.5%	262,306

101. In your opinion, how much of a problem is each of these issues in your county? Sexually transmitted diseases such as chlamydia, syphilis, or HIV/AIDS

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	11.6%	26.9%	18.7%	9.0%	33.8%	61,670
Gender						
Female	9.1%	23.5%	19.7%	10.6%	37.1%	30,069
Male	14.0%	30.2%	17.9%	7.3%	30.5%	31,450
Age						
18-34	15.5%	25.0%	17.0%	11.0%	31.5%	19,455
35-44	10.2%	32.3%	18.7%	3.4%	35.4%	13,052
45-54	13.2%	30.5%	18.6%	8.0%	29.7%	12,971
55-64	9.0%	27.2%	22.2%	8.4%	33.2%	8,198
65-74	3.7%	20.8%	19.7%	11.1%	44.7%	4,080
75+	6.6%	12.1%	20.5%	12.8%	48.0%	2,911
Highest level of education						
Less than high school diploma/GED	30.6%	27.3%	15.8%	2.6%	23.7%	938
High school diploma/GED	14.9%	15.9%	17.7%	7.1%	44.4%	10,273
Some college or AA degree	10.4%	25.5%	17.5%	11.5%	35.0%	25,917
Bachelor's degree or higher	10.8%	32.7%	20.7%	7.3%	28.4%	24,245
Household income (in 2012)						
Less than \$20,000	24.1%	9.9%	23.7%	12.3%	30.0%	3,835
\$20,000 - \$34,999	7.4%	23.5%	23.6%	14.7%	30.8%	4,651
\$35,000 - \$49,999	3.4%	26.8%	18.7%	11.6%	39.4%	9,598
\$50,000 - \$99,999	15.6%	29.0%	18.0%	7.6%	29.9%	27,294
\$100,000+	8.1%	29.8%	18.3%	6.6%	37.2%	14,043
Household type						
Single adult, no children	7.2%	22.5%	16.3%	14.7%	39.3%	5,925
2+ adults, no children	12.0%	23.9%	18.5%	10.8%	34.8%	28,998
Single adult, 1+ children	4.8%	25.0%	29.7%	10.8%	29.7%	2,510
2+ adults, 1+ children	13.0%	31.9%	18.4%	4.9%	31.8%	24,042
All areas included in the study						
Benton County	15.2%	28.3%	20.3%	7.7%	28.5%	26,345
Chisago County	17.7%	29.1%	16.7%	5.8%	30.7%	38,481
Mille Lacs County	7.3%	30.2%	24.5%	10.5%	27.6%	19,184
Sherburne County	11.6%	26.9%	18.7%	9.0%	33.8%	61,670
Stearns County	10.9%	27.4%	23.5%	13.2%	25.1%	116,074
Entire five-county region	12.2%	27.8%	21.1%	10.3%	28.5%	261,754

102. In your opinion, how much of a problem is each of these issues in your county? Insect-borne diseases such as Lyme disease or West Nile virus

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	9.3%	32.7%	24.1%	10.3%	23.7%	61,942
Gender						
Female	9.7%	29.0%	24.0%	12.2%	25.1%	30,171
Male	8.9%	36.4%	24.3%	8.3%	22.1%	31,620
Age						
18-34	15.3%	36.6%	14.7%	6.4%	27.0%	19,410
35-44	6.3%	29.9%	27.6%	11.6%	24.7%	13,222
45-54	8.7%	34.1%	26.8%	12.5%	17.9%	13,072
55-64	4.7%	32.0%	28.8%	14.3%	20.2%	8,198
65-74	5.1%	31.2%	28.6%	11.1%	24.0%	4,074
75+	5.6%	22.9%	34.0%	6.3%	31.2%	2,924
Highest level of education						
Less than high school diploma/GED	18.7%	7.3%	14.9%	38.7%	20.4%	938
High school diploma/GED	13.4%	22.3%	19.4%	11.0%	33.8%	10,280
Some college or AA degree	8.4%	32.4%	27.0%	9.5%	22.6%	26,017
Bachelor's degree or higher	8.2%	37.9%	23.5%	9.8%	20.7%	24,410
Household income (in 2012)						
Less than \$20,000	20.4%	24.3%	16.6%	11.5%	27.2%	3,828
\$20,000 - \$34,999	7.7%	29.7%	25.8%	12.4%	24.4%	4,665
\$35,000 - \$49,999	6.5%	26.8%	25.3%	12.7%	28.7%	9,674
\$50,000 - \$99,999	10.5%	38.3%	25.5%	7.5%	18.3%	27,443
\$100,000+	6.3%	31.5%	21.8%	12.8%	27.6%	14,043
Household type						
Single adult, no children	14.5%	15.6%	28.7%	10.6%	30.6%	5,918
2+ adults, no children	8.0%	35.1%	23.1%	10.9%	23.0%	29,035
Single adult, 1+ children	9.2%	31.1%	34.2%	7.3%	18.1%	2,510
2+ adults, 1+ children	9.7%	34.3%	23.2%	9.3%	23.6%	24,207
All areas included in the study						
Benton County	16.3%	43.6%	15.2%	5.0%	19.8%	26,399
Chisago County	13.4%	29.3%	27.9%	13.0%	16.4%	38,783
Mille Lacs County	3.6%	37.1%	29.1%	16.7%	13.6%	19,114
Sherburne County	9.3%	32.7%	24.1%	10.3%	23.7%	61,942
Stearns County	17.9%	35.2%	24.8%	8.0%	14.2%	115,969
Entire five-county region	14.0%	34.7%	24.4%	9.6%	17.3%	262,207

Environment

103. In your opinion, how much of a problem is each of these issues in your county? Indoor air pollution related to radon

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	30.6%	24.1%	15.8%	4.5%	25.1%	62,061
Gender						
Female	22.9%	23.6%	16.0%	5.2%	32.3%	30,000
Male	37.8%	24.7%	15.6%	3.8%	18.1%	31,911
Age						
18-34	47.3%	18.2%	11.4%	4.2%	18.9%	19,455
35-44	30.7%	23.6%	13.5%	4.6%	27.5%	13,407
45-54	21.3%	29.2%	19.8%	4.1%	25.6%	12,987
55-64	14.9%	31.9%	22.3%	4.6%	26.3%	8,193
65-74	18.9%	24.6%	21.3%	6.0%	29.2%	4,065
75+	21.7%	19.5%	16.6%	2.0%	40.2%	2,913
Highest level of education						
Less than high school diploma/GED	43.3%	4.8%	14.1%	16.0%	21.8%	938
High school diploma/GED	37.4%	17.9%	14.6%	2.1%	28.0%	10,281
Some college or AA degree	30.5%	25.9%	16.0%	2.8%	24.9%	26,193
Bachelor's degree or higher	27.6%	25.7%	16.2%	6.4%	24.1%	24,351
Household income (in 2012)						
Less than \$20,000	30.6%	15.8%	18.6%	9.4%	25.5%	3,847
\$20,000 - \$34,999	17.5%	28.0%	18.0%	6.0%	30.5%	4,649
\$35,000 - \$49,999	30.1%	32.2%	9.8%	1.9%	26.0%	9,665
\$50,000 - \$99,999	34.1%	22.6%	16.8%	3.1%	23.3%	27,413
\$100,000+	31.1%	24.3%	16.6%	4.7%	23.3%	14,206
Household type						
Single adult, no children	28.8%	25.8%	9.5%	4.4%	31.4%	5,909
2+ adults, no children	32.2%	21.3%	18.8%	3.7%	24.0%	29,287
Single adult, 1+ children	28.8%	32.9%	8.9%	5.2%	24.3%	2,510
2+ adults, 1+ children	28.8%	26.2%	14.5%	5.2%	25.2%	24,069
All areas included in the study						
Benton County	28.5%	32.5%	10.0%	2.5%	26.5%	26,445
Chisago County	24.8%	34.6%	14.4%	2.7%	23.5%	38,517
Mille Lacs County	18.8%	22.7%	13.3%	4.3%	40.9%	19,102
Sherburne County	30.6%	24.1%	15.8%	4.5%	25.1%	62,061
Stearns County	23.1%	31.1%	9.3%	2.6%	33.9%	115,509
Entire five-county region	25.4%	29.5%	11.9%	3.2%	30.0%	261,633

104. In your opinion, how much of a problem is each of these issues in your county?
Unsafe drinking water

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	45.2%	25.9%	9.5%	4.5%	14.8%	62,199
Gender						
Female	39.2%	26.5%	9.8%	5.3%	19.2%	30,123
Male	50.6%	25.5%	9.4%	3.8%	10.6%	31,900
Age						
18-34	58.0%	19.2%	7.9%	4.9%	10.0%	19,385
35-44	43.2%	27.3%	8.0%	3.9%	17.5%	13,517
45-54	38.1%	31.5%	13.2%	4.5%	12.6%	13,035
55-64	31.9%	33.5%	12.4%	5.8%	16.5%	8,212
65-74	39.9%	27.1%	8.1%	4.3%	20.6%	4,044
75+	50.1%	17.3%	7.7%	2.5%	22.4%	2,939
Highest level of education						
Less than high school diploma/GED	58.7%	17.1%	0.0%	17.6%	6.6%	938
High school diploma/GED	46.2%	21.2%	8.2%	4.5%	19.9%	10,282
Some college or AA degree	45.3%	23.8%	11.5%	5.0%	14.3%	26,227
Bachelor's degree or higher	44.6%	30.8%	8.4%	3.5%	12.7%	24,455
Household income (in 2012)						
Less than \$20,000	49.6%	15.1%	6.5%	10.5%	18.3%	3,847
\$20,000 - \$34,999	30.8%	26.7%	14.7%	9.4%	18.4%	4,658
\$35,000 - \$49,999	42.0%	25.5%	6.3%	6.2%	20.0%	9,649
\$50,000 - \$99,999	46.8%	27.3%	11.9%	3.5%	10.5%	27,388
\$100,000+	50.0%	27.6%	6.8%	1.9%	13.6%	14,339
Household type						
Single adult, no children	41.6%	25.7%	6.2%	6.3%	20.1%	5,944
2+ adults, no children	49.0%	22.7%	9.9%	4.1%	14.3%	29,277
Single adult, 1+ children	33.4%	36.3%	8.9%	7.0%	14.4%	2,510
2+ adults, 1+ children	42.4%	29.2%	10.1%	4.2%	14.2%	24,181
All areas included in the study						
Benton County	44.5%	27.8%	11.5%	4.2%	12.0%	26,351
Chisago County	48.2%	28.2%	5.6%	5.1%	12.9%	38,580
Mille Lacs County	40.3%	22.4%	8.7%	6.4%	22.2%	19,126
Sherburne County	45.2%	25.9%	9.5%	4.5%	14.8%	62,199
Stearns County	43.2%	31.2%	6.4%	8.7%	10.4%	115,647
Entire five-county region	44.3%	28.5%	7.7%	6.6%	12.9%	261,903

105. In your opinion, how much of a problem is each of these issues in your county? Unsafe food in restaurants

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	41.6%	31.3%	8.4%	4.5%	14.2%	61,889
Gender						
Female	35.7%	31.2%	9.6%	5.1%	18.4%	30,064
Male	46.9%	31.5%	7.2%	4.0%	10.4%	31,650
Age						
18-34	56.0%	25.0%	5.1%	3.8%	10.1%	19,455
35-44	42.9%	28.4%	5.3%	5.7%	17.7%	13,517
45-54	35.0%	36.2%	13.3%	4.2%	11.4%	12,932
55-64	29.5%	38.1%	11.7%	4.9%	15.8%	8,142
65-74	27.2%	40.6%	12.3%	2.3%	17.7%	4,006
75+	28.2%	41.3%	10.4%	0.4%	19.7%	2,897
Highest level of education						
Less than high school diploma/GED	25.6%	43.5%	6.3%	16.3%	8.3%	923
High school diploma/GED	45.3%	19.0%	10.6%	5.4%	19.7%	10,191
Some college or AA degree	43.0%	27.6%	10.6%	5.9%	12.9%	26,029
Bachelor's degree or higher	39.4%	40.1%	5.3%	2.3%	12.8%	24,448
Household income (in 2012)						
Less than \$20,000	47.0%	20.1%	6.2%	8.8%	18.0%	3,795
\$20,000 - \$34,999	23.5%	41.6%	12.5%	6.6%	15.8%	4,606
\$35,000 - \$49,999	38.5%	26.5%	10.1%	7.2%	17.6%	9,587
\$50,000 - \$99,999	43.6%	32.5%	9.8%	3.4%	10.8%	27,281
\$100,000+	46.4%	33.2%	4.2%	3.2%	13.0%	14,339
Household type						
Single adult, no children	35.8%	25.6%	8.4%	9.7%	20.4%	5,938
2+ adults, no children	44.9%	30.4%	8.6%	3.3%	12.9%	29,181
Single adult, 1+ children	33.7%	31.9%	15.6%	5.2%	13.7%	2,510
2+ adults, 1+ children	39.3%	34.1%	7.4%	4.7%	14.5%	23,973
All areas included in the study						
Benton County	40.5%	33.3%	11.1%	2.6%	12.4%	26,502
Chisago County	42.2%	30.7%	7.7%	4.8%	14.6%	38,360
Mille Lacs County	41.2%	24.8%	8.4%	5.4%	20.2%	19,172
Sherburne County	41.6%	31.3%	8.4%	4.5%	14.2%	61,889
Stearns County	36.4%	37.7%	9.0%	7.5%	9.3%	111,907
Entire five-county region	39.3%	33.7%	8.8%	5.7%	12.4%	257,829

106. In your opinion, how much of a problem is each of these issues in your county? Extreme heat – days of high heat and humidity

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	31.2%	41.8%	13.7%	3.5%	9.7%	62,190
Gender						
Female	29.1%	38.8%	16.0%	3.6%	12.5%	30,230
Male	33.3%	44.6%	11.6%	3.5%	7.1%	31,784
Age						
18-34	40.5%	38.4%	10.2%	1.7%	9.1%	19,455
35-44	32.5%	43.1%	10.3%	2.1%	12.1%	13,457
45-54	30.0%	44.0%	15.4%	3.5%	7.2%	13,035
55-64	18.2%	45.8%	21.2%	6.7%	8.1%	8,212
65-74	26.3%	36.3%	14.1%	12.5%	10.8%	4,045
75+	19.0%	44.2%	23.3%	2.4%	11.2%	2,919
Highest level of education						
Less than high school diploma/GED	23.9%	39.8%	15.2%	15.0%	6.0%	938
High school diploma/GED	32.3%	31.0%	19.3%	3.2%	14.2%	10,265
Some college or AA degree	28.9%	40.9%	15.8%	4.0%	10.4%	26,315
Bachelor's degree or higher	33.8%	47.9%	8.6%	2.7%	7.0%	24,374
Household income (in 2012)						
Less than \$20,000	40.7%	18.5%	12.7%	8.1%	20.0%	3,798
\$20,000 - \$34,999	16.4%	44.3%	21.3%	9.7%	8.3%	4,629
\$35,000 - \$49,999	26.0%	38.5%	20.9%	2.5%	12.0%	9,674
\$50,000 - \$99,999	33.5%	43.7%	13.3%	2.9%	6.5%	27,492
\$100,000+	32.9%	48.3%	7.4%	2.0%	9.4%	14,339
Household type						
Single adult, no children	29.7%	31.9%	17.1%	5.3%	16.0%	5,908
2+ adults, no children	28.6%	45.1%	13.2%	3.8%	9.4%	29,342
Single adult, 1+ children	31.7%	37.1%	20.8%	2.7%	7.7%	2,450
2+ adults, 1+ children	34.3%	41.2%	12.8%	2.9%	8.7%	24,203
All areas included in the study						
Benton County	30.2%	41.9%	16.3%	3.2%	8.4%	26,580
Chisago County	32.3%	37.8%	18.6%	2.6%	8.7%	38,533
Mille Lacs County	22.0%	40.5%	17.9%	6.0%	13.5%	19,236
Sherburne County	31.2%	41.8%	13.7%	3.5%	9.7%	62,190
Stearns County	27.4%	43.1%	14.2%	3.9%	11.4%	111,866
Entire five-county region	28.9%	41.7%	15.2%	3.7%	10.5%	258,405

107. In your opinion, how much of a problem is each of these issues in your county? Extreme weather such as drought, floods, or tornadoes

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	26.4%	44.6%	15.3%	5.6%	8.1%	62,017
Gender						
Female	26.4%	40.3%	16.2%	6.0%	11.0%	30,100
Male	26.2%	48.7%	14.5%	5.3%	5.4%	31,829
Age						
18-34	38.7%	37.1%	11.8%	4.3%	8.1%	19,349
35-44	28.1%	47.7%	14.7%	1.4%	8.1%	13,517
45-54	19.7%	50.9%	13.7%	8.2%	7.4%	13,024
55-64	15.6%	46.6%	22.4%	8.5%	6.9%	8,184
65-74	18.9%	46.4%	20.2%	9.2%	5.3%	4,034
75+	10.3%	44.7%	22.4%	10.9%	11.7%	2,930
Highest level of education						
Less than high school diploma/GED	23.9%	26.1%	30.6%	16.0%	3.3%	938
High school diploma/GED	36.5%	34.3%	11.1%	5.4%	12.7%	10,289
Some college or AA degree	25.7%	42.7%	15.2%	7.7%	8.7%	26,163
Bachelor's degree or higher	23.2%	52.1%	16.2%	3.1%	5.3%	24,329
Household income (in 2012)						
Less than \$20,000	36.9%	20.6%	11.7%	8.8%	22.0%	3,805
\$20,000 - \$34,999	14.5%	45.9%	25.0%	6.9%	7.7%	4,648
\$35,000 - \$49,999	28.1%	38.8%	15.9%	7.2%	10.0%	9,568
\$50,000 - \$99,999	27.0%	48.4%	13.2%	6.0%	5.5%	27,348
\$100,000+	25.4%	49.5%	16.9%	2.0%	6.1%	14,339
Household type						
Single adult, no children	26.6%	31.3%	16.0%	12.6%	13.6%	5,835
2+ adults, no children	24.8%	45.8%	15.3%	6.1%	8.0%	29,133
Single adult, 1+ children	16.8%	56.4%	14.7%	5.2%	7.0%	2,510
2+ adults, 1+ children	28.6%	45.6%	15.4%	3.5%	6.9%	24,252
All areas included in the study						
Benton County	25.9%	47.5%	14.4%	4.9%	7.3%	26,325
Chisago County	30.7%	37.1%	18.3%	5.7%	8.2%	38,574
Mille Lacs County	26.4%	33.2%	21.3%	5.6%	13.6%	19,147
Sherburne County	26.4%	44.6%	15.3%	5.6%	8.1%	62,017
Stearns County	21.2%	46.5%	14.9%	4.2%	13.2%	114,972
Entire five-county region	24.7%	43.8%	15.9%	4.9%	10.7%	261,034

108. In your opinion, how much of a problem is each of these issues in your county? Lack of access to public space for no-cost recreational use

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	39.2%	27.8%	15.2%	6.4%	11.4%	62,252
Gender						
Female	32.4%	26.6%	17.4%	7.9%	15.8%	30,147
Male	45.3%	29.1%	13.3%	5.0%	7.3%	31,930
Age						
18-34	47.2%	22.7%	15.0%	5.9%	9.2%	19,455
35-44	35.0%	35.3%	15.0%	4.1%	10.6%	13,517
45-54	31.4%	30.0%	18.2%	9.7%	10.7%	13,008
55-64	37.9%	27.3%	16.9%	8.9%	9.0%	8,212
65-74	35.8%	31.8%	11.1%	5.9%	15.5%	4,080
75+	41.0%	21.9%	5.4%	1.8%	30.0%	2,912
Highest level of education						
Less than high school diploma/GED	24.5%	44.5%	4.2%	13.4%	13.3%	938
High school diploma/GED	34.7%	22.8%	18.1%	6.1%	18.3%	10,299
Some college or AA degree	40.1%	26.1%	14.7%	7.1%	11.9%	26,262
Bachelor's degree or higher	41.0%	31.2%	14.6%	5.5%	7.7%	24,455
Household income (in 2012)						
Less than \$20,000	37.3%	24.8%	7.2%	10.7%	20.0%	3,813
\$20,000 - \$34,999	23.7%	36.6%	17.4%	4.8%	17.4%	4,665
\$35,000 - \$49,999	42.4%	19.4%	14.7%	8.0%	15.5%	9,674
\$50,000 - \$99,999	40.7%	29.2%	15.9%	7.1%	7.1%	27,512
\$100,000+	41.1%	28.6%	16.6%	3.6%	10.1%	14,314
Household type						
Single adult, no children	40.5%	24.1%	16.4%	3.7%	15.3%	5,937
2+ adults, no children	42.7%	27.0%	13.5%	3.8%	13.0%	29,342
Single adult, 1+ children	30.6%	29.7%	22.9%	7.6%	9.3%	2,510
2+ adults, 1+ children	35.7%	29.3%	16.1%	10.1%	8.7%	24,203
All areas included in the study						
Benton County	39.8%	27.8%	15.4%	5.5%	11.5%	26,538
Chisago County	39.3%	35.4%	10.4%	5.1%	9.8%	38,805
Mille Lacs County	32.8%	26.2%	13.9%	11.9%	15.2%	19,130
Sherburne County	39.2%	27.8%	15.2%	6.4%	11.4%	62,252
Stearns County	36.0%	31.9%	17.4%	5.6%	9.1%	115,639
Entire five-county region	37.4%	30.6%	15.4%	6.2%	10.4%	262,363

109. In your opinion, how much of a problem is each of these issues in your county? Lack of safe places to walk or bike

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	44.2%	26.9%	14.9%	6.8%	7.2%	62,112
Gender						
Female	39.2%	27.8%	16.3%	7.8%	8.9%	30,045
Male	49.1%	26.3%	13.3%	5.8%	5.6%	31,893
Age						
18-34	45.9%	25.6%	15.7%	6.5%	6.2%	19,444
35-44	48.4%	24.2%	13.7%	5.8%	7.9%	13,428
45-54	38.4%	30.7%	15.8%	9.9%	5.3%	13,084
55-64	41.9%	28.3%	16.6%	6.0%	7.1%	8,146
65-74	36.7%	36.8%	9.7%	7.2%	9.6%	4,061
75+	55.5%	23.5%	9.4%	2.0%	9.6%	2,884
Highest level of education						
Less than high school diploma/GED	33.9%	41.1%	3.3%	17.6%	4.0%	938
High school diploma/GED	48.7%	25.5%	9.5%	3.6%	12.7%	10,255
Some college or AA degree	45.7%	25.2%	13.3%	9.3%	6.4%	26,199
Bachelor's degree or higher	41.5%	29.1%	18.8%	5.0%	5.6%	24,423
Household income (in 2012)						
Less than \$20,000	55.6%	12.5%	7.9%	8.1%	16.0%	3,778
\$20,000 - \$34,999	37.8%	30.8%	14.9%	8.0%	8.5%	4,620
\$35,000 - \$49,999	41.9%	25.3%	13.3%	11.8%	7.8%	9,645
\$50,000 - \$99,999	42.6%	28.2%	19.2%	5.5%	4.4%	27,429
\$100,000+	50.6%	28.8%	8.9%	4.9%	6.9%	14,339
Household type						
Single adult, no children	46.6%	21.8%	17.4%	4.0%	10.3%	5,877
2+ adults, no children	43.8%	28.8%	13.2%	6.4%	7.8%	29,272
Single adult, 1+ children	53.0%	28.8%	12.8%	1.4%	4.0%	2,454
2+ adults, 1+ children	43.0%	26.0%	16.4%	8.5%	6.1%	24,223
All areas included in the study						
Benton County	41.1%	31.1%	17.3%	5.7%	4.9%	26,095
Chisago County	45.3%	32.2%	12.2%	5.4%	4.9%	38,818
Mille Lacs County	38.6%	24.0%	15.4%	11.0%	11.0%	19,163
Sherburne County	44.2%	26.9%	14.9%	6.8%	7.2%	62,112
Stearns County	43.5%	32.9%	12.7%	5.0%	5.9%	114,924
Entire five-county region	43.3%	30.5%	13.8%	6.0%	6.4%	261,112

Alcohol, tobacco, and other drug use

110. In your opinion, how much of a problem is each of these issues in your county? Smoking or other tobacco use

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	17.4%	23.7%	30.7%	16.0%	12.1%	61,753
Gender						
Female	10.5%	21.9%	33.7%	19.4%	14.6%	30,158
Male	24.0%	25.7%	28.0%	12.8%	9.6%	31,420
Age						
18-34	26.7%	24.6%	24.9%	13.5%	10.3%	19,455
35-44	13.2%	21.4%	33.7%	20.3%	11.4%	13,222
45-54	12.6%	29.4%	31.2%	13.1%	13.8%	13,084
55-64	11.0%	23.7%	36.8%	17.6%	10.9%	8,066
65-74	10.6%	19.2%	41.7%	15.8%	12.6%	4,025
75+	12.4%	18.0%	32.4%	18.5%	18.7%	2,835
Highest level of education						
Less than high school diploma/GED	28.5%	18.5%	29.8%	19.8%	3.3%	938
High school diploma/GED	24.7%	20.0%	27.7%	10.3%	17.4%	10,286
Some college or AA degree	15.9%	24.9%	25.9%	21.2%	12.1%	25,924
Bachelor's degree or higher	15.4%	24.6%	37.6%	12.5%	10.1%	24,308
Household income (in 2012)						
Less than \$20,000	26.1%	25.9%	17.2%	13.2%	17.7%	3,812
\$20,000 - \$34,999	11.3%	21.6%	30.4%	25.6%	11.1%	4,665
\$35,000 - \$49,999	21.2%	20.0%	32.2%	12.2%	14.4%	9,571
\$50,000 - \$99,999	18.2%	22.8%	32.5%	16.3%	10.2%	27,439
\$100,000+	12.8%	31.0%	30.4%	14.9%	11.0%	13,970
Household type						
Single adult, no children	26.3%	16.7%	21.7%	18.0%	17.3%	5,888
2+ adults, no children	20.6%	22.7%	31.1%	14.7%	11.0%	28,817
Single adult, 1+ children	9.3%	34.6%	32.3%	11.7%	12.0%	2,510
2+ adults, 1+ children	12.0%	25.7%	32.8%	17.4%	12.2%	24,252
All areas included in the study						
Benton County	12.2%	28.8%	28.3%	18.8%	11.8%	26,488
Chisago County	18.8%	17.6%	37.5%	17.5%	8.6%	38,516
Mille Lacs County	6.4%	20.5%	26.9%	31.5%	14.8%	19,163
Sherburne County	17.4%	23.7%	30.7%	16.0%	12.1%	61,753
Stearns County	12.9%	23.3%	32.0%	17.5%	14.3%	115,122
Entire five-county region	14.3%	22.9%	31.8%	18.3%	12.7%	261,042

111. In your opinion, how much of a problem is each of these issues in your county? Abuse of prescription drugs

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	9.5%	23.2%	28.0%	17.8%	21.5%	61,160
Gender						
Female	7.1%	19.5%	28.9%	20.7%	23.8%	30,004
Male	11.9%	26.9%	27.3%	14.9%	18.9%	31,005
Age						
18-34	16.2%	27.4%	23.8%	13.5%	19.1%	18,942
35-44	6.7%	16.6%	31.3%	24.4%	21.0%	13,166
45-54	6.4%	29.9%	26.3%	17.5%	19.9%	13,039
55-64	6.2%	21.7%	35.1%	14.1%	22.9%	8,070
65-74	6.3%	12.5%	31.2%	21.5%	28.5%	4,019
75+	8.5%	17.4%	25.1%	18.3%	30.7%	2,883
Highest level of education						
Less than high school diploma/GED	25.9%	25.0%	42.4%	3.3%	3.3%	938
High school diploma/GED	12.3%	14.6%	19.4%	26.9%	26.8%	9,760
Some college or AA degree	7.5%	24.6%	27.8%	20.7%	19.3%	25,783
Bachelor's degree or higher	9.9%	25.4%	31.3%	11.2%	22.2%	24,382
Household income (in 2012)						
Less than \$20,000	25.2%	11.5%	16.8%	27.3%	19.2%	3,788
\$20,000 - \$34,999	6.0%	9.3%	35.7%	27.9%	21.0%	4,665
\$35,000 - \$49,999	9.9%	22.0%	26.4%	18.7%	23.0%	9,093
\$50,000 - \$99,999	8.9%	26.7%	27.7%	15.2%	21.5%	27,370
\$100,000+	7.7%	27.4%	31.0%	14.9%	18.9%	13,948
Household type						
Single adult, no children	11.8%	14.5%	29.9%	17.9%	25.9%	5,871
2+ adults, no children	11.6%	24.7%	28.2%	14.5%	21.0%	28,292
Single adult, 1+ children	2.6%	17.8%	36.5%	23.8%	19.4%	2,510
2+ adults, 1+ children	7.3%	24.1%	26.4%	20.9%	21.2%	24,200
All areas included in the study						
Benton County	7.7%	28.6%	24.0%	19.2%	20.4%	26,494
Chisago County	9.9%	22.9%	28.1%	23.4%	15.7%	38,639
Mille Lacs County	4.8%	15.2%	23.2%	32.8%	24.0%	19,125
Sherburne County	9.5%	23.2%	28.0%	17.8%	21.5%	61,160
Stearns County	7.7%	26.0%	29.4%	20.5%	16.4%	115,663
Entire five-county region	8.2%	24.4%	27.9%	21.0%	18.5%	261,082

112. In your opinion, how much of a problem is each of these issues in your county? Alcohol abuse among those aged 21 or over

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	7.0%	26.1%	34.2%	18.9%	13.9%	61,875
Gender						
Female	5.1%	20.4%	35.4%	22.2%	16.9%	29,881
Male	8.9%	31.6%	33.1%	15.6%	10.8%	31,818
Age						
18-34	9.9%	32.6%	30.7%	15.4%	11.4%	19,455
35-44	7.0%	26.4%	38.6%	15.9%	12.1%	13,378
45-54	5.7%	28.2%	28.9%	21.5%	15.8%	13,009
55-64	4.6%	20.4%	42.4%	19.4%	13.2%	8,071
65-74	4.3%	8.3%	33.3%	33.1%	21.0%	4,032
75+	5.9%	8.3%	49.2%	18.4%	18.2%	2,865
Highest level of education						
Less than high school diploma/GED	25.9%	4.0%	60.8%	7.7%	1.6%	938
High school diploma/GED	9.3%	24.1%	31.4%	17.6%	17.6%	10,219
Some college or AA degree	6.3%	26.2%	32.5%	22.2%	12.8%	26,085
Bachelor's degree or higher	6.3%	27.7%	36.4%	15.9%	13.6%	24,335
Household income (in 2012)						
Less than \$20,000	22.7%	25.2%	18.4%	16.6%	17.1%	3,788
\$20,000 - \$34,999	2.8%	9.7%	40.2%	35.1%	12.1%	4,665
\$35,000 - \$49,999	3.0%	23.3%	35.6%	21.7%	16.3%	9,568
\$50,000 - \$99,999	8.0%	26.6%	35.9%	17.0%	12.5%	27,335
\$100,000+	5.0%	35.0%	34.2%	14.6%	11.2%	14,222
Household type						
Single adult, no children	10.3%	20.1%	32.1%	21.4%	16.1%	5,894
2+ adults, no children	7.4%	28.0%	33.8%	18.3%	12.5%	29,014
Single adult, 1+ children	2.6%	27.7%	49.7%	9.6%	10.4%	2,510
2+ adults, 1+ children	6.1%	25.3%	33.7%	19.6%	15.3%	24,170
All areas included in the study						
Benton County	6.5%	29.6%	34.4%	18.1%	11.5%	26,503
Chisago County	11.8%	31.9%	25.4%	18.4%	12.4%	38,433
Mille Lacs County	2.7%	15.7%	26.9%	36.5%	18.2%	19,163
Sherburne County	7.0%	26.1%	34.2%	18.9%	13.9%	61,875
Stearns County	6.2%	22.9%	31.8%	26.1%	13.0%	115,779
Entire five-county region	7.0%	25.1%	31.3%	23.2%	13.3%	261,753

113. In your opinion, how much of a problem is each of these issues in your county? Alcohol use among those under 21

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	5.4%	24.6%	31.7%	24.0%	14.3%	61,798
Gender						
Female	3.9%	20.2%	34.3%	27.0%	14.5%	29,875
Male	6.9%	28.9%	29.3%	21.0%	13.9%	31,747
Age						
18-34	8.1%	27.2%	30.0%	22.8%	12.0%	19,390
35-44	3.0%	30.5%	34.7%	17.7%	14.1%	13,368
45-54	4.6%	26.8%	27.4%	26.5%	14.6%	13,043
55-64	5.0%	19.7%	37.9%	22.6%	14.8%	8,109
65-74	4.8%	9.2%	27.2%	37.4%	21.4%	3,964
75+	5.4%	9.3%	38.0%	32.4%	14.9%	2,858
Highest level of education						
Less than high school diploma/GED	26.3%	11.5%	14.9%	45.7%	1.6%	923
High school diploma/GED	5.7%	18.8%	35.1%	21.2%	19.2%	10,258
Some college or AA degree	4.9%	24.3%	28.7%	28.8%	13.3%	26,092
Bachelor's degree or higher	5.1%	28.1%	34.4%	18.8%	13.6%	24,269
Household income (in 2012)						
Less than \$20,000	9.8%	9.2%	30.6%	33.8%	16.7%	3,779
\$20,000 - \$34,999	2.8%	11.7%	35.1%	38.5%	11.8%	4,624
\$35,000 - \$49,999	2.6%	19.4%	35.5%	26.9%	15.6%	9,581
\$50,000 - \$99,999	7.5%	27.3%	29.4%	23.0%	12.8%	27,280
\$100,000+	3.2%	33.0%	34.1%	16.3%	13.4%	14,266
Household type						
Single adult, no children	14.1%	15.0%	30.5%	25.8%	14.7%	5,893
2+ adults, no children	5.5%	24.9%	31.2%	24.9%	13.6%	29,045
Single adult, 1+ children	0.0%	22.4%	32.9%	33.2%	11.5%	2,445
2+ adults, 1+ children	3.8%	27.1%	32.5%	21.2%	15.4%	24,143
All areas included in the study						
Benton County	7.3%	24.2%	33.4%	21.8%	13.3%	26,462
Chisago County	4.4%	22.1%	40.8%	19.0%	13.7%	38,373
Mille Lacs County	3.9%	16.9%	21.2%	38.1%	19.9%	19,165
Sherburne County	5.4%	24.6%	31.7%	24.0%	14.3%	61,798
Stearns County	4.0%	21.1%	30.9%	26.7%	17.3%	114,569
Entire five-county region	4.7%	22.1%	32.1%	25.3%	15.8%	260,367

114. In your opinion, how much of a problem is each of these issues in your county? Adults allowing or tolerating youth alcohol use

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	7.8%	26.3%	29.4%	18.5%	18.0%	61,880
Gender						
Female	4.8%	26.1%	30.8%	19.1%	19.2%	30,057
Male	10.7%	26.7%	28.2%	17.8%	16.7%	31,647
Age						
18-34	6.9%	34.9%	27.5%	13.7%	17.0%	19,455
35-44	9.3%	24.5%	27.1%	18.8%	20.2%	13,330
45-54	8.3%	23.4%	30.3%	22.5%	15.5%	13,084
55-64	6.1%	27.6%	32.4%	19.6%	14.2%	8,109
65-74	6.9%	13.5%	28.7%	24.4%	26.5%	3,996
75+	7.9%	11.8%	38.1%	20.7%	21.5%	2,839
Highest level of education						
Less than high school diploma/GED	25.9%	22.6%	21.9%	18.9%	10.6%	938
High school diploma/GED	6.3%	20.8%	22.9%	21.1%	28.9%	10,249
Some college or AA degree	8.2%	28.0%	27.9%	20.2%	15.7%	26,024
Bachelor's degree or higher	7.2%	27.2%	33.8%	15.8%	15.9%	24,372
Household income (in 2012)						
Less than \$20,000	9.9%	28.2%	22.9%	19.5%	19.5%	3,817
\$20,000 - \$34,999	5.9%	12.7%	29.2%	37.4%	14.9%	4,651
\$35,000 - \$49,999	4.2%	19.4%	29.1%	22.7%	24.6%	9,549
\$50,000 - \$99,999	9.6%	28.1%	29.9%	17.4%	15.0%	27,456
\$100,000+	7.3%	32.9%	31.2%	11.0%	17.6%	14,134
Household type						
Single adult, no children	14.1%	18.3%	27.6%	19.8%	20.2%	5,923
2+ adults, no children	7.5%	28.5%	31.7%	15.6%	16.7%	28,953
Single adult, 1+ children	0.0%	29.5%	19.8%	37.4%	13.2%	2,510
2+ adults, 1+ children	7.2%	25.4%	28.2%	19.8%	19.4%	24,222
All areas included in the study						
Benton County	9.8%	29.3%	28.6%	17.3%	15.1%	26,324
Chisago County	7.6%	26.5%	32.1%	19.3%	14.5%	38,493
Mille Lacs County	4.8%	17.2%	24.3%	30.7%	23.0%	19,165
Sherburne County	7.8%	26.3%	29.4%	18.5%	18.0%	61,880
Stearns County	5.6%	27.3%	26.8%	19.2%	21.1%	115,420
Entire five-county region	6.8%	26.4%	28.2%	19.7%	18.9%	261,281

115. In your opinion, how much of a problem is each of these issues in your county?
Drinking and driving

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	3.8%	18.9%	34.3%	32.7%	10.4%	62,026
Gender						
Female	2.6%	16.6%	32.0%	35.9%	12.9%	30,038
Male	4.9%	21.1%	36.6%	29.6%	7.7%	31,812
Age						
18-34	4.8%	19.1%	32.2%	34.1%	9.8%	19,455
35-44	2.0%	22.1%	37.9%	27.5%	10.4%	13,405
45-54	3.5%	19.0%	35.7%	30.5%	11.3%	13,084
55-64	3.5%	19.7%	37.3%	31.4%	8.1%	8,096
65-74	2.8%	10.4%	33.2%	43.0%	10.6%	4,008
75+	4.1%	8.0%	30.4%	46.7%	10.9%	2,912
Highest level of education						
Less than high school diploma/GED	22.8%	22.0%	37.3%	16.2%	1.6%	938
High school diploma/GED	3.3%	21.6%	22.0%	35.4%	17.7%	10,262
Some college or AA degree	3.6%	17.1%	35.9%	35.3%	8.2%	26,147
Bachelor's degree or higher	3.5%	19.7%	37.9%	29.1%	9.8%	24,382
Household income (in 2012)						
Less than \$20,000	8.4%	9.0%	28.5%	38.5%	15.7%	3,793
\$20,000 - \$34,999	2.3%	7.6%	27.0%	53.1%	10.1%	4,665
\$35,000 - \$49,999	1.4%	25.1%	26.1%	35.9%	11.5%	9,619
\$50,000 - \$99,999	4.4%	17.6%	38.8%	30.7%	8.6%	27,387
\$100,000+	3.5%	23.6%	38.7%	24.7%	9.6%	14,266
Household type						
Single adult, no children	4.5%	18.2%	33.3%	32.5%	11.6%	5,899
2+ adults, no children	3.3%	19.4%	35.8%	32.5%	9.0%	29,121
Single adult, 1+ children	1.4%	17.0%	23.0%	49.2%	9.4%	2,510
2+ adults, 1+ children	4.3%	18.9%	33.7%	31.2%	11.9%	24,209
All areas included in the study						
Benton County	4.4%	25.5%	35.4%	26.9%	7.8%	26,433
Chisago County	6.3%	21.8%	31.3%	31.5%	9.2%	38,165
Mille Lacs County	3.4%	15.1%	29.2%	36.2%	16.1%	19,128
Sherburne County	3.8%	18.9%	34.3%	32.7%	10.4%	62,026
Stearns County	3.6%	18.9%	32.7%	33.6%	11.2%	115,878
Entire five-county region	4.1%	19.7%	32.9%	32.6%	10.7%	261,629

116. In your opinion, how much of a problem is each of these issues in your county? Illegal drug use among youth

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	3.0%	23.2%	27.4%	29.6%	16.8%	62,104
Gender						
Female	3.3%	16.7%	29.3%	32.1%	18.6%	30,092
Male	2.7%	29.4%	25.7%	27.3%	14.9%	31,836
Age						
18-34	2.8%	34.2%	21.8%	26.3%	14.8%	19,455
35-44	1.3%	20.5%	29.5%	32.6%	16.0%	13,480
45-54	4.4%	25.0%	27.8%	25.0%	17.9%	13,057
55-64	4.2%	12.7%	34.6%	31.6%	16.9%	8,139
65-74	2.7%	9.2%	29.3%	36.7%	22.1%	4,010
75+	2.6%	8.5%	26.8%	44.1%	18.0%	2,897
Highest level of education						
Less than high school diploma/GED	22.8%	22.6%	20.2%	32.8%	1.6%	938
High school diploma/GED	3.6%	17.1%	25.2%	30.3%	23.8%	10,244
Some college or AA degree	2.4%	22.3%	26.6%	34.6%	14.2%	26,243
Bachelor's degree or higher	2.6%	26.9%	29.7%	23.6%	17.1%	24,382
Household income (in 2012)						
Less than \$20,000	7.0%	7.0%	27.0%	41.3%	17.8%	3,847
\$20,000 - \$34,999	3.2%	7.5%	24.4%	48.8%	16.2%	4,643
\$35,000 - \$49,999	2.4%	21.6%	24.8%	31.5%	19.7%	9,619
\$50,000 - \$99,999	3.3%	25.5%	28.7%	28.6%	14.0%	27,485
\$100,000+	1.6%	30.9%	29.7%	20.2%	17.6%	14,228
Household type						
Single adult, no children	3.8%	21.6%	28.0%	29.0%	17.5%	5,923
2+ adults, no children	2.8%	22.8%	28.3%	30.9%	15.2%	29,185
Single adult, 1+ children	0.0%	16.0%	26.4%	44.3%	13.3%	2,510
2+ adults, 1+ children	3.3%	24.9%	26.0%	26.9%	18.9%	24,214
All areas included in the study						
Benton County	2.5%	25.6%	28.5%	26.7%	16.8%	26,430
Chisago County	3.8%	21.9%	32.2%	27.7%	14.5%	38,810
Mille Lacs County	1.9%	14.8%	21.8%	41.6%	20.0%	19,233
Sherburne County	3.0%	23.2%	27.4%	29.6%	16.8%	62,104
Stearns County	3.0%	23.7%	27.5%	30.4%	15.4%	115,756
Entire five-county region	3.0%	22.8%	27.8%	30.3%	16.1%	262,332

117. In your opinion, how much of a problem is each of these issues in your county? Illegal drug use among adults

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	5.2%	25.2%	27.0%	26.3%	16.3%	61,497
Gender						
Female	5.2%	17.7%	30.0%	27.8%	19.3%	29,998
Male	5.1%	32.3%	24.3%	25.0%	13.3%	31,323
Age						
18-34	7.8%	32.9%	21.5%	23.1%	14.6%	18,872
35-44	2.0%	24.5%	32.2%	26.9%	14.5%	13,480
45-54	5.3%	27.1%	24.7%	26.1%	16.8%	13,060
55-64	5.3%	17.9%	34.8%	24.5%	17.6%	8,109
65-74	3.6%	15.5%	28.4%	31.7%	20.8%	4,032
75+	4.5%	9.2%	30.5%	33.5%	22.2%	2,879
Highest level of education						
Less than high school diploma/GED	25.9%	8.4%	32.1%	30.2%	3.3%	938
High school diploma/GED	4.1%	13.6%	28.6%	27.1%	26.6%	9,773
Some college or AA degree	5.8%	25.0%	24.7%	30.7%	13.7%	26,107
Bachelor's degree or higher	4.2%	30.8%	28.7%	20.9%	15.4%	24,382
Household income (in 2012)						
Less than \$20,000	23.2%	12.2%	22.2%	24.1%	18.4%	3,817
\$20,000 - \$34,999	3.3%	7.3%	25.5%	47.8%	16.1%	4,594
\$35,000 - \$49,999	2.5%	21.0%	23.8%	31.5%	21.1%	9,106
\$50,000 - \$99,999	5.4%	28.7%	27.1%	25.8%	13.1%	27,455
\$100,000+	2.5%	32.4%	31.6%	17.2%	16.3%	14,228
Household type						
Single adult, no children	5.2%	21.2%	25.6%	28.9%	19.1%	5,923
2+ adults, no children	4.8%	25.5%	28.1%	25.2%	16.4%	28,664
Single adult, 1+ children	2.6%	17.8%	21.9%	43.0%	14.8%	2,510
2+ adults, 1+ children	5.9%	26.4%	26.6%	25.4%	15.7%	24,114
All areas included in the study						
Benton County	5.2%	24.0%	28.5%	26.9%	15.5%	26,320
Chisago County	5.3%	22.5%	32.1%	25.3%	14.8%	38,580
Mille Lacs County	2.6%	14.8%	21.6%	41.7%	19.3%	19,208
Sherburne County	5.2%	25.2%	27.0%	26.3%	16.3%	61,497
Stearns County	4.4%	24.9%	24.6%	29.6%	16.6%	115,698
Entire five-county region	4.6%	23.8%	26.4%	28.8%	16.4%	261,303

Chronic disease and health habits

118. In your opinion, how much of a problem is each of these issues in your county? Asthma

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	12.3%	30.4%	25.5%	6.3%	25.5%	61,615
Gender						
Female	7.5%	24.0%	30.8%	8.1%	29.6%	29,942
Male	16.7%	36.7%	20.6%	4.5%	21.4%	31,498
Age						
18-34	19.7%	30.3%	19.7%	5.7%	24.7%	19,455
35-44	12.2%	26.5%	30.4%	4.9%	26.0%	13,107
45-54	8.3%	39.2%	26.8%	5.1%	20.5%	13,091
55-64	4.5%	31.6%	28.0%	10.5%	25.4%	8,121
65-74	9.3%	22.0%	27.7%	6.2%	34.8%	3,957
75+	6.4%	19.5%	26.5%	7.9%	39.8%	2,817
Highest level of education						
Less than high school diploma/GED	26.3%	10.7%	31.4%	19.5%	12.1%	938
High school diploma/GED	12.7%	22.2%	22.0%	6.2%	36.9%	10,247
Some college or AA degree	13.7%	30.5%	25.7%	4.9%	25.1%	25,716
Bachelor's degree or higher	10.1%	35.0%	26.2%	7.2%	21.6%	24,416
Household income (in 2012)						
Less than \$20,000	24.8%	25.3%	14.3%	9.6%	26.0%	3,833
\$20,000 - \$34,999	4.1%	19.6%	43.4%	8.0%	24.9%	4,556
\$35,000 - \$49,999	9.1%	31.6%	22.6%	3.4%	33.4%	9,578
\$50,000 - \$99,999	12.3%	36.1%	24.5%	6.1%	20.9%	27,433
\$100,000+	14.1%	26.0%	27.7%	7.1%	25.0%	13,967
Household type						
Single adult, no children	12.0%	29.4%	22.2%	4.8%	31.6%	5,890
2+ adults, no children	14.9%	28.1%	23.6%	6.4%	27.0%	28,728
Single adult, 1+ children	7.9%	27.2%	33.0%	7.5%	24.4%	2,510
2+ adults, 1+ children	9.5%	34.0%	27.9%	6.3%	22.3%	24,193
All areas included in the study						
Benton County	11.5%	32.1%	23.7%	6.3%	26.4%	26,212
Chisago County	14.1%	36.7%	19.2%	6.6%	23.3%	38,880
Mille Lacs County	9.2%	26.5%	28.7%	9.5%	26.1%	19,132
Sherburne County	12.3%	30.4%	25.5%	6.3%	25.5%	61,615
Stearns County	10.3%	30.7%	24.0%	5.4%	29.6%	115,636
Entire five-county region	11.4%	31.4%	24.0%	6.2%	27.1%	261,475

119. In your opinion, how much of a problem is each of these issues in your county? Cancer

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	7.3%	19.0%	26.1%	27.5%	20.1%	61,678
Gender						
Female	4.6%	15.6%	27.8%	29.2%	22.7%	30,002
Male	9.7%	22.2%	24.5%	25.9%	17.6%	31,501
Age						
18-34	12.3%	18.3%	21.0%	26.8%	21.6%	19,455
35-44	5.0%	16.8%	31.5%	25.8%	20.9%	13,047
45-54	6.4%	28.4%	24.6%	25.7%	14.8%	13,091
55-64	2.7%	14.4%	32.3%	29.5%	21.0%	8,183
65-74	4.4%	12.9%	30.2%	28.4%	24.1%	3,927
75+	4.7%	9.2%	25.9%	37.7%	22.4%	2,909
Highest level of education						
Less than high school diploma/GED	23.9%	5.6%	6.0%	52.3%	12.1%	938
High school diploma/GED	8.5%	8.2%	28.1%	22.6%	32.6%	10,226
Some college or AA degree	10.6%	17.0%	24.0%	29.9%	18.5%	25,789
Bachelor's degree or higher	2.7%	26.2%	28.4%	25.7%	17.0%	24,428
Household income (in 2012)						
Less than \$20,000	20.3%	6.2%	29.9%	21.1%	22.6%	3,824
\$20,000 - \$34,999	3.7%	14.3%	34.2%	29.4%	18.5%	4,665
\$35,000 - \$49,999	2.8%	12.5%	25.0%	32.8%	26.9%	9,613
\$50,000 - \$99,999	6.2%	24.1%	24.2%	27.2%	18.2%	27,343
\$100,000+	10.3%	20.1%	28.6%	25.4%	15.6%	13,986
Household type						
Single adult, no children	6.0%	25.0%	23.8%	18.7%	26.5%	5,906
2+ adults, no children	9.4%	14.7%	25.7%	29.4%	20.8%	28,835
Single adult, 1+ children	4.1%	12.1%	35.6%	29.7%	18.6%	2,450
2+ adults, 1+ children	5.2%	23.3%	26.6%	26.8%	18.1%	24,193
All areas included in the study						
Benton County	5.9%	16.6%	30.9%	29.4%	17.2%	26,254
Chisago County	10.1%	18.6%	32.5%	18.9%	19.9%	38,880
Mille Lacs County	5.3%	16.2%	26.3%	30.1%	22.1%	19,132
Sherburne County	7.3%	19.0%	26.1%	27.5%	20.1%	61,678
Stearns County	5.5%	14.9%	27.4%	35.0%	17.1%	115,820
Entire five-county region	6.6%	16.7%	28.1%	29.9%	18.6%	261,765

120. In your opinion, how much of a problem is each of these issues in your county? Chronic pain

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	10.1%	25.3%	25.9%	13.8%	24.9%	61,678
Gender						
Female	6.9%	19.4%	28.5%	16.6%	28.6%	30,001
Male	13.1%	30.9%	23.6%	11.2%	21.2%	31,501
Age						
18-34	15.8%	27.5%	20.2%	11.5%	25.0%	19,455
35-44	10.9%	23.4%	21.3%	16.6%	27.8%	13,047
45-54	8.6%	32.0%	25.3%	12.2%	21.8%	13,091
55-64	2.7%	18.7%	40.9%	13.5%	24.2%	8,175
65-74	5.1%	20.6%	32.6%	15.2%	26.5%	3,932
75+	4.3%	11.7%	31.2%	27.1%	25.7%	2,910
Highest level of education						
Less than high school diploma/GED	22.7%	6.5%	14.5%	43.5%	12.8%	923
High school diploma/GED	11.5%	11.0%	31.1%	11.2%	35.1%	10,249
Some college or AA degree	9.0%	24.8%	26.0%	14.9%	25.4%	25,781
Bachelor's degree or higher	10.4%	32.7%	23.5%	12.7%	20.6%	24,428
Household income (in 2012)						
Less than \$20,000	20.1%	9.4%	30.6%	15.9%	24.0%	3,825
\$20,000 - \$34,999	3.8%	18.4%	25.8%	28.9%	23.1%	4,657
\$35,000 - \$49,999	8.1%	23.4%	26.3%	10.0%	32.3%	9,613
\$50,000 - \$99,999	12.2%	28.8%	27.1%	12.5%	19.4%	27,359
\$100,000+	7.0%	28.8%	22.0%	14.0%	28.2%	13,986
Household type						
Single adult, no children	7.8%	25.8%	23.7%	15.0%	27.6%	5,904
2+ adults, no children	11.3%	21.6%	27.5%	15.0%	24.6%	28,837
Single adult, 1+ children	5.0%	29.1%	27.3%	13.8%	24.7%	2,450
2+ adults, 1+ children	9.7%	29.1%	24.7%	12.2%	24.4%	24,193
All areas included in the study						
Benton County	8.3%	27.1%	26.0%	14.7%	23.9%	26,069
Chisago County	8.9%	27.0%	27.1%	15.5%	21.5%	38,637
Mille Lacs County	6.1%	19.0%	29.0%	20.9%	25.0%	18,971
Sherburne County	10.1%	25.3%	25.9%	13.8%	24.9%	61,678
Stearns County	6.5%	25.6%	29.8%	14.9%	23.2%	114,958
Entire five-county region	7.9%	25.4%	28.0%	15.1%	23.5%	260,313

121. In your opinion, how much of a problem is each of these issues in your county? Diabetes

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	8.5%	20.4%	27.4%	21.4%	22.3%	61,674
Gender						
Female	6.4%	17.8%	26.5%	22.8%	26.4%	30,012
Male	10.3%	22.9%	28.3%	20.1%	18.3%	31,487
Age						
18-34	16.6%	12.9%	29.3%	18.3%	22.9%	19,455
35-44	4.1%	22.3%	27.3%	23.0%	23.2%	13,047
45-54	6.3%	34.7%	23.4%	16.2%	19.3%	13,091
55-64	2.2%	18.2%	30.1%	26.8%	22.8%	8,132
65-74	6.1%	14.9%	25.8%	28.3%	24.9%	3,957
75+	4.9%	8.6%	26.5%	36.9%	23.1%	2,925
Highest level of education						
Less than high school diploma/GED	21.0%	8.4%	26.0%	31.8%	12.6%	938
High school diploma/GED	9.6%	10.1%	28.1%	18.7%	33.5%	10,257
Some college or AA degree	11.0%	21.6%	26.0%	18.9%	22.4%	25,778
Bachelor's degree or higher	4.9%	23.9%	28.4%	25.0%	17.9%	24,403
Household income (in 2012)						
Less than \$20,000	21.6%	3.5%	30.5%	20.0%	24.4%	3,840
\$20,000 - \$34,999	4.3%	19.3%	18.9%	36.8%	20.7%	4,665
\$35,000 - \$49,999	3.5%	15.6%	25.1%	25.7%	30.1%	9,599
\$50,000 - \$99,999	8.3%	23.6%	32.5%	17.9%	17.7%	27,360
\$100,000+	10.4%	22.7%	21.7%	22.0%	23.2%	13,947
Household type						
Single adult, no children	5.3%	13.0%	31.7%	23.4%	26.6%	5,909
2+ adults, no children	11.7%	14.2%	28.9%	22.4%	22.7%	28,828
Single adult, 1+ children	5.0%	23.5%	33.0%	16.0%	22.5%	2,450
2+ adults, 1+ children	5.6%	29.3%	24.2%	20.3%	20.6%	24,193
All areas included in the study						
Benton County	6.5%	21.0%	32.6%	19.6%	20.4%	26,319
Chisago County	8.2%	16.8%	26.7%	28.3%	20.0%	38,836
Mille Lacs County	6.4%	15.6%	25.4%	31.7%	20.9%	19,132
Sherburne County	8.5%	20.4%	27.4%	21.4%	22.3%	61,674
Stearns County	6.2%	19.4%	25.7%	30.8%	18.0%	115,705
Entire five-county region	7.1%	19.1%	26.9%	27.1%	19.8%	261,666

122. In your opinion, how much of a problem is each of these issues in your county? Heart disease and stroke

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	6.5%	19.7%	31.6%	20.0%	22.3%	61,245
Gender						
Female	5.9%	15.8%	29.8%	22.4%	26.1%	29,927
Male	6.9%	23.5%	33.4%	17.8%	18.4%	31,143
Age						
18-34	10.5%	15.2%	36.7%	14.7%	22.8%	19,390
35-44	4.1%	21.0%	29.9%	22.7%	22.3%	13,047
45-54	5.9%	29.7%	26.8%	16.2%	21.4%	13,068
55-64	2.7%	15.4%	32.4%	27.9%	21.6%	7,858
65-74	4.7%	17.6%	31.0%	23.9%	22.8%	3,922
75+	4.2%	8.7%	26.3%	37.6%	23.2%	2,893
Highest level of education						
Less than high school diploma/GED	21.8%	6.8%	7.1%	51.6%	12.6%	938
High school diploma/GED	8.1%	11.3%	28.5%	17.7%	34.4%	10,222
Some college or AA degree	6.0%	20.8%	30.1%	20.0%	23.1%	25,750
Bachelor's degree or higher	5.7%	22.8%	35.2%	19.8%	16.6%	24,038
Household income (in 2012)						
Less than \$20,000	20.3%	5.2%	25.3%	23.9%	25.3%	3,816
\$20,000 - \$34,999	5.2%	8.8%	29.4%	35.3%	21.3%	4,665
\$35,000 - \$49,999	9.3%	18.6%	24.1%	16.9%	30.9%	9,467
\$50,000 - \$99,999	4.4%	26.6%	32.9%	18.3%	17.8%	27,082
\$100,000+	5.2%	15.7%	39.0%	19.0%	21.1%	13,963
Household type						
Single adult, no children	5.7%	15.9%	26.3%	24.6%	27.4%	5,888
2+ adults, no children	7.3%	16.8%	31.2%	21.7%	23.0%	28,537
Single adult, 1+ children	5.2%	8.8%	44.1%	22.9%	19.0%	2,362
2+ adults, 1+ children	5.5%	25.1%	32.3%	16.7%	20.3%	24,164
All areas included in the study						
Benton County	5.4%	21.5%	30.1%	19.1%	23.8%	26,307
Chisago County	7.8%	22.9%	25.6%	23.6%	20.1%	38,844
Mille Lacs County	6.3%	17.1%	30.3%	25.0%	21.4%	19,050
Sherburne County	6.5%	19.7%	31.6%	20.0%	22.3%	61,245
Stearns County	6.0%	16.6%	32.8%	26.8%	17.8%	115,654
Entire five-county region	6.3%	18.8%	31.0%	23.8%	20.0%	261,100

123. In your opinion, how much of a problem is each of these issues in your county? Mental illness

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	7.1%	22.0%	29.4%	19.9%	21.7%	61,208
Gender						
Female	6.2%	15.2%	30.5%	23.6%	24.5%	29,857
Male	7.9%	28.6%	28.4%	16.5%	18.7%	31,200
Age						
18-34	11.5%	22.7%	30.2%	14.0%	21.5%	19,375
35-44	6.3%	19.6%	29.7%	23.0%	21.5%	12,795
45-54	4.7%	30.1%	23.7%	23.1%	18.5%	13,067
55-64	3.2%	18.5%	32.7%	24.1%	21.4%	8,138
65-74	4.8%	19.8%	30.2%	19.0%	26.2%	3,948
75+	5.3%	9.8%	29.4%	24.5%	31.0%	2,844
Highest level of education						
Less than high school diploma/GED	5.5%	17.4%	32.6%	30.1%	14.4%	938
High school diploma/GED	10.3%	14.6%	24.5%	15.1%	35.6%	10,115
Some college or AA degree	6.8%	21.5%	28.6%	21.2%	21.9%	25,444
Bachelor's degree or higher	6.2%	25.9%	31.7%	20.3%	15.9%	24,414
Household income (in 2012)						
Less than \$20,000	19.2%	7.7%	30.7%	20.2%	22.2%	3,830
\$20,000 - \$34,999	7.1%	11.0%	31.9%	33.0%	17.0%	4,603
\$35,000 - \$49,999	4.3%	23.3%	28.2%	13.7%	30.5%	9,593
\$50,000 - \$99,999	7.7%	24.8%	30.7%	19.2%	17.7%	27,064
\$100,000+	4.4%	25.4%	26.3%	22.3%	21.5%	13,854
Household type						
Single adult, no children	6.5%	14.4%	34.3%	18.1%	26.7%	5,864
2+ adults, no children	8.1%	19.6%	32.0%	17.0%	23.3%	28,516
Single adult, 1+ children	7.2%	12.0%	30.0%	33.9%	16.8%	2,450
2+ adults, 1+ children	5.9%	27.6%	25.1%	22.3%	19.1%	24,085
All areas included in the study						
Benton County	8.3%	22.7%	21.2%	24.5%	23.4%	26,124
Chisago County	8.5%	20.0%	26.1%	26.6%	18.7%	38,776
Mille Lacs County	7.1%	16.2%	21.3%	30.6%	24.7%	18,856
Sherburne County	7.1%	22.0%	29.4%	19.9%	21.7%	61,208
Stearns County	6.6%	21.0%	28.6%	27.0%	16.7%	115,593
Entire five-county region	7.2%	20.9%	27.1%	25.3%	19.4%	260,556

124. In your opinion, how much of a problem is each of these issues in your county?
Obesity among adults

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	3.4%	14.5%	26.7%	43.1%	12.3%	61,738
Gender						
Female	3.4%	8.7%	29.7%	43.4%	14.9%	30,004
Male	3.3%	20.1%	24.0%	42.9%	9.6%	31,560
Age						
18-34	6.2%	13.9%	24.1%	43.4%	12.5%	19,455
35-44	1.9%	14.3%	28.7%	42.3%	12.9%	13,085
45-54	1.9%	20.2%	29.6%	37.1%	11.1%	13,091
55-64	1.6%	11.4%	28.4%	47.6%	11.0%	8,164
65-74	2.9%	11.8%	25.5%	48.8%	11.0%	4,005
75+	3.7%	6.6%	21.6%	52.7%	15.5%	2,873
Highest level of education						
Less than high school diploma/GED	14.1%	19.0%	8.7%	50.0%	8.3%	938
High school diploma/GED	4.2%	11.3%	32.4%	29.3%	22.8%	10,246
Some college or AA degree	4.2%	15.6%	23.8%	46.1%	10.3%	25,795
Bachelor's degree or higher	1.9%	14.6%	27.7%	45.8%	10.0%	24,462
Household income (in 2012)						
Less than \$20,000	19.5%	4.8%	26.6%	32.4%	16.8%	3,824
\$20,000 - \$34,999	1.4%	6.1%	23.9%	58.2%	10.4%	4,636
\$35,000 - \$49,999	1.5%	6.4%	27.7%	47.6%	16.7%	9,652
\$50,000 - \$99,999	1.5%	20.7%	26.7%	41.4%	9.7%	27,351
\$100,000+	4.3%	14.3%	27.6%	42.4%	11.3%	14,024
Household type						
Single adult, no children	3.9%	6.4%	21.1%	52.4%	16.3%	5,859
2+ adults, no children	4.0%	14.5%	25.9%	43.8%	11.9%	28,920
Single adult, 1+ children	2.3%	4.9%	33.9%	44.2%	14.6%	2,450
2+ adults, 1+ children	2.5%	17.4%	28.5%	40.0%	11.7%	24,216
All areas included in the study						
Benton County	6.1%	15.5%	30.1%	38.4%	9.8%	26,328
Chisago County	5.4%	8.5%	27.5%	42.5%	16.1%	38,916
Mille Lacs County	5.9%	5.9%	27.0%	45.9%	15.3%	18,989
Sherburne County	3.4%	14.5%	26.7%	43.1%	12.3%	61,738
Stearns County	4.1%	9.6%	26.1%	48.6%	11.5%	115,348
Entire five-county region	4.5%	10.9%	26.9%	45.2%	12.5%	261,320

125. In your opinion, how much of a problem is each of these issues in your county?
Obesity among children

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	4.1%	16.5%	25.4%	42.0%	11.9%	61,611
Gender						
Female	4.1%	12.5%	27.9%	40.7%	14.8%	30,034
Male	4.0%	20.4%	23.2%	43.4%	9.0%	31,401
Age						
18-34	8.3%	15.8%	24.9%	39.7%	11.3%	19,455
35-44	0.9%	17.0%	26.3%	43.6%	12.1%	13,055
45-54	2.2%	23.7%	21.9%	41.0%	11.1%	12,992
55-64	2.0%	12.1%	31.0%	44.6%	10.3%	8,143
65-74	4.1%	10.7%	29.5%	42.1%	13.5%	4,005
75+	2.9%	7.9%	22.7%	48.8%	17.6%	2,895
Highest level of education						
Less than high school diploma/GED	14.1%	20.6%	7.1%	50.0%	8.3%	938
High school diploma/GED	4.3%	14.6%	31.9%	28.9%	20.4%	10,195
Some college or AA degree	5.3%	17.8%	21.7%	44.7%	10.5%	25,818
Bachelor's degree or higher	2.5%	15.9%	27.1%	44.6%	10.0%	24,363
Household income (in 2012)						
Less than \$20,000	23.4%	5.1%	22.3%	30.8%	18.4%	3,824
\$20,000 - \$34,999	2.3%	8.7%	30.9%	47.6%	10.5%	4,665
\$35,000 - \$49,999	2.2%	11.0%	28.5%	44.4%	14.0%	9,652
\$50,000 - \$99,999	2.6%	22.8%	23.2%	41.9%	9.6%	27,209
\$100,000+	3.4%	15.3%	27.2%	43.2%	11.0%	14,024
Household type						
Single adult, no children	6.6%	8.6%	19.1%	48.2%	17.5%	5,896
2+ adults, no children	4.5%	15.8%	26.5%	41.2%	12.0%	28,800
Single adult, 1+ children	2.4%	4.6%	34.2%	48.0%	10.8%	2,420
2+ adults, 1+ children	3.0%	20.4%	25.0%	40.9%	10.7%	24,216
All areas included in the study						
Benton County	6.8%	17.7%	32.5%	33.4%	9.6%	26,072
Chisago County	3.8%	11.2%	28.6%	43.1%	13.3%	38,880
Mille Lacs County	4.6%	7.7%	28.6%	45.1%	14.0%	19,074
Sherburne County	4.1%	16.5%	25.4%	42.0%	11.9%	61,611
Stearns County	4.5%	9.7%	28.6%	45.1%	12.1%	115,142
Entire five-county region	4.6%	12.2%	28.2%	42.9%	12.1%	260,779

126. In your opinion, how much of a problem is each of these issues in your county?
Lack of physical exercise

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	5.0%	15.5%	42.9%	27.8%	8.8%	61,837
Gender						
Female	2.7%	14.2%	42.5%	30.4%	10.2%	30,106
Male	7.0%	16.8%	43.5%	25.4%	7.3%	31,556
Age						
18-34	4.9%	20.4%	32.0%	33.4%	9.3%	19,433
35-44	5.6%	11.7%	48.3%	26.6%	7.8%	13,105
45-54	2.2%	14.0%	54.3%	22.0%	7.4%	13,091
55-64	3.2%	13.4%	44.5%	32.1%	6.8%	8,197
65-74	3.7%	11.6%	50.2%	23.4%	11.1%	4,058
75+	7.3%	20.8%	36.2%	21.5%	14.3%	2,886
Highest level of education						
Less than high school diploma/GED	5.8%	23.7%	23.6%	39.6%	7.4%	938
High school diploma/GED	7.9%	16.0%	39.2%	21.0%	15.9%	10,260
Some college or AA degree	4.2%	19.3%	41.7%	28.1%	6.8%	25,833
Bachelor's degree or higher	4.5%	11.1%	46.4%	30.1%	7.8%	24,508
Household income (in 2012)						
Less than \$20,000	4.4%	12.6%	34.6%	31.6%	16.8%	3,811
\$20,000 - \$34,999	4.2%	14.3%	34.8%	40.4%	6.3%	4,620
\$35,000 - \$49,999	10.2%	14.4%	39.1%	23.3%	13.0%	9,635
\$50,000 - \$99,999	5.0%	15.3%	45.5%	26.7%	7.5%	27,385
\$100,000+	1.4%	17.5%	46.7%	29.9%	4.6%	14,043
Household type						
Single adult, no children	10.0%	12.6%	42.1%	22.5%	12.8%	5,915
2+ adults, no children	4.0%	18.9%	40.3%	27.1%	9.6%	28,948
Single adult, 1+ children	1.0%	10.9%	53.7%	29.6%	4.7%	2,450
2+ adults, 1+ children	5.1%	12.6%	45.3%	29.9%	7.2%	24,230
All areas included in the study						
Benton County	5.7%	22.0%	37.3%	29.4%	5.5%	26,390
Chisago County	4.4%	17.2%	36.3%	34.6%	7.5%	38,891
Mille Lacs County	1.7%	10.9%	43.3%	39.3%	4.8%	19,156
Sherburne County	5.0%	15.5%	42.9%	27.8%	8.8%	61,837
Stearns County	3.2%	14.8%	41.6%	32.4%	8.1%	115,531
Entire five-county region	3.9%	15.8%	40.8%	31.8%	7.7%	261,806

127. In your opinion, how much of a problem is each of these issues in your county?
Unhealthy eating habits

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	3.1%	13.5%	37.4%	36.8%	9.3%	61,855
Gender						
Female	1.7%	10.3%	38.7%	38.7%	10.7%	30,106
Male	4.3%	16.6%	36.4%	35.1%	7.7%	31,574
Age						
18-34	3.1%	19.2%	29.3%	37.8%	10.6%	19,433
35-44	3.4%	10.8%	42.3%	36.6%	6.8%	13,105
45-54	1.4%	11.9%	42.7%	35.8%	8.2%	13,091
55-64	2.1%	8.8%	42.9%	39.3%	6.9%	8,197
65-74	4.2%	8.4%	38.0%	37.8%	11.7%	4,058
75+	4.2%	17.7%	38.5%	25.7%	13.9%	2,904
Highest level of education						
Less than high school diploma/GED	5.8%	22.0%	43.7%	6.7%	21.8%	938
High school diploma/GED	6.8%	17.9%	20.5%	35.9%	18.8%	10,221
Some college or AA degree	2.1%	13.9%	41.0%	35.9%	7.1%	25,890
Bachelor's degree or higher	2.5%	11.0%	40.3%	39.5%	6.8%	24,508
Household income (in 2012)						
Less than \$20,000	3.5%	9.4%	32.4%	34.0%	20.7%	3,811
\$20,000 - \$34,999	1.3%	13.9%	33.3%	45.4%	6.0%	4,564
\$35,000 - \$49,999	6.8%	17.8%	26.4%	36.6%	12.5%	9,635
\$50,000 - \$99,999	2.6%	13.1%	40.4%	36.7%	7.1%	27,459
\$100,000+	1.6%	11.9%	43.6%	36.5%	6.4%	14,043
Household type						
Single adult, no children	3.0%	11.2%	39.3%	34.3%	12.1%	5,915
2+ adults, no children	2.9%	16.8%	36.6%	33.5%	10.2%	29,022
Single adult, 1+ children	0.0%	8.6%	42.2%	43.2%	6.0%	2,450
2+ adults, 1+ children	3.4%	10.5%	38.0%	40.5%	7.6%	24,174
All areas included in the study						
Benton County	5.5%	18.8%	30.5%	39.9%	5.3%	26,374
Chisago County	4.3%	9.6%	41.2%	36.8%	8.1%	38,883
Mille Lacs County	1.2%	8.9%	41.5%	42.9%	5.5%	19,012
Sherburne County	3.1%	13.5%	37.4%	36.8%	9.3%	61,855
Stearns County	2.5%	11.5%	34.1%	44.8%	7.1%	115,261
Entire five-county region	3.1%	12.2%	36.1%	41.1%	7.5%	261,385

128. In your opinion, how much of a problem is each of these issues in your county? Lack of access to healthy food

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	23.7%	28.4%	25.7%	13.1%	9.1%	61,813
Gender						
Female	17.0%	28.6%	25.1%	18.4%	10.8%	30,082
Male	29.9%	28.3%	26.5%	8.0%	7.2%	31,556
Age						
18-34	21.2%	25.6%	27.5%	17.6%	8.2%	19,455
35-44	21.1%	30.9%	25.9%	13.4%	8.8%	13,105
45-54	27.9%	28.5%	22.9%	13.4%	7.2%	13,067
55-64	21.6%	31.4%	28.7%	9.5%	8.7%	8,197
65-74	26.3%	34.8%	21.7%	5.7%	11.6%	4,045
75+	25.0%	27.5%	25.2%	5.0%	17.2%	2,878
Highest level of education						
Less than high school diploma/GED	14.5%	20.8%	41.3%	3.3%	20.1%	938
High school diploma/GED	32.1%	19.5%	23.0%	11.1%	14.2%	10,252
Some college or AA degree	23.0%	29.1%	25.3%	14.5%	8.1%	25,817
Bachelor's degree or higher	21.5%	32.0%	26.2%	12.9%	7.4%	24,508
Household income (in 2012)						
Less than \$20,000	16.5%	11.3%	41.6%	11.5%	19.0%	3,804
\$20,000 - \$34,999	19.2%	25.1%	33.8%	13.1%	8.7%	4,665
\$35,000 - \$49,999	28.6%	26.4%	21.0%	12.1%	11.9%	9,622
\$50,000 - \$99,999	25.4%	26.9%	25.9%	14.3%	7.5%	27,360
\$100,000+	19.9%	41.0%	22.0%	11.8%	5.4%	14,020
Household type						
Single adult, no children	25.9%	26.1%	27.3%	7.8%	12.8%	5,908
2+ adults, no children	24.6%	31.1%	24.6%	9.6%	10.1%	28,910
Single adult, 1+ children	27.5%	19.7%	27.3%	20.0%	5.5%	2,450
2+ adults, 1+ children	21.7%	26.8%	26.7%	17.6%	7.3%	24,252
All areas included in the study						
Benton County	27.5%	31.8%	22.0%	10.7%	8.1%	26,402
Chisago County	23.4%	31.1%	19.4%	17.4%	8.7%	38,592
Mille Lacs County	20.1%	29.4%	25.0%	18.5%	7.0%	19,016
Sherburne County	23.7%	28.4%	25.7%	13.1%	9.1%	61,813
Stearns County	20.0%	33.3%	28.7%	9.7%	8.3%	115,018
Entire five-county region	22.2%	31.4%	25.7%	12.4%	8.4%	260,841

Injury and violence

129. In your opinion, how much of a problem is each of these issues in your county? Falls among the elderly

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	10.8%	27.5%	24.1%	8.3%	29.2%	61,697
Gender						
Female	6.0%	24.4%	26.8%	8.4%	34.3%	29,972
Male	15.3%	30.5%	21.6%	8.3%	24.3%	31,574
Age						
18-34	17.0%	27.5%	17.4%	4.0%	34.1%	19,398
35-44	11.9%	22.4%	21.1%	8.1%	36.6%	13,103
45-54	9.2%	33.3%	26.1%	7.6%	23.8%	13,067
55-64	3.3%	27.2%	31.9%	12.3%	25.3%	8,185
65-74	3.9%	27.8%	34.8%	9.5%	24.1%	4,022
75+	4.7%	20.5%	38.9%	27.7%	8.1%	2,881
Highest level of education						
Less than high school diploma/GED	8.6%	34.2%	8.9%	30.1%	18.2%	938
High school diploma/GED	16.7%	20.4%	19.2%	9.8%	33.9%	10,231
Some college or AA degree	8.7%	26.1%	24.9%	9.2%	31.0%	25,808
Bachelor's degree or higher	10.8%	31.8%	25.5%	6.0%	25.8%	24,422
Household income (in 2012)						
Less than \$20,000	20.2%	28.5%	13.4%	16.2%	21.7%	3,759
\$20,000 - \$34,999	3.2%	29.2%	29.5%	16.3%	21.8%	4,665
\$35,000 - \$49,999	7.9%	26.2%	18.7%	10.8%	36.5%	9,595
\$50,000 - \$99,999	13.9%	28.5%	27.3%	5.9%	24.4%	27,352
\$100,000+	8.0%	26.9%	21.8%	6.7%	36.6%	14,005
Household type						
Single adult, no children	7.6%	26.5%	26.2%	9.9%	29.7%	5,886
2+ adults, no children	12.6%	27.4%	25.8%	7.3%	26.9%	28,961
Single adult, 1+ children	3.6%	26.1%	31.0%	7.1%	32.2%	2,450
2+ adults, 1+ children	10.1%	27.9%	20.8%	9.4%	31.9%	24,106
All areas included in the study						
Benton County	7.0%	32.6%	25.8%	9.4%	25.3%	26,262
Chisago County	11.0%	37.1%	24.4%	10.5%	16.9%	38,877
Mille Lacs County	4.3%	24.0%	36.1%	12.2%	23.5%	19,031
Sherburne County	10.8%	27.5%	24.1%	8.3%	29.2%	61,697
Stearns County	7.0%	28.9%	32.2%	8.8%	23.2%	115,797
Entire five-county region	8.3%	29.8%	28.7%	9.2%	23.9%	261,664

130. In your opinion, how much of a problem is each of these issues in your county?
Motor vehicle crashes

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	7.0%	34.4%	33.6%	10.1%	14.9%	61,886
Gender						
Female	6.4%	28.9%	33.4%	12.9%	18.4%	30,137
Male	7.5%	39.5%	33.9%	7.6%	11.6%	31,574
Age						
18-34	9.1%	39.3%	26.9%	9.7%	15.0%	19,478
35-44	8.5%	32.6%	32.5%	7.2%	19.1%	13,103
45-54	5.5%	34.2%	39.0%	7.0%	14.4%	13,091
55-64	3.6%	31.4%	39.9%	12.8%	12.2%	8,193
65-74	3.5%	32.7%	36.2%	15.2%	12.4%	4,058
75+	5.5%	18.2%	43.8%	24.7%	7.9%	2,896
Highest level of education						
Less than high school diploma/GED	32.9%	19.5%	26.4%	19.7%	1.6%	954
High school diploma/GED	10.6%	32.3%	25.0%	7.9%	24.1%	10,270
Some college or AA degree	5.1%	32.3%	38.8%	10.6%	13.2%	25,855
Bachelor's degree or higher	6.5%	38.3%	31.8%	10.2%	13.1%	24,508
Household income (in 2012)						
Less than \$20,000	13.8%	44.4%	14.1%	13.7%	13.9%	3,781
\$20,000 - \$34,999	6.8%	28.1%	37.9%	18.3%	8.9%	4,665
\$35,000 - \$49,999	9.0%	32.8%	22.5%	13.3%	22.4%	9,675
\$50,000 - \$99,999	5.7%	37.5%	38.8%	7.2%	10.9%	27,446
\$100,000+	6.4%	31.2%	35.5%	9.8%	17.1%	14,005
Household type						
Single adult, no children	9.3%	37.5%	25.6%	10.8%	16.8%	5,892
2+ adults, no children	5.3%	32.4%	38.7%	10.4%	13.2%	29,049
Single adult, 1+ children	3.6%	34.9%	31.4%	12.3%	17.8%	2,450
2+ adults, 1+ children	8.6%	35.8%	29.9%	9.5%	16.3%	24,186
All areas included in the study						
Benton County	8.5%	33.5%	33.7%	7.8%	16.5%	26,339
Chisago County	11.1%	39.6%	32.4%	6.7%	10.2%	38,805
Mille Lacs County	5.7%	30.4%	37.3%	17.0%	9.6%	19,135
Sherburne County	7.0%	34.4%	33.6%	10.1%	14.9%	61,886
Stearns County	7.3%	28.6%	43.2%	11.0%	9.9%	115,093
Entire five-county region	7.8%	32.3%	37.9%	10.3%	11.8%	261,258

131. In your opinion, how much of a problem is each of these issues in your county? Improper use of or not using child car seats

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	15.0%	35.4%	18.8%	7.1%	23.7%	61,770
Gender						
Female	9.9%	32.7%	18.6%	9.7%	29.0%	30,078
Male	19.8%	38.1%	19.1%	4.6%	18.5%	31,517
Age						
18-34	22.1%	30.7%	18.9%	6.2%	22.1%	19,478
35-44	12.6%	38.6%	17.8%	6.4%	24.7%	13,103
45-54	13.3%	37.8%	16.8%	9.5%	22.7%	13,051
55-64	8.1%	42.1%	19.8%	5.1%	24.9%	8,229
65-74	8.8%	35.2%	24.4%	6.4%	25.3%	3,999
75+	10.4%	21.5%	28.5%	10.7%	28.9%	2,843
Highest level of education						
Less than high school diploma/GED	45.8%	8.5%	18.7%	5.9%	21.1%	938
High school diploma/GED	16.4%	25.5%	22.7%	5.2%	30.3%	10,235
Some college or AA degree	13.5%	35.9%	16.4%	10.8%	23.4%	25,798
Bachelor's degree or higher	15.1%	39.7%	19.9%	4.1%	21.3%	24,501
Household income (in 2012)						
Less than \$20,000	26.1%	19.9%	20.4%	9.6%	23.9%	3,762
\$20,000 - \$34,999	7.8%	35.8%	23.5%	9.3%	23.6%	4,636
\$35,000 - \$49,999	10.1%	37.8%	12.5%	7.4%	32.2%	9,675
\$50,000 - \$99,999	17.8%	33.9%	19.8%	7.2%	21.3%	27,411
\$100,000+	13.4%	41.1%	20.6%	4.7%	20.2%	13,998
Household type						
Single adult, no children	14.3%	23.0%	15.7%	7.5%	39.5%	5,852
2+ adults, no children	17.6%	33.5%	21.7%	4.5%	22.8%	28,973
Single adult, 1+ children	2.5%	28.5%	21.7%	24.9%	22.4%	2,450
2+ adults, 1+ children	13.1%	41.5%	15.9%	8.4%	21.0%	24,216
All areas included in the study						
Benton County	14.8%	32.7%	24.1%	6.4%	22.0%	26,297
Chisago County	22.2%	28.4%	22.6%	5.7%	21.2%	38,841
Mille Lacs County	9.7%	28.9%	26.9%	9.2%	25.2%	19,114
Sherburne County	15.0%	35.4%	18.8%	7.1%	23.7%	61,770
Stearns County	13.8%	32.1%	17.8%	11.8%	24.5%	115,495
Entire five-county region	15.1%	32.2%	20.0%	9.0%	23.6%	261,517

132. In your opinion, how much of a problem is each of these issues in your county? Bullying

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	7.2%	20.9%	32.9%	19.9%	19.1%	61,548
Gender						
Female	3.0%	17.8%	37.0%	24.4%	17.8%	30,016
Male	11.0%	24.0%	28.9%	15.7%	20.4%	31,444
Age						
18-34	9.0%	18.8%	30.3%	17.9%	24.1%	19,455
35-44	4.4%	21.5%	32.0%	22.8%	19.4%	12,992
45-54	6.7%	25.2%	36.9%	17.2%	13.9%	13,079
55-64	5.3%	23.3%	36.2%	21.4%	13.8%	8,229
65-74	3.8%	22.2%	32.1%	24.3%	17.7%	3,985
75+	4.0%	11.6%	32.8%	26.1%	25.5%	2,830
Highest level of education						
Less than high school diploma/GED	25.9%	11.6%	30.6%	16.2%	15.6%	938
High school diploma/GED	12.2%	20.4%	20.3%	22.8%	24.2%	10,229
Some college or AA degree	4.1%	18.5%	35.0%	20.8%	21.7%	25,692
Bachelor's degree or higher	7.6%	24.0%	36.0%	18.1%	14.3%	24,391
Household income (in 2012)						
Less than \$20,000	10.4%	9.1%	30.2%	30.7%	19.7%	3,740
\$20,000 - \$34,999	2.9%	15.2%	37.3%	28.8%	15.8%	4,636
\$35,000 - \$49,999	4.8%	19.4%	28.8%	24.4%	22.5%	9,652
\$50,000 - \$99,999	8.0%	26.3%	36.0%	15.0%	14.7%	27,288
\$100,000+	7.6%	17.5%	29.9%	20.6%	24.4%	13,946
Household type						
Single adult, no children	11.5%	16.3%	28.0%	16.9%	27.3%	5,860
2+ adults, no children	7.4%	20.8%	32.0%	18.1%	21.7%	28,877
Single adult, 1+ children	0.0%	19.3%	37.0%	35.3%	8.4%	2,450
2+ adults, 1+ children	6.3%	22.5%	34.5%	21.5%	15.2%	24,082
All areas included in the study						
Benton County	6.5%	23.1%	33.6%	21.9%	15.0%	26,333
Chisago County	13.6%	20.8%	35.2%	13.3%	17.1%	38,757
Mille Lacs County	8.5%	14.0%	37.8%	24.4%	15.4%	19,132
Sherburne County	7.2%	20.9%	32.9%	19.9%	19.1%	61,548
Stearns County	4.4%	22.8%	30.8%	31.9%	10.1%	115,163
Entire five-county region	6.9%	21.4%	32.7%	24.8%	14.1%	260,933

133. In your opinion, how much of a problem is each of these issues in your county? Abuse and neglect of children

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	7.4%	30.0%	24.3%	16.4%	21.9%	61,683
Gender						
Female	4.8%	26.8%	25.2%	19.0%	24.2%	29,958
Male	9.8%	32.9%	23.4%	14.0%	19.9%	31,550
Age						
18-34	12.8%	31.0%	18.2%	14.8%	23.2%	19,478
35-44	0.7%	32.5%	24.9%	17.0%	24.8%	12,957
45-54	9.2%	32.5%	22.7%	18.3%	17.2%	13,091
55-64	4.4%	24.6%	35.8%	14.9%	20.3%	8,236
65-74	3.9%	21.7%	32.7%	17.7%	23.9%	4,034
75+	4.0%	21.8%	31.4%	16.3%	26.4%	2,821
Highest level of education						
Less than high school diploma/GED	23.6%	7.4%	38.8%	7.8%	22.4%	909
High school diploma/GED	9.1%	27.4%	22.1%	13.2%	28.2%	10,231
Some college or AA degree	5.6%	29.0%	22.6%	19.0%	23.8%	25,827
Bachelor's degree or higher	8.1%	33.1%	26.7%	14.9%	17.2%	24,419
Household income (in 2012)						
Less than \$20,000	24.6%	10.6%	26.6%	16.5%	21.7%	3,758
\$20,000 - \$34,999	3.5%	16.9%	30.6%	23.9%	25.1%	4,665
\$35,000 - \$49,999	3.2%	31.7%	17.5%	19.3%	28.2%	9,651
\$50,000 - \$99,999	7.8%	35.5%	25.7%	14.0%	17.0%	27,395
\$100,000+	6.2%	29.7%	25.6%	15.0%	23.4%	13,916
Household type						
Single adult, no children	6.7%	31.2%	15.4%	16.4%	30.3%	5,824
2+ adults, no children	8.6%	27.2%	29.1%	13.7%	21.5%	29,005
Single adult, 1+ children	1.5%	31.6%	18.9%	30.8%	17.3%	2,450
2+ adults, 1+ children	6.5%	33.2%	21.2%	18.4%	20.8%	24,126
All areas included in the study						
Benton County	6.7%	24.9%	29.2%	19.1%	20.2%	26,309
Chisago County	8.5%	28.8%	27.1%	13.4%	22.2%	38,648
Mille Lacs County	4.5%	29.7%	26.6%	24.8%	14.4%	19,111
Sherburne County	7.4%	30.0%	24.3%	16.4%	21.9%	61,683
Stearns County	6.4%	27.4%	29.6%	25.9%	10.6%	115,641
Entire five-county region	6.8%	28.1%	27.7%	21.1%	16.2%	261,392

134. In your opinion, how much of a problem is each of these issues in your county? Abuse and neglect of vulnerable adults

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	10.0%	31.8%	19.9%	13.1%	25.1%	61,780
Gender						
Female	8.1%	27.0%	21.1%	13.1%	30.6%	30,142
Male	11.7%	36.3%	18.9%	13.2%	19.9%	31,487
Age						
18-34	16.5%	33.1%	16.2%	13.6%	20.7%	19,478
35-44	3.7%	37.6%	17.9%	11.8%	29.0%	13,103
45-54	12.4%	28.6%	20.8%	13.3%	24.9%	13,045
55-64	4.6%	30.3%	24.9%	12.5%	27.7%	8,165
65-74	4.7%	25.6%	28.0%	12.9%	28.7%	4,058
75+	7.6%	18.3%	31.6%	14.0%	28.5%	2,889
Highest level of education						
Less than high school diploma/GED	14.1%	4.0%	37.6%	19.4%	25.0%	938
High school diploma/GED	11.8%	25.8%	14.7%	15.8%	31.9%	10,217
Some college or AA degree	9.7%	30.5%	19.9%	15.3%	24.5%	25,846
Bachelor's degree or higher	9.5%	37.0%	21.6%	9.0%	22.8%	24,482
Household income (in 2012)						
Less than \$20,000	23.3%	9.4%	22.6%	25.7%	18.9%	3,781
\$20,000 - \$34,999	4.3%	26.6%	30.7%	11.8%	26.6%	4,665
\$35,000 - \$49,999	5.0%	27.8%	15.7%	19.2%	32.3%	9,629
\$50,000 - \$99,999	11.5%	34.7%	21.0%	11.3%	21.6%	27,421
\$100,000+	9.7%	38.8%	17.3%	8.9%	25.3%	13,979
Household type						
Single adult, no children	8.9%	29.7%	18.6%	13.9%	28.9%	5,901
2+ adults, no children	10.9%	29.6%	23.2%	12.7%	23.6%	29,010
Single adult, 1+ children	7.2%	29.3%	16.7%	22.8%	24.0%	2,450
2+ adults, 1+ children	9.3%	35.7%	16.5%	12.5%	26.0%	24,140
All areas included in the study						
Benton County	9.4%	30.9%	22.6%	13.7%	23.5%	26,329
Chisago County	11.9%	33.2%	17.9%	14.6%	22.4%	38,453
Mille Lacs County	7.7%	29.0%	22.9%	17.9%	22.5%	19,050
Sherburne County	10.0%	31.8%	19.9%	13.1%	25.1%	61,780
Stearns County	8.7%	33.0%	21.9%	17.4%	19.1%	115,543
Entire five-county region	9.5%	32.2%	21.0%	15.6%	21.7%	261,154

135. In your opinion, how much of a problem is each of these issues in your county?
Domestic violence

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	6.7%	29.0%	26.5%	16.2%	21.6%	61,774
Gender						
Female	4.9%	24.9%	27.0%	17.7%	25.5%	30,070
Male	8.3%	33.1%	26.0%	14.9%	17.8%	31,554
Age						
18-34	12.2%	27.9%	25.7%	13.0%	21.2%	19,478
35-44	0.7%	37.8%	24.0%	14.6%	22.8%	13,072
45-54	7.7%	30.6%	24.2%	16.8%	20.7%	13,054
55-64	3.6%	23.3%	33.5%	19.3%	20.4%	8,206
65-74	3.7%	16.9%	33.2%	22.5%	23.7%	4,058
75+	3.9%	18.0%	32.7%	22.4%	22.9%	2,865
Highest level of education						
Less than high school diploma/GED	23.8%	22.1%	13.8%	16.1%	24.2%	900
High school diploma/GED	7.8%	22.3%	24.6%	12.9%	32.4%	10,225
Some college or AA degree	5.2%	32.6%	25.1%	17.5%	19.5%	25,859
Bachelor's degree or higher	7.1%	28.4%	29.5%	15.8%	19.2%	24,508
Household income (in 2012)						
Less than \$20,000	27.3%	11.2%	28.6%	15.7%	17.3%	3,795
\$20,000 - \$34,999	2.7%	23.7%	28.2%	23.0%	22.3%	4,655
\$35,000 - \$49,999	3.4%	26.1%	18.0%	20.3%	32.1%	9,675
\$50,000 - \$99,999	6.2%	32.8%	29.3%	13.4%	18.2%	27,346
\$100,000+	5.8%	32.6%	28.0%	14.7%	18.9%	14,005
Household type						
Single adult, no children	7.9%	33.0%	22.0%	14.0%	23.1%	5,882
2+ adults, no children	7.1%	26.1%	29.9%	16.6%	20.3%	28,948
Single adult, 1+ children	2.9%	28.8%	24.4%	24.5%	19.4%	2,450
2+ adults, 1+ children	6.0%	31.8%	23.7%	15.6%	22.9%	24,216
All areas included in the study						
Benton County	8.4%	26.2%	26.4%	19.5%	19.5%	26,244
Chisago County	8.4%	29.5%	26.3%	11.4%	24.4%	38,463
Mille Lacs County	4.7%	27.7%	35.9%	18.3%	13.4%	19,039
Sherburne County	6.7%	29.0%	26.5%	16.2%	21.6%	61,774
Stearns County	6.1%	27.6%	32.9%	21.4%	11.9%	115,756
Entire five-county region	6.7%	28.1%	30.0%	18.3%	16.9%	261,277

136. In your opinion, how much of a problem is each of these issues in your county?
Rape and sexual assault

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	13.0%	32.1%	15.3%	13.4%	26.2%	61,580
Gender						
Female	9.8%	27.2%	18.8%	12.7%	31.6%	29,884
Male	15.9%	36.9%	12.0%	14.2%	21.0%	31,545
Age						
18-34	20.8%	33.5%	9.8%	12.2%	23.7%	19,398
35-44	7.7%	36.4%	14.9%	11.2%	29.8%	13,103
45-54	13.4%	32.6%	15.5%	16.9%	21.6%	13,042
55-64	7.8%	29.2%	22.7%	10.4%	30.0%	8,117
65-74	4.5%	22.2%	25.1%	16.2%	31.9%	4,034
75+	6.2%	18.4%	23.2%	21.8%	30.4%	2,844
Highest level of education						
Less than high school diploma/GED	22.9%	26.9%	11.8%	13.9%	24.5%	933
High school diploma/GED	17.3%	22.1%	12.3%	11.5%	36.9%	10,192
Some college or AA degree	12.2%	33.7%	16.6%	13.7%	23.8%	25,668
Bachelor's degree or higher	11.7%	34.7%	15.4%	13.9%	24.3%	24,489
Household income (in 2012)						
Less than \$20,000	31.0%	21.4%	9.7%	16.2%	21.6%	3,700
\$20,000 - \$34,999	9.4%	24.5%	20.2%	16.1%	29.8%	4,665
\$35,000 - \$49,999	5.0%	30.6%	13.2%	14.3%	37.0%	9,595
\$50,000 - \$99,999	16.2%	33.6%	15.8%	12.9%	21.4%	27,348
\$100,000+	9.8%	37.2%	16.4%	11.4%	25.2%	13,966
Household type						
Single adult, no children	15.2%	32.7%	11.0%	14.8%	26.4%	5,827
2+ adults, no children	12.6%	30.7%	17.3%	13.1%	26.3%	28,918
Single adult, 1+ children	8.7%	37.3%	13.6%	20.5%	20.0%	2,450
2+ adults, 1+ children	13.2%	33.5%	13.8%	12.8%	26.7%	24,106
All areas included in the study						
Benton County	11.6%	28.8%	22.8%	12.4%	24.4%	26,164
Chisago County	17.5%	29.7%	22.5%	5.8%	24.4%	38,721
Mille Lacs County	7.3%	30.2%	25.9%	12.9%	23.7%	19,068
Sherburne County	13.0%	32.1%	15.3%	13.4%	26.2%	61,580
Stearns County	7.6%	30.1%	25.0%	23.2%	14.0%	115,481
Entire five-county region	10.7%	30.4%	22.2%	16.5%	20.2%	261,015

Mental health

137. In your opinion, how much of a problem is each of these issues in your county? Depression among youth

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	4.8%	24.7%	27.9%	20.9%	21.8%	61,893
Gender						
Female	3.0%	21.4%	31.7%	22.7%	21.2%	30,153
Male	6.3%	27.6%	24.4%	19.3%	22.4%	31,565
Age						
18-34	4.5%	29.0%	18.2%	27.2%	21.1%	19,478
35-44	4.9%	19.4%	33.8%	18.6%	23.2%	13,103
45-54	5.9%	26.1%	29.8%	21.2%	17.0%	13,091
55-64	3.7%	22.3%	35.1%	16.4%	22.5%	8,236
65-74	2.6%	18.0%	36.1%	13.1%	30.3%	4,052
75+	5.8%	16.5%	35.1%	17.1%	25.6%	2,867
Highest level of education						
Less than high school diploma/GED	30.8%	8.5%	31.0%	20.0%	9.7%	938
High school diploma/GED	7.3%	19.3%	25.9%	17.2%	30.2%	10,240
Some college or AA degree	4.0%	28.0%	25.0%	24.1%	19.0%	25,909
Bachelor's degree or higher	3.6%	23.6%	32.1%	19.2%	21.6%	24,508
Household income (in 2012)						
Less than \$20,000	8.8%	10.8%	18.2%	40.1%	22.2%	3,796
\$20,000 - \$34,999	3.0%	20.1%	31.0%	27.5%	18.4%	4,651
\$35,000 - \$49,999	2.0%	26.3%	21.7%	20.9%	29.1%	9,675
\$50,000 - \$99,999	6.4%	26.7%	29.4%	19.2%	18.3%	27,459
\$100,000+	2.8%	25.8%	31.7%	17.9%	21.7%	14,005
Household type						
Single adult, no children	4.4%	27.1%	24.4%	17.1%	27.1%	5,900
2+ adults, no children	4.6%	23.6%	28.0%	21.0%	22.9%	29,048
Single adult, 1+ children	0.9%	21.0%	39.8%	26.7%	11.6%	2,450
2+ adults, 1+ children	5.2%	25.9%	27.4%	21.3%	20.3%	24,216
All areas included in the study						
Benton County	5.5%	26.8%	32.4%	16.9%	18.5%	26,366
Chisago County	12.3%	16.0%	38.5%	13.0%	20.2%	38,523
Mille Lacs County	4.2%	23.6%	33.4%	20.4%	18.4%	19,132
Sherburne County	4.8%	24.7%	27.9%	20.9%	21.8%	61,893
Stearns County	4.1%	25.1%	32.5%	23.0%	15.4%	115,565
Entire five-county region	5.6%	23.7%	32.3%	20.2%	18.1%	261,478

138. In your opinion, how much of a problem is each of these issues in your county? Depression among adults

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	5.5%	25.2%	29.7%	19.4%	20.3%	61,877
Gender						
Female	3.1%	20.8%	33.6%	22.2%	20.3%	30,152
Male	7.6%	29.2%	26.1%	16.8%	20.3%	31,574
Age						
18-34	7.5%	30.0%	17.6%	24.3%	20.6%	19,478
35-44	5.4%	25.2%	32.8%	17.8%	18.8%	13,103
45-54	4.8%	25.8%	34.7%	17.4%	17.3%	13,091
55-64	2.9%	17.6%	41.4%	17.4%	20.7%	8,222
65-74	2.1%	15.3%	40.2%	13.1%	29.3%	4,036
75+	6.9%	15.3%	36.9%	18.6%	22.4%	2,905
Highest level of education						
Less than high school diploma/GED	31.9%	8.3%	11.1%	39.1%	9.6%	954
High school diploma/GED	6.3%	19.8%	26.5%	18.3%	29.1%	10,241
Some college or AA degree	5.9%	25.4%	30.3%	20.0%	18.4%	25,876
Bachelor's degree or higher	3.7%	27.9%	31.5%	18.0%	18.8%	24,508
Household income (in 2012)						
Less than \$20,000	20.3%	7.5%	20.1%	30.4%	21.7%	3,827
\$20,000 - \$34,999	3.7%	19.3%	33.3%	32.2%	11.6%	4,665
\$35,000 - \$49,999	1.6%	29.3%	24.4%	15.9%	28.8%	9,675
\$50,000 - \$99,999	6.8%	24.8%	32.8%	17.5%	18.1%	27,421
\$100,000+	2.2%	31.1%	28.5%	19.2%	18.9%	14,005
Household type						
Single adult, no children	6.1%	25.7%	26.2%	17.2%	24.7%	5,915
2+ adults, no children	5.7%	23.9%	29.7%	19.2%	21.5%	29,001
Single adult, 1+ children	3.6%	19.2%	37.2%	30.0%	10.1%	2,450
2+ adults, 1+ children	4.9%	27.3%	29.7%	19.3%	18.9%	24,216
All areas included in the study						
Benton County	5.4%	24.6%	35.8%	16.6%	17.6%	26,343
Chisago County	9.4%	16.1%	42.2%	13.9%	18.5%	38,523
Mille Lacs County	4.8%	22.3%	39.8%	20.2%	13.0%	19,132
Sherburne County	5.5%	25.2%	29.7%	19.4%	20.3%	61,877
Stearns County	3.8%	24.8%	32.7%	24.9%	13.8%	115,647
Entire five-county region	5.3%	23.4%	34.2%	20.8%	16.4%	261,522

139. In your opinion, how much of a problem is each of these issues in your county?
Suicide among youth

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	8.2%	29.3%	22.8%	15.7%	24.0%	61,777
Gender						
Female	5.7%	25.9%	23.3%	20.7%	24.4%	30,057
Male	10.5%	32.5%	22.4%	11.0%	23.6%	31,569
Age						
18-34	11.9%	32.5%	21.7%	9.7%	24.2%	19,433
35-44	9.1%	24.9%	20.7%	15.2%	30.0%	13,103
45-54	5.5%	36.7%	20.2%	20.4%	17.3%	13,067
55-64	4.1%	22.1%	33.6%	19.2%	21.1%	8,236
65-74	3.2%	20.1%	31.2%	15.4%	30.1%	4,028
75+	6.8%	20.5%	17.2%	31.7%	23.8%	2,868
Highest level of education						
Less than high school diploma/GED	24.7%	25.0%	10.4%	31.8%	8.1%	938
High school diploma/GED	10.4%	21.5%	14.5%	17.1%	36.6%	10,233
Some college or AA degree	8.2%	27.7%	24.9%	18.4%	20.8%	25,805
Bachelor's degree or higher	6.9%	34.1%	24.7%	11.8%	22.5%	24,504
Household income (in 2012)						
Less than \$20,000	15.7%	20.7%	25.1%	18.0%	20.5%	3,795
\$20,000 - \$34,999	5.5%	24.2%	22.5%	23.5%	24.3%	4,620
\$35,000 - \$49,999	3.8%	26.5%	19.4%	18.3%	31.9%	9,670
\$50,000 - \$99,999	12.3%	31.6%	22.6%	13.1%	20.4%	27,380
\$100,000+	2.7%	31.3%	27.0%	15.1%	23.8%	14,005
Household type						
Single adult, no children	9.7%	30.1%	16.3%	16.8%	27.1%	5,894
2+ adults, no children	7.4%	31.0%	25.0%	13.4%	23.3%	28,982
Single adult, 1+ children	5.3%	32.2%	13.2%	32.9%	16.3%	2,450
2+ adults, 1+ children	9.0%	27.0%	22.7%	16.4%	25.0%	24,171
All areas included in the study						
Benton County	12.5%	27.3%	21.5%	10.2%	28.5%	26,246
Chisago County	16.6%	27.6%	21.1%	15.6%	19.2%	38,844
Mille Lacs County	8.5%	32.2%	24.9%	11.5%	22.7%	19,132
Sherburne County	8.2%	29.3%	22.8%	15.7%	24.0%	61,777
Stearns County	9.3%	33.9%	22.2%	16.5%	18.1%	115,287
Entire five-county region	10.4%	31.1%	22.3%	15.2%	21.0%	261,286

140. In your opinion, how much of a problem is each of these issues in your county?
Suicide among adults

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	10.9%	32.2%	22.0%	10.5%	24.5%	61,655
Gender						
Female	7.2%	29.6%	21.3%	14.9%	27.1%	29,989
Male	14.3%	34.5%	22.9%	6.3%	22.0%	31,515
Age						
18-34	16.9%	35.8%	16.4%	7.8%	23.1%	19,433
35-44	9.5%	27.8%	22.6%	9.7%	30.3%	13,044
45-54	10.0%	37.9%	24.2%	9.9%	17.9%	13,043
55-64	3.0%	26.7%	29.9%	14.8%	25.7%	8,192
65-74	3.7%	23.0%	32.9%	10.7%	29.7%	4,028
75+	8.0%	24.3%	17.3%	25.3%	25.1%	2,874
Highest level of education						
Less than high school diploma/GED	25.1%	7.0%	27.3%	32.4%	8.2%	923
High school diploma/GED	10.9%	21.0%	20.8%	13.5%	33.7%	10,218
Some college or AA degree	11.6%	31.6%	22.8%	11.4%	22.7%	25,767
Bachelor's degree or higher	9.7%	38.1%	21.8%	7.5%	22.9%	24,449
Household income (in 2012)						
Less than \$20,000	28.7%	8.5%	27.3%	16.2%	19.4%	3,766
\$20,000 - \$34,999	6.3%	27.0%	25.9%	18.7%	22.1%	4,620
\$35,000 - \$49,999	3.4%	31.9%	17.3%	13.0%	34.4%	9,675
\$50,000 - \$99,999	16.2%	32.5%	22.1%	8.1%	21.0%	27,321
\$100,000+	2.9%	41.3%	24.6%	7.9%	23.2%	13,967
Household type						
Single adult, no children	13.9%	29.4%	17.1%	12.4%	27.2%	5,915
2+ adults, no children	9.0%	35.5%	22.4%	9.5%	23.5%	28,953
Single adult, 1+ children	5.6%	33.6%	18.7%	24.1%	18.0%	2,450
2+ adults, 1+ children	12.8%	28.9%	23.2%	9.8%	25.4%	24,058
All areas included in the study						
Benton County	12.6%	29.2%	22.8%	9.7%	25.6%	26,337
Chisago County	19.7%	32.5%	16.4%	11.6%	19.7%	38,800
Mille Lacs County	7.2%	37.0%	20.4%	11.4%	24.1%	18,888
Sherburne County	10.9%	32.2%	22.0%	10.5%	24.5%	61,655
Stearns County	10.5%	31.7%	23.7%	16.4%	17.7%	115,232
Entire five-county region	12.0%	32.1%	21.9%	13.3%	20.8%	260,911

141. In your opinion, how much of a problem is each of these issues in your county? Eating disorders such as anorexia, bulimia, or binge eating

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	9.3%	29.6%	21.0%	10.2%	29.9%	61,770
Gender						
Female	5.3%	28.6%	24.5%	12.4%	29.2%	30,021
Male	13.0%	30.6%	17.7%	8.3%	30.4%	31,574
Age						
18-34	13.7%	26.3%	17.4%	12.6%	30.0%	19,478
35-44	7.5%	30.3%	14.7%	13.4%	34.2%	13,051
45-54	9.6%	33.1%	28.6%	6.6%	22.0%	13,091
55-64	4.5%	32.4%	26.6%	7.9%	28.5%	8,199
65-74	4.0%	24.5%	24.9%	8.9%	37.7%	3,996
75+	8.0%	22.4%	24.1%	8.8%	36.7%	2,889
Highest level of education						
Less than high school diploma/GED	23.9%	13.1%	37.2%	10.4%	15.5%	938
High school diploma/GED	15.6%	17.0%	18.8%	11.6%	37.1%	10,220
Some college or AA degree	8.6%	31.6%	20.2%	10.6%	29.1%	25,813
Bachelor's degree or higher	7.0%	33.0%	22.3%	9.5%	28.3%	24,508
Household income (in 2012)						
Less than \$20,000	28.6%	12.6%	18.0%	16.8%	24.0%	3,781
\$20,000 - \$34,999	6.7%	28.4%	21.5%	17.8%	25.6%	4,645
\$35,000 - \$49,999	8.8%	24.7%	21.7%	10.8%	34.1%	9,675
\$50,000 - \$99,999	9.5%	33.1%	21.9%	8.3%	27.2%	27,371
\$100,000+	5.6%	32.3%	20.9%	9.2%	32.0%	14,005
Household type						
Single adult, no children	12.7%	29.1%	15.6%	6.0%	36.5%	5,903
2+ adults, no children	10.5%	26.5%	21.6%	10.9%	30.5%	29,005
Single adult, 1+ children	5.0%	28.8%	38.0%	6.6%	21.6%	2,450
2+ adults, 1+ children	7.3%	33.6%	19.5%	10.9%	28.7%	24,134
All areas included in the study						
Benton County	13.6%	27.2%	23.0%	9.4%	26.8%	26,291
Chisago County	14.2%	38.4%	16.1%	8.7%	22.6%	38,735
Mille Lacs County	6.9%	29.6%	21.6%	8.7%	33.2%	19,034
Sherburne County	9.3%	29.6%	21.0%	10.2%	29.9%	61,770
Stearns County	8.7%	38.5%	25.6%	6.4%	20.9%	115,056
Entire five-county region	10.0%	34.6%	22.5%	8.1%	24.8%	260,887

142. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining mental health services for youth

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	15.4%	23.9%	18.3%	14.0%	28.3%	61,721
Gender						
Female	11.3%	18.0%	23.6%	19.0%	28.1%	29,997
Male	19.2%	29.7%	13.5%	9.3%	28.4%	31,574
Age						
18-34	20.7%	20.6%	21.1%	9.7%	27.9%	19,478
35-44	10.8%	25.1%	17.1%	16.4%	30.4%	13,089
45-54	18.1%	29.4%	13.0%	17.2%	22.2%	13,038
55-64	8.0%	25.4%	21.8%	16.7%	28.0%	8,206
65-74	9.3%	16.6%	23.9%	11.8%	38.4%	4,009
75+	14.4%	21.4%	14.0%	16.6%	33.6%	2,861
Highest level of education						
Less than high school diploma/GED	24.7%	20.3%	13.4%	24.1%	17.5%	938
High school diploma/GED	21.7%	22.1%	15.8%	7.4%	33.1%	10,178
Some college or AA degree	15.1%	23.5%	17.5%	14.8%	29.0%	25,799
Bachelor's degree or higher	13.0%	25.3%	20.2%	15.5%	26.0%	24,508
Household income (in 2012)						
Less than \$20,000	28.3%	15.5%	22.8%	10.1%	23.2%	3,775
\$20,000 - \$34,999	13.3%	22.2%	17.9%	22.4%	24.3%	4,651
\$35,000 - \$49,999	16.3%	19.4%	20.7%	9.0%	34.7%	9,667
\$50,000 - \$99,999	17.5%	24.0%	16.5%	14.5%	27.6%	27,337
\$100,000+	8.9%	32.0%	19.6%	14.1%	25.4%	14,005
Household type						
Single adult, no children	20.9%	17.1%	16.4%	10.2%	35.4%	5,865
2+ adults, no children	15.2%	22.3%	20.0%	13.6%	28.9%	28,942
Single adult, 1+ children	10.0%	34.3%	25.1%	10.8%	19.8%	2,450
2+ adults, 1+ children	14.7%	26.4%	16.4%	15.5%	27.0%	24,186
All areas included in the study						
Benton County	16.4%	22.2%	21.7%	13.1%	26.6%	26,403
Chisago County	13.0%	24.6%	20.5%	18.5%	23.3%	38,610
Mille Lacs County	13.9%	26.4%	21.6%	16.9%	21.3%	19,138
Sherburne County	15.4%	23.9%	18.3%	14.0%	28.3%	61,721
Stearns County	16.0%	23.8%	22.1%	15.0%	23.1%	115,451
Entire five-county region	15.3%	24.0%	20.9%	15.2%	24.6%	261,323

143. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining mental health services for adults

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	15.9%	26.2%	17.1%	13.8%	26.9%	61,509
Gender						
Female	11.3%	21.6%	20.7%	18.6%	27.9%	29,902
Male	20.3%	30.7%	13.8%	9.4%	25.8%	31,456
Age						
18-34	20.3%	28.0%	16.0%	11.2%	24.4%	19,441
35-44	13.4%	26.2%	16.6%	14.0%	29.9%	13,065
45-54	18.6%	29.1%	13.8%	16.0%	22.5%	12,980
55-64	7.8%	23.0%	24.2%	17.5%	27.5%	8,186
65-74	10.8%	18.3%	22.1%	13.4%	35.4%	4,008
75+	12.6%	20.2%	16.3%	17.2%	33.6%	2,787
Highest level of education						
Less than high school diploma/GED	24.7%	29.8%	24.5%	8.4%	12.7%	938
High school diploma/GED	23.5%	20.0%	14.9%	9.1%	32.5%	10,081
Some college or AA degree	15.7%	26.2%	17.5%	14.5%	26.2%	25,811
Bachelor's degree or higher	13.0%	28.7%	17.0%	15.5%	25.9%	24,381
Household income (in 2012)						
Less than \$20,000	27.2%	11.3%	27.1%	11.8%	22.6%	3,686
\$20,000 - \$34,999	13.1%	22.3%	19.1%	24.7%	20.8%	4,626
\$35,000 - \$49,999	15.5%	21.5%	17.4%	11.1%	34.4%	9,629
\$50,000 - \$99,999	18.6%	27.0%	16.3%	13.3%	24.8%	27,302
\$100,000+	10.1%	34.4%	15.2%	13.9%	26.3%	13,968
Household type						
Single adult, no children	20.3%	20.9%	15.9%	11.5%	31.5%	5,807
2+ adults, no children	15.2%	26.3%	18.4%	13.4%	26.7%	28,919
Single adult, 1+ children	8.4%	37.3%	24.5%	12.2%	17.7%	2,450
2+ adults, 1+ children	16.4%	25.8%	15.3%	15.3%	27.2%	24,054
All areas included in the study						
Benton County	16.4%	20.6%	23.7%	13.0%	26.3%	26,159
Chisago County	15.1%	27.8%	18.4%	17.4%	21.3%	38,674
Mille Lacs County	15.2%	28.7%	23.7%	13.7%	18.8%	19,086
Sherburne County	15.9%	26.2%	17.1%	13.8%	26.9%	61,509
Stearns County	16.5%	23.7%	23.6%	14.5%	21.8%	115,185
Entire five-county region	16.0%	25.0%	21.3%	14.6%	23.1%	260,613

144. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining alcohol and other drug abuse treatment for youth

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	16.6%	25.6%	19.5%	9.8%	28.5%	61,631
Gender						
Female	11.2%	21.8%	19.7%	15.7%	31.7%	30,079
Male	21.8%	29.4%	19.5%	4.1%	25.2%	31,401
Age						
18-34	17.7%	28.6%	18.9%	6.8%	28.0%	19,478
35-44	18.1%	24.0%	17.8%	9.0%	31.1%	12,930
45-54	20.7%	27.6%	15.4%	12.6%	23.7%	13,091
55-64	9.3%	26.1%	26.2%	12.5%	25.9%	8,236
65-74	8.2%	18.6%	23.4%	11.2%	38.6%	3,978
75+	14.7%	19.2%	19.2%	14.1%	32.7%	2,876
Highest level of education						
Less than high school diploma/GED	24.7%	6.9%	35.6%	20.2%	12.7%	938
High school diploma/GED	25.5%	20.0%	13.1%	8.1%	33.3%	10,200
Some college or AA degree	16.4%	23.1%	21.5%	11.0%	28.0%	25,805
Bachelor's degree or higher	13.1%	31.3%	19.2%	8.9%	27.5%	24,390
Household income (in 2012)						
Less than \$20,000	24.1%	14.3%	19.7%	14.9%	27.0%	3,805
\$20,000 - \$34,999	16.7%	23.3%	21.8%	12.7%	25.5%	4,566
\$35,000 - \$49,999	15.6%	23.1%	20.2%	7.4%	33.7%	9,675
\$50,000 - \$99,999	19.2%	24.9%	20.4%	9.0%	26.6%	27,374
\$100,000+	11.1%	34.0%	17.5%	10.2%	27.3%	13,917
Household type						
Single adult, no children	11.8%	21.0%	17.0%	9.5%	40.7%	5,824
2+ adults, no children	17.2%	24.7%	22.9%	8.6%	26.6%	28,950
Single adult, 1+ children	8.9%	40.2%	16.1%	11.8%	23.1%	2,450
2+ adults, 1+ children	17.7%	26.2%	16.3%	11.2%	28.6%	24,128
All areas included in the study						
Benton County	21.9%	25.3%	21.1%	10.0%	21.7%	26,246
Chisago County	19.1%	28.1%	22.3%	11.4%	19.1%	38,763
Mille Lacs County	15.1%	22.2%	25.2%	14.8%	22.7%	19,102
Sherburne County	16.6%	25.6%	19.5%	9.8%	28.5%	61,631
Stearns County	14.1%	23.7%	22.4%	9.4%	30.5%	115,223
Entire five-county region	16.3%	24.8%	21.8%	10.2%	26.9%	260,965

145. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining alcohol and other drug abuse treatment for adults

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	17.0%	27.7%	17.8%	9.7%	27.8%	61,643
Gender						
Female	11.7%	23.9%	18.4%	14.6%	31.4%	29,928
Male	22.0%	31.4%	17.3%	5.0%	24.3%	31,564
Age						
18-34	16.6%	30.9%	18.5%	6.9%	27.0%	19,398
35-44	18.1%	26.6%	14.9%	9.8%	30.6%	13,103
45-54	21.8%	28.5%	14.6%	11.4%	23.7%	13,091
55-64	11.8%	28.0%	23.1%	11.8%	25.2%	8,191
65-74	9.4%	19.3%	23.0%	10.7%	37.7%	3,998
75+	16.0%	19.0%	19.9%	15.3%	29.8%	2,821
Highest level of education						
Less than high school diploma/GED	25.5%	7.1%	30.3%	23.9%	13.1%	906
High school diploma/GED	26.0%	20.2%	13.7%	7.4%	32.6%	10,181
Some college or AA degree	17.0%	27.6%	16.8%	10.4%	28.2%	25,860
Bachelor's degree or higher	13.2%	31.7%	19.8%	9.3%	25.9%	24,398
Household income (in 2012)						
Less than \$20,000	24.3%	13.1%	27.4%	7.2%	28.1%	3,737
\$20,000 - \$34,999	17.2%	24.0%	21.0%	16.3%	21.5%	4,651
\$35,000 - \$49,999	10.7%	26.5%	20.6%	8.4%	33.8%	9,665
\$50,000 - \$99,999	21.3%	27.4%	16.6%	8.9%	25.8%	27,295
\$100,000+	11.9%	35.6%	15.2%	10.3%	27.1%	14,005
Household type						
Single adult, no children	15.7%	22.4%	14.5%	8.0%	39.3%	5,870
2+ adults, no children	17.0%	27.0%	21.6%	8.8%	25.6%	28,859
Single adult, 1+ children	8.9%	45.3%	14.4%	8.6%	22.8%	2,450
2+ adults, 1+ children	18.1%	28.0%	14.2%	11.3%	28.3%	24,186
All areas included in the study						
Benton County	23.2%	23.8%	21.9%	9.5%	21.6%	26,459
Chisago County	21.3%	30.1%	20.6%	9.5%	18.5%	38,807
Mille Lacs County	15.2%	25.9%	26.2%	12.2%	20.5%	19,081
Sherburne County	17.0%	27.7%	17.8%	9.7%	27.8%	61,643
Stearns County	15.0%	22.9%	23.9%	9.0%	29.2%	115,509
Entire five-county region	17.3%	25.4%	21.9%	9.5%	25.9%	261,500

146. In your opinion, how much of a problem is each of these issues in your county? People not taking prescribed medication for mental health problems

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County total	9.9%	23.6%	20.8%	16.2%	29.6%	61,655
Gender						
Female	5.9%	19.5%	21.2%	20.2%	33.3%	29,977
Male	13.5%	27.5%	20.6%	12.5%	25.8%	31,527
Age						
18-34	13.8%	28.3%	17.5%	12.3%	28.1%	19,418
35-44	7.5%	27.1%	23.8%	12.5%	29.0%	13,103
45-54	13.0%	21.2%	17.9%	22.1%	25.9%	13,067
55-64	4.1%	19.2%	27.9%	17.7%	31.1%	8,193
65-74	2.3%	15.1%	26.0%	18.6%	38.0%	4,015
75+	6.4%	14.1%	18.9%	21.1%	39.5%	2,858
Highest level of education						
Less than high school diploma/GED	24.7%	25.0%	25.1%	12.1%	13.1%	938
High school diploma/GED	15.8%	11.5%	16.1%	19.8%	36.7%	10,206
Some college or AA degree	7.8%	23.1%	22.7%	16.8%	29.6%	25,774
Bachelor's degree or higher	9.1%	29.1%	20.4%	14.3%	27.2%	24,440
Household income (in 2012)						
Less than \$20,000	19.4%	10.5%	15.0%	27.0%	28.0%	3,805
\$20,000 - \$34,999	3.4%	32.9%	18.8%	19.2%	25.6%	4,651
\$35,000 - \$49,999	9.7%	12.6%	23.1%	16.9%	37.6%	9,657
\$50,000 - \$99,999	12.3%	25.1%	25.2%	11.2%	26.3%	27,300
\$100,000+	5.4%	30.2%	13.5%	21.9%	29.0%	13,977
Household type						
Single adult, no children	8.9%	11.1%	24.3%	15.3%	40.4%	5,902
2+ adults, no children	10.0%	25.5%	21.1%	14.2%	29.1%	28,909
Single adult, 1+ children	3.6%	20.5%	24.3%	30.4%	21.2%	2,450
2+ adults, 1+ children	10.3%	24.6%	19.5%	17.2%	28.5%	24,116
All areas included in the study						
Benton County	10.5%	23.1%	22.1%	17.2%	27.0%	26,102
Chisago County	10.9%	23.5%	32.2%	10.1%	23.3%	38,524
Mille Lacs County	5.0%	24.3%	20.1%	18.2%	32.4%	19,181
Sherburne County	9.9%	23.6%	20.8%	16.2%	29.6%	61,655
Stearns County	10.0%	19.4%	27.1%	18.2%	25.3%	114,729
Entire five-county region	9.8%	21.7%	25.3%	16.4%	26.7%	260,191

147. What is your gender?

	Male	Female	Total
Sherburne County total	51.1%	48.9%	62,547
Gender			
Female	0.0%	100.0%	30,571
Male	100.0%	0.0%	31,976
Age			
18-34	52.7%	47.3%	19,478
35-44	50.2%	49.8%	13,545
45-54	51.5%	48.5%	13,145
55-64	51.4%	48.6%	8,262
65-74	49.5%	50.5%	4,163
75+	40.5%	59.5%	3,064
Highest level of education			
Less than high school diploma/GED	64.0%	36.0%	981
High school diploma/GED	55.6%	44.4%	10,395
Some college or AA degree	49.1%	50.9%	26,364
Bachelor's degree or higher	50.8%	49.2%	24,509
Household income (in 2012)			
Less than \$20,000	47.7%	52.3%	3,923
\$20,000 - \$34,999	33.7%	66.3%	4,687
\$35,000 - \$49,999	57.1%	42.9%	9,715
\$50,000 - \$99,999	55.7%	44.3%	27,433
\$100,000+	49.3%	50.7%	14,392
Household type			
Single adult, no children	52.9%	47.1%	5,960
2+ adults, no children	61.0%	39.0%	29,461
Single adult, 1+ children	37.3%	62.7%	2,510
2+ adults, 1+ children	40.7%	59.3%	24,355
All areas included in the study			
Benton County	50.5%	49.5%	27,032
Chisago County	51.7%	48.3%	40,040
Mille Lacs County	48.8%	51.2%	19,183
Sherburne County	51.1%	48.9%	62,547
Stearns County	50.2%	49.8%	117,424
Entire five-county region	50.6%	49.4%	266,226

148. What is your age? (Mean)

	Mean	Total
Sherburne County total	45.1	61,656
Gender		
Female	45.7	30,288
Male	44.5	31,368
Age		
18-34	28.9	19,478
35-44	39.9	13,545
45-54	49.4	13,145
55-64	59.3	8,262
65-74	69.3	4,163
75+	81.3	3,064
Highest level of education		
Less than high school diploma/GED	60.7	981
High school diploma/GED	48.4	10,362
Some college or AA degree	45.8	25,950
Bachelor's degree or higher	42.2	24,215
Household income (in 2012)		
Less than \$20,000	47.3	3,897
\$20,000 - \$34,999	53.4	4,687
\$35,000 - \$49,999	44.6	9,396
\$50,000 - \$99,999	44.0	27,305
\$100,000+	42.7	14,293
Household type		
Single adult, no children	53.7	5,665
2+ adults, no children	48.2	29,174
Single adult, 1+ children	39.6	2,510
2+ adults, 1+ children	39.9	24,074
All areas included in the study		
Benton County	45.2	26,624
Chisago County	47.6	39,549
Mille Lacs County	49.9	19,237
Sherburne County	45.1	61,656
Stearns County	44.8	115,795
Entire five-county region	45.7	262,861

149. What is your age?

	18 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75+	Total
Sherburne County total	31.6%	22.0%	21.3%	13.4%	6.8%	5.0%	61,656
Gender							
Female	30.4%	22.3%	21.1%	13.3%	6.9%	6.0%	30,288
Male	32.7%	21.7%	21.6%	13.5%	6.6%	4.0%	31,368
Age							
18-34	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	19,478
35-44	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	13,545
45-54	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	13,145
55-64	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	8,262
65-74	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	4,163
75+	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	3,064
Highest level of education							
Less than high school diploma/GED	0.0%	17.3%	26.1%	20.1%	6.2%	30.3%	981
High school diploma/GED	30.7%	14.3%	19.1%	12.3%	13.0%	10.6%	10,362
Some college or AA degree	27.4%	22.5%	25.0%	15.3%	5.6%	4.1%	25,950
Bachelor's degree or higher	37.9%	24.8%	18.1%	11.6%	5.3%	2.3%	24,215
Household income (in 2012)							
Less than \$20,000	42.6%	8.8%	7.1%	15.2%	6.3%	19.9%	3,897
\$20,000 - \$34,999	19.5%	22.8%	14.0%	12.1%	15.0%	16.6%	4,687
\$35,000 - \$49,999	42.7%	12.1%	13.5%	14.3%	10.3%	7.1%	9,396
\$50,000 - \$99,999	31.3%	21.9%	25.8%	13.5%	5.6%	1.8%	27,305
\$100,000+	28.4%	32.0%	24.9%	12.5%	1.8%	0.3%	14,293
Household type							
Single adult, no children	30.7%	8.8%	12.8%	13.3%	12.3%	22.0%	5,665
2+ adults, no children	32.1%	9.4%	18.7%	22.2%	11.5%	6.1%	29,174
Single adult, 1+ children	30.7%	41.6%	27.7%	0.0%	0.0%	0.0%	2,510
2+ adults, 1+ children	31.3%	38.5%	25.6%	4.3%	0.4%	0.0%	24,074
All areas included in the study							
Benton County	35.2%	17.7%	19.2%	13.8%	7.4%	6.7%	26,624
Chisago County	25.9%	20.5%	22.7%	15.3%	8.5%	7.0%	39,549
Mille Lacs County	26.0%	16.8%	20.6%	15.2%	11.4%	10.1%	19,237
Sherburne County	31.6%	22.0%	21.3%	13.4%	6.8%	5.0%	61,656
Stearns County	37.3%	15.0%	18.0%	13.9%	7.7%	8.1%	115,795
Entire five-county region	33.2%	17.9%	19.8%	14.0%	7.9%	7.2%	262,861

150. How many adults (including you) and children live in your household?
Number of adults age 18 or older (including you)

	1 adult	2 adults	3 more or adults	Total
Sherburne County total	13.6%	64.8%	21.6%	62,412
Gender				
Female	14.4%	63.4%	22.2%	30,310
Male	12.8%	66.0%	21.2%	31,976
Age				
18-34	13.0%	68.5%	18.6%	19,399
35-44	11.4%	67.3%	21.3%	13,545
45-54	10.9%	59.2%	29.9%	13,035
55-64	9.1%	58.5%	32.4%	8,262
65-74	16.7%	76.2%	7.1%	4,150
75+	41.2%	55.8%	3.0%	3,033
Highest level of education				
Less than high school diploma/GED	16.4%	68.3%	15.4%	965
High school diploma/GED	17.3%	61.3%	21.4%	10,380
Some college or AA degree	15.3%	60.1%	24.6%	26,208
Bachelor's degree or higher	10.0%	71.0%	19.0%	24,604
Household income (in 2012)				
Less than \$20,000	39.5%	33.9%	26.7%	3,880
\$20,000 - \$34,999	24.2%	55.8%	20.0%	4,643
\$35,000 - \$49,999	19.0%	58.3%	22.7%	9,619
\$50,000 - \$99,999	11.3%	72.0%	16.7%	27,538
\$100,000+	3.6%	65.7%	30.7%	14,392
Household type				
Single adult, no children	100.0%	0.0%	0.0%	5,974
2+ adults, no children	0.0%	73.9%	26.1%	29,573
Single adult, 1+ children	100.0%	0.0%	0.0%	2,510
2+ adults, 1+ children	0.0%	76.3%	23.7%	24,355
All areas included in the study				
Benton County	24.8%	62.0%	13.2%	26,788
Chisago County	11.8%	62.0%	26.3%	39,389
Mille Lacs County	18.0%	69.4%	12.6%	18,919
Sherburne County	13.6%	64.8%	21.6%	62,412
Stearns County	15.1%	57.2%	27.7%	115,986
Entire five-county region	15.4%	61.1%	23.5%	263,494

151. How many adults (including you) and children live in your household?**Number of children under age 18**

	0 children	1 child	2 children	3 or more children	Total
Sherburne County total	42.8%	19.4%	23.9%	14.0%	47,277
Gender					
Female	32.6%	22.0%	28.5%	16.8%	24,051
Male	53.0%	16.7%	19.2%	11.2%	23,099
Age					
18-34	46.5%	13.9%	22.6%	17.0%	15,653
35-44	14.5%	18.6%	41.9%	25.0%	12,041
45-54	31.9%	39.9%	20.5%	7.7%	10,215
55-64	79.5%	8.9%	8.4%	3.2%	5,046
65-74	95.0%	4.3%	0.7%	0.0%	1,934
75+	100.0%	0.0%	0.0%	0.0%	1,683
Highest level of education					
Less than high school diploma/GED	73.3%	12.6%	0.0%	14.1%	786
High school diploma/GED	55.2%	11.7%	19.9%	13.2%	7,038
Some college or AA degree	48.3%	20.4%	20.2%	11.1%	20,069
Bachelor's degree or higher	31.4%	20.6%	30.5%	17.5%	19,160
Household income (in 2012)					
Less than \$20,000	62.2%	10.5%	10.2%	17.2%	2,265
\$20,000 - \$34,999	48.6%	15.0%	24.5%	11.9%	3,554
\$35,000 - \$49,999	51.4%	16.7%	16.2%	15.7%	6,905
\$50,000 - \$99,999	42.0%	21.4%	27.2%	9.5%	21,839
\$100,000+	32.8%	19.6%	25.9%	21.7%	11,090
Household type					
Single adult, no children	100.0%	0.0%	0.0%	0.0%	4,243
2+ adults, no children	100.0%	0.0%	0.0%	0.0%	15,980
Single adult, 1+ children	0.0%	45.3%	48.3%	6.5%	2,510
2+ adults, 1+ children	0.0%	32.5%	41.0%	26.5%	24,355
All areas included in the study					
Benton County	39.9%	27.2%	24.3%	8.5%	19,098
Chisago County	51.9%	23.6%	12.8%	11.7%	31,177
Mille Lacs County	48.6%	11.6%	29.4%	10.5%	13,502
Sherburne County	42.8%	19.4%	23.9%	14.0%	47,277
Stearns County	49.8%	24.4%	17.5%	8.2%	85,615
Entire five-county region	47.4%	22.5%	19.8%	10.3%	196,669

152. Body mass index (BMI)^a (Mean, calculated variable)

	Mean	Total
Sherburne County total	27.3	60,167
Gender		
Female	26.9	29,497
Male	27.7	30,670
Age		
18-34	26.0	18,437
35-44	27.2	13,269
45-54	27.5	12,836
55-64	29.1	7,984
65-74	29.0	4,064
75+	27.0	3,006
Highest level of education		
Less than high school diploma/GED	31.9	981
High school diploma/GED	27.7	9,225
Some college or AA degree	27.6	25,875
Bachelor's degree or higher	26.6	23,968
Household income (in 2012)		
Less than \$20,000	27.5	3,456
\$20,000 - \$34,999	27.3	4,538
\$35,000 - \$49,999	27.6	9,098
\$50,000 - \$99,999	27.6	27,069
\$100,000+	26.6	14,284
Household type		
Single adult, no children	26.8	5,849
2+ adults, no children	27.5	27,826
Single adult, 1+ children	26.7	2,392
2+ adults, 1+ children	27.3	23,881
All areas included in the study		
Benton County	27.2	26,326
Chisago County	28.1	39,270
Mille Lacs County	28.7	18,887
Sherburne County	27.3	60,167
Stearns County	26.9	114,285
Entire five-county region	27.3	258,935

^a Body mass index, or BMI, is the measure of relative weight based on an individual's height and mass. An individual is considered to be underweight if they have a BMI of 18.5 or less, normal weight if their BMI is 18.5 to 24.9, overweight if 25-29.9, and obese if 30 or greater. BMI was calculated based on respondent answers to questions 37 and 38.

153. Weight status according to BMI (calculated variable)

	Not overweight	Overweight but not obese	Obese	Total
Sherburne County total	39.0%	35.4%	25.6%	60,167
Gender				
Female	48.6%	26.2%	25.2%	29,497
Male	29.8%	44.2%	26.0%	30,670
Age				
18-34	52.9%	29.1%	18.0%	18,437
35-44	38.9%	34.1%	26.9%	13,269
45-54	30.6%	42.5%	26.9%	12,836
55-64	26.7%	36.6%	36.7%	7,984
65-74	23.0%	41.8%	35.2%	4,064
75+	42.7%	39.8%	17.5%	3,006
Highest level of education				
Less than high school diploma/GED	22.1%	31.6%	46.3%	981
High school diploma/GED	39.8%	33.1%	27.1%	9,225
Some college or AA degree	38.5%	35.6%	25.9%	25,875
Bachelor's degree or higher	39.9%	36.2%	23.9%	23,968
Household income (in 2012)				
Less than \$20,000	50.1%	27.5%	22.4%	3,456
\$20,000 - \$34,999	42.3%	26.3%	31.4%	4,538
\$35,000 - \$49,999	42.1%	28.0%	29.9%	9,098
\$50,000 - \$99,999	35.3%	36.1%	28.5%	27,069
\$100,000+	38.8%	44.3%	16.9%	14,284
Household type				
Single adult, no children	42.4%	36.7%	20.9%	5,849
2+ adults, no children	38.0%	38.5%	23.5%	27,826
Single adult, 1+ children	46.8%	28.8%	24.4%	2,392
2+ adults, 1+ children	38.1%	32.4%	29.5%	23,881
All areas included in the study				
Benton County	37.6%	36.2%	26.3%	26,326
Chisago County	25.8%	44.9%	29.3%	39,270
Mille Lacs County	29.2%	34.0%	36.8%	18,887
Sherburne County	39.0%	35.4%	25.6%	60,167
Stearns County	42.3%	36.0%	21.7%	114,285
Entire five-county region	37.6%	37.1%	25.3%	258,935

154. Race/Ethnicity for Sherburne County^a

	Survey respondents (unweighted) ^b		Survey respondents (weighted)	U.S. Census ^c
	N	%	%	%
Sherburne County total	1392	100%	100%	100%
Race				
White, non-Hispanic	1340	96.3%	95.6%	93.6%
American Indian	2	0.1%	0.1%	0.5%
Asian/Pacific Islander	7	0.5%	0.9%	1.4%
Black	5	0.4%	0.8%	1.9%
Somali ^d	2	0.1%	0.5%	NA
Hispanic	6	0.4%	1.0%	1.8%
Two or more races	12	0.9%	0.4%	0.8%
Some other race	2	0.1%	0.1%	0.1%
Missing/refused	18	1.3%	1.1%	0.0%

^a Note that survey was conducted by mail and in English only. This may affect the degree to which non-English speaking residents or other residents who are uncomfortable or unfamiliar with mailed surveys may have responded.

^b The data reflected in this column is not adjusted for age, gender, or number of people in the household and reflects the number of survey completes for Sherburne County (N=1,392).

^c Source: US Census Bureau, Decennial Census, 2010, SF 1.

^d Respondents were asked in a separate question whether or not they identified themselves to be part of the Somali ethnic or cultural group. Somali respondents were counted as Black for the purposes of this table.

155. Which of the following best describes your current relationship status?

	Married	Living with a partner	Divorced	Separated	Widowed	Never married	Total
Sherburne County total	71.8%	6.9%	6.4%	1.1%	3.4%	10.3%	61,438
Gender							
Female	75.5%	5.9%	7.2%	0.9%	5.5%	4.9%	30,154
Male	68.0%	7.8%	5.7%	1.3%	1.4%	15.7%	31,108
Age							
18-34	58.5%	11.5%	1.0%	0.9%	1.1%	27.1%	18,694
35-44	79.6%	6.3%	8.4%	0.4%	0.1%	5.1%	13,203
45-54	80.1%	4.6%	8.8%	3.1%	0.8%	2.6%	13,091
55-64	76.6%	5.4%	11.7%	0.8%	3.1%	2.4%	8,249
65-74	77.8%	3.1%	7.6%	0.0%	11.0%	0.4%	4,138
75+	54.4%	2.3%	7.0%	0.0%	34.6%	1.7%	3,025
Highest level of education							
Less than high school diploma/GED	58.8%	6.7%	0.0%	5.5%	17.7%	11.3%	981
High school diploma/GED	65.1%	5.3%	10.7%	1.1%	5.4%	12.4%	9,345
Some college or AA degree	66.1%	7.9%	6.9%	0.7%	3.9%	14.5%	26,275
Bachelor's degree or higher	81.0%	6.5%	4.6%	1.4%	1.6%	5.0%	24,599
Household income (in 2012)							
Less than \$20,000	13.5%	10.0%	14.4%	2.6%	18.2%	41.4%	3,868
\$20,000 - \$34,999	56.7%	6.2%	19.5%	0.0%	10.9%	6.8%	4,580
\$35,000 - \$49,999	58.0%	11.2%	8.7%	1.6%	3.1%	17.4%	9,083
\$50,000 - \$99,999	79.1%	7.1%	5.2%	0.7%	1.5%	6.4%	27,232
\$100,000+	84.8%	4.1%	1.4%	1.9%	0.5%	7.3%	14,392
Household type							
Single adult, no children	14.3%	1.2%	22.2%	1.8%	25.7%	34.8%	5,954
2+ adults, no children	71.6%	10.1%	3.1%	1.2%	1.6%	12.4%	28,874
Single adult, 1+ children	34.8%	0.8%	47.8%	7.1%	0.6%	8.9%	2,456
2+ adults, 1+ children	90.6%	5.1%	2.2%	0.3%	0.1%	1.7%	23,886
All areas included in the study							
Benton County	60.2%	9.6%	10.6%	1.1%	5.3%	13.2%	26,839
Chisago County	70.8%	8.8%	7.0%	1.2%	3.9%	8.3%	40,003
Mille Lacs County	64.0%	15.7%	4.4%	1.6%	7.0%	7.3%	19,314
Sherburne County	71.8%	6.9%	6.4%	1.1%	3.4%	10.3%	61,438
Stearns County	60.8%	13.6%	5.0%	0.5%	4.3%	15.8%	116,432
Entire five-county region	65.0%	11.1%	6.2%	0.9%	4.3%	12.5%	264,027

156. Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit?

	Yes	No	Total
Sherburne County total	10.8%	89.2%	62,420
Gender			
Female	1.3%	98.7%	30,315
Male	19.9%	80.1%	31,930
Age			
18-34	3.3%	96.7%	19,311
35-44	6.3%	93.7%	13,526
45-54	11.5%	88.5%	13,099
55-64	16.9%	83.1%	8,262
65-74	26.2%	73.8%	4,138
75+	33.0%	67.0%	3,048
Highest level of education			
Less than high school diploma/GED	18.1%	81.9%	981
High school diploma/GED	10.5%	89.5%	10,378
Some college or AA degree	13.9%	86.1%	26,224
Bachelor's degree or higher	7.3%	92.7%	24,599
Household income (in 2012)			
Less than \$20,000	11.6%	88.4%	3,906
\$20,000 - \$34,999	12.1%	87.9%	4,687
\$35,000 - \$49,999	11.7%	88.3%	9,692
\$50,000 - \$99,999	13.2%	86.8%	27,403
\$100,000+	5.4%	94.6%	14,392
Household type			
Single adult, no children	19.3%	80.7%	5,957
2+ adults, no children	12.3%	87.7%	29,515
Single adult, 1+ children	6.2%	93.8%	2,492
2+ adults, 1+ children	7.5%	92.5%	24,188
All areas included in the study			
Benton County	10.5%	89.5%	26,911
Chisago County	9.9%	90.1%	39,917
Mille Lacs County	9.1%	90.9%	19,250
Sherburne County	10.8%	89.2%	62,420
Stearns County	8.2%	91.8%	116,854
Entire five-county region	9.4%	90.6%	265,353

157. What is the highest level of education you have completed?

	Less than high school	High school graduate or GED	Some college/ vocational school	Associate's degree (2-year degree)	College graduate (4-year degree)	Graduate school and beyond	Total
Sherburne County total	1.6%	16.7%	29.1%	13.2%	25.5%	13.9%	62,424
Gender							
Female	1.2%	15.2%	26.4%	17.6%	27.6%	12.0%	30,434
Male	2.0%	18.2%	31.8%	8.9%	23.4%	15.7%	31,815
Age							
18-34	0.0%	16.3%	23.2%	13.3%	35.0%	12.2%	19,478
35-44	1.3%	11.0%	27.9%	15.4%	27.3%	17.2%	13,489
45-54	2.0%	15.1%	33.2%	16.4%	18.9%	14.4%	13,104
55-64	2.4%	15.5%	36.7%	11.5%	20.5%	13.4%	8,262
65-74	1.5%	32.6%	30.3%	4.5%	15.4%	15.7%	4,144
75+	9.8%	36.1%	26.9%	8.6%	12.5%	6.1%	3,031
Highest level of education							
Less than high school diploma/GED	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	981
High school diploma/GED	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	10,395
Some college or AA degree	0.0%	0.0%	68.8%	31.2%	0.0%	0.0%	26,437
Bachelor's degree or higher	0.0%	0.0%	0.0%	0.0%	64.7%	35.3%	24,611
Household income (in 2012)							
Less than \$20,000	8.5%	32.6%	44.8%	2.0%	11.7%	0.4%	3,890
\$20,000 - \$34,999	4.1%	30.6%	29.6%	17.6%	9.3%	8.8%	4,640
\$35,000 - \$49,999	0.8%	32.7%	32.1%	10.3%	19.7%	4.3%	9,729
\$50,000 - \$99,999	1.3%	10.8%	29.4%	15.6%	28.4%	14.6%	27,545
\$100,000+	0.0%	6.9%	22.6%	13.5%	33.6%	23.4%	14,392

157. What is the highest level of education you have completed? (continued)

	Less than high school	High school graduate or GED	Some college/ vocational school	Associate's degree (2-year degree)	College graduate (4-year degree)	Graduate school and beyond	Total
Household type							
Single adult, no children	2.7%	24.5%	31.4%	16.8%	16.1%	8.6%	5,935
2+ adults, no children	2.0%	19.5%	34.3%	10.3%	22.2%	11.7%	29,535
Single adult, 1+ children	0.0%	13.6%	31.7%	14.4%	24.7%	15.6%	2,492
2+ adults, 1+ children	0.9%	11.6%	21.9%	15.5%	32.2%	17.9%	24,194
All areas included in the study							
Benton County	3.2%	17.4%	31.0%	19.3%	18.6%	10.5%	26,816
Chisago County	2.0%	15.5%	30.5%	12.0%	24.0%	16.0%	39,693
Mille Lacs County	4.5%	17.6%	33.9%	11.4%	18.0%	14.6%	19,274
Sherburne County	1.6%	16.7%	29.1%	13.2%	25.5%	13.9%	62,424
Stearns County	2.7%	23.0%	22.5%	15.5%	24.3%	12.0%	116,795
Entire five-county region	2.5%	19.4%	27.0%	14.5%	23.5%	13.1%	265,002

158. What was your household's total income from all earners and all sources in 2012?

	Less than \$20,000	\$20,000 - \$34,999	\$35,000 - \$49,999	\$50,000 - \$74,999	\$75,000 - \$99,999	\$100,000 - \$149,999	\$150,000 or more	Total
Sherburne County total	6.5%	7.8%	16.1%	24.1%	21.6%	17.9%	6.0%	60,276
Gender								
Female	7.1%	10.8%	14.5%	21.5%	20.7%	18.0%	7.4%	28,778
Male	6.0%	5.0%	17.7%	26.4%	22.3%	17.8%	4.8%	31,371
Age								
18-34	8.6%	4.8%	20.9%	25.8%	18.8%	17.3%	3.9%	19,205
35-44	2.6%	8.1%	8.7%	23.5%	22.2%	26.0%	8.9%	13,112
45-54	2.2%	5.1%	9.9%	21.5%	33.6%	19.8%	7.9%	12,801
55-64	7.4%	7.1%	16.9%	28.4%	17.8%	15.8%	6.7%	7,982
65-74	6.7%	18.9%	26.2%	25.3%	16.0%	3.0%	3.9%	3,709
75+	28.0%	28.2%	24.0%	13.6%	4.5%	1.7%	0.0%	2,770
Highest level of education								
Less than high school diploma/GED	35.1%	20.1%	7.9%	36.9%	0.0%	0.0%	0.0%	942
High school diploma/GED	12.9%	14.4%	32.3%	17.5%	12.8%	9.7%	0.3%	9,842
Some college or AA degree	7.1%	8.5%	16.0%	28.4%	19.7%	16.6%	3.6%	25,717
Bachelor's degree or higher	2.0%	3.6%	9.9%	21.7%	28.3%	23.4%	11.2%	23,695
Household income (in 2012)								
Less than \$20,000	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3,923
\$20,000 - \$34,999	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	4,687
\$35,000 - \$49,999	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	9,729
\$50,000 - \$99,999	0.0%	0.0%	0.0%	52.6%	47.4%	0.0%	0.0%	27,545
\$100,000+	0.0%	0.0%	0.0%	0.0%	0.0%	74.9%	25.1%	14,392

158. What was your household's total income from all earners and all sources in 2012? (continued)

	Less than \$20,000	\$20,000 - \$34,999	\$35,000 - \$49,999	\$50,000 - \$74,999	\$75,000 - \$99,999	\$100,000 - \$149,999	\$150,000 or more	Total
Household type								
Single adult, no children	22.4%	15.4%	24.2%	26.4%	9.5%	1.4%	0.7%	5,724
2+ adults, no children	6.2%	7.0%	17.6%	27.1%	18.1%	18.4%	5.6%	28,378
Single adult, 1+ children	10.5%	10.1%	18.6%	14.4%	29.8%	16.1%	0.6%	2,384
2+ adults, 1+ children	2.5%	6.5%	11.9%	21.0%	28.2%	21.6%	8.3%	23,586
All areas included in the study								
Benton County	13.7%	12.1%	15.9%	23.7%	15.3%	17.2%	2.0%	26,196
Chisago County	8.8%	11.1%	13.1%	15.8%	14.0%	19.2%	17.8%	37,926
Mille Lacs County	12.9%	17.1%	11.1%	29.8%	12.4%	13.6%	3.1%	18,766
Sherburne County	6.5%	7.8%	16.1%	24.1%	21.6%	17.9%	6.0%	60,276
Stearns County	8.4%	12.3%	16.8%	26.9%	13.5%	16.7%	5.4%	112,017
Entire five-county region	8.9%	11.4%	15.6%	24.4%	15.6%	17.2%	6.9%	255,181

Appendix

Survey instrument

Codebook for open-ended responses



Central Minnesota Community Health Survey

Survey instrument

GENERAL HEALTH AND HEALTH CARE

1. **In general, would you say that your health is:**
☐ Excellent ☐ Very good ☐ Good ☐ Fair ☐ Poor
2. **About how long has it been since you last visited a doctor or other health care professional for a routine check-up?**
☐ Within the past year
☐ Within the past 2 years
☐ Within the past 5 years
☐ 5 or more years ago
☐ Never
3. **During the past 12 months, was there a time when you thought you needed medical care but did not get it or delayed getting it?**
☐ Yes ☐ No ➔ IF NO, GO TO QUESTION 5
4. **Why did you not get or delay getting the medical care you thought you needed? Please check all that apply.**

<input type="checkbox"/> The care I needed cost too much	<input type="checkbox"/> I could not get an appointment
<input type="checkbox"/> My co-pay was too expensive	<input type="checkbox"/> I did not think it was serious enough
<input type="checkbox"/> My deductible was too expensive	<input type="checkbox"/> I had transportation problems
<input type="checkbox"/> My insurance did not cover it	<input type="checkbox"/> Other reason: <div style="border: 1px solid black; height: 40px; width: 100%;"></div>
<input type="checkbox"/> I did not have insurance	
5. **How would you rate your overall level of stress?**
☐ High ☐ Medium ☐ Low
6. **During the past 30 days, for about how many days have you felt sad, blue, or depressed?** days
7. **During the past 12 months, was there a time when you wanted to talk with or seek help from a health professional about emotional problems such as stress, depression, excess worrying, troubling thoughts, or emotional problems, but did not or delayed talking with someone?**
☐ Yes ☐ No ➔ IF NO, GO TO QUESTION 9 ON NEXT PAGE
8. **Why did you not get or delay getting the care you thought you needed? Please check all that apply.**

<input type="checkbox"/> The care I needed cost too much	<input type="checkbox"/> I could not get an appointment
<input type="checkbox"/> My co-pay was too expensive	<input type="checkbox"/> I did not think it was serious enough
<input type="checkbox"/> My deductible was too expensive	<input type="checkbox"/> I had transportation problems
<input type="checkbox"/> My insurance did not cover it	<input type="checkbox"/> I did not know where to go
<input type="checkbox"/> I did not have insurance	<input type="checkbox"/> Other reason: <div style="border: 1px solid black; height: 40px; width: 100%;"></div>
<input type="checkbox"/> I was too nervous or afraid	

9. Which statement best describes the medications prescribed for you in the past 6 months?

- ☐ I had no medications prescribed for me (GO TO QUESTION 11)
- ☐ I had medications prescribed for me and I filled them all (GO TO QUESTION 11)
- ☐ I had medications prescribed for me and I did not fill at least one of them

10. Why did you not fill at least one prescription? Please check all that apply.

- | | |
|--|--|
| <input type="checkbox"/> The medication I needed cost too much | <input type="checkbox"/> I do not like taking medications |
| <input type="checkbox"/> My co-pay was too expensive | <input type="checkbox"/> I did not like the side effects |
| <input type="checkbox"/> My deductible was too expensive | <input type="checkbox"/> I had transportation problems |
| <input type="checkbox"/> My insurance did not cover it | <input type="checkbox"/> Pharmacy services are not available in my community |
| <input type="checkbox"/> I did not have insurance | <input type="checkbox"/> Other reason: <div style="border: 1px solid black; width: 250px; height: 30px; display: inline-block; vertical-align: middle;"></div> |

11. Do you currently have any kind of health care coverage, including health insurance or government plans such as Medicaid, Medicare, or Indian Health Services?

- ☐ Yes ☐ No ➔ IF NO, GO TO QUESTION 14

12. Is your health insurance a high deductible plan?

- ☐ Yes ☐ No

13. Which of the following types of health insurance do you have? Please check all that apply.

- | | |
|---|--------------------------|
| a. Health insurance or coverage through your employer or your spouse/partner, parent, or someone else's employer | <input type="checkbox"/> |
| b. Health insurance or coverage bought directly by you or your family | <input type="checkbox"/> |
| c. Indian or Tribal Health Service | <input type="checkbox"/> |
| d. Medicare | <input type="checkbox"/> |
| e. Medicaid, Medical Assistance (MA), or Prepaid Medical Assistance Program (PMAP) | <input type="checkbox"/> |
| f. Minnesota Comprehensive Health Association (MCHA) | <input type="checkbox"/> |
| g. MinnesotaCare | <input type="checkbox"/> |
| h. CHAMPUS, TRICARE, or Veterans' benefits | <input type="checkbox"/> |
| i. Other health insurance or coverage (please specify): <div style="border: 1px solid black; width: 250px; height: 20px; display: inline-block; vertical-align: middle;"></div> | <input type="checkbox"/> |

14. Have you ever been told by a doctor or other health care professional that you have...

- | | Yes | No |
|----------------------------|--------------------------|--------------------------|
| a. Diabetes? | <input type="checkbox"/> | <input type="checkbox"/> |
| b. High blood pressure? | <input type="checkbox"/> | <input type="checkbox"/> |
| c. High blood cholesterol? | <input type="checkbox"/> | <input type="checkbox"/> |

HEALTH HABITS

15. About how often do you drink...	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day
a. Pop or soda (regular)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Pop or soda (diet)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. Energy drinks such as Red Bull, 5-hour Energy, or Monster?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. Other sugar-sweetened drinks such as sweet tea, coffee drinks, juice drinks, Kool-Aid, or Gatorade?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
e. Water?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
f. Milk?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

16a. A serving of fruit is one medium sized fruit, or a half cup chopped, cut, or canned fruit. Yesterday, how many servings of fruit did you eat? Do NOT include fruit juice.

servings

16b. Yesterday, how many 6 ounce servings of 100% fruit juice did you drink?

servings

16c. A serving of vegetables is a half cup of any vegetable or one cup of salad greens. Yesterday, how many servings of vegetables did you eat? Do NOT include vegetable juice, french fries or other fried potatoes.

servings

17. During the past 7 days, how many times did you eat from a fast food restaurant, including carry-out or delivery?

- ☐ 0 times ☐ 7-10 times
☐ 1-2 times ☐ 11-14 times
☐ 3-6 times ☐ 15 or more times

18. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies?

hours minutes

19. During an average week, whether at work, at home, or anywhere else, on how many days do you get at least 30 minutes of moderate physical activity? Moderate activities cause light sweating and a small increase in breathing or heart rate.

days per week

20. How often do you feel safe in your community?

- ☐ Always ☐ Often ☐ Sometimes ☐ Never

21. Are you in a relationship where you are (or have ever been) physically hurt, threatened, or made to feel afraid?

- ☐ Yes ☐ No

22. How often do you wear a seat belt when you drive or ride in a car or other vehicle?

☐ Always ☐ Often ☐ Sometimes ☐ Never

23. Do you ever drive a car or other vehicle?

☐ Yes ☐ No ➔ IF NO, GO TO QUESTION 25

24. When DRIVING a car or other vehicle, how often do you...

Often Sometimes Never Not applicable:
I don't have a cell phone

a. Read incoming text messages or emails?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Send text messages or emails?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. Make or answer a phone call?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. Do other activities such as eat, read, or apply makeup or shave?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

25. In general, how often do you...

Every day Some days Never

a. Smoke cigarettes?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Chew tobacco?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. Smoke cigars, cigarillos, or little cigars?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. Use marijuana?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
e. Use other illegal drugs such as cocaine, heroin, or meth?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
f. Use prescription drugs that are not prescribed for you or that you take only to get high?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

26. During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage, or liquor?

☐ Yes ☐ No ➔ IF NO, GO TO QUESTION 31 ON NEXT PAGE

27. During the past 30 days, on how many days did you have at least one drink of any alcoholic beverage?

Days during the past 30 days

28. During the past 30 days, on the days when you drank, about how many drinks did you drink on average? A drink is one can of beer, one glass of wine, or a drink with one shot of liquor.

Number of drinks

29. Considering all types of alcoholic beverages, how many times during the past 30 days did you have...

FOR FEMALES: 4 or more drinks on one occasion

Number of times

FOR MALES: 5 or more drinks on one occasion

Number of times

30. During the past 30 days, how many times have you driven when you've had perhaps too much to drink?

Number of times

31. Do you...	Yes	No
a. Perform monthly self-exams for cancer (self-breast exam or self-testicular exam)?	<input type="checkbox"/>	<input type="checkbox"/>
b. Get a yearly flu shot or flu immunization?	<input type="checkbox"/>	<input type="checkbox"/>
c. Need medication to control a chronic physical or mental condition?	<input type="checkbox"/>	<input type="checkbox"/>
d. Have a family emergency plan?	<input type="checkbox"/>	<input type="checkbox"/>
e. Live with someone who smokes?	<input type="checkbox"/>	<input type="checkbox"/>

COMMUNITY CONCERNS

32. In your opinion, how much of a problem is each of these issues in your county?	No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
A. HEALTH CARE DELIVERY					
1. People without health insurance or medical coverage	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. People not getting needed care because of inadequate health insurance or high deductibles	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Too few health care providers	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Too few dental providers	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Language barriers in getting health care	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Lack of provider knowledge about the health care needs of people of different cultures	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Ambulance/rescue squad response time to 911	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. County government's lack of preparation for a disaster, disease outbreak, or terrorist event	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9. Difficulty obtaining family planning services	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10. Lack of services to allow people to continue living at home	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B. SOCIAL CONDITIONS					
1. Crime	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Unemployment	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Children in poverty	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Families experiencing financial stress	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Youth not graduating high school	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C. PREGNANCY, BIRTH, AND CHILD DEVELOPMENT					
1. Parents with inadequate or poor parenting skills	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Teen pregnancy	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Unplanned pregnancy	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Infant death or premature birth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

COMMUNITY CONCERNS continued

32. In your opinion, how much of a problem is each of these issues in your county?

No Problem Minor Problem Moderate Problem Serious Problem No Opinion

D. INFECTIOUS DISEASES

1. Adults not getting their immunizations such as flu, tetanus, or pneumonia	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Children not getting their immunizations such as pertussis, flu, or tetanus	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Infectious diseases such as flu, pneumonia, or whooping cough	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Sexually transmitted diseases such as chlamydia, syphilis, or HIV/AIDS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Insect-borne diseases such as Lyme disease or West Nile virus	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

E. ENVIRONMENT

1. Indoor air pollution related to radon	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Unsafe drinking water	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Unsafe food in restaurants	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Extreme heat – days of high heat and humidity	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Extreme weather such as drought, floods, or tornadoes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Lack of access to public space for no-cost recreational use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Lack of safe places to walk or bike	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

F. ALCOHOL, TOBACCO, AND OTHER DRUG USE

1. Smoking or other tobacco use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Abuse of prescription drugs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Alcohol abuse among those aged 21 or over	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Alcohol use among those under 21	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Adults allowing or tolerating youth alcohol use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Drinking and driving	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Illegal drug use among youth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. Illegal drug use among adults	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

G. CHRONIC DISEASE AND HEALTH HABITS

1. Asthma	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Cancer	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Chronic pain	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Diabetes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Heart disease and stroke	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Mental illness	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Obesity among adults	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. Obesity among children	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

COMMUNITY CONCERNS continued

32. In your opinion, how much of a problem is each of these issues in your county?

No Problem Minor Problem Moderate Problem Serious Problem No Opinion

G. CHRONIC DISEASE AND HEALTH HABITS (cont'd)

9. Lack of physical exercise	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10. Unhealthy eating habits	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11. Lack of access to healthy food	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

H. INJURY AND VIOLENCE

1. Falls among the elderly	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Motor vehicle crashes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Improper use of or not using child car seats	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Bullying	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Abuse and neglect of children	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Abuse and neglect of vulnerable adults	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Domestic violence	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. Rape and sexual assault	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

I. MENTAL HEALTH

1. Depression among youth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Depression among adults	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3. Suicide among youth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Suicide among adults	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Eating disorders such as anorexia, bulimia, or binge eating	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Difficulty obtaining mental health services for youth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Difficulty obtaining mental health services for adults	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. Difficulty obtaining alcohol and other drug abuse treatment for youth	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9. Difficulty obtaining alcohol and other drug abuse treatment for adults	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10. People not taking prescribed medication for mental health problems	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

ABOUT YOU

33. What county do you live in?

☐ Benton

☐ Sherburne

☐ Chisago

☐ Stearns

☐ Mille Lacs

☐ Other, please specify:

34. What is your gender?

☐ Male

☐ Female

35. What is your age?

36. How many adults (including you) and children live in your household?

Number of adults age 18 or older (including you):

Number of children under age 18:

37. About how tall are you without shoes?

feet

inches

38. About how much do you weigh without shoes?

pounds

39. Are you a member of either of the following ethnic or cultural groups?

Yes

No

a. Hispanic or Latino/Latina

☐☐

b. Somali

☐☐

40. Which of the following best describe you? Please check all that apply.

☐ American Indian or Alaska Native

☐ African native

☐ Asian or Pacific Islander

☐ White

☐ Black or African American

☐ Other:

41. Which of the following best describes your current relationship status?

☐ Married

☐ Separated

☐ Living with a partner

☐ Widowed

☐ Divorced

☐ Never married

42. Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit?

☐ Yes

☐ No

43. What is the highest level of education you have completed?

☐ Less than high school

☐ Associate's degree (2-year degree)

☐ High school graduate or GED

☐ College graduate (4-year degree)

☐ Some college/vocational school

☐ Graduate school and beyond

44. What was your household's total income from all earners and all sources in 2012?

☐ Less than \$20,000

☐ \$75,000 - \$99,999

☐ \$20,000 - \$34,999

☐ \$100,000 - \$149,999

☐ \$35,000 - \$49,999

☐ \$150,000 or more

☐ \$50,000 - \$74,999

THANK YOU!

Codebook for open ended comments

Q4 & Q8 - Why did you not get or delay getting the medical care you thought you needed? Please check all that apply.

- 1 - The care I needed cost too much
- 2 - My co-pay was too expensive
- 3 - My deductible was too expensive
- 4 - My insurance did not cover it
- 5 - I did not have insurance
- 6 - I could not get an appointment
- 7 - I did not think it was serious enough
- 8 - I had transportation problems
- 9 - I did not know where to go (for Q8 only)

- 10 - Cost
- 11 - Previous medical bills weren't paid
- 12 - Trying to minimize health costs
- 13 - Other bills take priority

- 20 - Insurance policy or coverage difficulties
- 21 - Geographic regulations of insurance policy
- 22 - Technical problems (computer, database)
- 23 - Providers in insurance network are not accepting more patients

- 30 - Self-care
- 31 - Pain or ailment went away
- 32 - Diagnosis is always the same
- 33 - Wanted to try self-care before involving doctors
- 34 - Sought advice from friends or relatives in the medical profession/I work in the medical profession
- 35 - No longer sick by appointment
- 36 - Attend counseling
- 37 - Prayer or religious methods to curing sickness

- 40 - Scheduling/busy
- 41 - No time (general)
- 42 - Work or professional conflicts
- 43 - School or education conflicts
- 44 - Timing of ailment (e.g., during vacation, on weekend)
- 45 - Didn't know clinic schedule
- 46 - Appointment too far in the future

- 50 - Problems with medical staff
- 51 - Didn't like or trust medical staff
- 52 - Didn't think medical staff could help
- 53 - Disagreed with medical staff
- 54 - Medical staff refuses to treat specific condition
- 55 - Medical staff refused to treat respondent because of demographic characteristic (homosexual)
- 56 - Familiar with medical staff in personal life
- 57 - Fear of judgment from medical staff

- 60 - Problems with health care system
- 62 - Too much bureaucracy
- 63 - Too much money in medicine
- 64 - Problems switching between providers
- 65 - Unnecessary tests

70 - Fear of medical practices (general)

71 - Fear of diagnosis

72 - Fear of stigma

80 - Family issues

81 - No childcare

82 - Lack of support from family

90 - Other

91 - Non-responsive answer

92 - Mental health kept respondent from visiting doctor

93 - Too sick to visit doctor

94 - Didn't make time/lazy/didn't care

-8 - Don't know

Q10 - Why did you not fill at least one prescription? Please check all that apply.

1 - The medication I needed cost too much

2 - My co-pay was too expensive

3 - My deductible was too expensive

4 - My insurance did not cover it

5 - I did not have insurance

6 - I do not like taking medications

7 - I did not like the side effects

8 - I had transportation problems

9 - Pharmacy services are not available in my community

20 - Other concerns about side effects

21 - Worried about prescription interacting with other medications

30 - Self-care

31 - Did not need prescription medication

32 - Used over-the-counter medication

33 - Alternative/complementary medicine

40 - Problems with medical staff

41 - Didn't like or trust medical staff

42 - Advice from other medical staff against prescription

50 - Problems with health care system

51 - Too much bureaucracy/too much paperwork

52 - Too difficult to schedule a follow-up appointment

90 - Other

91 - Non-response answer

-8 - Don't know

-9 - N/A

Q13: Which of the following types of health insurance do you have? Please check all that apply.

- 1 - Health insurance or coverage through your employer or your spouse/partner, parent, or someone else's employer
- 2 - Health insurance or coverage bought directly by you or your family
- 3 - Indian or Tribal Health Service
- 4 - Medicare
- 5 - Medicaid, Medical Assistance (MA), or Prepaid Medical Assistance Program (PMAP)
- 6 - Minnesota Comprehensive Health Association (MCHA)
- 7 - MinnesotaCare
- 8 - CHAMPUS, TRICARE, or Veterans' benefits

- 10 - Specific insurance provider named - source unknown

- 90 - Other
- 91 - Non-response answer

Q33 - What county do you live in?

- 1 - Benton
- 2 - Chisago
- 3 - Sherburne
- 4 - Stearns
- 5 - Mille Lacs

- 10 - Aitkin
- 11 - Hennepin
- 12 - Kanabec
- 13 - Morrison
- 14 - Watonwan
- 15 - Isanti
- 16 - Carver
- 17 - Pope
- 18 - Todd

- 91 - Non-responsive answer

*Note: Although respondents were sampled based on their household address being in one of the five target counties, some respondents indicated they actually live in another county. The respondents' original sample information that included the address where the survey was mailed was used to determine their county of residence for the purposes of reporting results.

Q40 - Which of the following best describe you? Please check all that apply.

- 1 - American Indian
- 2 - Asian or Pacific Islander
- 3 - Black or African American
- 4 - African native
- 5 - White

- 10 - American/Human
- 11 - Latino

- 91 - Non-responsive answer

- 7 - Refused