



Sherburne County, Becker Area Community Health Data Book

*Detailed results from the 2013 Central
Minnesota Community Health Survey*

A P R I L 2 0 1 4

For more information, contact:

Nicole MartinRogers
Senior Research Manager, Wilder Research
651-280-2682
nicole.martinrogers@wilder.org

*This report was prepared by Wilder Research
www.wilderresearch.org*

Contents

Introduction and methods	1
Survey instrument	1
Sample.....	1
Data collection	1
Weighting and analysis	2
Talking points about the study methods	6
How to use this data book.....	7
Survey findings – Data tables	8
General health and health care	8
Health habits	35
Community concerns	87
About you.....	155
Appendix.....	169
Survey instrument	170
Codebook for open ended comments.....	178

Figures and data tables

1. Central Minnesota Adult Health Survey sample and respondents.....	3
2. Central Minnesota Adult Health Survey area	4
3. Map of respondent locations in the participating counties	5
4. In general, would you say that your health is	8
5. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?.....	9
6. During the past 12 months, was there a time when you thought you needed medical care but did not get it or delayed getting it?.....	10
7. (Of those who said they had delayed getting medical care they needed in the past 12 months) Why did you not get or delay getting the medical care you thought you needed?	11
8. How would you rate your overall level of stress?.....	13
9. During the past 30 days, for about how many days have you felt sad, blue, or depressed?.....	14
10. During the past 12 months, was there a time when you wanted to talk with or seek help from a health professional about emotional problems such as stress, depression, excess worrying, troubling thoughts, or emotional problems, but did not or delayed talking with someone?	15
11. (Of those who said they had delayed getting care they needed for emotional problems in the past 12 months) Why did you not get or delay getting the care you thought you needed?	16
12. Which statement best describes the medications prescribed for you in the past 6 months?	18
13. (Of those who said they had not filled at least one of their prescriptions in the past 6 months) Why did you not fill at least one prescription?.....	19
14. Do you currently have any kind of health care coverage, including health insurance or government plans such as Medicaid, Medicare, or Indian Health Services?	21
15. (Of those who said they have health insurance) Is your health insurance a high deductible plan?	22
16. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Health insurance or coverage through your employer or your spouse/partner, parent, or someone else’s employer.....	23
17. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Health insurance or coverage bought directly by you or your family	24

Figures and data tables (continued)

18. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Indian or Tribal Health Service	25
19. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Medicare	26
20. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Medicaid, Medical Assistance (MA), or Prepaid Medical Assistance Program (PMAP)	27
21. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Minnesota Comprehensive Health Association (MCHA)	28
22. (Of those who said they have health insurance) Which of the following types of health insurance do you have? MinnesotaCare	29
23. (Of those who said they have health insurance) Which of the following types of health insurance do you have? CHAMPUS, TRICARE, or Veterans' benefits	30
24. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Other health insurance or coverage	31
25. Have you ever been told by a doctor or other health care professional that you have diabetes?	32
26. Have you ever been told by a doctor or other health care professional that you have high blood pressure?	33
27. Have you ever been told by a doctor or other health care professional that you have high blood cholesterol?	34
28. About how often do you drink pop or soda (regular)?	35
29. About how often do you drink pop or soda (diet)?	36
30. About how often do you drink energy drinks such as Red Bull, 5-hour Energy, or Monster?	37
31. About how often do you drink other sugar-sweetened drinks such as sweet tea, coffee drinks, juice drinks, Kool-Aid, or Gatorade?	38
32. About how often do you drink water?	39
33. About how often do you drink milk?	40
34. A serving of fruit is one medium sized fruit, or a half cup chopped, cut, or canned fruit. Yesterday, how many servings of fruit did you eat?	41
35. Yesterday, how many 6 ounce servings of 100% fruit juice did you drink?	42
36. A serving of vegetables is a half cup of any vegetable or one cup of salad greens. Yesterday, how many servings of vegetables did you eat?	43

Figures and data tables (continued)

37. Number of fruits and vegetables eaten yesterday (Mean, calculated variable)	44
38. Number of fruits and vegetables eaten yesterday (calculated variable)	45
39. During the past 7 days, how many times did you eat from a fast food restaurant, including carry-out or delivery?.....	46
40. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies? (Mean)	47
41. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies?.....	48
42. During an average week, whether at work, at home, or anywhere else, on how many days do you get at least 30 minutes of moderate physical activity? (Moderate exercise 3+ days)	50
43. During an average week, whether at work, at home, or anywhere else, on how many days do you get at least 30 minutes of moderate physical activity? (Moderate exercise 5+ days)	51
44. How often do you feel safe in your community?.....	52
45. Are you in a relationship where you are (or have ever been) physically hurt, threatened, or made to feel afraid?.....	53
46. How often do you wear a seat belt when you drive or ride in a car or other vehicle? ...	54
47. Do you ever drive a car or other vehicle?.....	55
48. (Of those who said they drive) When driving a car or other vehicle, how often do you read incoming text messages or emails?.....	56
49. (Of those who said they drive) When driving a car or other vehicle, how often do you send text messages or emails?.....	57
50. (Of those who said they drive) When driving a car or other vehicle, how often do you make or answer a phone call?	58
51. (Of those who said they drive) When driving a car or other vehicle, how often do you do other activities such as eat, read, or apply makeup or shave?.....	59
52. In general, how often do you smoke cigarettes?.....	60
53. Smoking status (calculated variable)	61
54. In general, how often do you chew tobacco?.....	62
55. Chewing tobacco user status (calculated variable)	63
56. In general, how often do you smoke cigars, cigarillos, or little cigars?	64

Figures and data tables (continued)

57. Cigars, cigarillos, or little cigar smoking status (calculated variable).....	65
58. In general, how often do you use marijuana?	66
59. Marijuana user status (calculated variable).....	67
60. In general, how often do you use other illegal drugs such as cocaine, heroin, or meth?	68
61. Other illegal drugs such as cocaine, heroin, or meth user status (calculated variable) ..	69
62. In general, how often do you use prescription drugs that are not prescribed for you or that you take only to get high?.....	70
63. Prescription drugs (that are not prescribed for you or that you take only to get high) user status (calculated variable).....	71
64. During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage, or liquor?	72
65. (Of those who said they had at least one alcoholic beverage in the past 30 days) During the past 30 days, on how many days did you have at least one drink of any alcoholic beverage? (Mean).....	73
66. (Of those who said they had at least one alcoholic beverage in the past 30 days) During the past 30 days, on the days when you drank, about how many drinks did you drink on average? (Mean)	74
67. (Of those who said they had at least one alcoholic beverage in the past 30 days) Total number of drinks in past 30 days (Mean, calculated variable).....	75
68. During the past 30 days, on the days when you drank, about how many drinks did you drink on average? ^a (calculated variable)	76
69. Chronic drinking (gender specific)	77
70. (Of those who said they had at least one alcoholic beverage in the past 30 days) Considering all types of alcoholic beverages, how many times during the past 30 days did you have 4 or more drinks on one occasion (binge drinking—females ^a) (Mean).....	78
71. (Of those who said they had at least one alcoholic beverage in the past 30 days) Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks on one occasion (binge drinking—males ^a) (Mean).....	79
72. Binge drinking (calculated variable, gender specific) ^a	80
73. During the past 30 days, how many times have you driven when you’ve had perhaps too much to drink?.....	81

Figures and data tables (continued)

74. Do you perform monthly self-exams for cancer (self-breast exam or self-testicular exam)?.....	82
75. Do you get a yearly flu shot or flu immunization?.....	83
76. Do you need medication to control a chronic physical or mental condition?.....	84
77. Do you have a family emergency plan?.....	85
78. Do you live with someone who smokes?.....	86
79. In your opinion, how much of a problem is each of these issues in your county? People without health insurance or medical coverage.....	87
80. In your opinion, how much of a problem is each of these issues in your county? People not getting needed care because of inadequate health insurance or high deductibles.....	88
81. In your opinion, how much of a problem is each of these issues in your county? Too few health care providers.....	89
82. In your opinion, how much of a problem is each of these issues in your county? Too few dental providers.....	90
83. In your opinion, how much of a problem is each of these issues in your county? Language barriers in getting health care.....	91
84. In your opinion, how much of a problem is each of these issues in your county? Lack of provider knowledge about the health care needs of people of different cultures.....	92
85. In your opinion, how much of a problem is each of these issues in your county? Ambulance/rescue squad response time to 911.....	93
86. In your opinion, how much of a problem is each of these issues in your county? County government’s lack of preparation for a disaster, disease outbreak, or terrorist event.....	94
87. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining family planning services.....	95
88. In your opinion, how much of a problem is each of these issues in your county? Lack of services to allow people to continue living at home.....	96
89. In your opinion, how much of a problem is each of these issues in your county? Crime.....	97
90. In your opinion, how much of a problem is each of these issues in your county? Unemployment.....	98
91. In your opinion, how much of a problem is each of these issues in your county? Children in poverty.....	99

Figures and data tables (continued)

92. In your opinion, how much of a problem is each of these issues in your county? Families experiencing financial stress.....	100
93. In your opinion, how much of a problem is each of these issues in your county? Youth not graduating high school.....	101
94. In your opinion, how much of a problem is each of these issues in your county? Parents with inadequate or poor parenting skills	102
95. In your opinion, how much of a problem is each of these issues in your county? Teen pregnancy.....	103
96. In your opinion, how much of a problem is each of these issues in your county? Unplanned pregnancy	104
97. In your opinion, how much of a problem is each of these issues in your county? Infant death or premature birth	105
98. In your opinion, how much of a problem is each of these issues in your county? Adults not getting their immunizations such as flu, tetanus, or pneumonia	106
99. In your opinion, how much of a problem is each of these issues in your county? Children not getting their immunizations such as pertussis, flu, or tetanus	107
100. In your opinion, how much of a problem is each of these issues in your county? Infectious diseases such as flu, pneumonia, or whooping cough	108
101. In your opinion, how much of a problem is each of these issues in your county? Sexually transmitted diseases such as chlamydia, syphilis, or HIV/AIDS.....	109
102. In your opinion, how much of a problem is each of these issues in your county? Insect-borne diseases such as Lyme disease or West Nile virus	110
103. In your opinion, how much of a problem is each of these issues in your county? Indoor air pollution related to radon	111
104. In your opinion, how much of a problem is each of these issues in your county? Unsafe drinking water.....	112
105. In your opinion, how much of a problem is each of these issues in your county? Unsafe food in restaurants	113
106. In your opinion, how much of a problem is each of these issues in your county? Extreme heat – days of high heat and humidity.....	114
107. In your opinion, how much of a problem is each of these issues in your county? Extreme weather such as drought, floods, or tornadoes	115
108. In your opinion, how much of a problem is each of these issues in your county? Lack of access to public space for no-cost recreational use	116

Figures and data tables (continued)

109. In your opinion, how much of a problem is each of these issues in your county? Lack of safe places to walk or bike.....	117
110. In your opinion, how much of a problem is each of these issues in your county? Smoking or other tobacco use.....	118
111. In your opinion, how much of a problem is each of these issues in your county? Abuse of prescription drugs	119
112. In your opinion, how much of a problem is each of these issues in your county? Alcohol abuse among those aged 21 or over	120
113. In your opinion, how much of a problem is each of these issues in your county? Alcohol use among those under 21	121
114. In your opinion, how much of a problem is each of these issues in your county? Adults allowing or tolerating youth alcohol use	122
115. In your opinion, how much of a problem is each of these issues in your county? Drinking and driving.....	123
116. In your opinion, how much of a problem is each of these issues in your county? Illegal drug use among youth.....	124
117. In your opinion, how much of a problem is each of these issues in your county? Illegal drug use among adults	125
118. In your opinion, how much of a problem is each of these issues in your county? Asthma	126
119. In your opinion, how much of a problem is each of these issues in your county? Cancer	127
120. In your opinion, how much of a problem is each of these issues in your county? Chronic pain.....	128
121. In your opinion, how much of a problem is each of these issues in your county? Diabetes.....	129
122. In your opinion, how much of a problem is each of these issues in your county? Heart disease and stroke.....	130
123. In your opinion, how much of a problem is each of these issues in your county? Mental illness	131
124. In your opinion, how much of a problem is each of these issues in your county? Obesity among adults.....	132
125. In your opinion, how much of a problem is each of these issues in your county? Obesity among children	133

Figures and data tables (continued)

126. In your opinion, how much of a problem is each of these issues in your county? Lack of physical exercise.....	134
127. In your opinion, how much of a problem is each of these issues in your county? Unhealthy eating habits.....	135
128. In your opinion, how much of a problem is each of these issues in your county? Lack of access to healthy food.....	136
129. In your opinion, how much of a problem is each of these issues in your county? Falls among the elderly.....	137
130. In your opinion, how much of a problem is each of these issues in your county? Motor vehicle crashes	138
131. In your opinion, how much of a problem is each of these issues in your county? Improper use of or not using child car seats	139
132. In your opinion, how much of a problem is each of these issues in your county? Bullying.....	140
133. In your opinion, how much of a problem is each of these issues in your county? Abuse and neglect of children.....	141
134. In your opinion, how much of a problem is each of these issues in your county? Abuse and neglect of vulnerable adults	142
135. In your opinion, how much of a problem is each of these issues in your county? Domestic violence.....	143
136. In your opinion, how much of a problem is each of these issues in your county? Rape and sexual assault	144
137. In your opinion, how much of a problem is each of these issues in your county? Depression among youth.....	145
138. In your opinion, how much of a problem is each of these issues in your county? Depression among adults	146
139. In your opinion, how much of a problem is each of these issues in your county? Suicide among youth.....	147
140. In your opinion, how much of a problem is each of these issues in your county? Suicide among adults	148
141. In your opinion, how much of a problem is each of these issues in your county? Eating disorders such as anorexia, bulimia, or binge eating.....	149
142. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining mental health services for youth	150

Figures and data tables (continued)

143. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining mental health services for adults.....	151
144. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining alcohol and other drug abuse treatment for youth.....	152
145. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining alcohol and other drug abuse treatment for adults	153
146. In your opinion, how much of a problem is each of these issues in your county? People not taking prescribed medication for mental health problems	154
147. What is your gender?	155
148. What is your age? (Mean).....	156
149. What is your age?.....	157
150. How many adults (including you) and children live in your household? Number of adults age 18 or older (including you).....	158
151. How many adults (including you) and children live in your household? Number of children under age 18	159
152. Body mass index (BMI) ^a (Mean, calculated variable)	160
153. Weight status according to BMI (calculated variable)	161
154. Race/Ethnicity for Sherburne County, Becker area ^a	162
155. Which of the following best describes your current relationship status?	163
156. Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit?	164
157. What is the highest level of education you have completed?	165
158. What was your household's total income from all earners and all sources in 2012? ..	167

Acknowledgments

Wilder Research would like to thank the members of the Central Minnesota Community Health Survey working group, who advised us on all aspects of the study design and reporting. This includes: Benton County, Chisago County, Mille Lacs County, Sherburne County, Stearns County, Albany Area Hospital and Medical Center, CentraCare Health—Melrose, CentraCare Health—Paynesville, CentraCare Health—Sauk Centre, CentraCare Health—St. Cloud Hospital, and CentraCare Health—Long Prairie.

It is important to note that at the time of the study, Paynesville Area Health Care had not yet been acquired by CentraCare Health, but the decision to affiliate had been made by the Paynesville Area Health Center Board.

We would also like to thank Ann Kinney, from the Minnesota Department of Health, and Mansour Fahimi, of GfK, for their assistance with the technical aspects of instrument design, sampling, weighting, and analysis.

This study was conducted in part with generous funding from:

- Benton, Chisago, Mille Lacs, Sherburne, and Stearns counties.
- Albany Area Hospital and Medical Center
- CentraCare Health
- Otto Bremer Foundation
- Medica Foundation
- UCare Foundation
- Fiscal Agency was provided by CentraCare Health Foundation with the support of CentraCare Health which paid the administrative costs of serving as fiscal agent.

The following Wilder Research staff contributed to the completion of this project:

Mark Anton
Jennifer Bohlke
Marilyn Conrad
Madeline Hansen
Denise Huynh
Sophak Mom

And finally, we would like to thank the 2,930 residents of Central Minnesota who participated in this survey. Without them, this report would not be possible!

CATHOLIC HEALTH
INITIATIVES

Albany Area Hospital
& Medical Center




Public Health
Prevent. Promote. Protect.

CENTRACARE
Health System



MEDICA[®]
FOUNDATION



MILLE LACS
COUNTY EST. 1857



Introduction and methods

In spring and summer 2013, Wilder Research was contracted to conduct a survey of adults in five counties in Central Minnesota (Benton, Chisago, Mille Lacs, Sherburne, and Stearns) to learn more about their health status and health behaviors, as well as their perceptions of health concerns in their communities. The public health agencies in each of the participating counties, CentraCare Health System, and Albany Area Hospital and Medical Center all provided representatives to participate in the study's working group, which advised Wilder Research on the development of the survey instrument and data collection methods. This group also provided final approvals on project decisions.

Survey instrument

The survey instrument was designed by Wilder Research in collaboration with the Central Minnesota Community Health Survey working group. Previous community health surveys conducted by Wilder and other counties were also used as examples when designing the survey. The survey instrument was developed for paper self-administration and was conducted in English only. See the Appendix for the complete survey instrument.

Sample

We used address-based sampling, to ensure all households were included in the sampling frame regardless of their phone status. The sample was purchased from Marketing Systems Group. See Figure 1 for an illustration of the number of sampled addresses, number of completed surveys, response rate, and margin of error for each of the sampling areas.

Data collection

Sampled addresses were contacted three times by mail, using the “modified Dillman” method of survey mailing, whereby sampled addresses are sent an initial survey packet including a cover letter, survey, and postage-paid return envelope. After two weeks, all households that did not return their completed survey were sent a post card reminder. After an additional two weeks, all sampled households that still did not complete the survey were sent a final survey packet. Of note, the survey was conducted during winter and early spring in Minnesota. Therefore, caution should be used when interpreting the results, especially related to physical activity and consumption of fresh produce, as these measures vary by season. Seasonality should be taken into consideration when comparing these survey data to other data sources across time.

There was one exception to this mailing sequence in the Sherburne County portion of zip code 56304, which is in Reporting Area #1. The initial study sample mistakenly did not include sample from this area so a remedial follow-up mailing was sent to sampled addresses in this area. Enough sample was released in this case so that only one mailing of the survey packet was needed to obtain the desired number of completes to correct for the initial error.

Adults were randomly selected from within the sampled households using the “most recent birthday” method (asking the adult who most recently had a birthday to fill out the one survey for that household) to ensure gender balance in survey respondents.

Weighting and analysis

Survey data are weighted to produce reliable estimates of population parameters. Weighting also compensates for practical limitations of a sample survey, such as differential nonresponse and under-coverage. By taking advantage of demographic information about the target population, weighting can reduce the variability of survey estimates.

The weighting process entails three steps. The first step consists of the computation of *design* or *base weights* to reflect any differential selection based on number of adults in the sampled household. In the second step, base weights are adjusted so that the resulting weights can aggregate to reported totals for the target population. For this study, survey weights were calculated using the method of *Iterative Proportional Fitting*, which is commonly referred to as *Raking*. Finally, adjusted weights are put through a series of quality control checks to detect extreme outliers and to prevent any computational or procedural errors.

Given the sample size and the demographic composition of the adult population of the five county region, design weights were adjusted by age and gender. Survey data for these demographic questions included missing values. All such missing values were first imputed using a hot-deck procedure before construction of the survey weights. The data were weighted against the U.S. Census Bureau’s March Supplement of the Current Population Survey (CPS) 2012.

Coding was completed to categorize responses to the open-ended questions. See the Appendix for the codebook.


1. Central Minnesota Adult Health Survey sample and respondents

Area No.	Reporting area (County and Zip Code)	Adult (age 18+) population of area ^a	Number of addresses sampled	Number of completed surveys	Response rate	Margin of error ^b
1	St. Cloud metro (56301, 56303, 56304, 56374, 56377, 56379, and 56387)	97,949	3,352	597	17.8%	5.9%
2	Stearns county whole	117,563	2,073	497	24.0%	6.5%
3	Stearns County "rural" (Stearns excluding 56301, 56303, 56374, 56377, and 56387)	44,970	1,200	289	24.1%	8.5%
4	Benton County whole	27,130	2,179	517	23.7%	6.3%
5	Benton County "rural" (Benton excluding 56304, 56379 and 56377)	9,485	1,200	315	26.3%	8.0%
6	Sherburne County whole	62,722	7,500	1,392	18.6%	3.8%
7	Sherburne County 55308 (Becker)	6,037	1,200	247	20.6%	9.0%
8	Sherburne County 55309 (Big Lake)	12,177	1,200	223	18.6%	9.6%
9	Sherburne County 55330 (Elk River)	19,076	1,200	243	20.3%	9.3%
10	Sherburne County 55398 (Zimmerman)	10,107	1,200	244	20.3%	9.2%
11	Sherburne County balance (Sherburne excluding 55308, 55309, 55330, and 55398, but including the Sherburne portion of 56304)	15,235	2,700	435	16.1%	6.9%
12	Chisago County	40,040	1,200	256	21.3%	9.0%
13	Mille Lacs County	19,482	1,200	268	22.3%	8.8%
All	Five county region	266,937	14,152	2,930	20.7%	2.7%


^a Source: US Census Bureau, Decennial Census, 2010, SF 1.

^b The margins of error are adjusted due to the statistical weighting procedures used to adjust age and gender.

2. Central Minnesota Adult Health Survey area



3. Map of respondent locations in the participating counties



Talking points about the study methods

To assist the representatives from the participating public health agencies and health care systems in communicating with their stakeholders (including their Community Health Boards, other organizational leadership, the media, and the general public) about this study, the following “talking points” can be used to help explain the study methods:

- This is a mailed survey. According to best practices in survey research (i.e., best response rate for lowest cost), we used a three-mailing sequence for all sampled households, which includes an initial survey packet, a reminder post card, and a final packet.
- The survey was sent to a random sample of households in the five counties. All households had an equal chance of being sampled, regardless of their phone status (i.e., households without landlines were not excluded, and households with more than one phone were not more likely to be sampled).
- The response rate for this survey is within the expected range for surveys using the three mailing sequence, and with no incentive offered for participation.
- The survey data are corrected with post-stratification and design weighting, which are statistical techniques commonly used to adjust for nonresponse bias (whereby certain types of people are more or less likely to respond to surveys).
- These methods ultimately produced a sample that is statistically representative of the adult population. (Because we obtained fewer completed surveys than was originally targeted, the margin of error has increased somewhat in each of the sampling areas. However, these data are still representative of the population.)

How to use this data book

The “area of focus” for this data book is Sherburne County, Becker (55308). Data books using this same format have been developed for each of 13 reporting areas, which correspond to the reporting areas described above, as shown in Figure 1.

Please see the other data books in this series for more detailed information about these other areas. (Some summary information on some of these areas may be shown in this data book, as noted below). For every table in this data book, results are displayed for sub-groups of respondents from the Sherburne County, Becker area based on:

- Gender including male and female
- Age, including adults ages 18-34, 35-44, 45-54, 55-64, 65-74, and 75+
- Highest level of education including less than high school diploma/GED, high school diploma/GED, some college or AA degree, and bachelor’s degree or higher
- Annual household income ranges including less than \$20,000, \$20,000-34,999, \$35,000-49,000, \$50,000-99,999, and \$100,000 or more.
- Household type, including single adults with no children, 2+ adults with no children, single adults with 1+ children, and 2+ adults with 1+ children
- Totals for each of the five participating counties and the entire five county region

The columns in each table correspond to the response options respondents were given on the survey (see Appendix for the survey instrument). If a table presents a survey question with fixed response categories, each column indicates the percentage of respondents who gave that response to the question. Some answer categories are combined because of the low number of responses in those categories. The last column in each row of the table always presents the number of people (weighted up to the total population of the area) related to the percentages in that row. Some questions apply only to certain types of respondents (due to skip patterns in the survey). In these cases, the total includes only the proportion of residents in the area (weighted up from the number of respondents) for whom the question was applicable.

Some questions were open-ended, such that respondents wrote their own answers. Responses were grouped according to theme in order to reveal which trends are most notable. In some cases, respondents were allowed to provide more than one answer. The number of residents in the selected area that the percentages represent (based on the responses weighted up to the population level using inflationary weights) can be seen in each table. Where fewer than ten respondents submitted an answer fitting a particular theme, that theme is grouped with other answers in an “Other” category.

Survey findings – Data tables

General health and health care

4. In general, would you say that your health is ...

	Excellent	Very good	Good	Fair	Poor	N
Sherburne County, Becker area total	18.9%	42.0%	30.8%	7.1%	1.2%	5,963
Gender						
Female	23.0%	38.5%	28.3%	8.6%	1.5%	3,031
Male	14.7%	45.5%	33.4%	5.6%	0.8%	2,932
Age						
18-34	26.0%	42.9%	28.0%	1.2%	1.8%	1,837
35-44	19.2%	38.1%	29.7%	12.9%	0.0%	1,497
45-54	16.9%	46.5%	34.4%	2.3%	0.0%	1,289
55-64	13.9%	46.6%	25.6%	9.4%	4.5%	707
65-74	12.7%	43.0%	30.2%	14.1%	0.0%	355
75+	0.0%	24.4%	50.1%	23.6%	1.8%	260
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	67.5%	32.5%	0.0%	61
High school diploma/GED	5.6%	40.1%	41.2%	13.1%	0.0%	863
Some college or AA degree	13.8%	39.1%	39.3%	6.2%	1.5%	2,056
Bachelor's degree or higher	25.6%	46.0%	21.5%	5.5%	1.3%	2,942
Household income (in 2012)						
Less than \$20,000	0.0%	7.5%	56.9%	22.9%	12.8%	264
\$20,000 - \$34,999	13.8%	34.0%	37.5%	10.3%	4.4%	297
\$35,000 - \$49,999	11.3%	33.2%	45.9%	8.6%	1.0%	501
\$50,000 - \$99,999	19.0%	48.4%	27.5%	5.1%	0.0%	3,165
\$100,000+	25.3%	44.2%	29.2%	0.0%	1.3%	1,391
Household type						
Single adult, no children	12.2%	24.5%	47.9%	14.1%	1.2%	389
2+ adults, no children	15.2%	36.1%	36.5%	9.5%	2.8%	2,356
Single adult, 1+ children	55.8%	6.7%	37.6%	0.0%	0.0%	156
2+ adults, 1+ children	21.1%	50.3%	24.2%	4.4%	0.0%	3,005
All areas included in the study						
Benton County	13.1%	39.5%	37.7%	8.6%	1.0%	26,930
Chisago County	17.1%	44.3%	27.9%	9.7%	1.1%	39,822
Mille Lacs County	10.0%	35.6%	33.3%	17.1%	4.0%	19,289
Sherburne County	16.2%	41.2%	33.1%	7.8%	1.7%	62,180
Stearns County	13.6%	47.8%	30.9%	4.7%	3.1%	117,219
Entire five-county region	14.4%	44.0%	31.8%	7.5%	2.3%	265,440

5. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?

	Within the past year	Within the past 2 years	Within the past 5 years	5 or more years ago	Never	N
Sherburne County, Becker area total	68.0%	17.0%	8.8%	5.1%	1.1%	6,015
Gender						
Female	77.6%	11.5%	8.0%	2.1%	0.7%	3,024
Male	58.3%	22.5%	9.7%	8.1%	1.4%	2,991
Age						
18-34	61.3%	18.7%	11.2%	7.6%	1.2%	1,837
35-44	70.2%	18.0%	11.8%	0.0%	0.0%	1,556
45-54	70.3%	19.2%	1.7%	5.5%	3.2%	1,274
55-64	65.7%	18.6%	10.3%	5.4%	0.0%	707
65-74	64.2%	5.8%	13.4%	16.6%	0.0%	355
75+	100.0%	0.0%	0.0%	0.0%	0.0%	268
Highest level of education						
Less than high school diploma/GED	100.0%	0.0%	0.0%	0.0%	0.0%	61
High school diploma/GED	79.5%	11.1%	0.0%	2.1%	7.3%	870
Some college or AA degree	62.5%	22.4%	10.7%	4.5%	0.0%	2,042
Bachelor's degree or higher	68.8%	14.2%	10.5%	6.5%	0.0%	3,001
Household income (in 2012)						
Less than \$20,000	100.0%	0.0%	0.0%	0.0%	0.0%	264
\$20,000 - \$34,999	70.7%	18.5%	10.9%	0.0%	0.0%	297
\$35,000 - \$49,999	63.6%	15.1%	8.1%	8.7%	4.5%	501
\$50,000 - \$99,999	65.3%	14.5%	11.8%	7.0%	1.3%	3,150
\$100,000+	65.3%	27.4%	6.0%	1.3%	0.0%	1,450
Household type						
Single adult, no children	78.8%	9.2%	10.3%	1.6%	0.0%	396
2+ adults, no children	54.3%	25.0%	10.3%	10.4%	0.0%	2,341
Single adult, 1+ children	100.0%	0.0%	0.0%	0.0%	0.0%	156
2+ adults, 1+ children	74.9%	13.0%	8.2%	1.8%	2.1%	3,065
All areas included in the study						
Benton County	62.0%	14.0%	11.1%	10.2%	2.6%	27,085
Chisago County	66.0%	16.1%	3.2%	10.5%	4.1%	40,040
Mille Lacs County	80.8%	10.1%	3.0%	5.7%	0.3%	19,464
Sherburne County	72.4%	13.8%	7.0%	6.0%	0.7%	62,606
Stearns County	63.4%	15.9%	9.4%	8.1%	3.1%	117,563
Entire five-county region	67.1%	14.8%	7.6%	8.0%	2.5%	266,757

6. During the past 12 months, was there a time when you thought you needed medical care but did not get it or delayed getting it?

	Yes	No	Total
Sherburne County, Becker area total	32.9%	67.1%	6,022
Gender			
Female	31.3%	68.7%	3,031
Male	34.6%	65.4%	2,991
Age			
18-34	33.5%	66.5%	1,837
35-44	42.9%	57.1%	1,556
45-54	31.9%	68.1%	1,289
55-64	27.1%	72.9%	707
65-74	7.1%	92.9%	355
75+	20.7%	79.3%	260
Highest level of education			
Less than high school diploma/GED	71.1%	28.9%	68
High school diploma/GED	16.8%	83.2%	855
Some college or AA degree	45.4%	54.6%	2,056
Bachelor's degree or higher	28.6%	71.4%	3,001
Household income (in 2012)			
Less than \$20,000	64.9%	35.1%	272
\$20,000 - \$34,999	22.7%	77.3%	297
\$35,000 - \$49,999	22.7%	77.3%	501
\$50,000 - \$99,999	32.9%	67.1%	3,165
\$100,000+	36.2%	63.8%	1,450
Household type			
Single adult, no children	29.5%	70.5%	404
2+ adults, no children	35.7%	64.3%	2,356
Single adult, 1+ children	81.9%	18.1%	156
2+ adults, 1+ children	29.2%	70.8%	3,065
All areas included in the study			
Benton County	38.9%	61.1%	26,922
Chisago County	34.4%	65.6%	39,980
Mille Lacs County	35.6%	64.4%	19,401
Sherburne County	32.1%	67.9%	62,552
Stearns County	29.7%	70.3%	116,370
Entire five-county region	32.4%	67.6%	265,225

7. (Of those who said they had delayed getting medical care they needed in the past 12 months) Why did you not get or delay getting the medical care you thought you needed?

	Cost of care	Insurance issues/lack of insurance coverage	Self-care or other healing approaches	Transportation or personal scheduling barriers	Clinical access or scheduling barriers	Mistrust or fear of health care	Other reasons	Total
Sherburne County, Becker area total	42.6%	17.7%	54.5%	7.8%	6.6%	3.1%	1.3%	1,974
Gender								
Female	60.2%	25.7%	32.3%	4.6%	6.5%	4.6%	0.8%	948
Male	26.3%	10.3%	75.0%	10.7%	6.8%	1.8%	1.8%	1,026
Age								
18-34	34.8%	16.5%	57.9%	0.0%	14.9%	3.7%	0.0%	615
35-44	59.5%	13.6%	49.3%	7.6%	4.7%	3.1%	0.0%	668
45-54	43.6%	16.1%	60.0%	15.0%	0.0%	0.0%	1.8%	411
55-64	19.8%	47.8%	42.5%	9.7%	0.0%	9.7%	9.7%	192
65-74	45.0%	0.0%	55.0%	0.0%	0.0%	0.0%	0.0%	25
75+	0.0%	0.0%	66.2%	33.8%	16.9%	0.0%	0.0%	44
Highest level of education								
Less than high school diploma/GED	0.0%	0.0%	84.6%	15.4%	15.4%	0.0%	0.0%	49
High school diploma/GED	41.0%	34.9%	54.5%	0.0%	0.0%	0.0%	0.0%	144
Some college or AA degree	53.4%	20.1%	35.4%	15.0%	5.8%	4.4%	2.0%	924
Bachelor's degree or higher	33.6%	13.3%	73.3%	0.9%	8.1%	2.4%	0.9%	859
Household income (in 2012)								
Less than \$20,000	53.1%	52.7%	12.7%	4.2%	4.2%	0.0%	0.0%	177
\$20,000 - \$34,999	68.6%	30.1%	20.5%	0.0%	0.0%	0.0%	0.0%	67
\$35,000 - \$49,999	41.9%	36.8%	41.0%	0.0%	0.0%	0.0%	0.0%	114
\$50,000 - \$99,999	55.3%	14.0%	53.2%	12.1%	5.2%	4.0%	0.0%	1,033
\$100,000+	12.6%	4.3%	82.5%	0.0%	13.2%	4.0%	4.9%	525

7. (Of those who said they had delayed getting medical care they needed in the past 12 months) Why did you not get or delay getting the medical care you thought you needed? (continued)

	Cost of care	Insurance issues/lack of insurance coverage	Self-care or other healing approaches	Transportation or personal scheduling barriers	Clinical access or scheduling barriers	Mistrust or fear of health care	Other reasons	Total
Household type								
Single adult, no children	23.6%	13.9%	30.4%	43.6%	6.3%	0.0%	0.0%	119
2+ adults, no children	38.6%	16.7%	72.9%	2.2%	0.0%	2.2%	2.2%	832
Single adult, 1+ children	31.3%	8.2%	63.0%	0.0%	62.3%	0.0%	5.7%	128
2+ adults, 1+ children	50.3%	20.6%	39.4%	9.2%	4.9%	4.9%	0.0%	895
All areas included in the study								
Benton County	54.3%	25.8%	45.4%	7.5%	9.8%	10.7%	2.5%	10,281
Chisago County	44.0%	25.5%	51.6%	5.5%	5.7%	5.0%	0.5%	13,761
Mille Lacs County	50.2%	20.2%	39.0%	9.8%	5.3%	8.4%	0.7%	6,898
Sherburne County	46.3%	29.3%	39.2%	8.7%	5.1%	1.1%	1.3%	20,056
Stearns County	46.9%	28.0%	45.9%	10.3%	5.9%	1.5%	3.4%	34,262
Entire five-county region	47.5%	27.0%	44.6%	8.8%	6.1%	3.7%	2.1%	85,258

8. How would you rate your overall level of stress?

	High	Medium	Low	Total
Sherburne County, Becker area total	15.8%	60.7%	23.5%	6,037
Gender				
Female	17.9%	62.7%	19.4%	3,046
Male	13.7%	58.6%	27.7%	2,991
Age				
18-34	7.4%	66.5%	26.1%	1,837
35-44	26.7%	59.6%	13.7%	1,556
45-54	20.4%	60.6%	19.0%	1,289
55-64	14.4%	54.5%	31.2%	707
65-74	3.9%	51.3%	44.8%	355
75+	2.7%	60.8%	36.5%	275
Highest level of education				
Less than high school diploma/GED	0.0%	89.0%	11.0%	68
High school diploma/GED	9.0%	65.3%	25.7%	870
Some college or AA degree	21.9%	57.2%	20.9%	2,056
Bachelor's degree or higher	14.2%	62.0%	23.8%	3,001
Household income (in 2012)				
Less than \$20,000	51.6%	32.8%	15.6%	272
\$20,000 - \$34,999	29.5%	36.9%	33.6%	297
\$35,000 - \$49,999	15.4%	38.4%	46.2%	501
\$50,000 - \$99,999	12.6%	64.9%	22.5%	3,165
\$100,000+	8.8%	72.9%	18.4%	1,450
Household type				
Single adult, no children	9.9%	60.4%	29.8%	404
2+ adults, no children	12.4%	62.6%	24.9%	2,356
Single adult, 1+ children	13.9%	62.4%	23.7%	156
2+ adults, 1+ children	19.6%	60.1%	20.4%	3,065
All areas included in the study				
Benton County	22.1%	56.5%	21.4%	26,988
Chisago County	21.7%	57.1%	21.2%	39,578
Mille Lacs County	15.9%	64.0%	20.1%	19,002
Sherburne County	17.6%	58.0%	24.4%	62,292
Stearns County	18.7%	54.3%	27.0%	116,678
Entire five-county region	19.1%	56.5%	24.4%	264,538

9. During the past 30 days, for about how many days have you felt sad, blue, or depressed?

	0 days	1-9 days	10-19 days	20-29 days	All 30 days	Total
Sherburne County, Becker area total	37.3%	48.4%	8.0%	4.6%	1.8%	5,810
Gender						
Female	35.9%	51.1%	8.9%	0.5%	3.6%	2,847
Male	38.6%	45.7%	7.1%	8.6%	0.0%	2,963
Age						
18-34	35.5%	56.7%	1.3%	3.9%	2.5%	1,769
35-44	30.8%	54.7%	13.1%	0.0%	1.3%	1,556
45-54	37.0%	38.7%	9.7%	11.6%	3.0%	1,237
55-64	38.5%	51.7%	7.1%	2.8%	0.0%	666
65-74	61.4%	21.4%	7.1%	10.2%	0.0%	355
75+	61.2%	27.0%	11.8%	0.0%	0.0%	208
Highest level of education						
Less than high school diploma/GED	24.7%	0.0%	7.9%	67.5%	0.0%	61
High school diploma/GED	42.3%	29.9%	7.1%	18.1%	2.6%	810
Some college or AA degree	35.0%	47.8%	10.7%	4.1%	2.4%	1,963
Bachelor's degree or higher	38.2%	54.1%	6.5%	0.0%	1.2%	2,934
Household income (in 2012)						
Less than \$20,000	32.6%	26.8%	13.8%	0.0%	26.9%	249
\$20,000 - \$34,999	24.4%	44.9%	25.5%	5.1%	0.0%	269
\$35,000 - \$49,999	57.2%	37.9%	4.9%	0.0%	0.0%	478
\$50,000 - \$99,999	37.3%	46.4%	7.4%	7.8%	1.2%	3,033
\$100,000+	33.8%	63.4%	1.5%	1.3%	0.0%	1,450
Household type						
Single adult, no children	35.5%	20.4%	24.3%	19.8%	0.0%	350
2+ adults, no children	40.1%	45.7%	7.0%	4.2%	3.1%	2,310
Single adult, 1+ children	49.1%	43.7%	0.0%	0.0%	7.2%	156
2+ adults, 1+ children	34.0%	54.4%	7.3%	3.5%	0.7%	2,953
All areas included in the study						
Benton County	34.9%	43.3%	13.7%	4.3%	3.7%	25,346
Chisago County	36.6%	48.2%	8.9%	4.6%	1.6%	38,382
Mille Lacs County	32.2%	51.3%	6.3%	5.3%	4.9%	18,517
Sherburne County	36.6%	45.0%	10.1%	6.2%	2.1%	60,587
Stearns County	36.8%	44.6%	7.4%	6.8%	4.4%	113,146
Entire five-county region	36.2%	45.6%	8.8%	6.0%	3.4%	255,977

10. During the past 12 months, was there a time when you wanted to talk with or seek help from a health professional about emotional problems such as stress, depression, excess worrying, troubling thoughts, or emotional problems, but did not or delayed talking with someone?

	Yes	No	Total
Sherburne County, Becker area total	16.1%	83.9%	5,999
Gender			
Female	19.1%	80.9%	3,008
Male	13.1%	86.9%	2,991
Age			
18-34	8.7%	91.3%	1,814
35-44	18.4%	81.6%	1,556
45-54	29.5%	70.5%	1,289
55-64	13.0%	87.0%	707
65-74	3.9%	96.1%	355
75+	11.5%	88.5%	260
Highest level of education			
Less than high school diploma/GED	60.1%	39.9%	68
High school diploma/GED	11.2%	88.8%	833
Some college or AA degree	26.2%	73.8%	2,056
Bachelor's degree or higher	9.8%	90.2%	3,001
Household income (in 2012)			
Less than \$20,000	51.6%	48.4%	272
\$20,000 - \$34,999	29.2%	70.8%	297
\$35,000 - \$49,999	14.0%	86.0%	478
\$50,000 - \$99,999	14.4%	85.6%	3,165
\$100,000+	13.3%	86.7%	1,450
Household type			
Single adult, no children	18.6%	81.4%	404
2+ adults, no children	16.2%	83.8%	2,356
Single adult, 1+ children	37.6%	62.4%	156
2+ adults, 1+ children	14.8%	85.2%	3,042
All areas included in the study			
Benton County	22.3%	77.7%	26,544
Chisago County	19.6%	80.4%	39,800
Mille Lacs County	19.8%	80.2%	19,385
Sherburne County	17.5%	82.5%	62,497
Stearns County	22.4%	77.6%	116,931
Entire five-county region	20.6%	79.4%	265,156

11. (Of those who said they had delayed getting care they needed for emotional problems in the past 12 months) Why did you not get or delay getting the care you thought you needed?

	Cost of care	Insurance issues/lack of insurance coverage	Self-care or other healing approaches	Transportation or personal scheduling barriers	Clinical access or scheduling barriers	Mistrust or fear of health care	Other reasons	Total
Sherburne County, Becker area total	35.8%	39.0%	20.4%	0.8%	22.9%	30.3%	10.8%	967
Gender								
Female	44.2%	25.5%	31.0%	1.3%	27.7%	29.9%	4.2%	576
Male	23.3%	59.0%	4.7%	0.0%	15.8%	30.9%	20.5%	391
Age								
18-34	64.3%	50.0%	0.0%	0.0%	28.6%	28.6%	7.1%	158
35-44	36.0%	56.1%	32.9%	0.0%	22.0%	42.7%	0.0%	286
45-54	35.5%	27.0%	5.8%	0.0%	23.9%	27.8%	16.2%	380
55-64	7.1%	38.3%	48.5%	0.0%	0.0%	7.1%	34.4%	92
65-74	0.0%	0.0%	100.0%	0.0%	0.0%	100.0%	0.0%	14
75+	0.0%	0.0%	50.0%	0.0%	50.0%	0.0%	0.0%	30
Highest level of education								
Less than high school diploma/GED	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	41
High school diploma/GED	31.1%	31.8%	14.8%	0.0%	24.1%	44.1%	0.0%	93
Some college or AA degree	40.6%	31.1%	15.9%	0.0%	28.6%	34.9%	19.4%	538
Bachelor's degree or higher	33.4%	47.2%	33.1%	2.5%	15.1%	21.9%	0.0%	294
Household income (in 2012)								
Less than \$20,000	44.4%	66.3%	5.3%	0.0%	0.0%	46.9%	8.0%	140
\$20,000 - \$34,999	49.6%	24.2%	48.7%	0.0%	50.0%	15.9%	0.0%	87
\$35,000 - \$49,999	55.7%	78.0%	0.0%	0.0%	0.0%	0.0%	0.0%	67
\$50,000 - \$99,999	39.6%	32.7%	18.7%	1.6%	32.4%	37.0%	16.3%	457
\$100,000+	11.6%	31.8%	31.8%	0.0%	15.4%	11.4%	9.6%	194

11. (Of those who said they had delayed getting care they needed for emotional problems in the past 12 months) Why did you not get or delay getting the care you thought you needed? (continued)

	Cost of care	Insurance issues/lack of insurance coverage	Self-care or other healing approaches	Transportation or personal scheduling barriers	Clinical access or scheduling barriers	Mistrust or fear of health care	Other reasons	Total
Household type								
Single adult, no children	8.6%	51.8%	29.8%	9.8%	19.6%	8.6%	0.0%	75
2+ adults, no children	50.2%	38.1%	18.6%	0.0%	38.0%	31.5%	4.8%	383
Single adult, 1+ children	68.3%	50.5%	0.0%	0.0%	30.3%	0.0%	19.2%	59
2+ adults, 1+ children	23.8%	36.2%	23.0%	0.0%	9.7%	36.9%	16.6%	450
All areas included in the study								
Benton County	39.0%	25.7%	47.1%	17.0%	24.1%	25.9%	4.4%	5,680
Chisago County	39.7%	23.8%	43.9%	0.9%	11.3%	24.7%	10.6%	7,810
Mille Lacs County	34.0%	16.8%	33.1%	22.9%	10.9%	13.5%	1.8%	3,757
Sherburne County	37.8%	23.6%	38.4%	9.2%	19.2%	31.0%	5.7%	10,767
Stearns County	32.0%	20.1%	43.6%	6.7%	16.4%	37.5%	1.4%	26,154
Entire five-county region	35.1%	21.7%	42.3%	8.6%	16.7%	31.5%	3.9%	54,167

12. Which statement best describes the medications prescribed for you in the past 6 months?

	I had no medications prescribed for me	I had medications prescribed for me and I filled them all	I had medications prescribed for me and I did not fill at least one of them	Total
Sherburne County, Becker area total	40.1%	55.3%	4.6%	5,992
Gender				
Female	39.2%	51.6%	9.2%	3,001
Male	41.1%	58.9%	0.0%	2,991
Age				
18-34	48.4%	45.4%	6.2%	1,814
35-44	41.7%	54.3%	4.0%	1,556
45-54	41.2%	53.5%	5.2%	1,267
55-64	31.8%	66.4%	1.8%	707
65-74	32.6%	63.5%	3.9%	355
75+	5.5%	91.8%	2.7%	275
Highest level of education				
Less than high school diploma/GED	0.0%	100.0%	0.0%	68
High school diploma/GED	28.5%	63.3%	8.1%	848
Some college or AA degree	41.0%	54.1%	4.8%	2,056
Bachelor's degree or higher	42.9%	53.5%	3.6%	2,979
Household income (in 2012)				
Less than \$20,000	31.5%	53.3%	15.2%	272
\$20,000 - \$34,999	39.9%	48.0%	12.1%	297
\$35,000 - \$49,999	45.4%	51.7%	2.9%	501
\$50,000 - \$99,999	45.7%	50.1%	4.3%	3,142
\$100,000+	32.6%	65.8%	1.6%	1,428
Household type				
Single adult, no children	26.6%	71.5%	1.9%	404
2+ adults, no children	34.8%	58.7%	6.5%	2,333
Single adult, 1+ children	20.6%	72.7%	6.7%	156
2+ adults, 1+ children	46.4%	50.1%	3.5%	3,043
All areas included in the study				
Benton County	47.3%	45.6%	7.1%	26,828
Chisago County	37.7%	55.1%	7.1%	39,719
Mille Lacs County	32.7%	62.4%	5.0%	19,284
Sherburne County	38.6%	53.1%	8.3%	62,421
Stearns County	48.9%	47.2%	3.9%	117,103
Entire five-county region	43.5%	50.7%	5.8%	265,356

13. (Of those who said they had not filled at least one of their prescriptions in the past 6 months) Why did you not fill at least one prescription?

	Cost or insurance issues	Concerns about medications	Used alternatives to prescription medication	Concerns about staff or clinic / Provider access barrier	Other issues	Total
Sherburne County, Becker area total	43.4%	52.0%	0.0%	3.8%	12.3%	276
Gender						
Female	43.4%	52.0%	0.0%	3.8%	12.3%	276
Male	0.0%	0.0%	0.0%	0.0%	0.0%	0
Age						
18-34	50.0%	20.0%	0.0%	0.0%	30.0%	113
35-44	33.3%	100.0%	0.0%	16.7%	0.0%	63
45-54	44.4%	55.6%	0.0%	0.0%	0.0%	66
55-64	100.0%	0.0%	0.0%	0.0%	0.0%	13
65-74	0.0%	100.0%	0.0%	0.0%	0.0%	14
75+	0.0%	100.0%	0.0%	0.0%	0.0%	8
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	0.0%	0.0%	0.0%	0
High school diploma/GED	40.1%	10.9%	0.0%	0.0%	49.0%	69
Some college or AA degree	35.8%	85.2%	0.0%	10.5%	0.0%	100
Bachelor's degree or higher	52.5%	47.5%	0.0%	0.0%	0.0%	107
Household income (in 2012)						
Less than \$20,000	81.8%	18.2%	0.0%	0.0%	0.0%	41
\$20,000 - \$34,999	0.0%	100.0%	0.0%	0.0%	0.0%	36
\$35,000 - \$49,999	100.0%	0.0%	0.0%	0.0%	0.0%	15
\$50,000 - \$99,999	15.6%	74.7%	0.0%	7.8%	25.3%	134
\$100,000+	100.0%	0.0%	0.0%	0.0%	0.0%	23

13. (Of those who said they had not filled at least one of their prescriptions in the past 6 months) Why did you not fill at least one prescription? (continued)

	Cost or insurance issues	Concerns about medications	Used alternatives to prescription medication	Concerns about staff or clinic / Provider access barrier	Other issues	Total
Household type						
Single adult, no children	0.0%	100.0%	0.0%	0.0%	0.0%	8
2+ adults, no children	55.4%	44.6%	0.0%	0.0%	0.0%	152
Single adult, 1+ children	0.0%	100.0%	0.0%	100.0%	0.0%	10
2+ adults, 1+ children	33.6%	54.3%	0.0%	0.0%	31.8%	106
All areas included in the study						
Benton County	62.1%	35.1%	2.0%	1.1%	2.1%	1,781
Chisago County	44.7%	58.7%	21.7%	0.0%	0.0%	2,839
Mille Lacs County	68.8%	61.0%	0.0%	0.0%	17.6%	889
Sherburne County	63.3%	22.7%	16.4%	1.5%	4.5%	4,831
Stearns County	65.2%	41.0%	4.9%	0.9%	13.8%	4,526
Entire five-county region	60.5%	38.9%	11.2%	0.9%	6.9%	14,866

14. Do you currently have any kind of health care coverage, including health insurance or government plans such as Medicaid, Medicare, or Indian Health Services?

	Yes	No	Total
Sherburne County, Becker area total	84.8%	15.2%	5,992
Gender			
Female	84.4%	15.6%	3,001
Male	85.1%	14.9%	2,991
Age			
18-34	84.3%	15.7%	1,814
35-44	77.8%	22.2%	1,556
45-54	86.6%	13.4%	1,267
55-64	85.2%	14.8%	707
65-74	100.0%	0.0%	355
75+	97.3%	2.7%	275
Highest level of education			
Less than high school diploma/GED	100.0%	0.0%	68
High school diploma/GED	89.4%	10.6%	848
Some college or AA degree	83.0%	17.0%	2,056
Bachelor's degree or higher	85.5%	14.5%	2,979
Household income (in 2012)			
Less than \$20,000	40.3%	59.7%	272
\$20,000 - \$34,999	83.6%	16.4%	297
\$35,000 - \$49,999	83.0%	17.0%	501
\$50,000 - \$99,999	83.3%	16.7%	3,142
\$100,000+	96.6%	3.4%	1,428
Household type			
Single adult, no children	73.8%	26.2%	404
2+ adults, no children	80.9%	19.1%	2,333
Single adult, 1+ children	100.0%	0.0%	156
2+ adults, 1+ children	88.1%	11.9%	3,043
All areas included in the study			
Benton County	87.2%	12.8%	27,021
Chisago County	87.9%	12.1%	39,980
Mille Lacs County	88.7%	11.3%	19,350
Sherburne County	85.9%	14.1%	62,644
Stearns County	88.2%	11.8%	117,368
Entire five-county region	87.6%	12.4%	266,363

15. (Of those who said they have health insurance) Is your health insurance a high deductible plan?

	Yes	No	Total
Sherburne County, Becker area total	45.3%	54.7%	4,831
Gender			
Female	44.3%	55.7%	2,381
Male	46.3%	53.7%	2,450
Age			
18-34	48.4%	51.6%	1,484
35-44	46.9%	53.1%	1,169
45-54	58.7%	41.3%	1,013
55-64	42.2%	57.8%	584
65-74	16.0%	84.0%	341
75+	11.1%	88.9%	240
Highest level of education			
Less than high school diploma/GED	0.0%	100.0%	68
High school diploma/GED	34.5%	65.5%	743
Some college or AA degree	45.9%	54.1%	1,626
Bachelor's degree or higher	49.5%	50.5%	2,394
Household income (in 2012)			
Less than \$20,000	0.0%	100.0%	97
\$20,000 - \$34,999	46.8%	53.2%	227
\$35,000 - \$49,999	38.5%	61.5%	405
\$50,000 - \$99,999	56.3%	43.7%	2,464
\$100,000+	30.3%	69.7%	1,336
Household type			
Single adult, no children	29.6%	70.4%	252
2+ adults, no children	37.7%	62.3%	1,834
Single adult, 1+ children	74.7%	25.3%	156
2+ adults, 1+ children	51.4%	48.6%	2,539
All areas included in the study			
Benton County	41.3%	58.7%	22,030
Chisago County	39.2%	60.8%	32,818
Mille Lacs County	50.5%	49.5%	15,917
Sherburne County	42.7%	57.3%	50,789
Stearns County	41.0%	59.0%	95,177
Entire five-county region	41.9%	58.1%	216,731

16. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Health insurance or coverage through your employer or your spouse/partner, parent, or someone else's employer

	Checked	Not checked	Total
Sherburne County, Becker area total	81.3%	18.7%	4,893
Gender			
Female	77.4%	22.6%	2,412
Male	85.2%	14.8%	2,481
Age			
18-34	96.3%	3.7%	1,507
35-44	85.1%	14.9%	1,169
45-54	90.1%	9.9%	1,082
55-64	74.7%	25.3%	571
65-74	21.1%	78.9%	344
75+	27.8%	72.2%	221
Highest level of education			
Less than high school diploma/GED	60.1%	39.9%	68
High school diploma/GED	66.7%	33.3%	726
Some college or AA degree	75.5%	24.5%	1,623
Bachelor's degree or higher	90.0%	10.0%	2,476
Household income (in 2012)			
Less than \$20,000	7.7%	92.3%	97
\$20,000 - \$34,999	30.7%	69.3%	203
\$35,000 - \$49,999	57.3%	42.7%	395
\$50,000 - \$99,999	86.5%	13.5%	2,577
\$100,000+	91.8%	8.2%	1,336
Household type			
Single adult, no children	57.9%	42.1%	256
2+ adults, no children	72.0%	28.0%	1,816
Single adult, 1+ children	88.1%	11.9%	156
2+ adults, 1+ children	89.4%	10.6%	2,623
All areas included in the study			
Benton County	66.1%	33.9%	22,951
Chisago County	71.5%	28.5%	33,651
Mille Lacs County	62.5%	37.5%	16,222
Sherburne County	73.2%	26.8%	51,852
Stearns County	71.1%	28.9%	96,375
Entire five-county region	70.5%	29.5%	221,051

17. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Health insurance or coverage bought directly by you or your family

	Checked	Not checked	Total
Sherburne County, Becker area total	8.2%	91.8%	4,893
Gender			
Female	11.5%	88.5%	2,412
Male	5.1%	94.9%	2,481
Age			
18-34	0.0%	100.0%	1,507
35-44	8.1%	91.9%	1,169
45-54	6.1%	93.9%	1,082
55-64	22.0%	78.0%	571
65-74	16.6%	83.4%	344
75+	26.5%	73.5%	221
Highest level of education			
Less than high school diploma/GED	39.9%	60.1%	68
High school diploma/GED	8.6%	91.4%	726
Some college or AA degree	13.1%	86.9%	1,623
Bachelor's degree or higher	4.0%	96.0%	2,476
Household income (in 2012)			
Less than \$20,000	35.7%	64.3%	97
\$20,000 - \$34,999	30.5%	69.5%	203
\$35,000 - \$49,999	19.5%	80.5%	395
\$50,000 - \$99,999	8.1%	91.9%	2,577
\$100,000+	1.5%	98.5%	1,336
Household type			
Single adult, no children	20.0%	80.0%	256
2+ adults, no children	12.7%	87.3%	1,816
Single adult, 1+ children	4.7%	95.3%	156
2+ adults, 1+ children	4.3%	95.7%	2,623
All areas included in the study			
Benton County	16.6%	83.4%	22,951
Chisago County	13.4%	86.6%	33,651
Mille Lacs County	16.1%	83.9%	16,222
Sherburne County	11.3%	88.7%	51,852
Stearns County	13.6%	86.4%	96,375
Entire five-county region	13.5%	86.5%	221,051

18. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Indian or Tribal Health Service

	Checked	Not checked	Total
Sherburne County, Becker area total	0.0%	100.0%	4,893
Gender			
Female	0.0%	100.0%	2,412
Male	0.0%	100.0%	2,481
Age			
18-34	0.0%	100.0%	1,507
35-44	0.0%	100.0%	1,169
45-54	0.0%	100.0%	1,082
55-64	0.0%	100.0%	571
65-74	0.0%	100.0%	344
75+	0.0%	100.0%	221
Highest level of education			
Less than high school diploma/GED	0.0%	100.0%	68
High school diploma/GED	0.0%	100.0%	726
Some college or AA degree	0.0%	100.0%	1,623
Bachelor's degree or higher	0.0%	100.0%	2,476
Household income (in 2012)			
Less than \$20,000	0.0%	100.0%	97
\$20,000 - \$34,999	0.0%	100.0%	203
\$35,000 - \$49,999	0.0%	100.0%	395
\$50,000 - \$99,999	0.0%	100.0%	2,577
\$100,000+	0.0%	100.0%	1,336
Household type			
Single adult, no children	0.0%	100.0%	256
2+ adults, no children	0.0%	100.0%	1,816
Single adult, 1+ children	0.0%	100.0%	156
2+ adults, 1+ children	0.0%	100.0%	2,623
All areas included in the study			
Benton County	0.1%	99.9%	22,951
Chisago County	0.0%	100.0%	33,651
Mille Lacs County	3.1%	96.9%	16,222
Sherburne County	0.1%	99.9%	51,852
Stearns County	0.0%	100.0%	96,375
Entire five-county region	0.3%	99.7%	221,051

19. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Medicare

	Checked	Not checked	Total
Sherburne County, Becker area total	11.5%	88.5%	4,893
Gender			
Female	14.1%	85.9%	2,412
Male	8.9%	91.1%	2,481
Age			
18-34	0.0%	100.0%	1,507
35-44	0.0%	100.0%	1,169
45-54	1.4%	98.6%	1,082
55-64	2.3%	97.7%	571
65-74	93.4%	6.6%	344
75+	96.6%	3.4%	221
Highest level of education			
Less than high school diploma/GED	39.9%	60.1%	68
High school diploma/GED	31.0%	69.0%	726
Some college or AA degree	12.0%	88.0%	1,623
Bachelor's degree or higher	4.7%	95.3%	2,476
Household income (in 2012)			
Less than \$20,000	88.4%	11.6%	97
\$20,000 - \$34,999	63.7%	36.3%	203
\$35,000 - \$49,999	22.9%	77.1%	395
\$50,000 - \$99,999	6.7%	93.3%	2,577
\$100,000+	0.8%	99.2%	1,336
Household type			
Single adult, no children	40.3%	59.7%	256
2+ adults, no children	24.1%	75.9%	1,816
Single adult, 1+ children	0.0%	100.0%	156
2+ adults, 1+ children	0.8%	99.2%	2,623
All areas included in the study			
Benton County	18.2%	81.8%	22,951
Chisago County	15.7%	84.3%	33,651
Mille Lacs County	25.8%	74.2%	16,222
Sherburne County	15.1%	84.9%	51,852
Stearns County	18.4%	81.6%	96,375
Entire five-county region	17.7%	82.3%	221,051

20. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Medicaid, Medical Assistance (MA), or Prepaid Medical Assistance Program (PMAP)

	Checked	Not checked	Total
Sherburne County, Becker area total	2.6%	97.4%	4,893
Gender			
Female	5.3%	94.7%	2,412
Male	0.0%	100.0%	2,481
Age			
18-34	3.7%	96.3%	1,507
35-44	3.6%	96.4%	1,169
45-54	0.0%	100.0%	1,082
55-64	0.0%	100.0%	571
65-74	4.0%	96.0%	344
75+	6.8%	93.2%	221
Highest level of education			
Less than high school diploma/GED	0.0%	100.0%	68
High school diploma/GED	7.0%	93.0%	726
Some college or AA degree	4.7%	95.3%	1,623
Bachelor's degree or higher	0.0%	100.0%	2,476
Household income (in 2012)			
Less than \$20,000	33.4%	66.6%	97
\$20,000 - \$34,999	0.0%	100.0%	203
\$35,000 - \$49,999	11.0%	89.0%	395
\$50,000 - \$99,999	1.7%	98.3%	2,577
\$100,000+	0.0%	100.0%	1,336
Household type			
Single adult, no children	5.9%	94.1%	256
2+ adults, no children	0.8%	99.2%	1,816
Single adult, 1+ children	7.2%	92.8%	156
2+ adults, 1+ children	3.3%	96.7%	2,623
All areas included in the study			
Benton County	6.6%	93.4%	22,951
Chisago County	6.5%	93.5%	33,651
Mille Lacs County	8.5%	91.5%	16,222
Sherburne County	6.0%	94.0%	51,852
Stearns County	7.0%	93.0%	96,375
Entire five-county region	6.8%	93.2%	221,051

21. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Minnesota Comprehensive Health Association (MCHA)

	Checked	Not checked	Total
Sherburne County, Becker area total	1.1%	98.9%	4,893
Gender			
Female	0.6%	99.4%	2,412
Male	1.5%	98.5%	2,481
Age			
18-34	0.0%	100.0%	1,507
35-44	0.0%	100.0%	1,169
45-54	1.4%	98.6%	1,082
55-64	6.5%	93.5%	571
65-74	0.0%	100.0%	344
75+	0.0%	100.0%	221
Highest level of education			
Less than high school diploma/GED	0.0%	100.0%	68
High school diploma/GED	0.0%	100.0%	726
Some college or AA degree	2.0%	98.0%	1,623
Bachelor's degree or higher	0.7%	99.3%	2,476
Household income (in 2012)			
Less than \$20,000	0.0%	100.0%	97
\$20,000 - \$34,999	0.0%	100.0%	203
\$35,000 - \$49,999	0.0%	100.0%	395
\$50,000 - \$99,999	2.0%	98.0%	2,577
\$100,000+	0.0%	100.0%	1,336
Household type			
Single adult, no children	0.0%	100.0%	256
2+ adults, no children	2.0%	98.0%	1,816
Single adult, 1+ children	0.0%	100.0%	156
2+ adults, 1+ children	0.6%	99.4%	2,623
All areas included in the study			
Benton County	0.7%	99.3%	22,951
Chisago County	0.8%	99.2%	33,651
Mille Lacs County	0.6%	99.4%	16,222
Sherburne County	0.6%	99.4%	51,852
Stearns County	0.3%	99.7%	96,375
Entire five-county region	0.5%	99.5%	221,051

22. (Of those who said they have health insurance) Which of the following types of health insurance do you have? MinnesotaCare

	Checked	Not checked	Total
Sherburne County, Becker area total	0.7%	99.3%	4,893
Gender			
Female	1.4%	98.6%	2,412
Male	0.0%	100.0%	2,481
Age			
18-34	0.0%	100.0%	1,507
35-44	1.8%	98.2%	1,169
45-54	0.0%	100.0%	1,082
55-64	0.0%	100.0%	571
65-74	4.0%	96.0%	344
75+	0.0%	100.0%	221
Highest level of education			
Less than high school diploma/GED	0.0%	100.0%	68
High school diploma/GED	2.9%	97.1%	726
Some college or AA degree	0.8%	99.2%	1,623
Bachelor's degree or higher	0.0%	100.0%	2,476
Household income (in 2012)			
Less than \$20,000	14.2%	85.8%	97
\$20,000 - \$34,999	0.0%	100.0%	203
\$35,000 - \$49,999	0.0%	100.0%	395
\$50,000 - \$99,999	0.8%	99.2%	2,577
\$100,000+	0.0%	100.0%	1,336
Household type			
Single adult, no children	0.0%	100.0%	256
2+ adults, no children	0.8%	99.2%	1,816
Single adult, 1+ children	0.0%	100.0%	156
2+ adults, 1+ children	0.8%	99.2%	2,623
All areas included in the study			
Benton County	4.9%	95.1%	22,951
Chisago County	2.4%	97.6%	33,651
Mille Lacs County	3.0%	97.0%	16,222
Sherburne County	2.1%	97.9%	51,852
Stearns County	2.4%	97.6%	96,375
Entire five-county region	2.6%	97.4%	221,051

23. (Of those who said they have health insurance) Which of the following types of health insurance do you have? CHAMPUS, TRICARE, or Veterans' benefits

	Checked	Not checked	Total
Sherburne County, Becker area total	5.4%	94.6%	4,893
Gender			
Female	4.8%	95.2%	2,412
Male	5.9%	94.1%	2,481
Age			
18-34	2.2%	97.8%	1,507
35-44	5.1%	94.9%	1,169
45-54	3.8%	96.2%	1,082
55-64	12.2%	87.8%	571
65-74	6.0%	94.0%	344
75+	17.9%	82.1%	221
Highest level of education			
Less than high school diploma/GED	21.9%	78.1%	68
High school diploma/GED	2.8%	97.2%	726
Some college or AA degree	9.6%	90.4%	1,623
Bachelor's degree or higher	2.9%	97.1%	2,476
Household income (in 2012)			
Less than \$20,000	15.4%	84.6%	97
\$20,000 - \$34,999	0.0%	100.0%	203
\$35,000 - \$49,999	15.3%	84.7%	395
\$50,000 - \$99,999	4.3%	95.7%	2,577
\$100,000+	5.8%	94.2%	1,336
Household type			
Single adult, no children	2.7%	97.3%	256
2+ adults, no children	5.7%	94.3%	1,816
Single adult, 1+ children	0.0%	100.0%	156
2+ adults, 1+ children	4.6%	95.4%	2,623
All areas included in the study			
Benton County	3.5%	96.5%	22,951
Chisago County	2.2%	97.8%	33,651
Mille Lacs County	5.1%	94.9%	16,222
Sherburne County	3.6%	96.4%	51,852
Stearns County	3.5%	96.5%	96,375
Entire five-county region	3.4%	96.6%	221,051

24. (Of those who said they have health insurance) Which of the following types of health insurance do you have? Other health insurance or coverage

	Checked	Not checked	Total
Sherburne County, Becker area total	3.9%	96.1%	4,893
Gender			
Female	5.3%	94.7%	2,412
Male	2.4%	97.6%	2,481
Age			
18-34	1.5%	98.5%	1,507
35-44	1.8%	98.2%	1,169
45-54	0.0%	100.0%	1,082
55-64	0.0%	100.0%	571
65-74	22.6%	77.4%	344
75+	30.9%	69.1%	221
Highest level of education			
Less than high school diploma/GED	0.0%	100.0%	68
High school diploma/GED	8.9%	91.1%	726
Some college or AA degree	5.4%	94.6%	1,623
Bachelor's degree or higher	1.5%	98.5%	2,476
Household income (in 2012)			
Less than \$20,000	45.0%	55.0%	97
\$20,000 - \$34,999	23.3%	76.7%	203
\$35,000 - \$49,999	9.6%	90.4%	395
\$50,000 - \$99,999	1.4%	98.6%	2,577
\$100,000+	0.8%	99.2%	1,336
Household type			
Single adult, no children	13.7%	86.3%	256
2+ adults, no children	7.9%	92.1%	1,816
Single adult, 1+ children	6.7%	93.3%	156
2+ adults, 1+ children	0.0%	100.0%	2,623
All areas included in the study			
Benton County	6.2%	93.8%	22,951
Chisago County	5.1%	94.9%	33,651
Mille Lacs County	10.2%	89.8%	16,222
Sherburne County	6.4%	93.6%	51,852
Stearns County	7.3%	92.7%	96,375
Entire five-county region	6.8%	93.2%	221,051

25. Have you ever been told by a doctor or other health care professional that you have diabetes?

	Yes	No	Total
Sherburne County, Becker area total	3.8%	96.2%	5,547
Gender			
Female	2.7%	97.3%	2,829
Male	4.8%	95.2%	2,717
Age			
18-34	1.3%	98.7%	1,792
35-44	1.5%	98.5%	1,416
45-54	4.1%	95.9%	1,183
55-64	7.5%	92.5%	666
65-74	15.7%	84.3%	302
75+	10.7%	89.3%	179
Highest level of education			
Less than high school diploma/GED	0.0%	100.0%	56
High school diploma/GED	11.7%	88.3%	744
Some college or AA degree	3.3%	96.7%	1,797
Bachelor's degree or higher	2.1%	97.9%	2,908
Household income (in 2012)			
Less than \$20,000	0.0%	100.0%	167
\$20,000 - \$34,999	11.4%	88.6%	267
\$35,000 - \$49,999	17.1%	82.9%	443
\$50,000 - \$99,999	2.1%	97.9%	2,933
\$100,000+	2.9%	97.1%	1,406
Household type			
Single adult, no children	5.9%	94.1%	313
2+ adults, no children	7.0%	93.0%	2,081
Single adult, 1+ children	0.0%	100.0%	156
2+ adults, 1+ children	1.5%	98.5%	2,940
All areas included in the study			
Benton County	9.1%	90.9%	24,738
Chisago County	9.1%	90.9%	36,432
Mille Lacs County	14.6%	85.4%	16,828
Sherburne County	7.5%	92.5%	57,275
Stearns County	6.4%	93.6%	105,950
Entire five-county region	7.9%	92.1%	241,223

26. Have you ever been told by a doctor or other health care professional that you have high blood pressure?

	Yes	No	Total
Sherburne County, Becker area total	23.3%	76.7%	5,807
Gender			
Female	16.6%	83.4%	2,945
Male	30.2%	69.8%	2,861
Age			
18-34	3.7%	96.3%	1,814
35-44	22.5%	77.5%	1,416
45-54	25.9%	74.1%	1,267
55-64	41.8%	58.2%	707
65-74	51.1%	48.9%	316
75+	63.8%	36.2%	268
Highest level of education			
Less than high school diploma/GED	39.9%	60.1%	68
High school diploma/GED	38.9%	61.1%	826
Some college or AA degree	25.4%	74.6%	1,972
Bachelor's degree or higher	17.4%	82.6%	2,899
Household income (in 2012)			
Less than \$20,000	40.7%	59.3%	191
\$20,000 - \$34,999	28.9%	71.1%	285
\$35,000 - \$49,999	32.3%	67.7%	480
\$50,000 - \$99,999	24.0%	76.0%	3,083
\$100,000+	16.6%	83.4%	1,428
Household type			
Single adult, no children	31.9%	68.1%	385
2+ adults, no children	29.3%	70.7%	2,247
Single adult, 1+ children	4.7%	95.3%	156
2+ adults, 1+ children	19.1%	80.9%	2,962
All areas included in the study			
Benton County	25.6%	74.4%	26,016
Chisago County	30.8%	69.2%	38,934
Mille Lacs County	34.3%	65.7%	17,966
Sherburne County	26.4%	73.6%	60,214
Stearns County	30.6%	69.4%	114,709
Entire five-county region	29.4%	70.6%	257,839

27. Have you ever been told by a doctor or other health care professional that you have high blood cholesterol?

	Yes	No	Total
Sherburne County, Becker area total	31.3%	68.7%	5,740
Gender			
Female	24.0%	76.0%	2,893
Male	38.7%	61.3%	2,846
Age			
18-34	6.3%	93.7%	1,792
35-44	32.3%	67.7%	1,455
45-54	46.1%	53.9%	1,198
55-64	38.5%	61.5%	698
65-74	62.8%	37.2%	341
75+	70.8%	29.2%	238
Highest level of education			
Less than high school diploma/GED	100.0%	0.0%	68
High school diploma/GED	39.3%	60.7%	802
Some college or AA degree	37.0%	63.0%	1,870
Bachelor's degree or higher	24.3%	75.7%	2,958
Household income (in 2012)			
Less than \$20,000	32.1%	67.9%	200
\$20,000 - \$34,999	48.3%	51.7%	283
\$35,000 - \$49,999	25.2%	74.8%	455
\$50,000 - \$99,999	33.7%	66.3%	3,043
\$100,000+	20.4%	79.6%	1,406
Household type			
Single adult, no children	37.2%	62.8%	375
2+ adults, no children	38.3%	61.7%	2,234
Single adult, 1+ children	4.7%	95.3%	156
2+ adults, 1+ children	27.2%	72.8%	2,919
All areas included in the study			
Benton County	29.1%	70.9%	26,248
Chisago County	27.4%	72.6%	37,894
Mille Lacs County	40.2%	59.8%	17,722
Sherburne County	28.5%	71.5%	60,276
Stearns County	24.3%	75.7%	109,453
Entire five-county region	27.4%	72.6%	251,593

Health habits

28. About how often do you drink pop or soda (regular)?

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	Total
Sherburne County, Becker area total	36.8%	34.1%	16.9%	4.5%	7.7%	5,909
Gender						
Female	37.6%	36.2%	15.8%	5.5%	4.9%	2,951
Male	35.9%	32.1%	18.0%	3.4%	10.6%	2,958
Age						
18-34	40.3%	39.7%	9.3%	3.7%	6.9%	1,814
35-44	31.9%	26.1%	24.0%	7.3%	10.6%	1,525
45-54	26.2%	32.1%	24.7%	6.1%	10.9%	1,267
55-64	42.2%	43.4%	13.0%	0.0%	1.4%	669
65-74	68.4%	21.4%	1.9%	1.9%	6.3%	355
75+	30.4%	48.2%	21.5%	0.0%	0.0%	261
Highest level of education						
Less than high school diploma/GED	11.8%	23.6%	0.0%	0.0%	64.6%	64
High school diploma/GED	37.5%	26.2%	8.7%	10.1%	17.5%	841
Some college or AA degree	27.5%	30.2%	27.3%	4.4%	10.7%	2,007
Bachelor's degree or higher	43.9%	39.8%	11.4%	3.1%	1.9%	2,956
Household income (in 2012)						
Less than \$20,000	9.5%	38.9%	26.1%	0.0%	25.5%	256
\$20,000 - \$34,999	34.8%	41.0%	17.1%	7.1%	0.0%	297
\$35,000 - \$49,999	34.4%	25.9%	26.3%	8.9%	4.5%	496
\$50,000 - \$99,999	32.6%	32.9%	20.6%	3.9%	10.0%	3,111
\$100,000+	49.9%	38.2%	7.3%	3.2%	1.5%	1,418
Household type						
Single adult, no children	35.1%	17.1%	8.1%	19.2%	20.5%	383
2+ adults, no children	45.8%	29.5%	11.6%	1.9%	11.2%	2,302
Single adult, 1+ children	66.9%	33.1%	0.0%	0.0%	0.0%	146
2+ adults, 1+ children	29.1%	40.0%	22.0%	4.9%	4.0%	3,022
All areas included in the study						
Benton County	30.8%	28.6%	15.7%	14.4%	10.5%	26,189
Chisago County	32.2%	36.5%	10.8%	7.9%	12.6%	38,039
Mille Lacs County	29.2%	42.9%	15.4%	6.6%	5.9%	18,979
Sherburne County	32.0%	33.0%	17.1%	9.6%	8.4%	60,770
Stearns County	33.0%	30.8%	21.4%	11.5%	3.3%	115,006
Entire five-county region	32.2%	32.8%	17.8%	10.5%	6.8%	258,982

29. About how often do you drink pop or soda (diet)?

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	Total
Sherburne County, Becker area total	47.0%	20.9%	15.9%	5.4%	10.8%	5,922
Gender						
Female	43.8%	27.1%	10.9%	9.7%	8.5%	2,964
Male	50.1%	14.6%	21.0%	1.2%	13.1%	2,958
Age						
18-34	64.9%	15.0%	13.2%	6.8%	0.0%	1,814
35-44	41.7%	21.6%	16.3%	5.4%	15.0%	1,556
45-54	36.3%	21.2%	15.9%	5.2%	21.4%	1,267
55-64	36.4%	21.9%	21.9%	4.6%	15.2%	688
65-74	22.6%	44.3%	22.9%	3.2%	7.1%	355
75+	64.8%	23.2%	7.6%	2.1%	2.1%	223
Highest level of education						
Less than high school diploma/GED	93.0%	0.0%	0.0%	0.0%	7.0%	68
High school diploma/GED	37.7%	31.8%	17.4%	2.8%	10.3%	816
Some college or AA degree	49.4%	19.4%	17.1%	5.9%	8.3%	2,018
Bachelor's degree or higher	46.0%	19.7%	15.3%	6.0%	12.9%	2,979
Household income (in 2012)						
Less than \$20,000	58.0%	28.4%	0.0%	9.0%	4.6%	245
\$20,000 - \$34,999	45.9%	24.4%	2.6%	3.9%	23.1%	287
\$35,000 - \$49,999	62.7%	18.0%	5.9%	5.3%	8.2%	501
\$50,000 - \$99,999	43.9%	17.7%	23.8%	2.9%	11.6%	3,116
\$100,000+	47.9%	26.9%	9.5%	5.6%	10.2%	1,428
Household type						
Single adult, no children	50.5%	20.3%	9.9%	10.4%	8.8%	362
2+ adults, no children	48.7%	20.2%	18.7%	3.0%	9.4%	2,305
Single adult, 1+ children	32.9%	49.1%	11.4%	0.0%	6.7%	156
2+ adults, 1+ children	45.7%	19.7%	15.1%	7.1%	12.5%	3,043
All areas included in the study						
Benton County	40.7%	22.9%	19.1%	7.2%	10.2%	25,929
Chisago County	34.8%	26.4%	12.6%	11.8%	14.5%	37,938
Mille Lacs County	37.6%	29.3%	13.3%	11.9%	7.9%	18,728
Sherburne County	49.1%	19.0%	12.2%	8.6%	11.1%	60,855
Stearns County	45.1%	26.5%	13.5%	8.4%	6.4%	112,846
Entire five-county region	43.5%	24.6%	13.6%	9.1%	9.2%	256,296

30. About how often do you drink energy drinks such as Red Bull, 5-hour Energy, or Monster?

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	Total
Sherburne County, Becker area total	78.3%	16.7%	1.3%	1.4%	2.3%	5,975
Gender						
Female	91.6%	7.6%	0.0%	0.8%	0.0%	2,994
Male	64.9%	25.8%	2.6%	2.0%	4.7%	2,981
Age						
18-34	61.3%	29.8%	0.0%	1.2%	7.6%	1,814
35-44	78.8%	13.6%	3.8%	3.8%	0.0%	1,556
45-54	81.5%	18.5%	0.0%	0.0%	0.0%	1,267
55-64	96.9%	1.8%	1.3%	0.0%	0.0%	707
65-74	100.0%	0.0%	0.0%	0.0%	0.0%	355
75+	96.3%	0.0%	3.7%	0.0%	0.0%	258
Highest level of education						
Less than high school diploma/GED	100.0%	0.0%	0.0%	0.0%	0.0%	64
High school diploma/GED	84.3%	7.5%	0.0%	0.0%	8.2%	848
Some college or AA degree	81.8%	17.3%	0.9%	0.0%	0.0%	2,044
Bachelor's degree or higher	74.8%	18.1%	2.0%	2.7%	2.3%	2,979
Household income (in 2012)						
Less than \$20,000	72.3%	27.7%	0.0%	0.0%	0.0%	255
\$20,000 - \$34,999	75.9%	20.9%	3.2%	0.0%	0.0%	297
\$35,000 - \$49,999	92.9%	7.1%	0.0%	0.0%	0.0%	501
\$50,000 - \$99,999	73.6%	21.3%	2.2%	0.7%	2.2%	3,142
\$100,000+	81.3%	9.7%	0.0%	4.2%	4.9%	1,428
Household type						
Single adult, no children	79.7%	0.0%	2.4%	0.0%	17.9%	387
2+ adults, no children	79.7%	17.3%	3.0%	0.0%	0.0%	2,333
Single adult, 1+ children	29.5%	26.2%	0.0%	0.0%	44.4%	156
2+ adults, 1+ children	79.1%	18.2%	0.0%	2.7%	0.0%	3,043
All areas included in the study						
Benton County	75.1%	15.6%	5.9%	1.1%	2.3%	26,720
Chisago County	77.0%	13.6%	7.8%	1.6%	0.0%	38,890
Mille Lacs County	89.8%	7.5%	0.9%	1.8%	0.0%	19,040
Sherburne County	78.5%	17.9%	2.5%	0.7%	0.4%	61,958
Stearns County	86.2%	8.3%	1.7%	3.7%	0.1%	115,655
Entire five-county region	82.1%	12.0%	3.2%	2.3%	0.4%	262,263

31. About how often do you drink other sugar-sweetened drinks such as sweet tea, coffee drinks, juice drinks, Kool-Aid, or Gatorade?

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	Total
Sherburne County, Becker area total	25.8%	38.9%	14.1%	10.9%	10.3%	5,915
Gender						
Female	30.3%	39.5%	12.3%	12.9%	5.0%	2,952
Male	21.4%	38.2%	15.8%	8.9%	15.6%	2,963
Age						
18-34	14.0%	48.9%	14.1%	10.1%	12.9%	1,792
35-44	33.4%	29.9%	12.6%	11.8%	12.3%	1,556
45-54	18.3%	42.4%	16.1%	11.6%	11.6%	1,267
55-64	36.0%	40.0%	13.7%	6.2%	4.2%	669
65-74	46.2%	26.3%	18.0%	9.5%	0.0%	355
75+	43.9%	22.8%	9.5%	19.0%	4.8%	258
Highest level of education						
Less than high school diploma/GED	23.6%	0.0%	64.6%	11.8%	0.0%	64
High school diploma/GED	34.2%	21.0%	19.9%	18.9%	5.9%	841
Some college or AA degree	23.4%	38.9%	11.8%	13.2%	12.8%	1,990
Bachelor's degree or higher	25.5%	45.3%	13.1%	7.3%	8.8%	2,979
Household income (in 2012)						
Less than \$20,000	15.1%	52.6%	12.6%	16.6%	3.0%	248
\$20,000 - \$34,999	37.9%	24.8%	12.0%	11.4%	13.8%	297
\$35,000 - \$49,999	17.5%	30.0%	15.1%	32.3%	5.1%	501
\$50,000 - \$99,999	25.8%	35.4%	18.8%	9.6%	10.5%	3,111
\$100,000+	23.2%	53.2%	7.4%	1.6%	14.6%	1,428
Household type						
Single adult, no children	29.7%	33.3%	11.8%	22.0%	3.2%	380
2+ adults, no children	27.5%	29.9%	18.1%	9.0%	15.5%	2,292
Single adult, 1+ children	20.1%	7.2%	53.8%	0.0%	19.0%	156
2+ adults, 1+ children	24.6%	47.1%	9.5%	11.7%	7.0%	3,030
All areas included in the study						
Benton County	21.4%	32.7%	21.1%	19.2%	5.6%	26,368
Chisago County	29.5%	26.9%	13.8%	23.2%	6.6%	39,118
Mille Lacs County	31.4%	29.9%	12.7%	17.0%	9.0%	19,121
Sherburne County	25.9%	35.5%	15.9%	15.2%	7.6%	61,733
Stearns County	25.2%	35.1%	17.8%	15.3%	6.6%	116,742
Entire five-county region	26.1%	33.4%	16.7%	17.0%	6.9%	263,083

32. About how often do you drink water?

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	Total
Sherburne County, Becker area total	0.4%	2.4%	3.2%	11.0%	83.0%	5,921
Gender						
Female	0.8%	1.1%	1.9%	10.2%	86.1%	2,949
Male	0.0%	3.8%	4.5%	11.8%	79.9%	2,972
Age						
18-34	1.3%	0.0%	1.3%	0.6%	96.9%	1,792
35-44	0.0%	3.9%	1.3%	14.2%	80.5%	1,556
45-54	0.0%	4.9%	9.7%	20.6%	64.8%	1,267
55-64	0.0%	1.3%	3.2%	15.3%	80.1%	688
65-74	0.0%	3.2%	0.0%	10.2%	86.6%	355
75+	0.0%	0.0%	0.0%	7.0%	93.0%	245
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	0.0%	0.0%	100.0%	53
High school diploma/GED	0.0%	7.3%	11.0%	12.0%	69.7%	833
Some college or AA degree	1.1%	3.5%	3.8%	9.6%	82.0%	2,015
Bachelor's degree or higher	0.0%	0.4%	0.7%	12.1%	86.8%	2,979
Household income (in 2012)						
Less than \$20,000	0.0%	12.2%	0.0%	13.0%	74.8%	257
\$20,000 - \$34,999	0.0%	0.0%	0.0%	10.7%	89.3%	297
\$35,000 - \$49,999	0.0%	7.8%	8.2%	14.5%	69.5%	501
\$50,000 - \$99,999	0.7%	2.0%	4.0%	9.6%	83.7%	3,124
\$100,000+	0.0%	0.8%	1.6%	13.0%	84.6%	1,428
Household type						
Single adult, no children	0.0%	12.4%	2.3%	12.0%	73.3%	404
2+ adults, no children	0.0%	1.4%	2.4%	9.4%	86.8%	2,277
Single adult, 1+ children	0.0%	0.0%	0.0%	7.2%	92.8%	156
2+ adults, 1+ children	0.7%	2.0%	4.1%	12.4%	80.7%	3,043
All areas included in the study						
Benton County	0.9%	0.8%	3.7%	11.9%	82.7%	26,612
Chisago County	1.2%	0.9%	3.0%	12.9%	82.0%	39,801
Mille Lacs County	0.6%	0.9%	3.5%	11.6%	83.3%	19,369
Sherburne County	0.2%	1.8%	5.0%	13.5%	79.5%	62,412
Stearns County	0.6%	1.4%	1.9%	14.6%	81.6%	117,225
Entire five-county region	0.6%	1.3%	3.1%	13.6%	81.4%	265,419

33. About how often do you drink milk?

	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day	Total
Sherburne County, Becker area total	13.4%	11.4%	13.9%	36.7%	24.6%	5,923
Gender						
Female	13.7%	11.8%	16.0%	30.6%	28.0%	2,971
Male	13.2%	11.0%	11.8%	42.8%	21.2%	2,952
Age						
18-34	13.3%	5.0%	12.5%	46.5%	22.6%	1,814
35-44	10.1%	18.8%	14.5%	33.1%	23.5%	1,556
45-54	18.5%	10.4%	16.1%	32.0%	23.0%	1,267
55-64	12.0%	6.6%	12.0%	35.2%	34.3%	688
65-74	6.6%	21.9%	17.3%	27.1%	27.1%	344
75+	24.1%	16.8%	11.3%	22.6%	25.2%	235
Highest level of education						
Less than high school diploma/GED	60.1%	0.0%	0.0%	18.0%	21.9%	68
High school diploma/GED	12.1%	11.9%	23.3%	37.2%	15.3%	816
Some college or AA degree	12.2%	10.4%	10.6%	35.7%	31.1%	2,019
Bachelor's degree or higher	13.7%	12.3%	12.7%	38.1%	23.1%	2,979
Household income (in 2012)						
Less than \$20,000	30.3%	5.7%	5.3%	50.2%	8.5%	264
\$20,000 - \$34,999	19.9%	17.8%	33.4%	14.4%	14.4%	276
\$35,000 - \$49,999	2.0%	18.3%	20.2%	43.0%	16.6%	486
\$50,000 - \$99,999	10.5%	12.8%	11.9%	42.9%	21.9%	3,124
\$100,000+	22.6%	4.2%	8.1%	28.3%	36.9%	1,428
Household type						
Single adult, no children	10.9%	11.4%	27.0%	41.3%	9.5%	378
2+ adults, no children	21.8%	11.1%	11.1%	36.1%	19.8%	2,290
Single adult, 1+ children	6.7%	0.0%	6.7%	23.3%	63.3%	156
2+ adults, 1+ children	7.8%	12.4%	15.0%	36.7%	28.0%	3,043
All areas included in the study						
Benton County	15.7%	15.1%	14.0%	33.6%	21.6%	26,761
Chisago County	11.1%	7.2%	16.6%	38.1%	26.9%	39,966
Mille Lacs County	7.8%	12.2%	11.1%	37.2%	31.6%	19,381
Sherburne County	10.5%	12.1%	19.9%	31.7%	25.9%	62,390
Stearns County	8.9%	9.9%	29.9%	29.0%	22.4%	116,984
Entire five-county region	10.2%	10.7%	22.6%	32.1%	24.5%	265,483

34. A serving of fruit is one medium sized fruit, or a half cup chopped, cut, or canned fruit. Yesterday, how many servings of fruit did you eat?

	0 servings	1-2 servings	3-4 servings	5 or more servings	Total
Sherburne County, Becker area total	19.5%	64.3%	14.8%	1.3%	5,955
Gender					
Female	15.2%	61.7%	20.4%	2.7%	2,974
Male	23.8%	66.9%	9.3%	0.0%	2,981
Age					
18-34	15.8%	68.7%	14.3%	1.2%	1,814
35-44	15.0%	58.0%	24.3%	2.7%	1,556
45-54	32.1%	61.8%	5.0%	1.2%	1,267
55-64	17.4%	67.1%	15.5%	0.0%	694
65-74	20.5%	69.3%	10.2%	0.0%	355
75+	13.4%	70.8%	15.8%	0.0%	250
Highest level of education					
Less than high school diploma/GED	0.0%	89.0%	11.0%	0.0%	68
High school diploma/GED	36.5%	51.4%	12.1%	0.0%	831
Some college or AA degree	23.4%	56.2%	18.7%	1.7%	2,049
Bachelor's degree or higher	12.8%	72.5%	13.3%	1.5%	2,966
Household income (in 2012)					
Less than \$20,000	34.0%	60.2%	5.8%	0.0%	257
\$20,000 - \$34,999	16.8%	73.7%	9.5%	0.0%	297
\$35,000 - \$49,999	28.9%	42.5%	21.2%	7.5%	478
\$50,000 - \$99,999	25.7%	58.1%	16.2%	0.0%	3,142
\$100,000+	2.2%	79.3%	15.4%	3.0%	1,428
Household type					
Single adult, no children	43.7%	48.9%	7.4%	0.0%	389
2+ adults, no children	25.5%	60.8%	13.0%	0.6%	2,311
Single adult, 1+ children	19.0%	74.3%	6.7%	0.0%	156
2+ adults, 1+ children	12.2%	68.9%	16.7%	2.1%	3,043
All areas included in the study					
Benton County	21.7%	66.2%	11.8%	0.3%	26,854
Chisago County	31.7%	47.8%	16.5%	4.0%	39,714
Mille Lacs County	15.9%	69.7%	14.1%	0.4%	19,368
Sherburne County	25.0%	58.8%	14.5%	1.7%	62,306
Stearns County	21.9%	60.7%	16.3%	1.1%	116,415
Entire five-county region	23.6%	59.5%	15.3%	1.5%	264,657

35. Yesterday, how many 6 ounce servings of 100% fruit juice did you drink?

	0 servings	1-2 servings	3-4 servings	5 or more servings	Total
Sherburne County, Becker area total	66.0%	31.3%	2.7%	0.0%	5,947
Gender					
Female	70.7%	28.6%	0.8%	0.0%	2,994
Male	61.2%	34.1%	4.7%	0.0%	2,953
Age					
18-34	69.1%	22.0%	8.9%	0.0%	1,814
35-44	69.6%	30.4%	0.0%	0.0%	1,556
45-54	62.9%	37.1%	0.0%	0.0%	1,267
55-64	68.7%	31.3%	0.0%	0.0%	688
65-74	64.0%	36.0%	0.0%	0.0%	355
75+	36.5%	63.5%	0.0%	0.0%	248
Highest level of education					
Less than high school diploma/GED	93.0%	7.0%	0.0%	0.0%	68
High school diploma/GED	68.5%	31.5%	0.0%	0.0%	831
Some college or AA degree	68.7%	31.3%	0.0%	0.0%	2,038
Bachelor's degree or higher	63.7%	30.8%	5.4%	0.0%	2,969
Household income (in 2012)					
Less than \$20,000	70.1%	29.9%	0.0%	0.0%	272
\$20,000 - \$34,999	63.3%	36.7%	0.0%	0.0%	297
\$35,000 - \$49,999	63.1%	36.9%	0.0%	0.0%	491
\$50,000 - \$99,999	61.8%	33.0%	5.2%	0.0%	3,124
\$100,000+	72.0%	28.0%	0.0%	0.0%	1,428
Household type					
Single adult, no children	55.1%	44.9%	0.0%	0.0%	396
2+ adults, no children	67.2%	31.8%	1.0%	0.0%	2,296
Single adult, 1+ children	43.7%	56.3%	0.0%	0.0%	156
2+ adults, 1+ children	67.7%	27.7%	4.6%	0.0%	3,043
All areas included in the study					
Benton County	64.6%	31.5%	3.8%	0.1%	26,110
Chisago County	68.4%	30.1%	1.2%	0.4%	39,725
Mille Lacs County	58.5%	40.0%	0.5%	1.0%	19,428
Sherburne County	63.3%	32.5%	2.8%	1.3%	62,146
Stearns County	69.2%	29.6%	0.8%	0.5%	116,222
Entire five-county region	66.4%	31.3%	1.6%	0.7%	263,631

36. A serving of vegetables is a half cup of any vegetable or one cup of salad greens. Yesterday, how many servings of vegetables did you eat?

	0 servings	1-2 servings	3-4 servings	5 or more servings	Total
Sherburne County, Becker area total	14.1%	62.6%	20.1%	3.2%	5,983
Gender					
Female	7.2%	56.8%	29.6%	6.5%	3,001
Male	21.0%	68.5%	10.5%	0.0%	2,981
Age					
18-34	24.2%	44.0%	26.9%	5.0%	1,814
35-44	7.3%	58.2%	29.1%	5.4%	1,556
45-54	12.6%	78.7%	8.1%	0.6%	1,267
55-64	12.6%	71.3%	14.3%	1.8%	707
65-74	5.8%	82.5%	11.7%	0.0%	355
75+	7.2%	87.1%	5.7%	0.0%	265
Highest level of education					
Less than high school diploma/GED	60.1%	39.9%	0.0%	0.0%	68
High school diploma/GED	23.7%	62.4%	11.2%	2.7%	838
Some college or AA degree	11.0%	61.5%	24.4%	3.1%	2,056
Bachelor's degree or higher	12.6%	63.5%	20.4%	3.6%	2,979
Household income (in 2012)					
Less than \$20,000	11.5%	63.9%	24.6%	0.0%	272
\$20,000 - \$34,999	18.5%	64.8%	16.7%	0.0%	297
\$35,000 - \$49,999	11.7%	48.4%	31.1%	8.9%	491
\$50,000 - \$99,999	12.9%	66.2%	18.2%	2.8%	3,142
\$100,000+	19.1%	55.1%	21.4%	4.4%	1,428
Household type					
Single adult, no children	25.3%	69.2%	5.5%	0.0%	404
2+ adults, no children	25.9%	63.6%	10.5%	0.0%	2,324
Single adult, 1+ children	25.7%	56.3%	13.4%	4.7%	156
2+ adults, 1+ children	3.2%	62.0%	28.7%	6.1%	3,043
All areas included in the study					
Benton County	14.8%	63.5%	20.1%	1.5%	26,925
Chisago County	13.7%	62.9%	16.8%	6.6%	39,753
Mille Lacs County	9.3%	70.8%	17.6%	2.2%	19,238
Sherburne County	14.6%	61.9%	18.5%	5.0%	62,350
Stearns County	21.3%	55.2%	21.5%	2.0%	116,446
Entire five-county region	17.1%	59.9%	19.7%	3.3%	264,713

37. Number of fruits and vegetables eaten yesterday (Mean, calculated variable)

	Mean	Total
Sherburne County, Becker area total	3.8	5,919
Gender		
Female	4.3	2,966
Male	3.3	2,953
Age		
18-34	4.0	1,814
35-44	4.3	1,556
45-54	3.2	1,267
55-64	3.8	676
65-74	3.4	355
75+	3.4	233
Highest level of education		
Less than high school diploma/GED	1.9	68
High school diploma/GED	3.1	823
Some college or AA degree	3.9	2,030
Bachelor's degree or higher	4.0	2,957
Household income (in 2012)		
Less than \$20,000	3.1	257
\$20,000 - \$34,999	3.1	297
\$35,000 - \$49,999	4.2	478
\$50,000 - \$99,999	3.8	3,124
\$100,000+	4.0	1,428
Household type		
Single adult, no children	2.4	381
2+ adults, no children	2.9	2,283
Single adult, 1+ children	3.8	156
2+ adults, 1+ children	4.6	3,043
All areas included in the study		
Benton County	3.5	25,997
Chisago County	3.9	39,472
Mille Lacs County	3.8	19,113
Sherburne County	3.9	61,828
Stearns County	3.5	115,025
Entire five-county region	3.7	261,435

38. Number of fruits and vegetables eaten yesterday (calculated variable)

	0 servings	1-2 servings	3-4 servings	5 or more servings	Total
Sherburne County, Becker area total	6.5%	22.1%	37.0%	34.4%	5,919
Gender					
Female	1.9%	18.2%	37.1%	42.8%	2,966
Male	11.2%	26.0%	37.0%	25.9%	2,953
Age					
18-34	11.5%	18.3%	29.6%	40.7%	1,814
35-44	3.9%	16.8%	37.2%	42.0%	1,556
45-54	6.5%	32.3%	38.1%	23.1%	1,267
55-64	3.8%	23.8%	41.1%	31.2%	676
65-74	0.0%	25.0%	50.6%	24.3%	355
75+	4.1%	22.8%	50.6%	22.5%	233
Highest level of education					
Less than high school diploma/GED	0.0%	60.1%	39.9%	0.0%	68
High school diploma/GED	20.0%	24.5%	26.6%	29.0%	823
Some college or AA degree	4.1%	22.8%	39.1%	33.9%	2,030
Bachelor's degree or higher	4.7%	20.3%	37.6%	37.4%	2,957
Household income (in 2012)					
Less than \$20,000	12.2%	25.3%	33.9%	28.5%	257
\$20,000 - \$34,999	0.0%	33.8%	56.5%	9.7%	297
\$35,000 - \$49,999	8.6%	20.4%	27.2%	43.8%	478
\$50,000 - \$99,999	9.6%	21.8%	35.3%	33.2%	3,124
\$100,000+	0.0%	22.0%	36.6%	41.4%	1,428
Household type					
Single adult, no children	18.2%	35.4%	36.9%	9.5%	381
2+ adults, no children	10.2%	32.0%	35.6%	22.2%	2,283
Single adult, 1+ children	19.0%	6.7%	11.9%	62.4%	156
2+ adults, 1+ children	1.8%	14.2%	40.1%	43.9%	3,043
All areas included in the study					
Benton County	4.9%	29.2%	34.5%	31.4%	25,997
Chisago County	7.3%	28.0%	30.7%	34.0%	39,472
Mille Lacs County	4.3%	18.0%	46.9%	30.7%	19,113
Sherburne County	6.2%	24.4%	33.0%	36.4%	61,828
Stearns County	9.0%	26.9%	30.2%	33.9%	115,025
Entire five-county region	7.3%	26.0%	32.6%	34.0%	261,435

39. During the past 7 days, how many times did you eat from a fast food restaurant, including carry-out or delivery?

	0 times	1-2 times	3-6 times	7-10 times	11-14 times	15 or more times	Total
Sherburne County, Becker area total	30.5%	58.3%	10.2%	1.0%	0.0%	0.0%	5,959
Gender							
Female	31.3%	62.9%	5.8%	0.0%	0.0%	0.0%	2,968
Male	29.8%	53.6%	14.6%	2.0%	0.0%	0.0%	2,991
Age							
18-34	32.2%	59.1%	8.8%	0.0%	0.0%	0.0%	1,814
35-44	13.8%	63.9%	18.5%	3.8%	0.0%	0.0%	1,556
45-54	32.5%	59.8%	7.7%	0.0%	0.0%	0.0%	1,259
55-64	31.6%	61.8%	6.5%	0.0%	0.0%	0.0%	681
65-74	52.0%	44.1%	3.9%	0.0%	0.0%	0.0%	355
75+	70.0%	27.3%	2.7%	0.0%	0.0%	0.0%	275
Highest level of education							
Less than high school diploma/GED	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	68
High school diploma/GED	44.2%	51.0%	4.8%	0.0%	0.0%	0.0%	848
Some college or AA degree	29.0%	62.3%	8.7%	0.0%	0.0%	0.0%	2,030
Bachelor's degree or higher	25.1%	59.7%	13.2%	2.0%	0.0%	0.0%	2,972
Household income (in 2012)							
Less than \$20,000	43.1%	56.9%	0.0%	0.0%	0.0%	0.0%	272
\$20,000 - \$34,999	59.0%	38.5%	2.5%	0.0%	0.0%	0.0%	297
\$35,000 - \$49,999	32.9%	58.9%	8.2%	0.0%	0.0%	0.0%	501
\$50,000 - \$99,999	27.6%	59.8%	10.7%	1.9%	0.0%	0.0%	3,109
\$100,000+	29.8%	54.7%	15.6%	0.0%	0.0%	0.0%	1,428
Household type							
Single adult, no children	60.3%	36.0%	3.7%	0.0%	0.0%	0.0%	404
2+ adults, no children	28.6%	57.8%	11.1%	2.6%	0.0%	0.0%	2,308
Single adult, 1+ children	6.7%	44.2%	49.1%	0.0%	0.0%	0.0%	156
2+ adults, 1+ children	29.3%	62.1%	8.6%	0.0%	0.0%	0.0%	3,043
All areas included in the study							
Benton County	32.9%	51.5%	14.1%	1.4%	0.0%	0.0%	27,028
Chisago County	31.4%	59.7%	7.9%	0.6%	0.3%	0.0%	40,040
Mille Lacs County	38.6%	48.1%	9.9%	3.3%	0.0%	0.0%	19,482
Sherburne County	32.5%	50.7%	14.4%	1.5%	0.6%	0.3%	62,493
Stearns County	28.3%	51.7%	18.9%	1.0%	0.0%	0.1%	117,390
Entire five-county region	31.0%	52.4%	15.1%	1.3%	0.2%	0.1%	266,433

40. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies? (Mean)

	Mean	Total
Sherburne County, Becker area total	146.0	5,985
Gender		
Female	149.5	2,994
Male	142.5	2,991
Age		
18-34	124.3	1,814
35-44	137.6	1,556
45-54	166.5	1,267
55-64	172.6	707
65-74	194.0	355
75+	120.0	268
Highest level of education		
Less than high school diploma/GED	219.2	68
High school diploma/GED	185.2	840
Some college or AA degree	153.8	2,056
Bachelor's degree or higher	129.5	2,979
Household income (in 2012)		
Less than \$20,000	210.7	272
\$20,000 - \$34,999	175.1	297
\$35,000 - \$49,999	146.6	501
\$50,000 - \$99,999	148.7	3,142
\$100,000+	131.7	1,428
Household type		
Single adult, no children	140.8	396
2+ adults, no children	175.1	2,333
Single adult, 1+ children	160.3	156
2+ adults, 1+ children	124.7	3,043
All areas included in the study		
Benton County	194.6	26,598
Chisago County	154.5	39,944
Mille Lacs County	172.9	19,280
Sherburne County	182.1	62,170
Stearns County	191.8	115,040
Entire five-county region	182.7	263,032

41. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies?

	0 minutes	Less than 1 hour	1 hour to less than 2 hours	2 hour to less than 3 hours	3 hour to less than 4 hours	4 hour to less than 5 hours	5 or more hours	Total
Sherburne County, Becker area total	4.5%	9.9%	22.7%	26.1%	18.3%	7.4%	11.1%	5,985
Gender								
Female	3.1%	8.8%	25.6%	29.0%	13.3%	7.9%	12.3%	2,994
Male	5.9%	10.9%	19.8%	23.3%	23.2%	7.0%	9.9%	2,991
Age								
18-34	0.0%	12.0%	30.2%	23.1%	27.9%	1.2%	5.6%	1,814
35-44	7.1%	3.4%	19.8%	42.8%	13.7%	7.8%	5.4%	1,556
45-54	0.0%	12.9%	24.2%	17.8%	15.4%	12.7%	16.9%	1,267
55-64	1.8%	16.0%	17.9%	18.8%	20.8%	5.2%	19.4%	707
65-74	10.2%	10.2%	10.2%	21.2%	3.2%	22.6%	22.4%	355
75+	36.5%	3.6%	8.9%	16.8%	7.4%	8.4%	18.4%	268
Highest level of education								
Less than high school diploma/GED	11.0%	0.0%	0.0%	21.9%	7.0%	0.0%	60.1%	68
High school diploma/GED	10.4%	9.3%	20.2%	17.6%	3.3%	7.0%	32.1%	840
Some college or AA degree	1.8%	7.3%	21.9%	31.6%	15.3%	10.1%	12.0%	2,056
Bachelor's degree or higher	4.5%	10.8%	24.8%	25.2%	25.0%	6.0%	3.6%	2,979
Household income (in 2012)								
Less than \$20,000	8.3%	12.4%	9.9%	27.3%	4.5%	8.5%	29.1%	272
\$20,000 - \$34,999	11.1%	13.8%	1.6%	18.7%	20.6%	18.4%	15.8%	297
\$35,000 - \$49,999	5.1%	6.3%	21.3%	38.5%	10.1%	2.8%	15.8%	501
\$50,000 - \$99,999	2.3%	11.3%	22.3%	27.3%	18.2%	7.2%	11.5%	3,142
\$100,000+	0.0%	5.6%	33.3%	24.8%	24.3%	8.1%	4.1%	1,428

41. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies? (continued)

	0 minutes	Less than 1 hour	1 hour to less than 2 hours	2 hour to less than 3 hours	3 hour to less than 4 hours	4 hour to less than 5 hours	5 or more hours	Total
Household type								
Single adult, no children	11.6%	0.0%	22.1%	29.8%	16.0%	9.4%	11.1%	396
2+ adults, no children	4.2%	7.5%	16.5%	19.8%	27.9%	9.2%	15.0%	2,333
Single adult, 1+ children	0.0%	4.7%	25.7%	11.4%	44.4%	0.0%	13.9%	156
2+ adults, 1+ children	3.6%	13.5%	27.8%	30.4%	10.1%	6.4%	8.2%	3,043
All areas included in the study								
Benton County	5.5%	11.2%	16.1%	21.4%	15.7%	10.9%	19.3%	26,598
Chisago County	2.4%	7.4%	26.3%	26.7%	15.9%	9.8%	11.5%	39,944
Mille Lacs County	7.9%	4.5%	17.6%	27.3%	13.8%	11.5%	17.5%	19,280
Sherburne County	2.2%	7.3%	17.9%	26.9%	18.7%	8.6%	18.5%	62,170
Stearns County	3.5%	4.9%	19.1%	28.2%	19.7%	9.3%	15.3%	115,040
Entire five-county region	3.6%	6.5%	19.5%	26.9%	18.0%	9.5%	16.0%	263,032

42. During an average week, whether at work, at home, or anywhere else, on how many days do you get at least 30 minutes of moderate physical activity? (Moderate exercise 3+ days)

	Moderate exercise on 0-2 days per week	Moderate exercise on 3 or more days per week	Total
Sherburne County, Becker area total	31.5%	68.5%	5,926
Gender			
Female	33.3%	66.7%	2,954
Male	29.7%	70.3%	2,972
Age			
18-34	16.1%	83.9%	1,814
35-44	31.4%	68.6%	1,556
45-54	47.6%	52.4%	1,267
55-64	31.4%	68.6%	672
65-74	45.7%	54.3%	348
75+	37.3%	62.7%	250
Highest level of education			
Less than high school diploma/GED	11.0%	89.0%	68
High school diploma/GED	35.6%	64.4%	814
Some college or AA degree	32.9%	67.1%	2,024
Bachelor's degree or higher	30.3%	69.7%	2,979
Household income (in 2012)			
Less than \$20,000	20.1%	79.9%	272
\$20,000 - \$34,999	44.3%	55.7%	297
\$35,000 - \$49,999	44.1%	55.9%	484
\$50,000 - \$99,999	34.5%	65.5%	3,107
\$100,000+	24.9%	75.1%	1,428
Household type			
Single adult, no children	39.4%	60.6%	388
2+ adults, no children	28.6%	71.4%	2,298
Single adult, 1+ children	13.9%	86.1%	156
2+ adults, 1+ children	32.9%	67.1%	3,043
All areas included in the study			
Benton County	33.6%	66.4%	26,641
Chisago County	31.7%	68.3%	39,791
Mille Lacs County	39.0%	61.0%	19,387
Sherburne County	32.4%	67.6%	62,254
Stearns County	29.1%	70.9%	115,181
Entire five-county region	31.5%	68.5%	263,254

43. During an average week, whether at work, at home, or anywhere else, on how many days do you get at least 30 minutes of moderate physical activity? (Moderate exercise 5+ days)

	Moderate exercise on 0-4 days per week	Moderate exercise on 5 or more days per week	Total
Sherburne County, Becker area total	61.2%	38.8%	5,926
Gender			
Female	67.6%	32.4%	2,954
Male	54.9%	45.1%	2,972
Age			
18-34	53.3%	46.7%	1,814
35-44	61.0%	39.0%	1,556
45-54	69.5%	30.5%	1,267
55-64	62.2%	37.8%	672
65-74	70.0%	30.0%	348
75+	61.0%	39.0%	250
Highest level of education			
Less than high school diploma/GED	100.0%	0.0%	68
High school diploma/GED	69.7%	30.3%	814
Some college or AA degree	62.7%	37.3%	2,024
Bachelor's degree or higher	57.9%	42.1%	2,979
Household income (in 2012)			
Less than \$20,000	87.7%	12.3%	272
\$20,000 - \$34,999	55.9%	44.1%	297
\$35,000 - \$49,999	69.6%	30.4%	484
\$50,000 - \$99,999	62.3%	37.7%	3,107
\$100,000+	58.3%	41.7%	1,428
Household type			
Single adult, no children	68.1%	31.9%	388
2+ adults, no children	56.2%	43.8%	2,298
Single adult, 1+ children	25.3%	74.7%	156
2+ adults, 1+ children	65.7%	34.3%	3,043
All areas included in the study			
Benton County	60.9%	39.1%	26,641
Chisago County	52.2%	47.8%	39,791
Mille Lacs County	61.7%	38.3%	19,387
Sherburne County	60.6%	39.4%	62,254
Stearns County	65.3%	34.7%	115,181
Entire five-county region	61.5%	38.5%	263,254

44. How often do you feel safe in your community?

	Always	Often	Sometimes	Never	Total
Sherburne County, Becker area total	71.7%	27.4%	0.4%	0.5%	5,992
Gender					
Female	72.3%	26.9%	0.5%	0.4%	3,001
Male	71.1%	28.0%	0.3%	0.6%	2,991
Age					
18-34	70.5%	28.9%	0.0%	0.6%	1,814
35-44	70.2%	29.8%	0.0%	0.0%	1,556
45-54	73.1%	26.9%	0.0%	0.0%	1,267
55-64	69.4%	28.0%	0.0%	2.6%	707
65-74	73.0%	27.0%	0.0%	0.0%	355
75+	83.1%	7.9%	8.9%	0.0%	275
Highest level of education					
Less than high school diploma/GED	100.0%	0.0%	0.0%	0.0%	68
High school diploma/GED	74.2%	24.7%	1.1%	0.0%	848
Some college or AA degree	64.7%	33.1%	0.7%	1.4%	2,056
Bachelor's degree or higher	74.7%	25.3%	0.0%	0.0%	2,979
Household income (in 2012)					
Less than \$20,000	50.7%	45.1%	0.0%	4.1%	272
\$20,000 - \$34,999	64.2%	30.7%	5.1%	0.0%	297
\$35,000 - \$49,999	75.1%	23.0%	1.9%	0.0%	501
\$50,000 - \$99,999	74.8%	25.2%	0.0%	0.0%	3,142
\$100,000+	70.9%	27.8%	0.0%	1.3%	1,428
Household type					
Single adult, no children	84.3%	15.7%	0.0%	0.0%	404
2+ adults, no children	74.8%	23.3%	1.1%	0.8%	2,333
Single adult, 1+ children	28.4%	64.4%	0.0%	7.2%	156
2+ adults, 1+ children	69.3%	30.7%	0.0%	0.0%	3,043
All areas included in the study					
Benton County	54.3%	39.4%	5.8%	0.5%	27,101
Chisago County	66.9%	30.9%	1.8%	0.4%	40,004
Mille Lacs County	62.9%	33.6%	2.8%	0.6%	19,430
Sherburne County	67.5%	28.7%	2.6%	1.2%	62,486
Stearns County	52.9%	38.9%	7.3%	0.8%	116,842
Entire five-county region	59.3%	35.0%	4.9%	0.8%	265,863

45. Are you in a relationship where you are (or have ever been) physically hurt, threatened, or made to feel afraid?

	Yes	No	Total
Sherburne County, Becker area total	1.8%	98.2%	5,981
Gender			
Female	3.0%	97.0%	3,001
Male	0.6%	99.4%	2,980
Age			
18-34	0.6%	99.4%	1,814
35-44	1.3%	98.7%	1,556
45-54	1.7%	98.3%	1,267
55-64	2.6%	97.4%	707
65-74	3.9%	96.1%	355
75+	8.2%	91.8%	275
Highest level of education			
Less than high school diploma/GED	0.0%	100.0%	68
High school diploma/GED	2.5%	97.5%	848
Some college or AA degree	4.3%	95.7%	2,056
Bachelor's degree or higher	0.0%	100.0%	2,968
Household income (in 2012)			
Less than \$20,000	6.9%	93.1%	272
\$20,000 - \$34,999	12.5%	87.5%	297
\$35,000 - \$49,999	0.0%	100.0%	489
\$50,000 - \$99,999	1.7%	98.3%	3,142
\$100,000+	0.0%	100.0%	1,428
Household type			
Single adult, no children	1.9%	98.1%	393
2+ adults, no children	2.0%	98.0%	2,333
Single adult, 1+ children	7.2%	92.8%	156
2+ adults, 1+ children	1.4%	98.6%	3,043
All areas included in the study			
Benton County	3.9%	96.1%	27,057
Chisago County	5.4%	94.6%	40,040
Mille Lacs County	3.2%	96.8%	19,482
Sherburne County	2.7%	97.3%	62,490
Stearns County	5.0%	95.0%	117,451
Entire five-county region	4.3%	95.7%	266,520

46. How often do you wear a seat belt when you drive or ride in a car or other vehicle?

	Always	Often	Sometimes	Never	Total
Sherburne County, Becker area total	95.0%	4.4%	0.7%	0.0%	5,999
Gender					
Female	98.6%	1.4%	0.0%	0.0%	3,008
Male	91.3%	7.4%	1.4%	0.0%	2,991
Age					
18-34	96.2%	3.8%	0.0%	0.0%	1,814
35-44	94.3%	5.7%	0.0%	0.0%	1,556
45-54	92.5%	4.3%	3.2%	0.0%	1,289
55-64	95.9%	4.1%	0.0%	0.0%	707
65-74	100.0%	0.0%	0.0%	0.0%	355
75+	97.1%	2.9%	0.0%	0.0%	260
Highest level of education					
Less than high school diploma/GED	100.0%	0.0%	0.0%	0.0%	68
High school diploma/GED	85.4%	9.8%	4.8%	0.0%	855
Some college or AA degree	96.6%	3.4%	0.0%	0.0%	2,034
Bachelor's degree or higher	96.4%	3.6%	0.0%	0.0%	3,001
Household income (in 2012)					
Less than \$20,000	100.0%	0.0%	0.0%	0.0%	272
\$20,000 - \$34,999	97.5%	2.5%	0.0%	0.0%	297
\$35,000 - \$49,999	89.6%	2.2%	8.2%	0.0%	501
\$50,000 - \$99,999	95.1%	4.9%	0.0%	0.0%	3,165
\$100,000+	93.9%	6.1%	0.0%	0.0%	1,450
Household type					
Single adult, no children	75.9%	24.1%	0.0%	0.0%	404
2+ adults, no children	96.5%	1.8%	1.8%	0.0%	2,333
Single adult, 1+ children	100.0%	0.0%	0.0%	0.0%	156
2+ adults, 1+ children	96.0%	4.0%	0.0%	0.0%	3,065
All areas included in the study					
Benton County	95.3%	3.5%	0.9%	0.2%	26,836
Chisago County	87.1%	5.0%	6.4%	1.5%	39,858
Mille Lacs County	93.5%	4.5%	1.2%	0.8%	19,186
Sherburne County	94.6%	3.5%	1.4%	0.6%	62,551
Stearns County	94.4%	3.8%	0.7%	1.2%	117,471
Entire five-county region	93.4%	3.9%	1.8%	1.0%	265,902

47. Do you ever drive a car or other vehicle?

	Yes	No	Total
Sherburne County, Becker area total	97.9%	2.1%	6,037
Gender			
Female	97.2%	2.8%	3,046
Male	98.6%	1.4%	2,991
Age			
18-34	99.4%	0.6%	1,837
35-44	100.0%	0.0%	1,556
45-54	96.8%	3.2%	1,289
55-64	100.0%	0.0%	707
65-74	96.1%	3.9%	355
75+	78.2%	21.8%	275
Highest level of education			
Less than high school diploma/GED	100.0%	0.0%	68
High school diploma/GED	93.2%	6.8%	870
Some college or AA degree	96.7%	3.3%	2,056
Bachelor's degree or higher	100.0%	0.0%	3,001
Household income (in 2012)			
Less than \$20,000	84.8%	15.2%	272
\$20,000 - \$34,999	100.0%	0.0%	297
\$35,000 - \$49,999	100.0%	0.0%	501
\$50,000 - \$99,999	98.5%	1.5%	3,165
\$100,000+	100.0%	0.0%	1,450
Household type			
Single adult, no children	92.6%	7.4%	404
2+ adults, no children	97.0%	3.0%	2,356
Single adult, 1+ children	92.8%	7.2%	156
2+ adults, 1+ children	100.0%	0.0%	3,065
All areas included in the study			
Benton County	94.8%	5.2%	27,116
Chisago County	98.4%	1.6%	40,040
Mille Lacs County	94.0%	6.0%	19,186
Sherburne County	97.0%	3.0%	62,689
Stearns County	96.5%	3.5%	117,359
Entire five-county region	96.6%	3.4%	266,390

48. (Of those who said they drive) When driving a car or other vehicle, how often do you read incoming text messages or emails?

	Often	Sometimes	Never	Total
Sherburne County, Becker area total	8.7%	40.2%	51.0%	5,679
Gender				
Female	3.1%	47.1%	49.8%	2,823
Male	14.3%	33.4%	52.3%	2,856
Age				
18-34	11.4%	47.4%	41.2%	1,803
35-44	15.8%	51.6%	32.6%	1,444
45-54	4.9%	41.1%	54.0%	1,248
55-64	0.0%	24.5%	75.5%	676
65-74	0.0%	0.0%	100.0%	320
75+	0.0%	0.0%	100.0%	180
Highest level of education				
Less than high school diploma/GED	0.0%	0.0%	100.0%	56
High school diploma/GED	3.0%	10.2%	86.8%	751
Some college or AA degree	5.3%	45.9%	48.8%	1,937
Bachelor's degree or higher	12.8%	45.5%	41.6%	2,894
Household income (in 2012)				
Less than \$20,000	33.1%	18.8%	48.1%	179
\$20,000 - \$34,999	0.0%	18.8%	81.2%	284
\$35,000 - \$49,999	0.0%	19.4%	80.6%	453
\$50,000 - \$99,999	9.4%	40.5%	50.1%	3,036
\$100,000+	4.4%	54.5%	41.1%	1,409
Household type				
Single adult, no children	0.0%	20.7%	79.3%	336
2+ adults, no children	11.1%	30.6%	58.3%	2,195
Single adult, 1+ children	0.0%	82.7%	17.3%	145
2+ adults, 1+ children	8.6%	46.9%	44.5%	2,962
All areas included in the study				
Benton County	4.4%	40.4%	55.2%	24,465
Chisago County	9.7%	40.2%	50.1%	38,155
Mille Lacs County	2.5%	37.8%	59.7%	16,894
Sherburne County	5.2%	44.4%	50.4%	58,353
Stearns County	7.9%	49.1%	43.0%	108,369
Entire five-county region	6.8%	45.0%	48.2%	246,236

49. (Of those who said they drive) When driving a car or other vehicle, how often do you send text messages or emails?

	Often	Sometimes	Never	Total
Sherburne County, Becker area total	3.6%	26.3%	70.1%	5,679
Gender				
Female	2.3%	26.9%	70.8%	2,823
Male	4.9%	25.7%	69.4%	2,856
Age				
18-34	10.2%	28.4%	61.4%	1,803
35-44	1.4%	48.4%	50.1%	1,444
45-54	0.0%	17.5%	82.5%	1,248
55-64	0.0%	9.4%	90.6%	676
65-74	0.0%	0.0%	100.0%	320
75+	0.0%	0.0%	100.0%	188
Highest level of education				
Less than high school diploma/GED	0.0%	0.0%	100.0%	56
High school diploma/GED	0.0%	9.5%	90.5%	758
Some college or AA degree	2.2%	32.3%	65.4%	1,937
Bachelor's degree or higher	5.6%	27.6%	66.8%	2,887
Household income (in 2012)				
Less than \$20,000	0.0%	49.8%	50.2%	187
\$20,000 - \$34,999	0.0%	11.1%	88.9%	284
\$35,000 - \$49,999	0.0%	14.6%	85.4%	453
\$50,000 - \$99,999	6.8%	24.7%	68.5%	3,029
\$100,000+	0.0%	25.2%	74.8%	1,409
Household type				
Single adult, no children	0.0%	5.5%	94.5%	336
2+ adults, no children	7.4%	25.8%	66.9%	2,195
Single adult, 1+ children	0.0%	82.7%	17.3%	145
2+ adults, 1+ children	1.5%	25.5%	73.0%	2,962
All areas included in the study				
Benton County	1.2%	22.8%	75.9%	24,484
Chisago County	8.5%	20.3%	71.2%	38,155
Mille Lacs County	0.9%	15.9%	83.2%	16,894
Sherburne County	3.2%	30.4%	66.4%	58,397
Stearns County	7.0%	33.9%	59.2%	108,202
Entire five-county region	5.3%	28.6%	66.1%	246,133

50. (Of those who said they drive) When driving a car or other vehicle, how often do you make or answer a phone call?

	Often	Sometimes	Never	Total
Sherburne County, Becker area total	25.6%	67.3%	7.1%	5,702
Gender				
Female	22.9%	70.0%	7.1%	2,846
Male	28.4%	64.6%	7.0%	2,856
Age				
18-34	21.2%	78.8%	0.0%	1,826
35-44	42.8%	53.1%	4.1%	1,444
45-54	29.0%	64.1%	6.8%	1,248
55-64	9.3%	90.7%	0.0%	676
65-74	8.0%	52.7%	39.3%	313
75+	0.0%	28.4%	71.6%	188
Highest level of education				
Less than high school diploma/GED	0.0%	0.0%	100.0%	56
High school diploma/GED	14.0%	69.1%	16.9%	758
Some college or AA degree	31.5%	63.8%	4.7%	1,930
Bachelor's degree or higher	25.6%	70.0%	4.3%	2,917
Household income (in 2012)				
Less than \$20,000	31.7%	48.2%	20.1%	187
\$20,000 - \$34,999	11.5%	52.2%	36.4%	284
\$35,000 - \$49,999	12.5%	85.4%	2.1%	447
\$50,000 - \$99,999	27.5%	67.4%	5.1%	3,036
\$100,000+	22.0%	73.9%	4.1%	1,432
Household type				
Single adult, no children	16.5%	73.5%	10.0%	337
2+ adults, no children	22.8%	66.1%	11.1%	2,195
Single adult, 1+ children	39.9%	60.1%	0.0%	145
2+ adults, 1+ children	28.4%	67.4%	4.2%	2,984
All areas included in the study				
Benton County	28.2%	58.3%	13.5%	24,490
Chisago County	33.8%	53.6%	12.6%	37,896
Mille Lacs County	25.3%	58.2%	16.5%	16,822
Sherburne County	28.0%	61.4%	10.5%	58,291
Stearns County	25.5%	62.3%	12.1%	107,813
Entire five-county region	27.7%	60.1%	12.2%	245,312

51. (Of those who said they drive) When driving a car or other vehicle, how often do you do other activities such as eat, read, or apply makeup or shave?

	Often	Sometimes	Never	Total
Sherburne County, Becker area total	4.2%	53.5%	42.3%	5,795
Gender				
Female	2.1%	52.9%	45.0%	2,923
Male	6.3%	54.2%	39.6%	2,872
Age				
18-34	7.6%	44.3%	48.1%	1,826
35-44	2.1%	51.2%	46.7%	1,465
45-54	5.6%	67.6%	26.7%	1,248
55-64	0.0%	64.8%	35.2%	688
65-74	0.0%	66.5%	33.5%	334
75+	0.0%	11.1%	88.9%	215
Highest level of education				
Less than high school diploma/GED	0.0%	67.1%	32.9%	68
High school diploma/GED	6.3%	30.5%	63.2%	773
Some college or AA degree	1.6%	60.2%	38.1%	1,970
Bachelor's degree or higher	5.4%	55.5%	39.0%	2,942
Household income (in 2012)				
Less than \$20,000	0.0%	38.3%	61.7%	199
\$20,000 - \$34,999	7.4%	17.7%	74.9%	297
\$35,000 - \$49,999	8.2%	49.1%	42.7%	501
\$50,000 - \$99,999	5.8%	52.9%	41.2%	3,050
\$100,000+	0.0%	61.3%	38.7%	1,432
Household type				
Single adult, no children	2.0%	30.4%	67.6%	367
2+ adults, no children	8.0%	49.6%	42.3%	2,236
Single adult, 1+ children	7.2%	87.7%	5.1%	145
2+ adults, 1+ children	1.4%	57.0%	41.6%	3,005
All areas included in the study				
Benton County	5.2%	34.5%	60.3%	25,277
Chisago County	10.8%	43.2%	46.0%	38,729
Mille Lacs County	4.9%	41.7%	53.4%	17,770
Sherburne County	5.8%	43.1%	51.0%	60,006
Stearns County	5.4%	44.0%	50.6%	110,553
Entire five-county region	6.3%	42.6%	51.2%	252,336

52. In general, how often do you smoke cigarettes?

	Everyday	Some days	Never	Total
Sherburne County, Becker area total	10.6%	1.7%	87.6%	6,030
Gender				
Female	6.9%	2.1%	91.0%	3,039
Male	14.4%	1.4%	84.2%	2,991
Age				
18-34	15.6%	1.2%	83.1%	1,837
35-44	2.0%	4.6%	93.4%	1,556
45-54	19.9%	0.0%	80.1%	1,289
55-64	5.4%	0.0%	94.6%	707
65-74	7.8%	3.2%	89.1%	355
75+	0.0%	0.0%	100.0%	268
Highest level of education				
Less than high school diploma/GED	0.0%	0.0%	100.0%	68
High school diploma/GED	15.6%	3.4%	81.0%	863
Some college or AA degree	11.2%	2.6%	86.3%	2,056
Bachelor's degree or higher	7.9%	0.8%	91.4%	3,001
Household income (in 2012)				
Less than \$20,000	12.2%	0.0%	87.8%	272
\$20,000 - \$34,999	25.3%	3.8%	70.9%	297
\$35,000 - \$49,999	13.6%	5.9%	80.5%	501
\$50,000 - \$99,999	11.2%	0.7%	88.1%	3,165
\$100,000+	5.5%	1.6%	92.9%	1,450
Household type				
Single adult, no children	21.8%	10.3%	67.9%	396
2+ adults, no children	10.8%	0.0%	89.2%	2,356
Single adult, 1+ children	7.2%	0.0%	92.8%	156
2+ adults, 1+ children	9.4%	2.1%	88.5%	3,065
All areas included in the study				
Benton County	13.8%	6.8%	79.4%	27,116
Chisago County	13.2%	4.5%	82.3%	39,790
Mille Lacs County	12.9%	5.4%	81.7%	19,113
Sherburne County	11.4%	3.2%	85.4%	62,549
Stearns County	7.4%	1.6%	91.0%	116,859
Entire five-county region	10.3%	3.2%	86.5%	265,426

53. Smoking status (calculated variable)

	Non-smoker ^a	Current smoker ^b	Total
Sherburne County, Becker area total	87.6%	12.4%	6,030
Gender			
Female	91.0%	9.0%	3,039
Male	84.2%	15.8%	2,991
Age			
18-34	83.1%	16.9%	1,837
35-44	93.4%	6.6%	1,556
45-54	80.1%	19.9%	1,289
55-64	94.6%	5.4%	707
65-74	89.1%	10.9%	355
75+	100.0%	0.0%	268
Highest level of education			
Less than high school diploma/GED	100.0%	0.0%	68
High school diploma/GED	81.0%	19.0%	863
Some college or AA degree	86.3%	13.7%	2,056
Bachelor's degree or higher	91.4%	8.6%	3,001
Household income (in 2012)			
Less than \$20,000	87.8%	12.2%	272
\$20,000 - \$34,999	70.9%	29.1%	297
\$35,000 - \$49,999	80.5%	19.5%	501
\$50,000 - \$99,999	88.1%	11.9%	3,165
\$100,000+	92.9%	7.1%	1,450
Household type			
Single adult, no children	67.9%	32.1%	396
2+ adults, no children	89.2%	10.8%	2,356
Single adult, 1+ children	92.8%	7.2%	156
2+ adults, 1+ children	88.5%	11.5%	3,065
All areas included in the study			
Benton County	79.4%	20.6%	27,116
Chisago County	82.3%	17.7%	39,790
Mille Lacs County	81.7%	18.3%	19,113
Sherburne County	85.4%	14.6%	62,549
Stearns County	91.0%	9.0%	116,859
Entire five-county region	86.5%	13.5%	265,426

54. In general, how often do you chew tobacco?

	Everyday	Some days	Never	Total
Sherburne County, Becker area total	1.5%	4.1%	94.4%	6,022
Gender				
Female	0.0%	0.0%	100.0%	3,031
Male	2.9%	8.3%	88.7%	2,991
Age				
18-34	3.8%	11.3%	84.9%	1,837
35-44	0.0%	0.0%	100.0%	1,556
45-54	0.0%	3.2%	96.8%	1,289
55-64	2.6%	0.0%	97.4%	707
65-74	0.0%	0.0%	100.0%	355
75+	0.0%	0.0%	100.0%	260
Highest level of education				
Less than high school diploma/GED	0.0%	0.0%	100.0%	68
High school diploma/GED	0.0%	8.0%	92.0%	863
Some college or AA degree	0.0%	0.0%	100.0%	2,049
Bachelor's degree or higher	2.9%	4.6%	92.4%	3,001
Household income (in 2012)				
Less than \$20,000	0.0%	0.0%	100.0%	272
\$20,000 - \$34,999	0.0%	13.8%	86.2%	297
\$35,000 - \$49,999	0.0%	0.0%	100.0%	501
\$50,000 - \$99,999	0.6%	6.6%	92.8%	3,157
\$100,000+	4.8%	0.0%	95.2%	1,450
Household type				
Single adult, no children	0.0%	17.8%	82.2%	389
2+ adults, no children	0.8%	5.9%	93.3%	2,356
Single adult, 1+ children	44.4%	0.0%	55.6%	156
2+ adults, 1+ children	0.0%	1.3%	98.7%	3,065
All areas included in the study				
Benton County	0.2%	4.9%	94.9%	26,827
Chisago County	3.6%	3.1%	93.3%	39,851
Mille Lacs County	1.3%	1.2%	97.5%	19,091
Sherburne County	2.5%	3.2%	94.2%	62,505
Stearns County	2.3%	0.8%	96.9%	116,951
Entire five-county region	2.3%	2.2%	95.6%	265,225

55. Chewing tobacco user status (calculated variable)

	Non-user ^a	Current user ^b	Total
Sherburne County, Becker area total	94.4%	5.6%	6,022
Gender			
Female	100.0%	0.0%	3,031
Male	88.7%	11.3%	2,991
Age			
18-34	84.9%	15.1%	1,837
35-44	100.0%	0.0%	1,556
45-54	96.8%	3.2%	1,289
55-64	97.4%	2.6%	707
65-74	100.0%	0.0%	355
75+	100.0%	0.0%	260
Highest level of education			
Less than high school diploma/GED	100.0%	0.0%	68
High school diploma/GED	92.0%	8.0%	863
Some college or AA degree	100.0%	0.0%	2,049
Bachelor's degree or higher	92.4%	7.6%	3,001
Household income (in 2012)			
Less than \$20,000	100.0%	0.0%	272
\$20,000 - \$34,999	86.2%	13.8%	297
\$35,000 - \$49,999	100.0%	0.0%	501
\$50,000 - \$99,999	92.8%	7.2%	3,157
\$100,000+	95.2%	4.8%	1,450
Household type			
Single adult, no children	82.2%	17.8%	389
2+ adults, no children	93.3%	6.7%	2,356
Single adult, 1+ children	55.6%	44.4%	156
2+ adults, 1+ children	98.7%	1.3%	3,065
All areas included in the study			
Benton County	94.9%	5.1%	26,827
Chisago County	93.3%	6.7%	39,851
Mille Lacs County	97.5%	2.5%	19,091
Sherburne County	94.2%	5.8%	62,505
Stearns County	96.9%	3.1%	116,951
Entire five-county region	95.6%	4.4%	265,225

^a Note: A respondent was determined to be a "non-user" if they answered "never" to question 25b: "In general, how often do you chew tobacco?"

^b Note: A respondent was determined to be a "current user" if they answered "every day" or "some days" to question 25b: "In general, how often do you chew tobacco?"

56. In general, how often do you smoke cigars, cigarillos, or little cigars?

	Everyday	Some days	Never	Total
Sherburne County, Becker area total	0.5%	5.6%	93.9%	5,992
Gender				
Female	0.0%	0.7%	99.3%	3,031
Male	1.0%	10.6%	88.4%	2,961
Age				
18-34	0.0%	7.6%	92.4%	1,837
35-44	0.0%	5.8%	94.2%	1,526
45-54	0.0%	4.3%	95.7%	1,289
55-64	2.6%	7.5%	89.9%	707
65-74	3.2%	0.0%	96.8%	355
75+	0.0%	0.0%	100.0%	260
Highest level of education				
Less than high school diploma/GED	0.0%	0.0%	100.0%	68
High school diploma/GED	0.0%	11.1%	88.9%	833
Some college or AA degree	1.5%	4.8%	93.8%	2,049
Bachelor's degree or higher	0.0%	4.8%	95.2%	3,001
Household income (in 2012)				
Less than \$20,000	0.0%	3.4%	96.6%	272
\$20,000 - \$34,999	3.8%	0.0%	96.2%	297
\$35,000 - \$49,999	0.0%	10.1%	89.9%	471
\$50,000 - \$99,999	0.6%	8.4%	91.0%	3,157
\$100,000+	0.0%	0.0%	100.0%	1,450
Household type				
Single adult, no children	3.1%	4.4%	92.5%	359
2+ adults, no children	0.8%	13.0%	86.2%	2,356
Single adult, 1+ children	0.0%	0.0%	100.0%	156
2+ adults, 1+ children	0.0%	0.5%	99.5%	3,065
All areas included in the study				
Benton County	0.1%	3.4%	96.6%	27,111
Chisago County	0.2%	4.0%	95.9%	38,918
Mille Lacs County	0.6%	0.9%	98.5%	19,091
Sherburne County	0.4%	5.0%	94.7%	62,505
Stearns County	0.1%	5.5%	94.4%	117,204
Entire five-county region	0.2%	4.6%	95.2%	264,829

57. Cigars, cigarillos, or little cigar smoking status (calculated variable)

	Non-smoker ^a	Current smoker ^b	Total
Sherburne County, Becker area total	93.9%	6.1%	5,992
Gender			
Female	99.3%	0.7%	3,031
Male	88.4%	11.6%	2,961
Age			
18-34	92.4%	7.6%	1,837
35-44	94.2%	5.8%	1,526
45-54	95.7%	4.3%	1,289
55-64	89.9%	10.1%	707
65-74	96.8%	3.2%	355
75+	100.0%	0.0%	260
Highest level of education			
Less than high school diploma/GED	100.0%	0.0%	68
High school diploma/GED	88.9%	11.1%	833
Some college or AA degree	93.8%	6.2%	2,049
Bachelor's degree or higher	95.2%	4.8%	3,001
Household income (in 2012)			
Less than \$20,000	96.6%	3.4%	272
\$20,000 - \$34,999	96.2%	3.8%	297
\$35,000 - \$49,999	89.9%	10.1%	471
\$50,000 - \$99,999	91.0%	9.0%	3,157
\$100,000+	100.0%	0.0%	1,450
Household type			
Single adult, no children	92.5%	7.5%	359
2+ adults, no children	86.2%	13.8%	2,356
Single adult, 1+ children	100.0%	0.0%	156
2+ adults, 1+ children	99.5%	0.5%	3,065
All areas included in the study			
Benton County	96.6%	3.4%	27,111
Chisago County	95.9%	4.1%	38,918
Mille Lacs County	98.5%	1.5%	19,091
Sherburne County	94.7%	5.3%	62,505
Stearns County	94.4%	5.6%	117,204
Entire five-county region	95.2%	4.8%	264,829

^a Note: A respondent was determined to be a "non-smoker" if they answered "never" to question 25c: "In general, how often do you smoke cigars, cigarillos, or little cigars?"

^b Note: A respondent was determined to be a "current smoker" if they answered "every day" or "some days" to question 25c: "In general, how often do you smoke cigars, cigarillos, or little cigars?"

58. In general, how often do you use marijuana?

	Everyday	Some days	Never	Total
Sherburne County, Becker area total	1.0%	0.3%	98.7%	6,011
Gender				
Female	0.0%	0.6%	99.4%	3,031
Male	2.1%	0.0%	97.9%	2,980
Age				
18-34	0.0%	0.6%	99.4%	1,837
35-44	0.0%	0.0%	100.0%	1,556
45-54	4.8%	0.0%	95.2%	1,289
55-64	0.0%	0.9%	99.1%	707
65-74	0.0%	0.0%	100.0%	355
75+	0.0%	0.0%	100.0%	260
Highest level of education				
Less than high school diploma/GED	0.0%	0.0%	100.0%	68
High school diploma/GED	0.0%	0.0%	100.0%	863
Some college or AA degree	3.0%	0.5%	96.4%	2,049
Bachelor's degree or higher	0.0%	0.2%	99.8%	2,990
Household income (in 2012)				
Less than \$20,000	0.0%	4.1%	95.9%	272
\$20,000 - \$34,999	0.0%	0.0%	100.0%	297
\$35,000 - \$49,999	0.0%	1.3%	98.7%	489
\$50,000 - \$99,999	2.0%	0.0%	98.0%	3,157
\$100,000+	0.0%	0.0%	100.0%	1,450
Household type				
Single adult, no children	0.0%	1.7%	98.3%	378
2+ adults, no children	0.0%	0.0%	100.0%	2,356
Single adult, 1+ children	0.0%	7.2%	92.8%	156
2+ adults, 1+ children	2.0%	0.0%	98.0%	3,065
All areas included in the study				
Benton County	0.4%	5.4%	94.2%	27,036
Chisago County	0.2%	4.7%	95.1%	39,851
Mille Lacs County	0.5%	2.1%	97.4%	19,161
Sherburne County	1.4%	4.2%	94.4%	62,472
Stearns County	1.0%	3.0%	96.0%	117,563
Entire five-county region	0.9%	3.7%	95.4%	266,083

59. Marijuana user status (calculated variable)

	Non-user ^a	Current user ^b	Total
Sherburne County, Becker area total	98.7%	1.3%	6,011
Gender			
Female	99.4%	0.6%	3,031
Male	97.9%	2.1%	2,980
Age			
18-34	99.4%	0.6%	1,837
35-44	100.0%	0.0%	1,556
45-54	95.2%	4.8%	1,289
55-64	99.1%	0.9%	707
65-74	100.0%	0.0%	355
75+	100.0%	0.0%	260
Highest level of education			
Less than high school diploma/GED	100.0%	0.0%	68
High school diploma/GED	100.0%	0.0%	863
Some college or AA degree	96.4%	3.6%	2,049
Bachelor's degree or higher	99.8%	0.2%	2,990
Household income (in 2012)			
Less than \$20,000	95.9%	4.1%	272
\$20,000 - \$34,999	100.0%	0.0%	297
\$35,000 - \$49,999	98.7%	1.3%	489
\$50,000 - \$99,999	98.0%	2.0%	3,157
\$100,000+	100.0%	0.0%	1,450
Household type			
Single adult, no children	98.3%	1.7%	378
2+ adults, no children	100.0%	0.0%	2,356
Single adult, 1+ children	92.8%	7.2%	156
2+ adults, 1+ children	98.0%	2.0%	3,065
All areas included in the study			
Benton County	94.2%	5.8%	27,036
Chisago County	95.1%	4.9%	39,851
Mille Lacs County	97.4%	2.6%	19,161
Sherburne County	94.4%	5.6%	62,472
Stearns County	96.0%	4.0%	117,563
Entire five-county region	95.4%	4.6%	266,083

^aNote: A respondent was determined to be a "non-user" if they answered "never" to question 25d: "In general, how often do you use marijuana?"

^bNote: A respondent was determined to be a "current user" if they answered "every day" or "some days" to question 25d: "In general, how often do you use marijuana?"

60. In general, how often do you use other illegal drugs such as cocaine, heroin, or meth?

	Everyday	Some days	Never	Total
Sherburne County, Becker area total	0.0%	0.2%	99.8%	6,022
Gender				
Female	0.0%	0.4%	99.6%	3,031
Male	0.0%	0.0%	100.0%	2,991
Age				
18-34	0.0%	0.6%	99.4%	1,837
35-44	0.0%	0.0%	100.0%	1,556
45-54	0.0%	0.0%	100.0%	1,289
55-64	0.0%	0.0%	100.0%	707
65-74	0.0%	0.0%	100.0%	355
75+	0.0%	0.0%	100.0%	260
Highest level of education				
Less than high school diploma/GED	0.0%	0.0%	100.0%	68
High school diploma/GED	0.0%	0.0%	100.0%	863
Some college or AA degree	0.0%	0.5%	99.5%	2,049
Bachelor's degree or higher	0.0%	0.0%	100.0%	3,001
Household income (in 2012)				
Less than \$20,000	0.0%	4.1%	95.9%	272
\$20,000 - \$34,999	0.0%	0.0%	100.0%	297
\$35,000 - \$49,999	0.0%	0.0%	100.0%	501
\$50,000 - \$99,999	0.0%	0.0%	100.0%	3,157
\$100,000+	0.0%	0.0%	100.0%	1,450
Household type				
Single adult, no children	0.0%	0.0%	100.0%	389
2+ adults, no children	0.0%	0.0%	100.0%	2,356
Single adult, 1+ children	0.0%	7.2%	92.8%	156
2+ adults, 1+ children	0.0%	0.0%	100.0%	3,065
All areas included in the study				
Benton County	0.0%	1.5%	98.5%	27,111
Chisago County	0.0%	0.0%	100.0%	39,851
Mille Lacs County	0.0%	0.0%	100.0%	19,057
Sherburne County	0.1%	0.6%	99.2%	62,578
Stearns County	0.6%	0.0%	99.4%	117,563
Entire five-county region	0.3%	0.3%	99.4%	266,159

61. Other illegal drugs such as cocaine, heroin, or meth user status (calculated variable)

	Non-user ^a	Current user ^b	Total
Sherburne County, Becker area total	99.8%	0.2%	6,022
Gender			
Female	99.6%	0.4%	3,031
Male	100.0%	0.0%	2,991
Age			
18-34	99.4%	0.6%	1,837
35-44	100.0%	0.0%	1,556
45-54	100.0%	0.0%	1,289
55-64	100.0%	0.0%	707
65-74	100.0%	0.0%	355
75+	100.0%	0.0%	260
Highest level of education			
Less than high school diploma/GED	100.0%	0.0%	68
High school diploma/GED	100.0%	0.0%	863
Some college or AA degree	99.5%	0.5%	2,049
Bachelor's degree or higher	100.0%	0.0%	3,001
Household income (in 2012)			
Less than \$20,000	95.9%	4.1%	272
\$20,000 - \$34,999	100.0%	0.0%	297
\$35,000 - \$49,999	100.0%	0.0%	501
\$50,000 - \$99,999	100.0%	0.0%	3,157
\$100,000+	100.0%	0.0%	1,450
Household type			
Single adult, no children	100.0%	0.0%	389
2+ adults, no children	100.0%	0.0%	2,356
Single adult, 1+ children	92.8%	7.2%	156
2+ adults, 1+ children	100.0%	0.0%	3,065
All areas included in the study			
Benton County	98.5%	1.5%	27,111
Chisago County	100.0%	0.0%	39,851
Mille Lacs County	100.0%	0.0%	19,057
Sherburne County	99.2%	0.8%	62,578
Stearns County	99.4%	0.6%	117,563
Entire five-county region	99.4%	0.6%	266,159

^a Note: A respondent was determined to be a "non-user" if they answered "never" to question 25e: "In general, how often do you use other illegal drugs such as cocaine, heroin, or meth?"

^b Note: A respondent was determined to be a "current user" if they answered "every day" or "some days" to question 25e: "In general, how often do you use other illegal drugs such as cocaine, heroin, or meth?"

62. In general, how often do you use prescription drugs that are not prescribed for you or that you take only to get high?

	Everyday	Some days	Never	Total
Sherburne County, Becker area total	0.0%	0.0%	100.0%	6,022
Gender				
Female	0.0%	0.0%	100.0%	3,031
Male	0.0%	0.0%	100.0%	2,991
Age				
18-34	0.0%	0.0%	100.0%	1,837
35-44	0.0%	0.0%	100.0%	1,556
45-54	0.0%	0.0%	100.0%	1,289
55-64	0.0%	0.0%	100.0%	707
65-74	0.0%	0.0%	100.0%	355
75+	0.0%	0.0%	100.0%	260
Highest level of education				
Less than high school diploma/GED	0.0%	0.0%	100.0%	68
High school diploma/GED	0.0%	0.0%	100.0%	863
Some college or AA degree	0.0%	0.0%	100.0%	2,049
Bachelor's degree or higher	0.0%	0.0%	100.0%	3,001
Household income (in 2012)				
Less than \$20,000	0.0%	0.0%	100.0%	272
\$20,000 - \$34,999	0.0%	0.0%	100.0%	297
\$35,000 - \$49,999	0.0%	0.0%	100.0%	501
\$50,000 - \$99,999	0.0%	0.0%	100.0%	3,157
\$100,000+	0.0%	0.0%	100.0%	1,450
Household type				
Single adult, no children	0.0%	0.0%	100.0%	389
2+ adults, no children	0.0%	0.0%	100.0%	2,356
Single adult, 1+ children	0.0%	0.0%	100.0%	156
2+ adults, 1+ children	0.0%	0.0%	100.0%	3,065
All areas included in the study				
Benton County	0.0%	1.9%	98.1%	27,036
Chisago County	0.0%	0.9%	99.1%	39,718
Mille Lacs County	0.0%	0.0%	100.0%	19,028
Sherburne County	0.0%	1.0%	98.9%	62,337
Stearns County	0.0%	1.9%	98.1%	117,341
Entire five-county region	0.0%	1.4%	98.6%	265,460

63. Prescription drugs (that are not prescribed for you or that you take only to get high) user status (calculated variable)

	Non-user ^a	Current user ^b	Total
Sherburne County, Becker area total	100.0%	0.0%	6,022
Gender			
Female	100.0%	0.0%	3,031
Male	100.0%	0.0%	2,991
Age			
18-34	100.0%	0.0%	1,837
35-44	100.0%	0.0%	1,556
45-54	100.0%	0.0%	1,289
55-64	100.0%	0.0%	707
65-74	100.0%	0.0%	355
75+	100.0%	0.0%	260
Highest level of education			
Less than high school diploma/GED	100.0%	0.0%	68
High school diploma/GED	100.0%	0.0%	863
Some college or AA degree	100.0%	0.0%	2,049
Bachelor's degree or higher	100.0%	0.0%	3,001
Household income (in 2012)			
Less than \$20,000	100.0%	0.0%	272
\$20,000 - \$34,999	100.0%	0.0%	297
\$35,000 - \$49,999	100.0%	0.0%	501
\$50,000 - \$99,999	100.0%	0.0%	3,157
\$100,000+	100.0%	0.0%	1,450
Household type			
Single adult, no children	100.0%	0.0%	389
2+ adults, no children	100.0%	0.0%	2,356
Single adult, 1+ children	100.0%	0.0%	156
2+ adults, 1+ children	100.0%	0.0%	3,065
All areas included in the study			
Benton County	98.1%	1.9%	27,036
Chisago County	99.1%	0.9%	39,718
Mille Lacs County	100.0%	0.0%	19,028
Sherburne County	98.9%	1.1%	62,337
Stearns County	98.1%	1.9%	117,341
Entire five-county region	98.6%	1.4%	265,460

^a Note: A respondent was determined to be a "non-user" if they answered "never" to question 25f: "In general, how often do you use prescription drugs that are not prescribed for you or that you take only to get high?"

^b Note: A respondent was determined to be a "current user" if they answered "every day" or "some days" to question 25f: "In general, how often do you use prescription drugs that are not prescribed for you or that you take only to get high?"

64. During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage, or liquor?

	Yes	No	Total
Sherburne County, Becker area total	71.5%	28.5%	6,037
Gender			
Female	71.0%	29.0%	3,046
Male	72.1%	27.9%	2,991
Age			
18-34	72.6%	27.4%	1,837
35-44	84.6%	15.4%	1,556
45-54	67.0%	33.0%	1,289
55-64	71.3%	28.7%	707
65-74	53.1%	46.9%	355
75+	33.0%	67.0%	275
Highest level of education			
Less than high school diploma/GED	11.0%	89.0%	68
High school diploma/GED	57.9%	42.1%	870
Some college or AA degree	79.2%	20.8%	2,056
Bachelor's degree or higher	72.5%	27.5%	3,001
Household income (in 2012)			
Less than \$20,000	55.3%	44.7%	272
\$20,000 - \$34,999	49.0%	51.0%	297
\$35,000 - \$49,999	45.8%	54.2%	501
\$50,000 - \$99,999	74.2%	25.8%	3,165
\$100,000+	80.9%	19.1%	1,450
Household type			
Single adult, no children	62.2%	37.8%	404
2+ adults, no children	74.5%	25.5%	2,356
Single adult, 1+ children	93.3%	6.7%	156
2+ adults, 1+ children	70.6%	29.4%	3,065
All areas included in the study			
Benton County	72.4%	27.6%	27,063
Chisago County	66.0%	34.0%	40,040
Mille Lacs County	71.6%	28.4%	19,137
Sherburne County	72.3%	27.7%	62,676
Stearns County	73.0%	27.0%	117,436
Entire five-county region	71.6%	28.4%	266,353

65. (Of those who said they had at least one alcoholic beverage in the past 30 days) During the past 30 days, on how many days did you have at least one drink of any alcoholic beverage? (Mean)

	Mean	Total
Sherburne County, Becker area total	8.6	4,316
Gender		
Female	6.8	2,161
Male	10.3	2,155
Age		
18-34	11.5	1,334
35-44	6.4	1,317
45-54	8.2	863
55-64	7.6	504
65-74	9.7	188
75+	4.0	91
Highest level of education		
Less than high school diploma/GED	1.0	8
High school diploma/GED	9.1	504
Some college or AA degree	7.4	1,629
Bachelor's degree or higher	9.4	2,175
Household income (in 2012)		
Less than \$20,000	2.9	150
\$20,000 - \$34,999	9.6	145
\$35,000 - \$49,999	7.9	229
\$50,000 - \$99,999	8.3	2,347
\$100,000+	10.1	1,173
Household type		
Single adult, no children	10.3	251
2+ adults, no children	11.3	1,755
Single adult, 1+ children	7.5	146
2+ adults, 1+ children	6.2	2,164
All areas included in the study		
Benton County	9.1	19,571
Chisago County	10.1	26,363
Mille Lacs County	9.6	13,671
Sherburne County	8.1	45,120
Stearns County	8.3	85,357
Entire five-county region	8.7	190,082

66. (Of those who said they had at least one alcoholic beverage in the past 30 days) During the past 30 days, on the days when you drank, about how many drinks did you drink on average? (Mean)

	Mean	Total
Sherburne County, Becker area total	2.2	4,284
Gender		
Female	1.8	2,139
Male	2.6	2,146
Age		
18-34	2.2	1,312
35-44	2.3	1,317
45-54	2.2	863
55-64	2.0	504
65-74	3.1	188
75+	1.4	81
Highest level of education		
Less than high school diploma/GED	1.0	8
High school diploma/GED	2.9	504
Some college or AA degree	2.1	1,607
Bachelor's degree or higher	2.2	2,166
Household income (in 2012)		
Less than \$20,000	1.6	150
\$20,000 - \$34,999	1.9	145
\$35,000 - \$49,999	1.4	229
\$50,000 - \$99,999	2.4	2,347
\$100,000+	2.2	1,173
Household type		
Single adult, no children	3.7	251
2+ adults, no children	2.1	1,723
Single adult, 1+ children	3.4	146
2+ adults, 1+ children	2.1	2,164
All areas included in the study		
Benton County	2.5	19,403
Chisago County	3.2	26,372
Mille Lacs County	2.5	13,671
Sherburne County	2.6	45,189
Stearns County	2.5	85,412
Entire five-county region	2.6	190,047

67. (Of those who said they had at least one alcoholic beverage in the past 30 days) Total number of drinks in past 30 days (Mean, calculated variable)

	Mean	Total
Sherburne County, Becker area total	20.8	4,284
Gender		
Female	15.5	2,139
Male	26.1	2,146
Age		
18-34	25.0	1,312
35-44	17.1	1,317
45-54	16.4	863
55-64	17.4	504
65-74	55.4	188
75+	4.8	81
Highest level of education		
Less than high school diploma/GED	1.0	8
High school diploma/GED	35.5	504
Some college or AA degree	16.7	1,607
Bachelor's degree or higher	20.5	2,166
Household income (in 2012)		
Less than \$20,000	6.0	150
\$20,000 - \$34,999	21.6	145
\$35,000 - \$49,999	10.5	229
\$50,000 - \$99,999	23.0	2,347
\$100,000+	21.5	1,173
Household type		
Single adult, no children	54.4	251
2+ adults, no children	24.8	1,723
Single adult, 1+ children	28.3	146
2+ adults, 1+ children	13.2	2,164
All areas included in the study		
Benton County	25.8	19,403
Chisago County	33.3	26,303
Mille Lacs County	29.4	13,637
Sherburne County	23.4	45,068
Stearns County	23.8	85,299
Entire five-county region	25.7	189,710

68. During the past 30 days, on the days when you drank, about how many drinks did you drink on average?^a (calculated variable)

	No drinking	Drinking, not chronic – gender specific	Chronic drinking gender specific	Total
Sherburne County, Becker area total	28.7%	61.3%	10.1%	6,005
Gender				
Female	29.3%	62.4%	8.4%	3,023
Male	28.0%	60.2%	11.8%	2,981
Age				
18-34	27.7%	59.0%	13.3%	1,814
35-44	15.4%	74.8%	9.9%	1,556
45-54	33.0%	58.1%	8.9%	1,289
55-64	28.7%	63.6%	7.7%	707
65-74	46.9%	41.6%	11.5%	355
75+	69.4%	30.6%	0.0%	265
Highest level of education				
Less than high school diploma/GED	89.0%	11.0%	0.0%	68
High school diploma/GED	42.1%	48.4%	9.6%	870
Some college or AA degree	21.0%	67.5%	11.5%	2,034
Bachelor's degree or higher	27.6%	62.8%	9.6%	2,992
Household income (in 2012)				
Less than \$20,000	44.7%	51.2%	4.1%	272
\$20,000 - \$34,999	51.0%	38.2%	10.9%	297
\$35,000 - \$49,999	54.2%	42.7%	3.1%	501
\$50,000 - \$99,999	25.8%	65.3%	8.9%	3,165
\$100,000+	19.1%	65.6%	15.2%	1,450
Household type				
Single adult, no children	37.8%	44.6%	17.5%	404
2+ adults, no children	25.9%	59.0%	15.1%	2,324
Single adult, 1+ children	6.7%	60.5%	32.9%	156
2+ adults, 1+ children	29.4%	66.3%	4.3%	3,065
All areas included in the study				
Benton County	27.8%	56.2%	16.0%	26,881
Chisago County	34.1%	54.2%	11.7%	39,910
Mille Lacs County	28.5%	56.9%	14.6%	19,069
Sherburne County	27.8%	61.0%	11.2%	62,420
Stearns County	27.1%	62.4%	10.5%	116,960
Entire five-county region	28.5%	59.8%	11.7%	265,240

69. Chronic drinking (gender specific)

	Chronic drinking	No drinking or, not chronic	Total
Sherburne County, Becker area total	10.1%	89.9%	6,005
Gender			
Female	8.4%	91.6%	3,023
Male	11.8%	88.2%	2,981
Age			
18-34	13.3%	86.7%	1,814
35-44	9.9%	90.1%	1,556
45-54	8.9%	91.1%	1,289
55-64	7.7%	92.3%	707
65-74	11.5%	88.5%	355
75+	0.0%	100.0%	265
Highest level of education			
Less than high school diploma/GED	0.0%	100.0%	68
High school diploma/GED	9.6%	90.4%	870
Some college or AA degree	11.5%	88.5%	2,034
Bachelor's degree or higher	9.6%	90.4%	2,992
Household income (in 2012)			
Less than \$20,000	4.1%	95.9%	272
\$20,000 - \$34,999	10.9%	89.1%	297
\$35,000 - \$49,999	3.1%	96.9%	501
\$50,000 - \$99,999	8.9%	91.1%	3,165
\$100,000+	15.2%	84.8%	1,450
Household type			
Single adult, no children	17.5%	82.5%	404
2+ adults, no children	15.1%	84.9%	2,324
Single adult, 1+ children	32.9%	67.1%	156
2+ adults, 1+ children	4.3%	95.7%	3,065
All areas included in the study			
Benton County	16.0%	84.0%	26,881
Chisago County	11.7%	88.3%	39,910
Mille Lacs County	14.6%	85.4%	19,069
Sherburne County	11.2%	88.8%	62,420
Stearns County	10.5%	89.5%	116,960
Entire five-county region	11.7%	88.3%	265,240

70. (Of those who said they had at least one alcoholic beverage in the past 30 days) Considering all types of alcoholic beverages, how many times during the past 30 days did you have 4 or more drinks on one occasion (binge drinking—females^a) (Mean)

	Mean	Total
Sherburne County, Becker area total	0.9	2,139
Gender		
Female	0.9	2,139
Male		0
Age		
18-34	0.7	710
35-44	1.4	576
45-54	0.5	514
55-64	1.4	226
65-74	0.0	76
75+	0.3	30
Highest level of education		
Less than high school diploma/GED	1.0	8
High school diploma/GED	0.9	232
Some college or AA degree	1.1	1,023
Bachelor's degree or higher	0.7	876
Household income (in 2012)		
Less than \$20,000	1.9	62
\$20,000 - \$34,999	2.2	101
\$35,000 - \$49,999	0.3	209
\$50,000 - \$99,999	0.9	1,152
\$100,000+	0.6	465
Household type		
Single adult, no children	1.2	83
2+ adults, no children	1.2	630
Single adult, 1+ children	3.5	47
2+ adults, 1+ children	0.6	1,379
All areas included in the study		
Benton County	1.4	9,775
Chisago County	1.8	11,016
Mille Lacs County	0.5	6,586
Sherburne County	1.1	20,883
Stearns County	0.8	39,960
Entire five-county region	1.0	88,221

71. (Of those who said they had at least one alcoholic beverage in the past 30 days) Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks on one occasion (binge drinking–males^a) (Mean)

	Mean	Total
Sherburne County, Becker area total	2.1	2,155
Gender		
Female		0
Male	2.1	2,155
Age		
18-34	4.7	624
35-44	1.2	741
45-54	1.5	349
55-64	0.2	278
65-74	0.0	113
75+	0.0	38
Highest level of education		
Less than high school diploma/GED		0
High school diploma/GED	2.6	249
Some college or AA degree	0.8	606
Bachelor's degree or higher	2.5	1,300
Household income (in 2012)		
Less than \$20,000	0.1	73
\$20,000 - \$34,999	0.0	37
\$35,000 - \$49,999	0.9	21
\$50,000 - \$99,999	1.8	1,195
\$100,000+	3.2	708
Household type		
Single adult, no children	4.5	161
2+ adults, no children	2.2	1,110
Single adult, 1+ children	2.4	99
2+ adults, 1+ children	1.4	785
All areas included in the study		
Benton County	2.4	9,662
Chisago County	3.2	15,313
Mille Lacs County	1.7	7,027
Sherburne County	1.9	24,171
Stearns County	1.7	44,431
Entire five-county region	2.0	100,603

^a Note: Binge drinking for males is consuming five or more drinks on one occasion.

72. Binge drinking (calculated variable, gender specific)^a

	No drinking or no binge drinking	Any binge drinking	Total
Sherburne County, Becker area total	74.6%	25.4%	6,015
Gender			
Female	82.2%	17.8%	3,024
Male	66.8%	33.2%	2,991
Age			
18-34	56.9%	43.1%	1,837
35-44	75.3%	24.7%	1,556
45-54	81.4%	18.6%	1,289
55-64	84.8%	15.2%	707
65-74	100.0%	0.0%	355
75+	97.0%	3.0%	253
Highest level of education			
Less than high school diploma/GED	89.0%	11.0%	68
High school diploma/GED	80.8%	19.2%	848
Some college or AA degree	80.6%	19.4%	2,056
Bachelor's degree or higher	68.0%	32.0%	3,001
Household income (in 2012)			
Less than \$20,000	89.1%	10.9%	257
\$20,000 - \$34,999	89.1%	10.9%	289
\$35,000 - \$49,999	96.9%	3.1%	501
\$50,000 - \$99,999	72.2%	27.8%	3,165
\$100,000+	64.9%	35.1%	1,450
Household type			
Single adult, no children	65.0%	35.0%	396
2+ adults, no children	71.5%	28.5%	2,341
Single adult, 1+ children	55.8%	44.2%	156
2+ adults, 1+ children	78.6%	21.4%	3,065
All areas included in the study			
Benton County	67.1%	32.9%	26,916
Chisago County	72.8%	27.2%	39,936
Mille Lacs County	73.7%	26.3%	19,045
Sherburne County	75.1%	24.9%	62,406
Stearns County	69.7%	30.3%	116,051
Entire five-county region	71.5%	28.5%	264,354

^a Binge drinking is defined as consuming four or more drinks on one occasion for females and five or more drinks on one occasion for males.

73. During the past 30 days, how many times have you driven when you've had perhaps too much to drink?

	No drinking or no drinking and driving	Any drinking and driving	Total
Sherburne County, Becker area total	96.2%	3.8%	6,030
Gender			
Female	98.6%	1.4%	3,039
Male	93.7%	6.3%	2,991
Age			
18-34	92.4%	7.6%	1,837
35-44	95.4%	4.6%	1,556
45-54	100.0%	0.0%	1,289
55-64	97.4%	2.6%	707
65-74	100.0%	0.0%	355
75+	100.0%	0.0%	268
Highest level of education			
Less than high school diploma/GED	100.0%	0.0%	68
High school diploma/GED	100.0%	0.0%	863
Some college or AA degree	97.7%	2.3%	2,056
Bachelor's degree or higher	94.0%	6.0%	3,001
Household income (in 2012)			
Less than \$20,000	96.6%	3.4%	272
\$20,000 - \$34,999	100.0%	0.0%	289
\$35,000 - \$49,999	98.1%	1.9%	501
\$50,000 - \$99,999	94.0%	6.0%	3,165
\$100,000+	98.6%	1.4%	1,450
Household type			
Single adult, no children	95.3%	4.7%	396
2+ adults, no children	94.1%	5.9%	2,356
Single adult, 1+ children	81.0%	19.0%	156
2+ adults, 1+ children	98.6%	1.4%	3,065
All areas included in the study			
Benton County	93.2%	6.8%	26,367
Chisago County	97.0%	3.0%	39,908
Mille Lacs County	93.6%	6.4%	19,027
Sherburne County	96.7%	3.3%	62,535
Stearns County	95.3%	4.7%	116,523
Entire five-county region	95.5%	4.5%	264,360

74. Do you perform monthly self-exams for cancer (self-breast exam or self-testicular exam)?

	Yes	No	Total
Sherburne County, Becker area total	30.8%	69.2%	6,002
Gender			
Female	44.9%	55.1%	3,016
Male	16.5%	83.5%	2,986
Age			
18-34	23.8%	76.2%	1,814
35-44	30.4%	69.6%	1,556
45-54	31.1%	68.9%	1,289
55-64	42.9%	57.1%	707
65-74	34.2%	65.8%	355
75+	41.8%	58.2%	263
Highest level of education			
Less than high school diploma/GED	21.9%	78.1%	68
High school diploma/GED	31.3%	68.7%	870
Some college or AA degree	34.4%	65.6%	2,044
Bachelor's degree or higher	28.8%	71.2%	2,979
Household income (in 2012)			
Less than \$20,000	33.8%	66.2%	267
\$20,000 - \$34,999	41.0%	59.0%	297
\$35,000 - \$49,999	32.1%	67.9%	501
\$50,000 - \$99,999	27.8%	72.2%	3,157
\$100,000+	32.4%	67.6%	1,428
Household type			
Single adult, no children	32.4%	67.6%	392
2+ adults, no children	25.8%	74.2%	2,356
Single adult, 1+ children	22.8%	77.2%	156
2+ adults, 1+ children	34.6%	65.4%	3,042
All areas included in the study			
Benton County	41.5%	58.5%	26,941
Chisago County	32.4%	67.6%	39,892
Mille Lacs County	43.2%	56.8%	19,229
Sherburne County	35.1%	64.9%	62,294
Stearns County	35.5%	64.5%	116,139
Entire five-county region	36.1%	63.9%	264,495

75. Do you get a yearly flu shot or flu immunization?

	Yes	No	Total
Sherburne County, Becker area total	52.2%	47.8%	6,027
Gender			
Female	55.1%	44.9%	3,046
Male	49.3%	50.7%	2,981
Age			
18-34	38.4%	61.6%	1,837
35-44	56.1%	43.9%	1,556
45-54	53.5%	46.5%	1,289
55-64	57.5%	42.5%	707
65-74	69.3%	30.7%	355
75+	85.3%	14.7%	265
Highest level of education			
Less than high school diploma/GED	39.9%	60.1%	68
High school diploma/GED	53.8%	46.2%	861
Some college or AA degree	48.0%	52.0%	2,056
Bachelor's degree or higher	55.6%	44.4%	3,001
Household income (in 2012)			
Less than \$20,000	63.9%	36.1%	272
\$20,000 - \$34,999	50.1%	49.9%	287
\$35,000 - \$49,999	53.5%	46.5%	501
\$50,000 - \$99,999	47.6%	52.4%	3,165
\$100,000+	57.8%	42.2%	1,450
Household type			
Single adult, no children	37.4%	62.6%	404
2+ adults, no children	51.8%	48.2%	2,346
Single adult, 1+ children	30.0%	70.0%	156
2+ adults, 1+ children	55.8%	44.2%	3,065
All areas included in the study			
Benton County	47.2%	52.8%	27,043
Chisago County	53.7%	46.3%	39,870
Mille Lacs County	56.3%	43.7%	19,258
Sherburne County	54.8%	45.2%	62,574
Stearns County	48.9%	51.1%	117,120
Entire five-county region	51.4%	48.6%	265,865

76. Do you need medication to control a chronic physical or mental condition?

	Yes	No	Total
Sherburne County, Becker area total	22.0%	78.0%	6,018
Gender			
Female	24.4%	75.6%	3,046
Male	19.5%	80.5%	2,972
Age			
18-34	16.9%	83.1%	1,837
35-44	23.7%	76.3%	1,556
45-54	25.1%	74.9%	1,289
55-64	15.6%	84.4%	688
65-74	33.5%	66.5%	355
75+	32.0%	68.0%	275
Highest level of education			
Less than high school diploma/GED	82.0%	18.0%	68
High school diploma/GED	22.0%	78.0%	870
Some college or AA degree	16.9%	83.1%	2,056
Bachelor's degree or higher	24.4%	75.6%	2,983
Household income (in 2012)			
Less than \$20,000	46.1%	53.9%	272
\$20,000 - \$34,999	19.5%	80.5%	297
\$35,000 - \$49,999	14.3%	85.7%	501
\$50,000 - \$99,999	17.9%	82.1%	3,165
\$100,000+	23.6%	76.4%	1,432
Household type			
Single adult, no children	9.9%	90.1%	404
2+ adults, no children	30.0%	70.0%	2,356
Single adult, 1+ children	11.4%	88.6%	156
2+ adults, 1+ children	17.8%	82.2%	3,046
All areas included in the study			
Benton County	21.6%	78.4%	26,906
Chisago County	23.0%	77.0%	39,820
Mille Lacs County	33.1%	66.9%	19,161
Sherburne County	26.3%	73.7%	62,435
Stearns County	20.0%	80.0%	115,823
Entire five-county region	23.1%	76.9%	264,145

77. Do you have a family emergency plan?

	Yes	No	Total
Sherburne County, Becker area total	30.8%	69.2%	6,027
Gender			
Female	36.0%	64.0%	3,046
Male	25.4%	74.6%	2,981
Age			
18-34	26.7%	73.3%	1,837
35-44	31.1%	68.9%	1,556
45-54	37.7%	62.3%	1,289
55-64	25.2%	74.8%	707
65-74	28.9%	71.1%	355
75+	42.9%	57.1%	265
Highest level of education			
Less than high school diploma/GED	21.9%	78.1%	68
High school diploma/GED	26.8%	73.2%	861
Some college or AA degree	32.6%	67.4%	2,056
Bachelor's degree or higher	29.8%	70.2%	3,001
Household income (in 2012)			
Less than \$20,000	40.9%	59.1%	272
\$20,000 - \$34,999	48.9%	51.1%	297
\$35,000 - \$49,999	34.4%	65.6%	501
\$50,000 - \$99,999	26.8%	73.2%	3,155
\$100,000+	38.1%	61.9%	1,450
Household type			
Single adult, no children	12.7%	87.3%	404
2+ adults, no children	30.7%	69.3%	2,346
Single adult, 1+ children	41.7%	58.3%	156
2+ adults, 1+ children	31.6%	68.4%	3,065
All areas included in the study			
Benton County	32.1%	67.9%	26,917
Chisago County	26.4%	73.6%	39,597
Mille Lacs County	31.6%	68.4%	19,127
Sherburne County	31.1%	68.9%	62,164
Stearns County	23.9%	76.1%	116,559
Entire five-county region	27.4%	72.6%	264,364

78. Do you live with someone who smokes?

	Yes	No	Total
Sherburne County, Becker area total	11.1%	88.9%	6,026
Gender			
Female	11.5%	88.5%	3,046
Male	10.8%	89.2%	2,980
Age			
18-34	8.6%	91.4%	1,837
35-44	2.0%	98.0%	1,556
45-54	27.1%	72.9%	1,289
55-64	15.6%	84.4%	707
65-74	4.0%	96.0%	344
75+	3.5%	96.5%	275
Highest level of education			
Less than high school diploma/GED	0.0%	100.0%	68
High school diploma/GED	19.5%	80.5%	870
Some college or AA degree	15.5%	84.5%	2,045
Bachelor's degree or higher	4.8%	95.2%	3,001
Household income (in 2012)			
Less than \$20,000	28.9%	71.1%	272
\$20,000 - \$34,999	22.3%	77.7%	285
\$35,000 - \$49,999	20.1%	79.9%	501
\$50,000 - \$99,999	8.7%	91.3%	3,165
\$100,000+	9.7%	90.3%	1,450
Household type			
Single adult, no children	0.0%	100.0%	393
2+ adults, no children	11.3%	88.7%	2,356
Single adult, 1+ children	7.2%	92.8%	156
2+ adults, 1+ children	12.9%	87.1%	3,065
All areas included in the study			
Benton County	14.3%	85.7%	27,029
Chisago County	22.2%	77.8%	39,996
Mille Lacs County	15.7%	84.3%	19,357
Sherburne County	16.8%	83.2%	62,355
Stearns County	15.6%	84.4%	116,982
Entire five-county region	16.8%	83.2%	265,718

Community concerns

Health care delivery

79. In your opinion, how much of a problem is each of these issues in your county? People without health insurance or medical coverage

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	7.3%	16.2%	30.3%	25.3%	20.9%	5,994
Gender						
Female	4.0%	13.9%	30.5%	32.3%	19.3%	3,024
Male	10.6%	18.6%	30.1%	18.1%	22.5%	2,970
Age						
18-34	13.8%	6.7%	41.1%	15.3%	23.1%	1,837
35-44	2.7%	20.7%	23.0%	32.6%	21.0%	1,556
45-54	3.2%	31.0%	25.4%	25.2%	15.3%	1,289
55-64	3.1%	9.3%	32.0%	42.9%	12.7%	707
65-74	6.6%	6.6%	30.6%	16.6%	39.7%	344
75+	23.0%	16.3%	14.3%	14.0%	32.3%	243
Highest level of education						
Less than high school diploma/GED	24.7%	67.5%	7.9%	0.0%	0.0%	61
High school diploma/GED	12.9%	2.7%	35.2%	26.7%	22.6%	846
Some college or AA degree	5.4%	16.7%	26.6%	34.2%	17.0%	2,045
Bachelor's degree or higher	6.7%	18.9%	32.3%	19.7%	22.4%	3,001
Household income (in 2012)						
Less than \$20,000	5.7%	21.1%	22.9%	35.2%	15.1%	264
\$20,000 - \$34,999	10.7%	9.9%	16.6%	33.3%	29.5%	285
\$35,000 - \$49,999	4.3%	0.0%	56.4%	15.8%	23.6%	491
\$50,000 - \$99,999	8.9%	14.9%	21.7%	31.9%	22.6%	3,165
\$100,000+	2.4%	25.9%	49.9%	12.1%	9.7%	1,450
Household type						
Single adult, no children	22.4%	13.3%	29.1%	21.5%	13.7%	385
2+ adults, no children	12.2%	8.6%	30.5%	30.3%	18.5%	2,346
Single adult, 1+ children	0.0%	18.6%	51.1%	30.4%	0.0%	156
2+ adults, 1+ children	2.1%	22.6%	28.3%	22.0%	25.0%	3,065
All areas included in the study						
Benton County	7.3%	14.2%	30.3%	30.0%	18.2%	26,542
Chisago County	9.1%	13.0%	23.7%	35.0%	19.2%	39,360
Mille Lacs County	4.0%	7.0%	29.4%	45.3%	14.3%	19,211
Sherburne County	5.7%	13.8%	27.1%	33.9%	19.4%	61,930
Stearns County	4.7%	11.9%	29.6%	35.8%	18.1%	116,201
Entire five-county region	5.8%	12.4%	28.2%	35.3%	18.3%	263,244

80. In your opinion, how much of a problem is each of these issues in your county? People not getting needed care because of inadequate health insurance or high deductibles

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	7.5%	19.3%	32.5%	23.0%	17.7%	6,012
Gender						
Female	2.1%	12.7%	35.7%	32.5%	17.0%	3,031
Male	12.9%	26.1%	29.2%	13.4%	18.5%	2,981
Age						
18-34	12.6%	28.1%	29.1%	17.2%	13.1%	1,837
35-44	1.3%	14.9%	38.1%	28.0%	17.6%	1,556
45-54	6.4%	23.3%	30.8%	24.3%	15.3%	1,289
55-64	5.8%	11.0%	36.0%	34.5%	12.7%	707
65-74	6.3%	3.2%	39.2%	9.7%	41.6%	355
75+	16.4%	9.0%	13.9%	13.6%	47.1%	250
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	78.1%	0.0%	21.9%	68
High school diploma/GED	15.0%	2.7%	37.8%	16.8%	27.7%	846
Some college or AA degree	6.4%	14.1%	32.4%	33.7%	13.4%	2,056
Bachelor's degree or higher	6.4%	28.3%	30.4%	18.3%	16.7%	3,001
Household income (in 2012)						
Less than \$20,000	0.0%	12.4%	33.1%	37.0%	17.5%	272
\$20,000 - \$34,999	3.2%	7.1%	29.3%	28.2%	32.2%	297
\$35,000 - \$49,999	6.6%	0.0%	37.7%	26.0%	29.8%	491
\$50,000 - \$99,999	10.8%	10.7%	34.4%	27.4%	16.7%	3,165
\$100,000+	0.9%	48.5%	30.9%	13.2%	6.5%	1,450
Household type						
Single adult, no children	24.1%	4.6%	42.2%	15.8%	13.3%	404
2+ adults, no children	11.4%	17.4%	29.6%	26.2%	15.4%	2,346
Single adult, 1+ children	0.0%	11.9%	57.8%	30.4%	0.0%	156
2+ adults, 1+ children	2.8%	23.4%	32.3%	20.4%	21.2%	3,065
All areas included in the study						
Benton County	4.5%	15.6%	29.5%	33.2%	17.1%	26,758
Chisago County	6.3%	12.3%	20.1%	44.3%	17.0%	39,236
Mille Lacs County	4.0%	7.8%	27.9%	44.2%	16.1%	19,150
Sherburne County	4.6%	11.9%	30.2%	35.9%	17.5%	61,386
Stearns County	5.5%	14.5%	25.6%	38.1%	16.4%	115,417
Entire five-county region	5.2%	13.2%	26.4%	38.4%	16.8%	261,947

81. In your opinion, how much of a problem is each of these issues in your county?
Too few health care providers

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	49.0%	23.2%	13.6%	2.9%	11.3%	5,983
Gender						
Female	40.1%	30.0%	15.8%	3.2%	11.0%	3,002
Male	58.0%	16.3%	11.4%	2.6%	11.7%	2,981
Age						
18-34	66.8%	15.9%	6.7%	6.2%	4.3%	1,837
35-44	43.3%	28.1%	13.0%	1.3%	14.2%	1,556
45-54	40.1%	25.9%	24.6%	1.7%	7.7%	1,289
55-64	36.7%	33.9%	15.4%	0.0%	13.9%	701
65-74	51.1%	7.8%	11.7%	1.9%	27.5%	355
75+	33.0%	16.5%	9.9%	4.2%	36.5%	228
Highest level of education						
Less than high school diploma/GED	67.1%	21.9%	11.0%	0.0%	0.0%	68
High school diploma/GED	42.5%	18.7%	19.4%	0.8%	18.6%	824
Some college or AA degree	48.0%	31.7%	10.3%	1.5%	8.4%	2,049
Bachelor's degree or higher	51.7%	18.9%	14.6%	4.5%	10.4%	3,001
Household income (in 2012)						
Less than \$20,000	37.0%	36.2%	13.8%	0.0%	13.0%	258
\$20,000 - \$34,999	37.7%	15.2%	16.3%	3.2%	27.5%	297
\$35,000 - \$49,999	39.0%	21.2%	17.2%	1.5%	21.1%	491
\$50,000 - \$99,999	49.9%	26.9%	14.8%	0.7%	7.7%	3,157
\$100,000+	53.3%	16.4%	10.8%	9.3%	10.2%	1,450
Household type						
Single adult, no children	45.9%	19.8%	16.7%	3.8%	13.7%	375
2+ adults, no children	53.3%	29.8%	5.6%	1.0%	10.3%	2,346
Single adult, 1+ children	4.7%	37.0%	13.9%	44.4%	0.0%	156
2+ adults, 1+ children	47.9%	17.8%	19.6%	2.2%	12.6%	3,065
All areas included in the study						
Benton County	34.3%	31.3%	13.1%	6.3%	15.0%	26,596
Chisago County	38.7%	30.1%	11.9%	6.7%	12.5%	38,803
Mille Lacs County	32.9%	23.6%	18.6%	14.3%	10.6%	19,169
Sherburne County	42.0%	25.4%	12.6%	5.1%	15.0%	61,755
Stearns County	35.5%	30.8%	15.0%	6.0%	12.8%	115,293
Entire five-county region	37.2%	28.9%	14.0%	6.5%	13.3%	261,616

82. In your opinion, how much of a problem is each of these issues in your county?
Too few dental providers

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	52.9%	21.9%	10.9%	2.8%	11.4%	5,970
Gender						
Female	45.0%	26.0%	13.2%	4.9%	10.9%	3,016
Male	61.0%	17.8%	8.7%	0.6%	11.9%	2,954
Age						
18-34	66.8%	20.9%	4.9%	3.1%	4.3%	1,837
35-44	47.9%	20.3%	11.7%	4.0%	16.1%	1,556
45-54	50.0%	25.9%	15.1%	1.2%	7.8%	1,274
55-64	40.5%	27.0%	19.6%	1.4%	11.6%	679
65-74	47.2%	9.7%	11.7%	3.9%	27.5%	355
75+	39.0%	21.8%	6.0%	3.8%	29.4%	250
Highest level of education						
Less than high school diploma/GED	78.1%	21.9%	0.0%	0.0%	0.0%	68
High school diploma/GED	41.3%	20.1%	15.5%	5.0%	18.2%	846
Some college or AA degree	52.7%	29.2%	7.6%	2.3%	8.3%	2,056
Bachelor's degree or higher	56.6%	17.7%	12.4%	2.6%	10.7%	2,959
Household income (in 2012)						
Less than \$20,000	21.2%	51.3%	2.8%	17.5%	7.3%	272
\$20,000 - \$34,999	35.5%	15.2%	13.9%	3.2%	32.2%	297
\$35,000 - \$49,999	44.0%	21.8%	13.1%	3.0%	18.1%	491
\$50,000 - \$99,999	56.3%	18.0%	15.3%	2.3%	8.1%	3,150
\$100,000+	55.9%	28.5%	3.6%	1.6%	10.4%	1,422
Household type						
Single adult, no children	54.4%	23.3%	7.2%	2.3%	12.8%	404
2+ adults, no children	58.4%	20.6%	9.5%	2.4%	9.1%	2,346
Single adult, 1+ children	4.7%	69.6%	6.7%	0.0%	19.0%	156
2+ adults, 1+ children	50.3%	20.7%	12.9%	3.3%	12.8%	3,022
All areas included in the study						
Benton County	40.9%	28.0%	8.5%	6.6%	16.0%	26,695
Chisago County	43.1%	26.0%	11.1%	6.2%	13.6%	39,001
Mille Lacs County	33.8%	16.4%	20.7%	17.5%	11.5%	19,230
Sherburne County	44.2%	22.4%	12.5%	6.2%	14.6%	61,707
Stearns County	41.0%	27.8%	11.6%	4.7%	14.9%	116,164
Entire five-county region	41.5%	25.5%	12.1%	6.4%	14.5%	262,798

83. In your opinion, how much of a problem is each of these issues in your county? Language barriers in getting health care

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	49.3%	19.1%	9.1%	1.4%	21.0%	5,990
Gender						
Female	36.5%	27.5%	13.2%	1.9%	20.9%	3,009
Male	62.3%	10.6%	4.9%	0.9%	21.2%	2,981
Age						
18-34	63.1%	17.3%	6.1%	2.5%	11.0%	1,837
35-44	48.3%	11.3%	11.2%	0.0%	29.1%	1,556
45-54	45.3%	24.7%	9.6%	0.0%	20.5%	1,274
55-64	33.4%	31.9%	10.2%	4.5%	20.0%	707
65-74	30.0%	20.6%	11.7%	0.0%	37.7%	355
75+	47.2%	15.4%	6.2%	3.9%	27.2%	243
Highest level of education						
Less than high school diploma/GED	28.9%	71.1%	0.0%	0.0%	0.0%	68
High school diploma/GED	46.2%	23.2%	8.3%	0.0%	22.4%	838
Some college or AA degree	46.0%	22.5%	7.1%	2.0%	22.5%	2,056
Bachelor's degree or higher	53.7%	14.7%	11.1%	1.5%	19.0%	2,986
Household income (in 2012)						
Less than \$20,000	40.7%	14.2%	2.8%	0.0%	42.3%	264
\$20,000 - \$34,999	18.0%	35.6%	0.0%	7.6%	38.7%	297
\$35,000 - \$49,999	39.5%	26.7%	15.1%	0.0%	18.6%	491
\$50,000 - \$99,999	53.4%	16.9%	14.0%	0.0%	15.7%	3,150
\$100,000+	56.8%	20.8%	0.0%	4.4%	18.0%	1,450
Household type						
Single adult, no children	51.4%	22.5%	11.5%	0.0%	14.6%	396
2+ adults, no children	51.6%	23.1%	7.3%	1.7%	16.2%	2,346
Single adult, 1+ children	30.9%	51.1%	0.0%	0.0%	18.1%	156
2+ adults, 1+ children	49.0%	12.8%	10.7%	1.5%	26.0%	3,050
All areas included in the study						
Benton County	25.7%	27.8%	17.5%	5.7%	23.4%	26,731
Chisago County	44.1%	25.8%	7.0%	1.3%	21.8%	38,906
Mille Lacs County	54.7%	17.2%	4.5%	2.2%	21.5%	19,037
Sherburne County	35.5%	22.8%	13.7%	2.7%	25.4%	61,688
Stearns County	30.7%	21.6%	23.3%	5.8%	18.6%	115,758
Entire five-county region	35.1%	22.8%	16.7%	4.1%	21.3%	262,120

84. In your opinion, how much of a problem is each of these issues in your county? Lack of provider knowledge about the health care needs of people of different cultures

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	32.6%	22.5%	13.3%	1.5%	30.2%	6,007
Gender						
Female	26.5%	22.0%	18.7%	2.6%	30.2%	3,016
Male	38.8%	22.9%	7.8%	0.3%	30.1%	2,991
Age						
18-34	36.2%	30.5%	11.0%	1.2%	21.0%	1,837
35-44	32.1%	19.6%	11.8%	1.3%	35.2%	1,556
45-54	30.6%	20.3%	17.3%	1.2%	30.6%	1,274
55-64	38.5%	21.3%	15.3%	0.0%	24.9%	707
65-74	12.7%	10.9%	13.6%	3.9%	58.9%	355
75+	30.2%	13.4%	10.5%	6.6%	39.4%	260
Highest level of education						
Less than high school diploma/GED	60.1%	11.0%	7.0%	0.0%	21.9%	68
High school diploma/GED	30.8%	15.6%	15.5%	5.1%	33.0%	855
Some college or AA degree	38.9%	22.9%	7.3%	2.2%	28.6%	2,056
Bachelor's degree or higher	28.6%	24.7%	17.0%	0.0%	29.6%	2,986
Household income (in 2012)						
Less than \$20,000	11.5%	23.9%	7.3%	2.8%	54.5%	272
\$20,000 - \$34,999	13.9%	11.2%	11.3%	7.9%	55.7%	297
\$35,000 - \$49,999	32.5%	14.2%	18.9%	0.0%	34.4%	501
\$50,000 - \$99,999	34.9%	22.9%	15.2%	1.4%	25.7%	3,150
\$100,000+	38.0%	28.6%	10.9%	1.0%	21.5%	1,450
Household type						
Single adult, no children	38.7%	13.6%	19.3%	1.9%	26.5%	404
2+ adults, no children	28.7%	36.2%	10.5%	2.6%	22.0%	2,356
Single adult, 1+ children	68.0%	7.2%	0.0%	0.0%	24.8%	156
2+ adults, 1+ children	32.4%	14.1%	15.2%	0.7%	37.7%	3,050
All areas included in the study						
Benton County	23.3%	26.2%	17.8%	3.3%	29.5%	26,656
Chisago County	32.4%	26.6%	10.3%	1.4%	29.3%	39,144
Mille Lacs County	41.5%	20.0%	11.6%	1.0%	25.9%	19,056
Sherburne County	30.0%	18.6%	12.9%	3.7%	34.9%	61,796
Stearns County	26.0%	22.0%	21.0%	4.7%	26.3%	115,525
Entire five-county region	28.7%	22.2%	16.5%	3.6%	29.1%	262,177

**85. In your opinion, how much of a problem is each of these issues in your county?
Ambulance/rescue squad response time to 911**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	51.3%	20.5%	4.8%	1.3%	22.1%	6,015
Gender						
Female	48.0%	20.1%	8.7%	0.9%	22.3%	3,024
Male	54.7%	20.9%	0.8%	1.7%	21.9%	2,991
Age						
18-34	49.7%	28.6%	2.5%	0.0%	19.2%	1,837
35-44	50.2%	13.9%	4.0%	1.3%	30.5%	1,556
45-54	40.8%	22.4%	8.6%	3.2%	25.0%	1,281
55-64	65.6%	21.3%	4.6%	0.0%	8.5%	707
65-74	57.7%	14.8%	10.2%	0.0%	17.3%	355
75+	73.5%	0.0%	0.0%	3.7%	22.8%	260
Highest level of education						
Less than high school diploma/GED	39.9%	60.1%	0.0%	0.0%	0.0%	68
High school diploma/GED	63.8%	12.3%	3.1%	4.8%	16.0%	855
Some college or AA degree	52.4%	18.7%	5.1%	1.5%	22.3%	2,056
Bachelor's degree or higher	48.0%	23.4%	5.2%	0.2%	23.1%	2,994
Household income (in 2012)						
Less than \$20,000	53.1%	8.1%	0.0%	0.0%	38.8%	272
\$20,000 - \$34,999	35.1%	29.3%	0.0%	3.2%	32.3%	297
\$35,000 - \$49,999	61.7%	8.8%	12.9%	0.0%	16.6%	501
\$50,000 - \$99,999	53.1%	17.0%	6.6%	2.2%	21.2%	3,157
\$100,000+	50.2%	33.6%	0.0%	0.0%	16.3%	1,450
Household type						
Single adult, no children	70.4%	6.1%	0.0%	1.8%	21.7%	404
2+ adults, no children	61.0%	25.1%	5.1%	0.4%	8.5%	2,356
Single adult, 1+ children	11.9%	51.1%	6.7%	0.0%	30.4%	156
2+ adults, 1+ children	42.9%	17.6%	5.1%	2.0%	32.4%	3,065
All areas included in the study						
Benton County	45.3%	23.1%	4.8%	1.1%	25.7%	26,702
Chisago County	51.3%	17.1%	9.7%	1.4%	20.5%	39,202
Mille Lacs County	50.8%	13.0%	12.1%	2.5%	21.6%	19,261
Sherburne County	51.2%	15.8%	4.4%	2.4%	26.2%	61,766
Stearns County	46.5%	20.1%	4.7%	1.8%	27.0%	116,385
Entire five-county region	48.5%	18.4%	5.9%	1.8%	25.3%	263,316

86. In your opinion, how much of a problem is each of these issues in your county? County government's lack of preparation for a disaster, disease outbreak, or terrorist event

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	41.8%	18.7%	8.1%	3.9%	27.5%	6,007
Gender						
Female	35.1%	17.9%	11.2%	5.0%	30.8%	3,016
Male	48.6%	19.6%	4.9%	2.7%	24.2%	2,991
Age						
18-34	46.1%	18.7%	11.1%	1.2%	22.9%	1,837
35-44	37.1%	19.7%	9.2%	2.7%	31.3%	1,556
45-54	34.5%	23.3%	4.0%	10.0%	28.3%	1,281
55-64	49.9%	15.5%	7.7%	2.6%	24.3%	707
65-74	48.7%	12.2%	0.0%	3.9%	35.3%	355
75+	42.7%	6.8%	12.7%	3.0%	34.9%	253
Highest level of education						
Less than high school diploma/GED	21.9%	71.1%	0.0%	0.0%	7.0%	68
High school diploma/GED	56.7%	6.4%	3.3%	2.5%	31.1%	855
Some college or AA degree	41.9%	18.3%	10.0%	7.1%	22.7%	2,041
Bachelor's degree or higher	38.5%	21.6%	8.4%	2.2%	29.3%	3,001
Household income (in 2012)						
Less than \$20,000	29.0%	14.3%	30.1%	2.8%	23.8%	272
\$20,000 - \$34,999	33.1%	19.6%	10.7%	0.0%	36.7%	297
\$35,000 - \$49,999	52.5%	10.6%	3.9%	2.8%	30.3%	501
\$50,000 - \$99,999	44.8%	16.2%	7.5%	6.0%	25.6%	3,150
\$100,000+	40.3%	29.5%	5.8%	1.6%	22.9%	1,450
Household type						
Single adult, no children	53.4%	9.9%	4.3%	1.9%	30.5%	389
2+ adults, no children	50.6%	27.2%	6.8%	2.3%	13.1%	2,356
Single adult, 1+ children	11.9%	13.4%	51.1%	0.0%	23.7%	156
2+ adults, 1+ children	34.5%	13.6%	7.4%	5.5%	38.9%	3,065
All areas included in the study						
Benton County	26.5%	22.5%	13.3%	7.2%	30.5%	26,613
Chisago County	26.7%	14.8%	15.4%	6.4%	36.7%	38,945
Mille Lacs County	29.4%	14.7%	16.1%	7.3%	32.5%	19,169
Sherburne County	30.2%	16.9%	11.0%	5.0%	37.0%	62,016
Stearns County	23.1%	26.2%	9.1%	7.4%	34.2%	115,404
Entire five-county region	26.1%	21.1%	11.4%	6.6%	34.7%	262,146

87. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining family planning services

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	41.6%	18.0%	5.3%	2.6%	32.5%	5,977
Gender						
Female	33.7%	17.6%	8.3%	3.2%	37.2%	2,995
Male	49.6%	18.3%	2.3%	2.0%	27.8%	2,981
Age						
18-34	51.2%	29.2%	2.5%	2.5%	14.7%	1,837
35-44	41.7%	6.8%	9.3%	5.2%	36.9%	1,535
45-54	33.9%	22.3%	6.3%	1.1%	36.3%	1,289
55-64	39.5%	17.3%	4.6%	0.0%	38.6%	707
65-74	31.4%	0.0%	1.9%	3.9%	62.8%	355
75+	29.0%	6.4%	4.1%	0.0%	60.6%	235
Highest level of education						
Less than high school diploma/GED	32.9%	0.0%	0.0%	0.0%	67.1%	68
High school diploma/GED	46.9%	13.0%	1.5%	1.6%	37.0%	848
Some college or AA degree	35.6%	15.1%	6.8%	2.9%	39.6%	2,028
Bachelor's degree or higher	45.0%	22.0%	5.6%	2.7%	24.7%	2,992
Household income (in 2012)						
Less than \$20,000	30.1%	2.8%	8.1%	21.8%	37.2%	272
\$20,000 - \$34,999	20.3%	13.9%	3.2%	0.0%	62.5%	297
\$35,000 - \$49,999	46.7%	12.6%	7.6%	2.8%	30.3%	501
\$50,000 - \$99,999	45.4%	18.4%	6.1%	1.9%	28.1%	3,157
\$100,000+	41.6%	24.6%	2.9%	1.4%	29.5%	1,450
Household type						
Single adult, no children	52.4%	8.6%	1.8%	0.0%	37.2%	389
2+ adults, no children	43.6%	24.4%	6.2%	0.6%	25.2%	2,346
Single adult, 1+ children	11.9%	44.4%	6.7%	0.0%	37.0%	156
2+ adults, 1+ children	39.7%	12.8%	5.1%	4.6%	37.8%	3,044
All areas included in the study						
Benton County	41.0%	15.5%	9.3%	1.9%	32.3%	26,740
Chisago County	40.1%	18.0%	5.6%	1.1%	35.1%	39,203
Mille Lacs County	34.8%	15.7%	7.7%	4.1%	37.8%	19,150
Sherburne County	40.5%	13.6%	5.9%	2.7%	37.3%	61,735
Stearns County	34.6%	18.6%	7.0%	1.6%	38.3%	116,385
Entire five-county region	37.5%	16.8%	6.8%	2.0%	36.9%	263,213

88. In your opinion, how much of a problem is each of these issues in your county? Lack of services to allow people to continue living at home

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	31.6%	17.6%	15.8%	5.8%	29.2%	5,968
Gender						
Female	23.2%	18.6%	19.8%	7.5%	30.7%	3,039
Male	40.2%	16.6%	11.6%	4.1%	27.5%	2,929
Age						
18-34	32.4%	21.1%	19.3%	3.7%	23.5%	1,837
35-44	33.2%	13.1%	10.8%	7.8%	35.1%	1,556
45-54	33.0%	17.5%	13.2%	6.9%	29.4%	1,227
55-64	23.3%	28.1%	21.9%	6.3%	20.4%	707
65-74	23.6%	9.7%	18.0%	3.9%	44.8%	355
75+	44.9%	4.6%	11.0%	2.8%	36.7%	268
Highest level of education						
Less than high school diploma/GED	21.9%	0.0%	18.0%	0.0%	60.1%	68
High school diploma/GED	42.8%	20.6%	5.9%	3.9%	26.7%	870
Some college or AA degree	34.7%	11.8%	14.6%	8.5%	30.5%	2,049
Bachelor's degree or higher	26.7%	21.5%	19.7%	4.8%	27.2%	2,939
Household income (in 2012)						
Less than \$20,000	27.4%	2.8%	25.1%	24.6%	20.2%	272
\$20,000 - \$34,999	17.5%	20.3%	25.4%	0.0%	36.8%	297
\$35,000 - \$49,999	36.0%	13.4%	20.2%	2.8%	27.7%	501
\$50,000 - \$99,999	34.3%	18.1%	11.8%	6.8%	29.0%	3,096
\$100,000+	31.1%	21.6%	23.0%	3.0%	21.3%	1,450
Household type						
Single adult, no children	40.0%	10.6%	15.3%	3.7%	30.4%	396
2+ adults, no children	35.6%	20.6%	22.8%	4.2%	16.8%	2,356
Single adult, 1+ children	7.2%	55.8%	6.7%	0.0%	30.4%	156
2+ adults, 1+ children	27.6%	14.6%	10.9%	7.8%	39.1%	3,003
All areas included in the study						
Benton County	20.7%	24.7%	21.3%	7.3%	26.0%	26,720
Chisago County	22.0%	25.8%	16.7%	7.8%	27.6%	38,901
Mille Lacs County	24.9%	16.0%	25.2%	9.6%	24.4%	19,218
Sherburne County	23.7%	19.3%	16.1%	7.4%	33.5%	61,880
Stearns County	21.6%	27.0%	18.2%	6.5%	26.6%	115,968
Entire five-county region	22.3%	24.0%	18.3%	7.2%	28.2%	262,687

Social conditions

89. In your opinion, how much of a problem is each of these issues in your county? Crime

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	22.1%	50.2%	19.1%	5.0%	3.6%	6,015
Gender						
Female	18.8%	47.0%	18.5%	9.0%	6.7%	3,024
Male	25.4%	53.4%	19.7%	0.9%	0.5%	2,991
Age						
18-34	30.0%	50.9%	12.4%	2.5%	4.3%	1,837
35-44	24.6%	49.2%	18.8%	4.0%	3.4%	1,556
45-54	13.7%	53.0%	24.2%	7.4%	1.7%	1,289
55-64	10.3%	50.0%	30.2%	9.4%	0.0%	707
65-74	19.0%	49.4%	18.0%	1.9%	11.7%	355
75+	31.6%	38.1%	12.7%	8.9%	8.7%	253
Highest level of education						
Less than high school diploma/GED	32.9%	67.1%	0.0%	0.0%	0.0%	68
High school diploma/GED	17.6%	60.1%	12.9%	6.6%	2.8%	848
Some college or AA degree	21.2%	43.7%	25.5%	6.3%	3.4%	2,056
Bachelor's degree or higher	24.1%	50.8%	17.2%	3.8%	4.1%	3,001
Household income (in 2012)						
Less than \$20,000	22.2%	50.3%	7.8%	2.8%	16.9%	272
\$20,000 - \$34,999	19.2%	66.0%	3.2%	6.9%	4.6%	297
\$35,000 - \$49,999	23.2%	53.3%	14.3%	0.0%	9.2%	501
\$50,000 - \$99,999	27.4%	38.4%	24.1%	7.5%	2.6%	3,165
\$100,000+	14.3%	74.9%	9.3%	1.6%	0.0%	1,450
Household type						
Single adult, no children	12.7%	63.8%	7.9%	9.8%	5.7%	396
2+ adults, no children	26.5%	43.0%	21.7%	4.6%	4.2%	2,356
Single adult, 1+ children	11.4%	39.5%	44.4%	0.0%	4.7%	156
2+ adults, 1+ children	19.7%	55.0%	17.5%	5.0%	2.8%	3,065
All areas included in the study						
Benton County	10.0%	39.9%	33.0%	12.9%	4.1%	26,749
Chisago County	15.1%	46.2%	27.7%	7.1%	4.0%	39,104
Mille Lacs County	11.3%	34.7%	33.2%	16.2%	4.8%	19,196
Sherburne County	14.6%	44.6%	28.0%	7.7%	5.0%	62,376
Stearns County	9.7%	34.4%	42.7%	9.9%	3.3%	116,334
Entire five-county region	11.8%	39.2%	35.3%	9.7%	4.0%	263,758

90. In your opinion, how much of a problem is each of these issues in your county? Unemployment

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	8.1%	25.5%	44.2%	15.4%	6.8%	6,015
Gender						
Female	4.2%	25.3%	41.8%	22.4%	6.4%	3,024
Male	12.0%	25.7%	46.6%	8.4%	7.3%	2,991
Age						
18-34	14.4%	18.0%	49.6%	6.7%	11.2%	1,837
35-44	7.8%	30.7%	39.9%	18.2%	3.4%	1,556
45-54	0.0%	32.3%	45.1%	17.7%	4.9%	1,289
55-64	6.6%	28.0%	39.5%	24.6%	1.3%	707
65-74	3.2%	20.5%	52.6%	16.1%	7.8%	355
75+	16.2%	14.9%	23.5%	25.1%	20.3%	253
Highest level of education						
Less than high school diploma/GED	11.0%	60.1%	21.9%	0.0%	7.0%	68
High school diploma/GED	21.4%	29.6%	29.6%	13.4%	6.0%	848
Some college or AA degree	3.2%	24.3%	41.6%	25.4%	5.5%	2,056
Bachelor's degree or higher	7.7%	23.4%	51.2%	9.7%	8.0%	3,001
Household income (in 2012)						
Less than \$20,000	2.8%	15.8%	32.6%	42.5%	6.3%	272
\$20,000 - \$34,999	0.0%	26.1%	38.7%	22.3%	12.9%	297
\$35,000 - \$49,999	6.1%	24.6%	46.3%	9.6%	13.4%	501
\$50,000 - \$99,999	11.2%	26.4%	34.8%	19.9%	7.7%	3,165
\$100,000+	3.5%	27.1%	64.7%	3.1%	1.6%	1,450
Household type						
Single adult, no children	24.6%	22.5%	27.6%	14.2%	11.1%	396
2+ adults, no children	8.9%	27.4%	40.7%	19.8%	3.2%	2,356
Single adult, 1+ children	0.0%	11.9%	69.1%	19.0%	0.0%	156
2+ adults, 1+ children	5.8%	25.4%	47.2%	12.1%	9.4%	3,065
All areas included in the study						
Benton County	1.9%	27.3%	41.0%	23.6%	6.3%	26,700
Chisago County	8.2%	17.7%	37.5%	28.8%	7.9%	38,960
Mille Lacs County	1.6%	23.2%	26.9%	42.0%	6.3%	19,227
Sherburne County	5.2%	17.8%	41.7%	27.3%	7.9%	61,851
Stearns County	4.5%	24.9%	34.0%	31.3%	5.4%	116,130
Entire five-county region	4.7%	22.3%	36.5%	30.0%	6.5%	262,868

91. In your opinion, how much of a problem is each of these issues in your county? Children in poverty

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	13.9%	33.1%	22.3%	16.0%	14.7%	5,992
Gender						
Female	7.6%	32.8%	23.9%	22.6%	13.1%	3,001
Male	20.2%	33.4%	20.8%	9.4%	16.3%	2,991
Age						
18-34	22.2%	39.1%	11.8%	13.0%	13.9%	1,814
35-44	7.4%	35.3%	24.3%	18.2%	14.8%	1,556
45-54	10.7%	24.5%	34.7%	14.8%	15.3%	1,289
55-64	9.7%	34.7%	28.5%	22.5%	4.6%	707
65-74	12.7%	27.0%	22.4%	12.2%	25.8%	355
75+	25.1%	22.4%	3.8%	18.4%	30.3%	253
Highest level of education						
Less than high school diploma/GED	21.9%	18.0%	0.0%	0.0%	60.1%	68
High school diploma/GED	34.9%	18.4%	20.3%	11.2%	15.2%	855
Some college or AA degree	4.9%	33.3%	27.4%	21.4%	13.0%	2,026
Bachelor's degree or higher	12.6%	38.0%	20.3%	14.3%	14.8%	3,001
Household income (in 2012)						
Less than \$20,000	17.1%	31.2%	2.4%	39.8%	9.6%	272
\$20,000 - \$34,999	20.2%	30.8%	23.5%	15.8%	9.7%	297
\$35,000 - \$49,999	17.2%	31.3%	24.1%	13.8%	13.5%	501
\$50,000 - \$99,999	16.7%	23.1%	25.7%	20.4%	14.2%	3,135
\$100,000+	3.1%	60.2%	20.8%	6.6%	9.2%	1,450
Household type						
Single adult, no children	29.3%	28.1%	14.6%	18.9%	9.2%	396
2+ adults, no children	16.9%	28.8%	18.2%	18.7%	17.5%	2,356
Single adult, 1+ children	0.0%	69.6%	6.7%	19.0%	4.7%	156
2+ adults, 1+ children	10.5%	35.7%	26.3%	13.6%	13.9%	3,042
All areas included in the study						
Benton County	3.9%	29.1%	28.9%	21.5%	16.6%	26,537
Chisago County	13.2%	24.1%	29.1%	19.3%	14.4%	38,984
Mille Lacs County	3.9%	24.6%	28.1%	32.4%	11.1%	19,181
Sherburne County	9.6%	23.5%	32.0%	22.1%	12.7%	61,463
Stearns County	8.0%	33.0%	22.9%	25.1%	11.0%	115,129
Entire five-county region	8.4%	28.4%	27.0%	23.7%	12.5%	261,294

92. In your opinion, how much of a problem is each of these issues in your county? Families experiencing financial stress

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	4.1%	15.3%	41.1%	31.2%	8.3%	6,012
Gender						
Female	1.6%	16.4%	36.4%	37.4%	8.2%	3,031
Male	6.7%	14.2%	45.8%	24.9%	8.3%	2,981
Age						
18-34	7.6%	11.7%	32.3%	36.0%	12.5%	1,837
35-44	2.7%	13.9%	48.1%	33.3%	2.0%	1,556
45-54	0.0%	23.5%	44.8%	24.3%	7.5%	1,289
55-64	3.9%	13.4%	42.3%	37.7%	2.7%	707
65-74	0.0%	13.4%	52.6%	16.1%	18.0%	355
75+	16.4%	12.8%	26.4%	21.5%	22.9%	250
Highest level of education						
Less than high school diploma/GED	0.0%	39.9%	0.0%	60.1%	0.0%	68
High school diploma/GED	5.2%	20.2%	46.6%	19.6%	8.3%	855
Some college or AA degree	2.2%	17.6%	36.1%	35.5%	8.6%	2,056
Bachelor's degree or higher	5.3%	12.0%	43.0%	31.3%	8.3%	2,992
Household income (in 2012)						
Less than \$20,000	0.0%	18.1%	22.9%	43.9%	15.1%	272
\$20,000 - \$34,999	0.0%	1.6%	58.1%	30.6%	9.7%	297
\$35,000 - \$49,999	6.1%	5.2%	49.2%	26.1%	13.5%	501
\$50,000 - \$99,999	6.0%	17.9%	36.4%	30.1%	9.5%	3,165
\$100,000+	1.4%	10.5%	52.8%	32.2%	3.1%	1,450
Household type						
Single adult, no children	4.2%	27.0%	39.5%	22.2%	7.2%	404
2+ adults, no children	8.1%	14.3%	35.5%	36.3%	5.8%	2,346
Single adult, 1+ children	0.0%	0.0%	16.1%	83.9%	0.0%	156
2+ adults, 1+ children	1.4%	15.5%	46.3%	26.0%	10.8%	3,065
All areas included in the study						
Benton County	2.0%	14.6%	35.7%	39.3%	8.4%	26,626
Chisago County	5.8%	7.9%	35.3%	41.1%	9.9%	38,982
Mille Lacs County	1.4%	9.0%	30.2%	51.8%	7.6%	19,186
Sherburne County	2.8%	11.3%	40.1%	38.1%	7.7%	61,784
Stearns County	2.0%	16.7%	36.9%	36.9%	7.4%	115,696
Entire five-county region	2.7%	13.4%	36.8%	39.1%	8.0%	262,275

93. In your opinion, how much of a problem is each of these issues in your county? Youth not graduating high school

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	19.0%	42.7%	18.7%	8.0%	11.6%	6,010
Gender						
Female	9.4%	44.8%	18.2%	11.8%	15.8%	3,024
Male	28.7%	40.6%	19.2%	4.2%	7.3%	2,986
Age						
18-34	29.4%	42.9%	10.5%	8.0%	9.2%	1,837
35-44	17.4%	48.7%	20.2%	4.6%	9.2%	1,556
45-54	13.5%	49.5%	17.4%	7.4%	12.1%	1,289
55-64	10.5%	37.6%	26.4%	17.8%	7.7%	707
65-74	3.2%	21.2%	42.3%	8.3%	25.0%	355
75+	27.8%	17.6%	13.8%	6.1%	34.7%	248
Highest level of education						
Less than high school diploma/GED	21.9%	78.1%	0.0%	0.0%	0.0%	68
High school diploma/GED	17.4%	39.2%	23.6%	6.7%	13.0%	855
Some college or AA degree	8.7%	41.9%	23.4%	10.2%	15.8%	2,049
Bachelor's degree or higher	25.2%	44.1%	14.7%	7.3%	8.7%	2,996
Household income (in 2012)						
Less than \$20,000	11.0%	43.0%	18.5%	5.5%	22.0%	272
\$20,000 - \$34,999	20.2%	23.9%	28.0%	4.4%	23.6%	297
\$35,000 - \$49,999	14.7%	44.7%	16.8%	6.8%	17.0%	496
\$50,000 - \$99,999	23.8%	34.2%	20.4%	11.1%	10.4%	3,157
\$100,000+	13.4%	65.2%	10.2%	4.0%	7.2%	1,450
Household type						
Single adult, no children	9.1%	54.3%	12.7%	5.6%	18.3%	392
2+ adults, no children	22.1%	39.1%	18.3%	8.9%	11.7%	2,356
Single adult, 1+ children	0.0%	18.1%	51.6%	19.0%	11.4%	156
2+ adults, 1+ children	19.1%	45.7%	18.3%	6.2%	10.8%	3,065
All areas included in the study						
Benton County	5.7%	31.4%	29.9%	16.0%	16.9%	26,739
Chisago County	13.4%	34.4%	16.9%	21.3%	14.0%	39,020
Mille Lacs County	4.2%	22.0%	34.6%	21.7%	17.4%	19,135
Sherburne County	8.3%	32.7%	27.3%	15.9%	15.9%	61,157
Stearns County	7.9%	35.2%	22.1%	21.0%	13.9%	115,585
Entire five-county region	8.3%	33.1%	24.2%	19.4%	14.9%	261,636

Pregnancy, birth, and child development

94. In your opinion, how much of a problem is each of these issues in your county? Parents with inadequate or poor parenting skills

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	3.1%	21.3%	32.3%	29.6%	13.7%	6,002
Gender						
Female	5.0%	23.2%	26.9%	30.1%	14.7%	3,011
Male	1.1%	19.4%	37.8%	29.1%	12.7%	2,991
Age						
18-34	1.2%	22.3%	35.5%	29.7%	11.2%	1,837
35-44	5.4%	19.1%	30.0%	38.8%	6.7%	1,556
45-54	1.1%	28.5%	38.6%	18.3%	13.4%	1,289
55-64	1.3%	21.2%	25.5%	40.6%	11.3%	694
65-74	0.0%	7.1%	36.0%	12.2%	44.8%	355
75+	21.4%	13.8%	6.8%	18.6%	39.5%	253
Highest level of education						
Less than high school diploma/GED	32.9%	0.0%	0.0%	60.1%	7.0%	68
High school diploma/GED	3.7%	23.9%	39.5%	15.5%	17.4%	848
Some college or AA degree	4.3%	26.2%	26.2%	26.1%	17.2%	2,043
Bachelor's degree or higher	1.4%	16.7%	35.7%	35.7%	10.6%	3,001
Household income (in 2012)						
Less than \$20,000	11.0%	28.2%	2.8%	46.7%	11.3%	272
\$20,000 - \$34,999	0.0%	18.0%	34.4%	27.1%	20.5%	297
\$35,000 - \$49,999	7.1%	20.2%	21.2%	40.2%	11.3%	501
\$50,000 - \$99,999	1.8%	23.2%	33.8%	24.8%	16.5%	3,152
\$100,000+	2.9%	19.5%	40.0%	33.5%	4.1%	1,450
Household type						
Single adult, no children	6.1%	21.1%	31.5%	24.3%	17.0%	396
2+ adults, no children	2.3%	20.5%	37.1%	26.4%	13.7%	2,343
Single adult, 1+ children	0.0%	4.7%	20.1%	70.5%	4.7%	156
2+ adults, 1+ children	3.5%	21.7%	29.8%	31.1%	13.9%	3,065
All areas included in the study						
Benton County	1.2%	14.3%	36.4%	36.2%	11.9%	26,487
Chisago County	4.6%	15.0%	31.9%	32.9%	15.5%	39,225
Mille Lacs County	1.8%	19.3%	29.4%	39.5%	10.0%	19,174
Sherburne County	2.7%	16.8%	31.3%	33.6%	15.6%	61,724
Stearns County	3.6%	19.1%	33.2%	35.2%	8.9%	115,944
Entire five-county region	3.2%	17.5%	32.6%	34.9%	11.8%	262,555

95. In your opinion, how much of a problem is each of these issues in your county? Teen pregnancy

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	9.8%	35.7%	22.9%	11.7%	19.8%	6,002
Gender						
Female	5.5%	30.7%	26.1%	15.8%	21.9%	3,011
Male	14.1%	40.8%	19.6%	7.7%	17.8%	2,991
Age						
18-34	22.0%	28.6%	22.9%	5.5%	21.0%	1,837
35-44	6.1%	39.0%	24.9%	9.2%	20.9%	1,556
45-54	3.2%	47.6%	18.6%	18.9%	11.7%	1,289
55-64	1.3%	36.7%	27.9%	22.8%	11.3%	694
65-74	0.0%	25.6%	27.7%	1.9%	44.8%	355
75+	15.4%	21.4%	6.8%	20.5%	35.9%	253
Highest level of education						
Less than high school diploma/GED	11.0%	21.9%	0.0%	60.1%	7.0%	68
High school diploma/GED	5.1%	32.6%	33.3%	9.9%	19.2%	848
Some college or AA degree	6.8%	33.8%	20.3%	17.7%	21.4%	2,043
Bachelor's degree or higher	13.2%	37.4%	22.6%	7.3%	19.6%	3,001
Household income (in 2012)						
Less than \$20,000	2.8%	36.5%	0.0%	37.0%	23.8%	272
\$20,000 - \$34,999	2.5%	32.5%	27.7%	17.5%	19.8%	297
\$35,000 - \$49,999	4.2%	24.4%	43.9%	2.4%	25.1%	501
\$50,000 - \$99,999	8.5%	38.0%	21.3%	15.0%	17.2%	3,152
\$100,000+	18.0%	41.0%	23.1%	4.7%	13.3%	1,450
Household type						
Single adult, no children	6.1%	24.5%	36.8%	12.3%	20.3%	396
2+ adults, no children	17.6%	35.4%	20.2%	11.9%	15.0%	2,343
Single adult, 1+ children	6.7%	30.4%	44.4%	7.2%	11.4%	156
2+ adults, 1+ children	4.6%	38.2%	22.2%	12.0%	23.1%	3,065
All areas included in the study						
Benton County	1.7%	26.0%	31.8%	20.1%	20.4%	26,363
Chisago County	6.8%	29.0%	24.8%	18.5%	20.9%	39,056
Mille Lacs County	2.1%	16.7%	34.0%	27.8%	19.4%	19,169
Sherburne County	4.9%	24.9%	29.7%	19.2%	21.4%	61,531
Stearns County	3.5%	31.5%	35.2%	17.0%	12.8%	115,980
Entire five-county region	4.0%	27.9%	31.9%	18.9%	17.3%	262,098

96. In your opinion, how much of a problem is each of these issues in your county?
Unplanned pregnancy

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	5.8%	41.3%	22.2%	8.9%	21.8%	5,994
Gender						
Female	5.9%	34.6%	24.5%	12.9%	22.2%	3,003
Male	5.7%	48.1%	19.9%	5.0%	21.3%	2,991
Age						
18-34	11.8%	41.8%	22.9%	4.3%	19.2%	1,837
35-44	5.4%	41.0%	24.2%	9.2%	20.2%	1,556
45-54	0.0%	52.5%	17.4%	11.2%	18.9%	1,289
55-64	1.3%	40.4%	28.7%	15.6%	14.0%	694
65-74	0.0%	19.2%	21.9%	7.8%	51.1%	355
75+	15.9%	18.1%	10.0%	9.2%	46.8%	245
Highest level of education						
Less than high school diploma/GED	11.0%	21.9%	60.1%	0.0%	7.0%	68
High school diploma/GED	5.1%	28.8%	32.7%	10.5%	22.9%	848
Some college or AA degree	5.4%	33.9%	21.5%	14.8%	24.3%	2,036
Bachelor's degree or higher	6.3%	49.5%	19.1%	4.8%	20.3%	3,001
Household income (in 2012)						
Less than \$20,000	2.8%	36.5%	5.5%	31.5%	23.8%	272
\$20,000 - \$34,999	2.5%	25.7%	31.8%	16.9%	23.0%	297
\$35,000 - \$49,999	4.2%	33.8%	31.9%	3.7%	26.4%	501
\$50,000 - \$99,999	7.3%	41.1%	20.6%	10.7%	20.4%	3,144
\$100,000+	4.4%	55.4%	24.0%	3.1%	13.1%	1,450
Household type						
Single adult, no children	6.2%	25.0%	32.6%	14.2%	21.9%	389
2+ adults, no children	6.9%	49.6%	20.4%	5.7%	17.4%	2,343
Single adult, 1+ children	0.0%	37.0%	51.1%	7.2%	4.7%	156
2+ adults, 1+ children	5.3%	36.7%	20.8%	10.9%	26.2%	3,065
All areas included in the study						
Benton County	3.3%	27.4%	29.3%	18.6%	21.3%	26,418
Chisago County	6.8%	25.0%	30.1%	14.5%	23.6%	38,904
Mille Lacs County	1.7%	19.0%	31.0%	26.3%	21.9%	19,169
Sherburne County	4.9%	24.6%	30.3%	15.9%	24.3%	61,445
Stearns County	5.5%	33.5%	28.7%	18.1%	14.2%	115,949
Entire five-county region	5.1%	28.5%	29.5%	17.7%	19.3%	261,885

97. In your opinion, how much of a problem is each of these issues in your county? Infant death or premature birth

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	24.8%	29.5%	11.3%	4.1%	30.3%	6,002
Gender						
Female	17.2%	34.4%	11.0%	6.2%	31.2%	3,011
Male	32.5%	24.5%	11.5%	2.0%	29.5%	2,991
Age						
18-34	26.9%	34.0%	9.3%	1.2%	28.6%	1,837
35-44	34.5%	28.1%	11.7%	4.0%	21.6%	1,556
45-54	17.9%	32.3%	8.9%	10.6%	30.3%	1,289
55-64	22.4%	30.2%	20.8%	2.7%	23.8%	694
65-74	0.0%	18.7%	14.1%	1.9%	65.2%	355
75+	24.3%	1.9%	5.9%	0.0%	67.8%	253
Highest level of education						
Less than high school diploma/GED	32.9%	0.0%	0.0%	0.0%	67.1%	68
High school diploma/GED	19.3%	28.2%	15.9%	4.1%	32.4%	848
Some college or AA degree	15.9%	28.2%	19.6%	4.7%	31.6%	2,043
Bachelor's degree or higher	32.6%	30.4%	4.7%	3.9%	28.5%	3,001
Household income (in 2012)						
Less than \$20,000	26.0%	29.9%	9.7%	0.0%	34.4%	272
\$20,000 - \$34,999	9.6%	42.0%	11.8%	0.0%	36.6%	297
\$35,000 - \$49,999	20.6%	32.1%	14.9%	2.9%	29.4%	501
\$50,000 - \$99,999	21.1%	25.5%	13.9%	6.7%	32.8%	3,152
\$100,000+	41.4%	38.2%	6.1%	1.6%	12.7%	1,450
Household type						
Single adult, no children	20.7%	28.6%	7.5%	3.6%	39.6%	396
2+ adults, no children	26.0%	25.5%	13.7%	2.0%	32.8%	2,343
Single adult, 1+ children	6.7%	25.7%	58.3%	0.0%	9.4%	156
2+ adults, 1+ children	25.7%	31.8%	7.7%	6.0%	28.8%	3,065
All areas included in the study						
Benton County	14.7%	34.9%	13.0%	6.0%	31.4%	26,551
Chisago County	12.7%	29.9%	15.2%	5.9%	36.3%	38,940
Mille Lacs County	9.7%	31.1%	11.1%	6.7%	41.3%	19,086
Sherburne County	13.2%	28.9%	12.4%	8.1%	37.5%	60,954
Stearns County	10.1%	45.7%	13.3%	4.8%	26.0%	115,252
Entire five-county region	11.7%	37.3%	13.2%	6.0%	31.9%	260,784

Infectious diseases

98. In your opinion, how much of a problem is each of these issues in your county? Adults not getting their immunizations such as flu, tetanus, or pneumonia

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	26.0%	35.9%	15.8%	4.7%	17.7%	5,957
Gender						
Female	19.7%	36.4%	15.6%	4.3%	24.0%	2,975
Male	32.3%	35.4%	16.0%	5.0%	11.3%	2,981
Age						
18-34	30.9%	39.0%	17.7%	2.5%	9.9%	1,814
35-44	29.3%	33.5%	9.6%	8.4%	19.2%	1,556
45-54	25.0%	38.0%	15.8%	0.6%	20.6%	1,281
55-64	13.4%	33.6%	31.2%	7.3%	14.4%	681
65-74	14.1%	29.4%	7.1%	10.2%	39.2%	355
75+	28.3%	30.8%	8.7%	3.0%	29.2%	250
Highest level of education						
Less than high school diploma/GED	0.0%	60.1%	11.0%	0.0%	28.9%	68
High school diploma/GED	24.9%	38.0%	14.1%	5.2%	17.9%	846
Some college or AA degree	20.4%	31.4%	12.2%	9.3%	26.7%	2,043
Bachelor's degree or higher	29.8%	38.3%	19.1%	1.5%	11.4%	2,958
Household income (in 2012)						
Less than \$20,000	5.1%	41.0%	2.8%	21.8%	29.3%	272
\$20,000 - \$34,999	31.8%	43.7%	8.4%	0.0%	16.1%	287
\$35,000 - \$49,999	27.0%	37.0%	17.3%	2.9%	15.8%	478
\$50,000 - \$99,999	30.4%	36.8%	11.7%	4.5%	16.6%	3,132
\$100,000+	17.8%	34.1%	30.1%	4.4%	13.6%	1,450
Household type						
Single adult, no children	36.1%	26.1%	13.4%	3.7%	20.8%	404
2+ adults, no children	22.0%	46.4%	12.4%	3.2%	16.1%	2,321
Single adult, 1+ children	0.0%	20.6%	51.1%	19.0%	9.4%	156
2+ adults, 1+ children	29.3%	29.3%	17.1%	5.2%	19.1%	3,042
All areas included in the study						
Benton County	23.7%	33.1%	18.7%	3.6%	20.8%	26,327
Chisago County	20.4%	41.4%	14.9%	1.7%	21.7%	38,784
Mille Lacs County	12.7%	37.7%	29.4%	3.5%	16.7%	19,157
Sherburne County	21.0%	31.0%	21.8%	5.4%	20.8%	61,949
Stearns County	20.8%	37.0%	19.2%	3.1%	19.9%	116,244
Entire five-county region	20.5%	35.9%	19.9%	3.5%	20.2%	262,460

99. In your opinion, how much of a problem is each of these issues in your county? Children not getting their immunizations such as pertussis, flu, or tetanus

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	22.6%	33.2%	13.3%	10.8%	20.0%	5,966
Gender						
Female	16.4%	39.9%	11.4%	12.1%	20.2%	2,975
Male	28.8%	26.7%	15.1%	9.5%	19.9%	2,991
Age						
18-34	25.9%	36.3%	8.8%	12.6%	16.3%	1,814
35-44	18.4%	40.0%	9.6%	9.8%	22.2%	1,556
45-54	25.0%	24.3%	20.4%	10.3%	20.0%	1,281
55-64	20.3%	29.7%	25.8%	13.9%	10.3%	681
65-74	18.0%	31.4%	5.8%	3.9%	40.9%	355
75+	23.6%	29.6%	9.4%	5.8%	31.5%	260
Highest level of education						
Less than high school diploma/GED	0.0%	32.9%	60.1%	0.0%	7.0%	68
High school diploma/GED	26.8%	32.8%	16.7%	6.4%	17.2%	855
Some college or AA degree	24.4%	23.0%	15.2%	13.1%	24.3%	2,043
Bachelor's degree or higher	21.1%	39.5%	10.1%	10.9%	18.5%	2,958
Household income (in 2012)						
Less than \$20,000	5.1%	35.7%	10.9%	24.6%	23.8%	272
\$20,000 - \$34,999	17.0%	39.4%	22.5%	0.0%	21.2%	297
\$35,000 - \$49,999	29.4%	40.1%	2.7%	7.9%	19.9%	478
\$50,000 - \$99,999	29.5%	27.0%	14.6%	9.2%	19.8%	3,132
\$100,000+	12.9%	45.5%	14.5%	16.4%	10.6%	1,450
Household type						
Single adult, no children	38.9%	21.3%	5.4%	11.9%	22.5%	404
2+ adults, no children	23.1%	34.7%	14.5%	5.9%	21.7%	2,330
Single adult, 1+ children	0.0%	20.6%	51.1%	19.0%	9.4%	156
2+ adults, 1+ children	21.6%	33.6%	11.6%	14.1%	19.2%	3,042
All areas included in the study						
Benton County	23.9%	28.4%	19.7%	7.8%	20.2%	26,418
Chisago County	22.0%	28.4%	20.4%	7.6%	21.7%	38,586
Mille Lacs County	10.4%	34.0%	30.2%	6.6%	18.8%	19,248
Sherburne County	19.4%	27.7%	19.8%	12.8%	20.4%	61,944
Stearns County	17.9%	34.9%	18.2%	11.7%	17.3%	116,392
Entire five-county region	18.9%	31.5%	19.9%	10.6%	19.1%	262,588

100. In your opinion, how much of a problem is each of these issues in your county? Infectious diseases such as flu, pneumonia, or whooping cough

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	18.6%	40.0%	23.3%	6.8%	11.3%	5,966
Gender						
Female	13.5%	40.3%	22.1%	7.7%	16.5%	2,975
Male	23.6%	39.7%	24.6%	6.0%	6.1%	2,991
Age						
18-34	30.5%	32.6%	30.1%	1.2%	5.6%	1,814
35-44	13.5%	50.7%	19.4%	9.8%	6.7%	1,556
45-54	10.3%	37.0%	27.9%	7.5%	17.3%	1,281
55-64	14.4%	44.7%	23.6%	10.6%	6.6%	681
65-74	10.2%	39.9%	1.9%	16.6%	31.4%	355
75+	26.3%	33.3%	3.7%	2.9%	33.9%	260
Highest level of education						
Less than high school diploma/GED	0.0%	93.0%	0.0%	0.0%	7.0%	68
High school diploma/GED	27.8%	39.5%	7.3%	9.1%	16.3%	855
Some college or AA degree	11.8%	37.3%	23.5%	10.5%	17.0%	2,043
Bachelor's degree or higher	21.3%	40.0%	28.7%	4.0%	6.1%	2,958
Household income (in 2012)						
Less than \$20,000	16.7%	37.7%	12.4%	21.8%	11.3%	272
\$20,000 - \$34,999	14.4%	53.3%	11.8%	0.0%	20.5%	297
\$35,000 - \$49,999	23.6%	44.4%	2.4%	7.9%	21.7%	478
\$50,000 - \$99,999	26.1%	35.8%	19.2%	8.2%	10.6%	3,132
\$100,000+	3.6%	48.5%	42.8%	2.8%	2.3%	1,450
Household type						
Single adult, no children	30.4%	33.2%	8.6%	6.0%	21.9%	404
2+ adults, no children	27.4%	45.4%	12.4%	5.9%	8.9%	2,330
Single adult, 1+ children	0.0%	20.6%	51.1%	19.0%	9.4%	156
2+ adults, 1+ children	11.4%	37.1%	32.5%	7.1%	11.9%	3,042
All areas included in the study						
Benton County	13.0%	37.1%	26.1%	8.7%	15.0%	26,475
Chisago County	22.3%	32.4%	21.8%	6.1%	17.4%	38,548
Mille Lacs County	7.5%	38.9%	31.5%	7.6%	14.5%	19,221
Sherburne County	14.9%	33.8%	25.4%	9.0%	16.9%	61,753
Stearns County	11.0%	40.4%	21.6%	14.9%	12.1%	116,309
Entire five-county region	13.5%	37.2%	23.7%	11.1%	14.5%	262,306

101. In your opinion, how much of a problem is each of these issues in your county? Sexually transmitted diseases such as chlamydia, syphilis, or HIV/AIDS

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	19.4%	32.3%	12.1%	5.8%	30.4%	5,966
Gender						
Female	9.1%	28.3%	15.1%	10.4%	37.1%	2,975
Male	29.6%	36.3%	9.1%	1.2%	23.8%	2,991
Age						
18-34	33.1%	26.9%	13.1%	3.7%	23.2%	1,814
35-44	13.9%	35.1%	9.2%	1.3%	40.5%	1,556
45-54	14.0%	44.3%	5.5%	10.9%	25.3%	1,281
55-64	12.5%	31.0%	24.7%	12.1%	19.7%	681
65-74	0.0%	25.6%	16.1%	5.8%	52.6%	355
75+	24.2%	6.6%	17.1%	5.8%	46.4%	260
Highest level of education						
Less than high school diploma/GED	0.0%	71.1%	21.9%	0.0%	7.0%	68
High school diploma/GED	18.9%	29.5%	13.4%	6.5%	31.7%	855
Some college or AA degree	12.5%	31.5%	11.3%	6.7%	37.9%	2,043
Bachelor's degree or higher	24.9%	31.9%	12.2%	5.2%	25.9%	2,958
Household income (in 2012)						
Less than \$20,000	14.3%	32.7%	24.8%	2.8%	25.4%	272
\$20,000 - \$34,999	14.4%	39.3%	8.7%	10.0%	27.6%	297
\$35,000 - \$49,999	10.1%	39.3%	11.4%	6.9%	32.2%	478
\$50,000 - \$99,999	21.5%	30.1%	12.5%	7.4%	28.6%	3,132
\$100,000+	22.1%	38.4%	11.7%	2.2%	25.7%	1,450
Household type						
Single adult, no children	27.2%	25.8%	10.5%	7.2%	29.3%	404
2+ adults, no children	24.9%	27.4%	14.4%	7.7%	25.7%	2,330
Single adult, 1+ children	0.0%	32.3%	51.6%	0.0%	16.1%	156
2+ adults, 1+ children	15.3%	37.4%	7.5%	4.5%	35.3%	3,042
All areas included in the study						
Benton County	15.2%	28.3%	20.3%	7.7%	28.5%	26,345
Chisago County	17.7%	29.1%	16.7%	5.8%	30.7%	38,481
Mille Lacs County	7.3%	30.2%	24.5%	10.5%	27.6%	19,184
Sherburne County	11.6%	26.9%	18.7%	9.0%	33.8%	61,670
Stearns County	10.9%	27.4%	23.5%	13.2%	25.1%	116,074
Entire five-county region	12.2%	27.8%	21.1%	10.3%	28.5%	261,754

102. In your opinion, how much of a problem is each of these issues in your county? Insect-borne diseases such as Lyme disease or West Nile virus

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	8.9%	42.0%	21.5%	5.4%	22.2%	5,921
Gender						
Female	7.8%	37.6%	25.7%	6.7%	22.2%	2,930
Male	10.0%	46.2%	17.4%	4.2%	22.3%	2,991
Age						
18-34	14.3%	33.4%	24.5%	0.0%	27.8%	1,769
35-44	9.3%	44.3%	15.7%	4.7%	26.0%	1,556
45-54	1.1%	54.5%	21.3%	10.7%	12.4%	1,281
55-64	3.8%	46.1%	22.4%	14.2%	13.6%	681
65-74	7.1%	32.6%	34.0%	1.9%	24.3%	355
75+	20.5%	29.4%	15.2%	2.9%	32.0%	260
Highest level of education						
Less than high school diploma/GED	0.0%	21.9%	11.0%	60.1%	7.0%	68
High school diploma/GED	22.3%	29.5%	20.1%	4.1%	24.1%	855
Some college or AA degree	6.3%	44.6%	27.5%	6.2%	15.4%	2,043
Bachelor's degree or higher	7.2%	43.4%	18.2%	4.1%	27.2%	2,913
Household income (in 2012)						
Less than \$20,000	14.3%	48.1%	23.0%	2.8%	11.8%	272
\$20,000 - \$34,999	19.6%	43.6%	17.5%	2.5%	16.7%	297
\$35,000 - \$49,999	16.3%	42.8%	15.6%	4.1%	21.1%	478
\$50,000 - \$99,999	9.3%	42.4%	19.2%	8.2%	20.9%	3,087
\$100,000+	2.3%	46.1%	30.2%	1.3%	20.0%	1,450
Household type						
Single adult, no children	35.0%	21.2%	12.6%	12.1%	19.2%	404
2+ adults, no children	13.0%	48.5%	18.5%	6.4%	13.6%	2,330
Single adult, 1+ children	0.0%	20.6%	63.3%	0.0%	16.1%	156
2+ adults, 1+ children	2.8%	41.3%	21.9%	4.1%	30.0%	2,997
All areas included in the study						
Benton County	16.3%	43.6%	15.2%	5.0%	19.8%	26,399
Chisago County	13.4%	29.3%	27.9%	13.0%	16.4%	38,783
Mille Lacs County	3.6%	37.1%	29.1%	16.7%	13.6%	19,114
Sherburne County	9.3%	32.7%	24.1%	10.3%	23.7%	61,942
Stearns County	17.9%	35.2%	24.8%	8.0%	14.2%	115,969
Entire five-county region	14.0%	34.7%	24.4%	9.6%	17.3%	262,207

Environment

103. In your opinion, how much of a problem is each of these issues in your county? Indoor air pollution related to radon

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	31.1%	26.2%	15.4%	4.4%	22.9%	5,912
Gender						
Female	23.3%	29.4%	19.5%	4.5%	23.2%	2,940
Male	38.8%	23.0%	11.3%	4.3%	22.7%	2,972
Age						
18-34	46.7%	12.4%	23.9%	1.9%	15.1%	1,814
35-44	31.6%	33.7%	5.5%	7.2%	22.0%	1,535
45-54	13.4%	35.3%	19.4%	5.2%	26.7%	1,259
55-64	25.8%	30.3%	11.6%	6.0%	26.4%	681
65-74	10.2%	24.9%	11.7%	0.0%	53.3%	355
75+	45.3%	25.8%	9.1%	3.9%	15.9%	248
Highest level of education						
Less than high school diploma/GED	7.0%	11.0%	21.9%	0.0%	60.1%	68
High school diploma/GED	42.2%	25.2%	7.3%	0.0%	25.3%	853
Some college or AA degree	25.5%	35.4%	9.8%	3.2%	26.1%	2,043
Bachelor's degree or higher	32.7%	19.3%	21.8%	6.7%	19.5%	2,906
Household income (in 2012)						
Less than \$20,000	22.2%	42.3%	8.3%	12.4%	14.7%	272
\$20,000 - \$34,999	4.8%	48.9%	14.0%	5.7%	26.6%	297
\$35,000 - \$49,999	42.3%	22.5%	3.1%	2.0%	30.2%	469
\$50,000 - \$99,999	31.4%	27.0%	13.1%	2.5%	26.0%	3,132
\$100,000+	36.2%	20.7%	28.0%	1.3%	13.8%	1,407
Household type						
Single adult, no children	38.7%	19.6%	9.0%	4.2%	28.5%	396
2+ adults, no children	37.6%	23.9%	9.4%	3.2%	25.9%	2,311
Single adult, 1+ children	19.0%	20.6%	44.4%	0.0%	16.1%	156
2+ adults, 1+ children	24.6%	29.5%	19.7%	5.6%	20.6%	2,999
All areas included in the study						
Benton County	28.5%	32.5%	10.0%	2.5%	26.5%	26,445
Chisago County	24.8%	34.6%	14.4%	2.7%	23.5%	38,517
Mille Lacs County	18.8%	22.7%	13.3%	4.3%	40.9%	19,102
Sherburne County	30.6%	24.1%	15.8%	4.5%	25.1%	62,061
Stearns County	23.1%	31.1%	9.3%	2.6%	33.9%	115,509
Entire five-county region	25.4%	29.5%	11.9%	3.2%	30.0%	261,633

**104. In your opinion, how much of a problem is each of these issues in your county?
Unsafe drinking water**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	43.5%	35.0%	5.5%	4.4%	11.6%	5,981
Gender						
Female	36.3%	33.6%	7.6%	8.3%	14.3%	2,990
Male	50.7%	36.4%	3.4%	0.6%	8.9%	2,991
Age						
18-34	42.9%	42.8%	3.7%	5.6%	5.0%	1,814
35-44	54.6%	23.1%	6.5%	1.3%	14.5%	1,556
45-54	28.3%	45.6%	5.5%	9.7%	10.9%	1,281
55-64	41.0%	32.3%	7.6%	2.7%	16.3%	681
65-74	37.0%	31.4%	5.8%	0.0%	25.8%	355
75+	69.5%	15.1%	2.7%	0.0%	12.6%	275
Highest level of education						
Less than high school diploma/GED	28.9%	71.1%	0.0%	0.0%	0.0%	68
High school diploma/GED	49.3%	32.2%	9.4%	0.8%	8.2%	870
Some college or AA degree	38.2%	30.8%	6.2%	5.6%	19.1%	2,043
Bachelor's degree or higher	45.1%	38.3%	4.0%	4.9%	7.8%	2,958
Household income (in 2012)						
Less than \$20,000	33.3%	36.8%	2.8%	12.4%	14.7%	272
\$20,000 - \$34,999	50.5%	25.5%	6.8%	7.4%	9.7%	297
\$35,000 - \$49,999	51.2%	27.3%	7.5%	0.0%	14.0%	478
\$50,000 - \$99,999	45.8%	30.6%	6.1%	4.9%	12.6%	3,132
\$100,000+	34.3%	57.2%	4.1%	2.8%	1.6%	1,450
Household type						
Single adult, no children	63.8%	14.0%	9.0%	1.8%	11.4%	404
2+ adults, no children	46.3%	38.3%	4.4%	3.2%	7.8%	2,330
Single adult, 1+ children	37.0%	58.3%	0.0%	0.0%	4.7%	156
2+ adults, 1+ children	38.2%	34.6%	6.2%	6.0%	15.0%	3,042
All areas included in the study						
Benton County	44.5%	27.8%	11.5%	4.2%	12.0%	26,351
Chisago County	48.2%	28.2%	5.6%	5.1%	12.9%	38,580
Mille Lacs County	40.3%	22.4%	8.7%	6.4%	22.2%	19,126
Sherburne County	45.2%	25.9%	9.5%	4.5%	14.8%	62,199
Stearns County	43.2%	31.2%	6.4%	8.7%	10.4%	115,647
Entire five-county region	44.3%	28.5%	7.7%	6.6%	12.9%	261,903

105. In your opinion, how much of a problem is each of these issues in your county? Unsafe food in restaurants

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	47.4%	32.2%	5.2%	2.6%	12.6%	5,925
Gender						
Female	40.4%	28.7%	9.9%	5.2%	15.7%	2,934
Male	54.2%	35.7%	0.6%	0.0%	9.5%	2,991
Age						
18-34	57.5%	28.2%	2.5%	4.3%	7.5%	1,814
35-44	61.3%	21.5%	4.0%	1.3%	11.8%	1,556
45-54	25.1%	43.8%	7.5%	4.1%	19.5%	1,267
55-64	35.9%	45.5%	9.5%	0.0%	9.1%	668
65-74	27.3%	40.5%	6.1%	0.0%	26.1%	341
75+	56.4%	25.5%	5.8%	0.0%	12.3%	260
Highest level of education						
Less than high school diploma/GED	9.0%	91.0%	0.0%	0.0%	0.0%	53
High school diploma/GED	53.0%	30.1%	7.2%	0.9%	8.9%	856
Some college or AA degree	41.5%	28.6%	9.1%	1.0%	19.8%	2,016
Bachelor's degree or higher	49.7%	34.7%	2.2%	4.2%	9.2%	2,958
Household income (in 2012)						
Less than \$20,000	30.1%	38.2%	5.8%	13.2%	12.7%	257
\$20,000 - \$34,999	57.2%	19.7%	11.8%	0.0%	11.3%	297
\$35,000 - \$49,999	43.3%	35.5%	8.9%	0.0%	12.3%	464
\$50,000 - \$99,999	47.0%	30.3%	5.6%	3.8%	13.4%	3,119
\$100,000+	51.9%	43.7%	1.3%	0.0%	3.1%	1,450
Household type						
Single adult, no children	57.3%	14.7%	9.1%	1.8%	17.1%	404
2+ adults, no children	49.0%	38.4%	6.0%	1.5%	5.2%	2,288
Single adult, 1+ children	44.2%	51.1%	0.0%	0.0%	4.7%	156
2+ adults, 1+ children	44.1%	29.5%	4.5%	3.6%	18.2%	3,027
All areas included in the study						
Benton County	40.5%	33.3%	11.1%	2.6%	12.4%	26,502
Chisago County	42.2%	30.7%	7.7%	4.8%	14.6%	38,360
Mille Lacs County	41.2%	24.8%	8.4%	5.4%	20.2%	19,172
Sherburne County	41.6%	31.3%	8.4%	4.5%	14.2%	61,889
Stearns County	36.4%	37.7%	9.0%	7.5%	9.3%	111,907
Entire five-county region	39.3%	33.7%	8.8%	5.7%	12.4%	257,829

106. In your opinion, how much of a problem is each of these issues in your county? Extreme heat – days of high heat and humidity

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	38.6%	40.2%	9.4%	4.2%	7.6%	5,981
Gender						
Female	27.9%	42.1%	14.1%	5.7%	10.2%	2,990
Male	49.3%	38.3%	4.8%	2.6%	5.0%	2,991
Age						
18-34	56.2%	32.0%	2.5%	4.3%	5.0%	1,814
35-44	46.3%	40.4%	8.6%	0.0%	4.7%	1,556
45-54	22.0%	46.3%	14.1%	5.2%	12.5%	1,281
55-64	23.8%	58.1%	4.2%	10.1%	3.8%	681
65-74	9.5%	29.4%	32.8%	10.2%	18.0%	355
75+	29.1%	34.2%	21.3%	0.0%	15.4%	275
Highest level of education						
Less than high school diploma/GED	21.9%	18.0%	0.0%	0.0%	60.1%	68
High school diploma/GED	29.2%	39.8%	22.2%	1.6%	7.2%	870
Some college or AA degree	27.6%	43.7%	10.7%	5.5%	12.4%	2,043
Bachelor's degree or higher	48.5%	38.9%	5.1%	4.2%	3.3%	2,958
Household income (in 2012)						
Less than \$20,000	15.8%	34.6%	27.1%	12.4%	10.0%	272
\$20,000 - \$34,999	25.7%	40.5%	19.7%	9.0%	5.1%	297
\$35,000 - \$49,999	34.7%	31.0%	21.9%	1.5%	10.9%	478
\$50,000 - \$99,999	33.0%	44.9%	8.2%	5.2%	8.7%	3,132
\$100,000+	56.5%	39.1%	1.6%	1.3%	1.6%	1,450
Household type						
Single adult, no children	43.4%	27.8%	17.5%	1.8%	9.3%	404
2+ adults, no children	33.9%	41.8%	12.0%	6.0%	6.3%	2,330
Single adult, 1+ children	11.9%	83.4%	0.0%	0.0%	4.7%	156
2+ adults, 1+ children	42.4%	38.5%	7.0%	3.4%	8.7%	3,042
All areas included in the study						
Benton County	30.2%	41.9%	16.3%	3.2%	8.4%	26,580
Chisago County	32.3%	37.8%	18.6%	2.6%	8.7%	38,533
Mille Lacs County	22.0%	40.5%	17.9%	6.0%	13.5%	19,236
Sherburne County	31.2%	41.8%	13.7%	3.5%	9.7%	62,190
Stearns County	27.4%	43.1%	14.2%	3.9%	11.4%	111,866
Entire five-county region	28.9%	41.7%	15.2%	3.7%	10.5%	258,405

107. In your opinion, how much of a problem is each of these issues in your county? Extreme weather such as drought, floods, or tornadoes

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	30.4%	45.7%	13.4%	3.4%	7.0%	5,981
Gender						
Female	28.2%	37.5%	19.5%	4.7%	10.1%	2,990
Male	32.7%	53.8%	7.3%	2.2%	4.0%	2,991
Age						
18-34	46.1%	37.0%	7.5%	2.5%	6.8%	1,814
35-44	30.9%	54.3%	10.1%	0.0%	4.7%	1,556
45-54	19.4%	42.1%	24.1%	5.2%	9.3%	1,281
55-64	22.4%	53.0%	9.4%	10.1%	5.2%	681
65-74	7.1%	63.3%	15.5%	0.0%	14.1%	355
75+	23.8%	30.5%	29.5%	8.9%	7.2%	275
Highest level of education						
Less than high school diploma/GED	21.9%	78.1%	0.0%	0.0%	0.0%	68
High school diploma/GED	25.4%	49.5%	16.9%	2.0%	6.3%	870
Some college or AA degree	27.6%	40.8%	15.3%	4.8%	11.5%	2,043
Bachelor's degree or higher	34.5%	46.5%	11.6%	3.0%	4.4%	2,958
Household income (in 2012)						
Less than \$20,000	14.8%	35.3%	27.5%	2.8%	19.7%	272
\$20,000 - \$34,999	13.3%	51.4%	27.7%	7.6%	0.0%	297
\$35,000 - \$49,999	34.7%	36.2%	16.6%	1.5%	10.9%	478
\$50,000 - \$99,999	30.4%	46.3%	11.3%	4.7%	7.3%	3,132
\$100,000+	37.3%	47.8%	12.1%	1.3%	1.6%	1,450
Household type						
Single adult, no children	43.9%	31.7%	9.1%	5.5%	9.8%	404
2+ adults, no children	30.7%	46.9%	14.3%	3.4%	4.7%	2,330
Single adult, 1+ children	18.6%	25.7%	51.1%	0.0%	4.7%	156
2+ adults, 1+ children	28.4%	47.9%	11.6%	3.4%	8.7%	3,042
All areas included in the study						
Benton County	25.9%	47.5%	14.4%	4.9%	7.3%	26,325
Chisago County	30.7%	37.1%	18.3%	5.7%	8.2%	38,574
Mille Lacs County	26.4%	33.2%	21.3%	5.6%	13.6%	19,147
Sherburne County	26.4%	44.6%	15.3%	5.6%	8.1%	62,017
Stearns County	21.2%	46.5%	14.9%	4.2%	13.2%	114,972
Entire five-county region	24.7%	43.8%	15.9%	4.9%	10.7%	261,034

108. In your opinion, how much of a problem is each of these issues in your county? Lack of access to public space for no-cost recreational use

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	40.8%	31.6%	15.1%	4.2%	8.3%	5,974
Gender						
Female	33.5%	30.7%	15.3%	8.4%	12.1%	2,983
Male	48.1%	32.5%	14.8%	0.0%	4.5%	2,991
Age						
18-34	54.3%	22.6%	15.0%	2.5%	5.6%	1,814
35-44	40.2%	34.1%	16.9%	5.4%	3.4%	1,556
45-54	23.9%	39.1%	17.4%	6.9%	12.7%	1,281
55-64	44.4%	37.3%	13.6%	0.0%	4.7%	681
65-74	28.7%	30.2%	6.3%	9.7%	25.0%	355
75+	43.6%	32.4%	2.8%	0.0%	21.2%	268
Highest level of education						
Less than high school diploma/GED	7.0%	32.9%	0.0%	0.0%	60.1%	68
High school diploma/GED	43.3%	33.4%	8.5%	5.7%	9.1%	863
Some college or AA degree	38.0%	27.3%	19.1%	2.8%	12.8%	2,043
Bachelor's degree or higher	42.0%	34.5%	14.7%	4.9%	3.8%	2,958
Household income (in 2012)						
Less than \$20,000	44.4%	20.0%	10.9%	0.0%	24.8%	272
\$20,000 - \$34,999	55.2%	9.3%	4.4%	7.0%	24.1%	297
\$35,000 - \$49,999	24.7%	36.6%	16.5%	10.3%	11.9%	478
\$50,000 - \$99,999	40.0%	29.9%	18.5%	5.3%	6.3%	3,132
\$100,000+	47.4%	38.6%	11.5%	0.0%	2.6%	1,450
Household type						
Single adult, no children	49.8%	21.4%	11.8%	0.0%	17.1%	396
2+ adults, no children	42.6%	32.7%	14.8%	0.6%	9.3%	2,330
Single adult, 1+ children	25.3%	6.7%	63.3%	0.0%	4.7%	156
2+ adults, 1+ children	39.2%	33.9%	12.4%	7.8%	6.6%	3,042
All areas included in the study						
Benton County	39.8%	27.8%	15.4%	5.5%	11.5%	26,538
Chisago County	39.3%	35.4%	10.4%	5.1%	9.8%	38,805
Mille Lacs County	32.8%	26.2%	13.9%	11.9%	15.2%	19,130
Sherburne County	39.2%	27.8%	15.2%	6.4%	11.4%	62,252
Stearns County	36.0%	31.9%	17.4%	5.6%	9.1%	115,639
Entire five-county region	37.4%	30.6%	15.4%	6.2%	10.4%	262,363

109. In your opinion, how much of a problem is each of these issues in your county? Lack of safe places to walk or bike

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	51.7%	25.0%	13.9%	4.3%	5.0%	5,933
Gender						
Female	36.0%	32.1%	16.5%	6.2%	9.1%	2,979
Male	67.5%	17.9%	11.3%	2.4%	0.9%	2,954
Age						
18-34	69.9%	11.2%	12.0%	2.5%	4.4%	1,803
35-44	47.9%	26.5%	13.8%	7.2%	4.7%	1,556
45-54	36.1%	35.5%	20.4%	5.7%	2.3%	1,281
55-64	47.4%	41.1%	5.5%	0.0%	6.0%	644
65-74	38.4%	27.5%	23.8%	0.0%	10.2%	355
75+	57.4%	19.1%	2.7%	5.5%	15.4%	275
Highest level of education						
Less than high school diploma/GED	7.0%	71.1%	0.0%	21.9%	0.0%	68
High school diploma/GED	54.4%	32.1%	11.0%	1.7%	0.9%	870
Some college or AA degree	44.5%	26.8%	17.5%	1.8%	9.4%	2,014
Bachelor's degree or higher	56.2%	21.0%	12.8%	6.5%	3.5%	2,940
Household income (in 2012)						
Less than \$20,000	48.4%	17.1%	8.2%	5.8%	20.6%	261
\$20,000 - \$34,999	54.3%	36.3%	4.4%	0.0%	5.1%	297
\$35,000 - \$49,999	35.9%	34.8%	13.0%	5.4%	10.9%	478
\$50,000 - \$99,999	52.3%	25.5%	14.8%	3.6%	3.9%	3,095
\$100,000+	61.1%	24.6%	10.2%	4.1%	0.0%	1,450
Household type						
Single adult, no children	60.8%	17.6%	9.5%	2.8%	9.3%	404
2+ adults, no children	58.4%	22.7%	12.9%	0.7%	5.4%	2,293
Single adult, 1+ children	25.5%	26.7%	47.8%	0.0%	0.0%	145
2+ adults, 1+ children	47.0%	28.1%	12.8%	7.6%	4.5%	3,042
All areas included in the study						
Benton County	41.1%	31.1%	17.3%	5.7%	4.9%	26,095
Chisago County	45.3%	32.2%	12.2%	5.4%	4.9%	38,818
Mille Lacs County	38.6%	24.0%	15.4%	11.0%	11.0%	19,163
Sherburne County	44.2%	26.9%	14.9%	6.8%	7.2%	62,112
Stearns County	43.5%	32.9%	12.7%	5.0%	5.9%	114,924
Entire five-county region	43.3%	30.5%	13.8%	6.0%	6.4%	261,112

Alcohol, tobacco, and other drug use

110. In your opinion, how much of a problem is each of these issues in your county? Smoking or other tobacco use

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	18.4%	31.2%	29.2%	10.3%	10.9%	5,974
Gender						
Female	9.7%	32.5%	26.4%	15.0%	16.4%	2,983
Male	27.0%	29.8%	31.9%	5.7%	5.5%	2,991
Age						
18-34	31.0%	33.3%	22.6%	3.7%	9.3%	1,814
35-44	9.8%	29.5%	40.1%	14.6%	6.1%	1,556
45-54	14.1%	35.7%	28.5%	6.3%	15.3%	1,281
55-64	8.2%	29.9%	27.7%	22.6%	11.7%	681
65-74	20.5%	23.6%	30.7%	9.7%	15.5%	355
75+	23.5%	20.4%	16.3%	17.6%	22.2%	268
Highest level of education						
Less than high school diploma/GED	0.0%	93.0%	7.0%	0.0%	0.0%	68
High school diploma/GED	14.6%	30.3%	18.2%	17.1%	19.8%	863
Some college or AA degree	12.4%	33.8%	28.0%	11.1%	14.6%	2,043
Bachelor's degree or higher	22.9%	28.6%	34.1%	8.2%	6.2%	2,958
Household income (in 2012)						
Less than \$20,000	12.4%	59.0%	10.7%	8.3%	9.6%	272
\$20,000 - \$34,999	27.7%	34.6%	23.0%	2.5%	12.2%	297
\$35,000 - \$49,999	12.1%	45.1%	21.9%	0.0%	20.9%	478
\$50,000 - \$99,999	14.6%	29.0%	27.7%	15.8%	12.9%	3,132
\$100,000+	25.8%	29.8%	37.2%	4.1%	3.1%	1,450
Household type						
Single adult, no children	29.1%	22.8%	24.9%	11.6%	11.6%	396
2+ adults, no children	27.8%	27.8%	24.2%	11.4%	8.7%	2,330
Single adult, 1+ children	0.0%	27.3%	68.0%	0.0%	4.7%	156
2+ adults, 1+ children	10.5%	34.4%	32.0%	10.1%	13.1%	3,042
All areas included in the study						
Benton County	12.2%	28.8%	28.3%	18.8%	11.8%	26,488
Chisago County	18.8%	17.6%	37.5%	17.5%	8.6%	38,516
Mille Lacs County	6.4%	20.5%	26.9%	31.5%	14.8%	19,163
Sherburne County	17.4%	23.7%	30.7%	16.0%	12.1%	61,753
Stearns County	12.9%	23.3%	32.0%	17.5%	14.3%	115,122
Entire five-county region	14.3%	22.9%	31.8%	18.3%	12.7%	261,042

111. In your opinion, how much of a problem is each of these issues in your county? Abuse of prescription drugs

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	12.6%	27.1%	21.4%	15.3%	23.7%	5,952
Gender						
Female	11.3%	21.9%	24.6%	18.6%	23.6%	2,961
Male	13.9%	32.3%	18.2%	12.0%	23.7%	2,991
Age						
18-34	19.5%	27.6%	9.3%	16.4%	27.1%	1,814
35-44	11.2%	24.7%	34.5%	12.0%	17.6%	1,556
45-54	10.0%	33.1%	23.2%	11.1%	22.6%	1,259
55-64	6.0%	29.1%	22.3%	25.8%	16.8%	681
65-74	0.0%	16.6%	24.3%	17.5%	41.6%	355
75+	19.9%	16.6%	10.2%	17.6%	35.7%	268
Highest level of education						
Less than high school diploma/GED	0.0%	18.0%	82.0%	0.0%	0.0%	68
High school diploma/GED	17.5%	25.2%	12.2%	19.1%	26.0%	863
Some college or AA degree	8.5%	30.0%	20.3%	16.3%	24.9%	2,021
Bachelor's degree or higher	13.1%	26.3%	23.6%	14.0%	23.0%	2,958
Household income (in 2012)						
Less than \$20,000	24.0%	43.7%	8.3%	13.3%	10.7%	272
\$20,000 - \$34,999	15.5%	18.7%	14.0%	14.3%	37.5%	297
\$35,000 - \$49,999	12.9%	21.2%	30.9%	11.1%	24.0%	478
\$50,000 - \$99,999	13.4%	24.9%	22.9%	14.2%	24.7%	3,132
\$100,000+	8.4%	37.6%	14.1%	18.9%	21.0%	1,428
Household type						
Single adult, no children	18.7%	29.2%	15.8%	13.9%	22.4%	396
2+ adults, no children	16.7%	30.9%	18.5%	12.9%	21.0%	2,330
Single adult, 1+ children	0.0%	18.6%	6.7%	63.3%	11.4%	156
2+ adults, 1+ children	9.0%	24.8%	24.3%	15.1%	26.9%	3,020
All areas included in the study						
Benton County	7.7%	28.6%	24.0%	19.2%	20.4%	26,494
Chisago County	9.9%	22.9%	28.1%	23.4%	15.7%	38,639
Mille Lacs County	4.8%	15.2%	23.2%	32.8%	24.0%	19,125
Sherburne County	9.5%	23.2%	28.0%	17.8%	21.5%	61,160
Stearns County	7.7%	26.0%	29.4%	20.5%	16.4%	115,663
Entire five-county region	8.2%	24.4%	27.9%	21.0%	18.5%	261,082

112. In your opinion, how much of a problem is each of these issues in your county? Alcohol abuse among those aged 21 or over

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	13.2%	22.4%	35.5%	11.5%	17.4%	5,974
Gender						
Female	8.4%	26.4%	32.3%	16.6%	16.4%	2,983
Male	17.9%	18.5%	38.7%	6.5%	18.4%	2,991
Age						
18-34	31.0%	19.9%	24.0%	10.0%	15.1%	1,814
35-44	8.5%	22.4%	37.2%	9.2%	22.6%	1,556
45-54	1.1%	35.3%	40.9%	12.0%	10.7%	1,281
55-64	0.0%	19.4%	49.9%	17.1%	13.6%	681
65-74	3.2%	7.1%	44.8%	17.5%	27.5%	355
75+	19.9%	8.4%	31.4%	8.4%	31.9%	268
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	100.0%	0.0%	0.0%	68
High school diploma/GED	19.0%	15.8%	41.6%	14.0%	9.6%	863
Some college or AA degree	5.2%	27.2%	37.6%	11.3%	18.7%	2,043
Bachelor's degree or higher	17.4%	20.6%	31.3%	11.4%	19.3%	2,958
Household income (in 2012)						
Less than \$20,000	24.0%	20.1%	43.1%	8.3%	4.5%	272
\$20,000 - \$34,999	5.4%	28.1%	34.8%	11.8%	19.9%	297
\$35,000 - \$49,999	14.5%	10.1%	50.2%	8.8%	16.4%	478
\$50,000 - \$99,999	9.2%	23.5%	38.3%	13.2%	15.9%	3,132
\$100,000+	21.4%	26.9%	26.7%	9.2%	15.8%	1,450
Household type						
Single adult, no children	24.4%	22.3%	29.9%	9.7%	13.8%	396
2+ adults, no children	21.7%	20.1%	34.7%	13.7%	9.8%	2,330
Single adult, 1+ children	0.0%	25.3%	30.4%	44.4%	0.0%	156
2+ adults, 1+ children	4.4%	24.4%	37.7%	8.6%	24.8%	3,042
All areas included in the study						
Benton County	6.5%	29.6%	34.4%	18.1%	11.5%	26,503
Chisago County	11.8%	31.9%	25.4%	18.4%	12.4%	38,433
Mille Lacs County	2.7%	15.7%	26.9%	36.5%	18.2%	19,163
Sherburne County	7.0%	26.1%	34.2%	18.9%	13.9%	61,875
Stearns County	6.2%	22.9%	31.8%	26.1%	13.0%	115,779
Entire five-county region	7.0%	25.1%	31.3%	23.2%	13.3%	261,753

113. In your opinion, how much of a problem is each of these issues in your county? Alcohol use among those under 21

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	14.1%	23.7%	29.0%	15.5%	17.7%	5,895
Gender						
Female	9.1%	21.4%	31.6%	20.5%	17.3%	2,945
Male	19.1%	26.0%	26.3%	10.5%	18.1%	2,950
Age						
18-34	32.9%	21.9%	19.4%	9.4%	16.3%	1,814
35-44	8.5%	24.9%	28.1%	15.1%	23.3%	1,556
45-54	1.2%	31.8%	37.3%	18.7%	11.0%	1,240
55-64	5.4%	21.1%	37.9%	23.9%	11.7%	681
65-74	3.2%	11.7%	40.2%	17.5%	27.5%	355
75+	16.6%	13.9%	19.0%	19.6%	30.9%	230
Highest level of education						
Less than high school diploma/GED	0.0%	77.0%	9.0%	14.1%	0.0%	53
High school diploma/GED	20.2%	20.5%	30.2%	17.7%	11.3%	848
Some college or AA degree	7.6%	22.4%	33.5%	17.2%	19.3%	2,036
Bachelor's degree or higher	17.1%	24.6%	25.9%	13.8%	18.7%	2,958
Household income (in 2012)						
Less than \$20,000	25.4%	8.4%	42.5%	19.0%	4.8%	257
\$20,000 - \$34,999	6.3%	21.9%	32.1%	16.6%	23.2%	256
\$35,000 - \$49,999	9.8%	8.5%	55.6%	10.7%	15.4%	478
\$50,000 - \$99,999	11.8%	31.4%	23.5%	17.3%	15.9%	3,124
\$100,000+	21.4%	18.5%	33.4%	11.7%	14.9%	1,450
Household type						
Single adult, no children	22.0%	19.9%	27.4%	18.0%	12.8%	389
2+ adults, no children	25.4%	26.8%	25.0%	13.4%	9.5%	2,315
Single adult, 1+ children	0.0%	6.7%	16.1%	70.5%	6.7%	156
2+ adults, 1+ children	5.2%	23.0%	32.1%	14.1%	25.5%	3,001
All areas included in the study						
Benton County	7.3%	24.2%	33.4%	21.8%	13.3%	26,462
Chisago County	4.4%	22.1%	40.8%	19.0%	13.7%	38,373
Mille Lacs County	3.9%	16.9%	21.2%	38.1%	19.9%	19,165
Sherburne County	5.4%	24.6%	31.7%	24.0%	14.3%	61,798
Stearns County	4.0%	21.1%	30.9%	26.7%	17.3%	114,569
Entire five-county region	4.7%	22.1%	32.1%	25.3%	15.8%	260,367

114. In your opinion, how much of a problem is each of these issues in your county? Adults allowing or tolerating youth alcohol use

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	15.8%	31.3%	20.6%	15.5%	16.9%	5,949
Gender						
Female	9.3%	32.9%	18.6%	21.4%	17.8%	2,968
Male	22.2%	29.7%	22.6%	9.5%	16.0%	2,981
Age						
18-34	31.0%	35.8%	8.7%	9.4%	15.1%	1,814
35-44	11.2%	34.2%	22.5%	14.5%	17.6%	1,556
45-54	7.6%	29.0%	28.6%	21.5%	13.3%	1,281
55-64	8.2%	28.7%	29.2%	21.7%	12.2%	681
65-74	3.2%	18.0%	26.1%	17.5%	35.3%	355
75+	15.7%	20.2%	19.4%	12.3%	32.3%	243
Highest level of education						
Less than high school diploma/GED	0.0%	7.0%	21.9%	11.0%	60.1%	68
High school diploma/GED	22.2%	29.1%	18.9%	14.2%	15.6%	848
Some college or AA degree	9.7%	40.5%	16.1%	16.0%	17.8%	2,043
Bachelor's degree or higher	17.4%	26.5%	24.5%	15.8%	15.9%	2,949
Household income (in 2012)						
Less than \$20,000	11.5%	43.7%	8.9%	23.5%	12.3%	272
\$20,000 - \$34,999	19.2%	19.8%	21.8%	17.8%	21.4%	297
\$35,000 - \$49,999	9.8%	38.6%	27.0%	7.3%	17.4%	478
\$50,000 - \$99,999	13.0%	34.7%	20.4%	15.1%	16.7%	3,132
\$100,000+	24.3%	26.3%	24.3%	10.9%	14.2%	1,450
Household type						
Single adult, no children	21.5%	31.2%	17.1%	11.6%	18.6%	396
2+ adults, no children	25.5%	28.2%	21.7%	13.7%	11.0%	2,321
Single adult, 1+ children	0.0%	13.9%	28.4%	51.1%	6.7%	156
2+ adults, 1+ children	8.6%	33.8%	20.0%	15.6%	21.9%	3,042
All areas included in the study						
Benton County	9.8%	29.3%	28.6%	17.3%	15.1%	26,324
Chisago County	7.6%	26.5%	32.1%	19.3%	14.5%	38,493
Mille Lacs County	4.8%	17.2%	24.3%	30.7%	23.0%	19,165
Sherburne County	7.8%	26.3%	29.4%	18.5%	18.0%	61,880
Stearns County	5.6%	27.3%	26.8%	19.2%	21.1%	115,420
Entire five-county region	6.8%	26.4%	28.2%	19.7%	18.9%	261,281

**115. In your opinion, how much of a problem is each of these issues in your county?
Drinking and driving**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	12.4%	16.4%	39.3%	21.8%	10.2%	5,961
Gender						
Female	4.6%	18.3%	36.6%	27.7%	12.8%	2,970
Male	20.1%	14.5%	42.0%	15.9%	7.6%	2,991
Age						
18-34	32.5%	13.0%	36.4%	13.1%	5.0%	1,814
35-44	4.7%	17.8%	40.2%	21.0%	16.3%	1,556
45-54	1.1%	21.1%	42.0%	29.1%	6.6%	1,281
55-64	0.0%	22.6%	40.3%	26.0%	11.1%	668
65-74	3.2%	3.2%	48.0%	23.8%	21.9%	355
75+	18.1%	7.4%	28.3%	36.0%	10.2%	268
Highest level of education						
Less than high school diploma/GED	0.0%	60.1%	7.0%	32.9%	0.0%	68
High school diploma/GED	18.4%	16.5%	35.7%	19.4%	10.0%	863
Some college or AA degree	2.5%	14.6%	47.3%	23.5%	12.2%	2,030
Bachelor's degree or higher	17.8%	16.8%	34.7%	21.4%	9.2%	2,958
Household income (in 2012)						
Less than \$20,000	11.5%	5.1%	28.5%	45.3%	9.6%	272
\$20,000 - \$34,999	3.8%	7.9%	57.8%	16.4%	14.1%	297
\$35,000 - \$49,999	5.1%	15.2%	51.5%	15.9%	12.3%	478
\$50,000 - \$99,999	13.0%	16.5%	40.3%	21.6%	8.6%	3,119
\$100,000+	17.2%	17.8%	39.9%	14.8%	10.2%	1,450
Household type						
Single adult, no children	20.3%	26.8%	22.4%	20.7%	9.7%	396
2+ adults, no children	18.3%	12.3%	46.1%	16.7%	6.6%	2,330
Single adult, 1+ children	0.0%	11.4%	30.4%	51.6%	6.7%	156
2+ adults, 1+ children	7.1%	18.7%	36.2%	24.7%	13.3%	3,029
All areas included in the study						
Benton County	4.4%	25.5%	35.4%	26.9%	7.8%	26,433
Chisago County	6.3%	21.8%	31.3%	31.5%	9.2%	38,165
Mille Lacs County	3.4%	15.1%	29.2%	36.2%	16.1%	19,128
Sherburne County	3.8%	18.9%	34.3%	32.7%	10.4%	62,026
Stearns County	3.6%	18.9%	32.7%	33.6%	11.2%	115,878
Entire five-county region	4.1%	19.7%	32.9%	32.6%	10.7%	261,629

116. In your opinion, how much of a problem is each of these issues in your county? Illegal drug use among youth

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	7.1%	25.9%	32.2%	17.3%	17.4%	5,959
Gender						
Female	6.5%	20.5%	32.6%	23.4%	16.9%	2,968
Male	7.7%	31.3%	31.9%	11.2%	17.9%	2,991
Age						
18-34	12.0%	36.5%	23.3%	11.9%	16.3%	1,814
35-44	11.2%	19.6%	35.9%	10.0%	23.3%	1,556
45-54	0.0%	33.7%	34.4%	21.9%	10.1%	1,281
55-64	0.0%	17.8%	38.0%	32.5%	11.7%	681
65-74	0.0%	0.0%	48.7%	19.9%	31.4%	355
75+	13.3%	9.7%	24.3%	30.5%	22.2%	253
Highest level of education						
Less than high school diploma/GED	0.0%	67.1%	21.9%	11.0%	0.0%	68
High school diploma/GED	11.3%	17.3%	34.3%	22.4%	14.7%	848
Some college or AA degree	3.4%	22.7%	37.3%	21.9%	14.7%	2,043
Bachelor's degree or higher	8.8%	30.0%	27.5%	13.1%	20.6%	2,958
Household income (in 2012)						
Less than \$20,000	11.5%	41.0%	16.8%	26.2%	4.5%	272
\$20,000 - \$34,999	0.0%	11.2%	49.9%	19.4%	19.5%	297
\$35,000 - \$49,999	6.7%	8.5%	57.6%	8.7%	18.5%	478
\$50,000 - \$99,999	8.3%	28.5%	27.9%	20.0%	15.3%	3,132
\$100,000+	7.0%	29.0%	34.8%	13.0%	16.2%	1,450
Household type						
Single adult, no children	0.0%	18.2%	45.2%	24.1%	12.5%	396
2+ adults, no children	9.7%	33.6%	30.3%	16.9%	9.5%	2,330
Single adult, 1+ children	0.0%	13.9%	16.1%	63.3%	6.7%	156
2+ adults, 1+ children	6.6%	22.0%	32.1%	14.6%	24.8%	3,042
All areas included in the study						
Benton County	2.5%	25.6%	28.5%	26.7%	16.8%	26,430
Chisago County	3.8%	21.9%	32.2%	27.7%	14.5%	38,810
Mille Lacs County	1.9%	14.8%	21.8%	41.6%	20.0%	19,233
Sherburne County	3.0%	23.2%	27.4%	29.6%	16.8%	62,104
Stearns County	3.0%	23.7%	27.5%	30.4%	15.4%	115,756
Entire five-county region	3.0%	22.8%	27.8%	30.3%	16.1%	262,332

117. In your opinion, how much of a problem is each of these issues in your county? Illegal drug use among adults

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	10.0%	32.8%	26.1%	15.3%	15.8%	5,974
Gender						
Female	7.3%	28.7%	26.7%	19.7%	17.5%	2,983
Male	12.8%	36.9%	25.4%	10.8%	14.1%	2,991
Age						
18-34	19.6%	40.2%	18.9%	12.5%	8.7%	1,814
35-44	11.2%	30.7%	27.5%	7.3%	23.3%	1,556
45-54	0.0%	47.1%	21.5%	20.2%	11.2%	1,281
55-64	0.0%	15.9%	42.4%	30.0%	11.7%	681
65-74	3.2%	10.2%	39.2%	9.7%	37.7%	355
75+	20.9%	1.8%	28.6%	23.2%	25.5%	268
Highest level of education						
Less than high school diploma/GED	0.0%	60.1%	39.9%	0.0%	0.0%	68
High school diploma/GED	13.7%	16.3%	32.5%	22.1%	15.5%	863
Some college or AA degree	3.9%	39.1%	23.5%	17.0%	16.5%	2,043
Bachelor's degree or higher	13.5%	33.1%	24.7%	12.6%	16.1%	2,958
Household income (in 2012)						
Less than \$20,000	14.3%	48.9%	16.2%	11.0%	9.6%	272
\$20,000 - \$34,999	3.8%	13.3%	46.1%	19.4%	17.4%	297
\$35,000 - \$49,999	6.7%	23.3%	38.9%	11.5%	19.5%	478
\$50,000 - \$99,999	12.8%	35.1%	22.3%	17.7%	12.1%	3,132
\$100,000+	7.0%	35.2%	28.9%	12.8%	16.2%	1,450
Household type						
Single adult, no children	4.7%	13.2%	48.5%	17.9%	15.6%	396
2+ adults, no children	9.7%	40.5%	25.6%	13.8%	10.5%	2,330
Single adult, 1+ children	0.0%	18.6%	11.4%	63.3%	6.7%	156
2+ adults, 1+ children	11.1%	29.7%	24.7%	13.8%	20.7%	3,042
All areas included in the study						
Benton County	5.2%	24.0%	28.5%	26.9%	15.5%	26,320
Chisago County	5.3%	22.5%	32.1%	25.3%	14.8%	38,580
Mille Lacs County	2.6%	14.8%	21.6%	41.7%	19.3%	19,208
Sherburne County	5.2%	25.2%	27.0%	26.3%	16.3%	61,497
Stearns County	4.4%	24.9%	24.6%	29.6%	16.6%	115,698
Entire five-county region	4.6%	23.8%	26.4%	28.8%	16.4%	261,303

Chronic disease and health habits

118. In your opinion, how much of a problem is each of these issues in your county? Asthma

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	17.1%	33.3%	20.4%	3.8%	25.4%	5,943
Gender						
Female	10.8%	27.4%	27.7%	6.6%	27.5%	2,962
Male	23.3%	39.2%	13.2%	.9%	23.3%	2,981
Age						
18-34	28.5%	30.2%	16.2%	2.5%	22.5%	1,814
35-44	17.2%	41.0%	14.7%	1.4%	25.8%	1,535
45-54	9.9%	34.0%	22.8%	8.5%	24.7%	1,289
55-64	2.7%	40.0%	38.7%	4.6%	14.0%	681
65-74	6.3%	16.1%	17.5%	1.9%	58.2%	355
75+	26.4%	13.6%	22.6%	3.8%	33.5%	250
Highest level of education						
Less than high school diploma/GED	0.0%	7.0%	32.9%	0.0%	60.1%	68
High school diploma/GED	27.5%	17.3%	19.7%	0.8%	34.6%	853
Some college or AA degree	10.5%	34.4%	23.1%	4.1%	27.8%	2,015
Bachelor's degree or higher	19.2%	38.2%	17.4%	4.5%	20.6%	2,966
Household income (in 2012)						
Less than \$20,000	41.4%	8.2%	19.7%	0.0%	30.8%	264
\$20,000 - \$34,999	13.7%	29.0%	34.6%	0.0%	22.6%	297
\$35,000 - \$49,999	17.4%	22.1%	23.3%	4.7%	32.5%	469
\$50,000 - \$99,999	11.2%	39.0%	21.6%	4.4%	23.8%	3,139
\$100,000+	27.2%	37.4%	15.5%	3.7%	16.2%	1,450
Household type						
Single adult, no children	28.6%	15.1%	26.1%	3.7%	26.4%	389
2+ adults, no children	25.8%	28.7%	23.1%	3.4%	19.0%	2,321
Single adult, 1+ children	7.2%	18.1%	51.1%	0.0%	23.7%	156
2+ adults, 1+ children	9.3%	39.5%	16.2%	4.4%	30.7%	3,021
All areas included in the study						
Benton County	11.5%	32.1%	23.7%	6.3%	26.4%	26,212
Chisago County	14.1%	36.7%	19.2%	6.6%	23.3%	38,880
Mille Lacs County	9.2%	26.5%	28.7%	9.5%	26.1%	19,132
Sherburne County	12.3%	30.4%	25.5%	6.3%	25.5%	61,615
Stearns County	10.3%	30.7%	24.0%	5.4%	29.6%	115,636
Entire five-county region	11.4%	31.4%	24.0%	6.2%	27.1%	261,475

119. In your opinion, how much of a problem is each of these issues in your county? Cancer

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	7.7%	24.0%	28.0%	22.2%	18.2%	5,960
Gender						
Female	4.9%	18.2%	25.0%	30.6%	21.3%	2,969
Male	10.4%	29.7%	31.0%	13.9%	15.2%	2,991
Age						
18-34	14.0%	21.9%	34.0%	12.5%	17.6%	1,814
35-44	6.6%	21.1%	37.3%	22.2%	12.8%	1,535
45-54	2.3%	34.8%	11.2%	29.9%	21.9%	1,289
55-64	2.7%	19.2%	37.7%	27.7%	12.6%	681
65-74	0.0%	22.4%	11.7%	28.2%	37.7%	355
75+	20.2%	17.4%	6.4%	31.1%	25.0%	268
Highest level of education						
Less than high school diploma/GED	0.0%	21.9%	18.0%	0.0%	60.1%	68
High school diploma/GED	13.6%	24.4%	10.5%	29.5%	21.9%	863
Some college or AA degree	7.1%	20.6%	24.1%	25.7%	22.5%	2,022
Bachelor's degree or higher	6.6%	26.5%	34.9%	18.6%	13.4%	2,966
Household income (in 2012)						
Less than \$20,000	21.8%	27.4%	17.7%	8.3%	24.8%	272
\$20,000 - \$34,999	5.1%	15.6%	31.0%	36.1%	12.2%	297
\$35,000 - \$49,999	7.8%	27.3%	13.2%	23.0%	28.7%	478
\$50,000 - \$99,999	9.1%	23.9%	23.2%	23.4%	20.3%	3,139
\$100,000+	1.4%	27.9%	50.6%	14.7%	5.4%	1,450
Household type						
Single adult, no children	17.5%	17.4%	18.3%	25.1%	21.7%	396
2+ adults, no children	11.0%	22.2%	33.2%	18.8%	14.8%	2,330
Single adult, 1+ children	0.0%	11.9%	13.4%	51.1%	23.7%	156
2+ adults, 1+ children	3.8%	26.1%	26.5%	23.2%	20.4%	3,021
All areas included in the study						
Benton County	5.9%	16.6%	30.9%	29.4%	17.2%	26,254
Chisago County	10.1%	18.6%	32.5%	18.9%	19.9%	38,880
Mille Lacs County	5.3%	16.2%	26.3%	30.1%	22.1%	19,132
Sherburne County	7.3%	19.0%	26.1%	27.5%	20.1%	61,678
Stearns County	5.5%	14.9%	27.4%	35.0%	17.1%	115,820
Entire five-county region	6.6%	16.7%	28.1%	29.9%	18.6%	261,765

120. In your opinion, how much of a problem is each of these issues in your county? Chronic pain

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	13.7%	29.6%	24.4%	8.3%	23.9%	5,931
Gender						
Female	7.0%	26.1%	22.8%	15.1%	29.0%	2,940
Male	20.3%	33.1%	26.0%	1.7%	18.9%	2,991
Age						
18-34	15.2%	28.2%	27.8%	9.3%	19.4%	1,814
35-44	19.5%	33.1%	19.2%	5.5%	22.7%	1,535
45-54	11.4%	30.9%	25.4%	9.1%	23.2%	1,289
55-64	2.7%	31.3%	36.6%	8.4%	21.0%	681
65-74	0.0%	25.3%	4.0%	12.7%	58.0%	341
75+	23.2%	16.2%	23.8%	6.8%	30.0%	253
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	14.1%	0.0%	85.9%	53
High school diploma/GED	14.2%	26.6%	15.2%	12.4%	31.7%	863
Some college or AA degree	8.0%	34.7%	23.9%	7.2%	26.2%	2,009
Bachelor's degree or higher	17.8%	28.0%	26.6%	8.3%	19.3%	2,966
Household income (in 2012)						
Less than \$20,000	0.0%	42.6%	20.9%	16.1%	20.4%	257
\$20,000 - \$34,999	13.7%	17.3%	34.2%	7.9%	26.9%	297
\$35,000 - \$49,999	10.1%	33.8%	11.0%	15.1%	30.0%	478
\$50,000 - \$99,999	15.5%	27.4%	25.9%	7.5%	23.7%	3,125
\$100,000+	13.9%	39.9%	22.2%	6.7%	17.3%	1,450
Household type						
Single adult, no children	21.5%	24.3%	20.2%	9.2%	24.8%	396
2+ adults, no children	14.8%	33.4%	26.1%	7.6%	18.1%	2,301
Single adult, 1+ children	0.0%	11.9%	64.4%	0.0%	23.7%	156
2+ adults, 1+ children	12.2%	27.5%	22.1%	9.4%	28.6%	3,021
All areas included in the study						
Benton County	8.3%	27.1%	26.0%	14.7%	23.9%	26,069
Chisago County	8.9%	27.0%	27.1%	15.5%	21.5%	38,637
Mille Lacs County	6.1%	19.0%	29.0%	20.9%	25.0%	18,971
Sherburne County	10.1%	25.3%	25.9%	13.8%	24.9%	61,678
Stearns County	6.5%	25.6%	29.8%	14.9%	23.2%	114,958
Entire five-county region	7.9%	25.4%	28.0%	15.1%	23.5%	260,313

121. In your opinion, how much of a problem is each of these issues in your county? Diabetes

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	9.8%	29.7%	20.1%	17.0%	23.4%	5,947
Gender						
Female	6.9%	22.4%	24.5%	19.0%	27.2%	2,956
Male	12.6%	36.8%	15.8%	15.1%	19.6%	2,991
Age						
18-34	14.0%	30.8%	20.1%	15.1%	20.1%	1,814
35-44	11.4%	28.9%	16.6%	18.4%	24.8%	1,535
45-54	4.3%	36.2%	19.4%	16.5%	23.6%	1,289
55-64	2.8%	25.8%	30.9%	23.0%	17.6%	668
65-74	6.3%	15.3%	15.5%	18.0%	44.8%	355
75+	21.9%	23.0%	21.2%	9.2%	24.7%	268
Highest level of education						
Less than high school diploma/GED	0.0%	21.9%	11.0%	0.0%	67.1%	68
High school diploma/GED	22.9%	22.6%	15.1%	15.8%	23.7%	863
Some college or AA degree	10.2%	21.5%	30.2%	11.2%	27.0%	2,009
Bachelor's degree or higher	6.1%	36.5%	15.3%	22.0%	20.2%	2,966
Household income (in 2012)						
Less than \$20,000	33.4%	15.8%	21.4%	2.8%	26.6%	272
\$20,000 - \$34,999	13.7%	34.9%	13.9%	22.2%	15.3%	297
\$35,000 - \$49,999	7.8%	35.5%	15.7%	8.0%	33.0%	478
\$50,000 - \$99,999	11.4%	22.8%	26.7%	15.5%	23.6%	3,126
\$100,000+	1.4%	41.6%	11.8%	27.8%	17.3%	1,450
Household type						
Single adult, no children	18.7%	22.1%	24.0%	13.3%	21.9%	396
2+ adults, no children	16.0%	22.9%	27.1%	16.6%	17.4%	2,317
Single adult, 1+ children	0.0%	56.3%	13.4%	0.0%	30.4%	156
2+ adults, 1+ children	4.0%	33.9%	15.1%	18.8%	28.3%	3,021
All areas included in the study						
Benton County	6.5%	21.0%	32.6%	19.6%	20.4%	26,319
Chisago County	8.2%	16.8%	26.7%	28.3%	20.0%	38,836
Mille Lacs County	6.4%	15.6%	25.4%	31.7%	20.9%	19,132
Sherburne County	8.5%	20.4%	27.4%	21.4%	22.3%	61,674
Stearns County	6.2%	19.4%	25.7%	30.8%	18.0%	115,705
Entire five-county region	7.1%	19.1%	26.9%	27.1%	19.8%	261,666

122. In your opinion, how much of a problem is each of these issues in your county? Heart disease and stroke

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	10.8%	19.7%	33.5%	15.7%	20.3%	5,942
Gender						
Female	6.7%	20.0%	31.2%	15.8%	26.3%	2,969
Male	14.9%	19.5%	35.8%	15.6%	14.3%	2,972
Age						
18-34	14.0%	14.3%	45.5%	6.2%	20.1%	1,814
35-44	13.9%	16.7%	31.0%	21.5%	16.9%	1,535
45-54	5.5%	30.2%	20.6%	19.0%	24.7%	1,289
55-64	2.8%	27.9%	34.5%	19.8%	14.9%	663
65-74	6.3%	15.9%	31.6%	18.0%	28.2%	355
75+	23.7%	10.2%	23.7%	18.4%	24.0%	268
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	32.9%	0.0%	67.1%	68
High school diploma/GED	23.4%	17.0%	19.2%	15.2%	25.2%	863
Some college or AA degree	10.2%	21.3%	30.1%	12.9%	25.6%	2,022
Bachelor's degree or higher	7.9%	20.2%	39.1%	18.3%	14.4%	2,947
Household income (in 2012)						
Less than \$20,000	33.4%	10.3%	24.2%	5.5%	26.6%	272
\$20,000 - \$34,999	12.1%	12.5%	42.9%	17.2%	15.3%	297
\$35,000 - \$49,999	9.8%	37.2%	16.7%	8.0%	28.3%	478
\$50,000 - \$99,999	13.1%	20.4%	28.4%	16.8%	21.3%	3,120
\$100,000+	1.4%	18.8%	56.2%	13.9%	9.6%	1,450
Household type						
Single adult, no children	17.5%	20.2%	19.0%	21.3%	22.0%	396
2+ adults, no children	16.5%	14.8%	41.7%	13.3%	13.7%	2,312
Single adult, 1+ children	0.0%	11.9%	64.4%	0.0%	23.7%	156
2+ adults, 1+ children	5.8%	23.1%	28.1%	17.7%	25.3%	3,021
All areas included in the study						
Benton County	5.4%	21.5%	30.1%	19.1%	23.8%	26,307
Chisago County	7.8%	22.9%	25.6%	23.6%	20.1%	38,844
Mille Lacs County	6.3%	17.1%	30.3%	25.0%	21.4%	19,050
Sherburne County	6.5%	19.7%	31.6%	20.0%	22.3%	61,245
Stearns County	6.0%	16.6%	32.8%	26.8%	17.8%	115,654
Entire five-county region	6.3%	18.8%	31.0%	23.8%	20.0%	261,100

123. In your opinion, how much of a problem is each of these issues in your county? Mental illness

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	7.4%	27.9%	23.1%	17.5%	24.1%	5,929
Gender						
Female	5.1%	27.0%	22.7%	21.3%	24.0%	2,956
Male	9.7%	28.8%	23.6%	13.8%	24.2%	2,972
Age						
18-34	14.0%	31.3%	18.2%	11.9%	24.6%	1,814
35-44	3.4%	22.6%	34.1%	19.8%	20.1%	1,535
45-54	1.1%	33.5%	17.7%	23.0%	24.7%	1,289
55-64	2.9%	24.2%	33.2%	23.7%	16.1%	650
65-74	6.3%	32.6%	9.7%	13.6%	37.7%	355
75+	28.3%	12.0%	8.4%	8.4%	42.9%	268
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	32.9%	0.0%	67.1%	68
High school diploma/GED	22.4%	24.7%	5.8%	18.3%	28.9%	863
Some college or AA degree	4.2%	23.0%	26.8%	18.4%	27.5%	1,991
Bachelor's degree or higher	5.4%	33.1%	24.4%	17.4%	19.7%	2,966
Household income (in 2012)						
Less than \$20,000	14.3%	15.0%	11.7%	37.0%	22.0%	272
\$20,000 - \$34,999	6.7%	38.0%	16.3%	17.8%	21.2%	297
\$35,000 - \$49,999	9.8%	34.8%	9.2%	16.8%	29.3%	478
\$50,000 - \$99,999	8.8%	24.9%	20.4%	18.0%	27.8%	3,108
\$100,000+	1.4%	36.9%	31.5%	15.2%	15.0%	1,450
Household type						
Single adult, no children	20.6%	11.0%	27.0%	13.5%	27.9%	396
2+ adults, no children	13.9%	26.9%	21.2%	16.8%	21.2%	2,299
Single adult, 1+ children	0.0%	18.6%	6.7%	51.1%	23.7%	156
2+ adults, 1+ children	0.7%	30.4%	25.4%	17.3%	26.2%	3,021
All areas included in the study						
Benton County	8.3%	22.7%	21.2%	24.5%	23.4%	26,124
Chisago County	8.5%	20.0%	26.1%	26.6%	18.7%	38,776
Mille Lacs County	7.1%	16.2%	21.3%	30.6%	24.7%	18,856
Sherburne County	7.1%	22.0%	29.4%	19.9%	21.7%	61,208
Stearns County	6.6%	21.0%	28.6%	27.0%	16.7%	115,593
Entire five-county region	7.2%	20.9%	27.1%	25.3%	19.4%	260,556

**124. In your opinion, how much of a problem is each of these issues in your county?
Obesity among adults**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	3.9%	22.8%	23.3%	39.1%	10.8%	5,953
Gender						
Female	3.8%	19.1%	27.1%	37.0%	12.9%	2,962
Male	4.1%	26.4%	19.6%	41.2%	8.8%	2,991
Age						
18-34	6.3%	29.6%	11.8%	48.0%	4.3%	1,814
35-44	3.4%	12.6%	31.1%	37.6%	15.2%	1,535
45-54	0.0%	37.9%	19.8%	29.1%	13.2%	1,289
55-64	2.7%	10.6%	34.4%	43.4%	9.0%	681
65-74	0.0%	6.3%	37.0%	35.5%	21.2%	355
75+	18.6%	16.3%	29.4%	25.5%	10.2%	260
Highest level of education						
Less than high school diploma/GED	0.0%	60.1%	32.9%	0.0%	7.0%	68
High school diploma/GED	16.7%	26.5%	17.1%	22.6%	17.2%	863
Some college or AA degree	3.4%	19.5%	34.2%	29.3%	13.5%	2,015
Bachelor's degree or higher	0.7%	23.4%	16.5%	52.0%	7.4%	2,966
Household income (in 2012)						
Less than \$20,000	11.5%	27.4%	38.0%	16.8%	6.3%	272
\$20,000 - \$34,999	0.0%	13.7%	50.7%	27.1%	8.4%	297
\$35,000 - \$49,999	6.7%	19.4%	34.1%	18.9%	20.9%	478
\$50,000 - \$99,999	3.6%	31.2%	21.8%	33.0%	10.5%	3,131
\$100,000+	1.4%	7.9%	16.3%	67.3%	7.1%	1,450
Household type						
Single adult, no children	17.8%	12.7%	30.7%	22.9%	15.9%	389
2+ adults, no children	5.5%	20.7%	26.2%	40.3%	7.3%	2,330
Single adult, 1+ children	0.0%	11.9%	6.7%	57.8%	23.7%	156
2+ adults, 1+ children	0.7%	25.5%	21.5%	39.8%	12.5%	3,021
All areas included in the study						
Benton County	6.1%	15.5%	30.1%	38.4%	9.8%	26,328
Chisago County	5.4%	8.5%	27.5%	42.5%	16.1%	38,916
Mille Lacs County	5.9%	5.9%	27.0%	45.9%	15.3%	18,989
Sherburne County	3.4%	14.5%	26.7%	43.1%	12.3%	61,738
Stearns County	4.1%	9.6%	26.1%	48.6%	11.5%	115,348
Entire five-county region	4.5%	10.9%	26.9%	45.2%	12.5%	261,320

**125. In your opinion, how much of a problem is each of these issues in your county?
Obesity among children**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	6.7%	22.1%	23.9%	37.8%	9.5%	5,916
Gender						
Female	4.6%	22.0%	28.7%	33.6%	11.1%	2,954
Male	8.8%	22.3%	19.0%	42.1%	7.9%	2,961
Age						
18-34	15.2%	20.7%	20.7%	40.9%	2.5%	1,814
35-44	3.5%	15.6%	21.9%	46.8%	12.2%	1,505
45-54	1.1%	39.1%	22.1%	24.5%	13.2%	1,289
55-64	2.7%	10.6%	37.1%	40.6%	9.0%	681
65-74	0.0%	16.1%	28.7%	34.0%	21.2%	355
75+	13.3%	26.5%	26.5%	23.2%	10.5%	253
Highest level of education						
Less than high school diploma/GED	0.0%	82.0%	11.0%	0.0%	7.0%	68
High school diploma/GED	19.6%	29.7%	16.6%	20.6%	13.5%	848
Some college or AA degree	3.5%	19.6%	31.6%	33.1%	12.2%	1,993
Bachelor's degree or higher	5.4%	20.6%	19.9%	47.3%	6.7%	2,966
Household income (in 2012)						
Less than \$20,000	11.5%	13.6%	33.7%	34.9%	6.3%	272
\$20,000 - \$34,999	0.0%	25.3%	39.1%	27.1%	8.4%	297
\$35,000 - \$49,999	9.8%	18.7%	28.7%	18.9%	24.0%	478
\$50,000 - \$99,999	8.1%	29.4%	23.7%	31.5%	7.4%	3,109
\$100,000+	1.4%	10.3%	19.7%	61.4%	7.1%	1,450
Household type						
Single adult, no children	17.5%	15.3%	31.1%	20.5%	15.6%	396
2+ adults, no children	6.1%	20.9%	29.0%	36.6%	7.3%	2,330
Single adult, 1+ children	0.0%	5.8%	8.3%	80.2%	5.8%	127
2+ adults, 1+ children	6.0%	23.8%	19.9%	39.6%	10.7%	3,021
All areas included in the study						
Benton County	6.8%	17.7%	32.5%	33.4%	9.6%	26,072
Chisago County	3.8%	11.2%	28.6%	43.1%	13.3%	38,880
Mille Lacs County	4.6%	7.7%	28.6%	45.1%	14.0%	19,074
Sherburne County	4.1%	16.5%	25.4%	42.0%	11.9%	61,611
Stearns County	4.5%	9.7%	28.6%	45.1%	12.1%	115,142
Entire five-county region	4.6%	12.2%	28.2%	42.9%	12.1%	260,779

126. In your opinion, how much of a problem is each of these issues in your county?
Lack of physical exercise

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	6.5%	19.1%	48.0%	16.3%	10.2%	6,011
Gender						
Female	4.5%	22.0%	37.9%	24.3%	11.2%	3,020
Male	8.4%	16.1%	58.1%	8.2%	9.2%	2,991
Age						
18-34	14.4%	14.7%	41.8%	16.0%	13.1%	1,837
35-44	1.3%	24.1%	49.4%	20.4%	4.7%	1,556
45-54	1.1%	18.7%	56.7%	11.4%	12.1%	1,289
55-64	0.0%	19.7%	58.8%	16.3%	5.2%	681
65-74	0.0%	27.0%	34.4%	20.6%	18.0%	355
75+	32.0%	10.7%	29.5%	10.9%	16.9%	275
Highest level of education						
Less than high school diploma/GED	0.0%	60.1%	32.9%	0.0%	7.0%	68
High school diploma/GED	20.7%	20.7%	26.6%	16.4%	15.6%	870
Some college or AA degree	2.4%	22.8%	52.2%	13.3%	9.4%	2,043
Bachelor's degree or higher	5.3%	15.3%	50.9%	18.9%	9.4%	2,988
Household income (in 2012)						
Less than \$20,000	5.5%	50.7%	16.8%	5.5%	21.5%	272
\$20,000 - \$34,999	5.1%	24.6%	35.5%	26.9%	7.9%	297
\$35,000 - \$49,999	2.9%	36.8%	34.8%	10.0%	15.4%	501
\$50,000 - \$99,999	9.1%	14.1%	48.7%	16.8%	11.3%	3,139
\$100,000+	1.4%	17.7%	58.6%	20.2%	2.0%	1,450
Household type						
Single adult, no children	20.9%	9.2%	36.5%	19.4%	14.0%	404
2+ adults, no children	9.1%	18.8%	55.3%	9.4%	7.5%	2,330
Single adult, 1+ children	0.0%	7.2%	41.7%	51.1%	0.0%	156
2+ adults, 1+ children	2.5%	20.4%	44.9%	19.7%	12.5%	3,065
All areas included in the study						
Benton County	5.7%	22.0%	37.3%	29.4%	5.5%	26,390
Chisago County	4.4%	17.2%	36.3%	34.6%	7.5%	38,891
Mille Lacs County	1.7%	10.9%	43.3%	39.3%	4.8%	19,156
Sherburne County	5.0%	15.5%	42.9%	27.8%	8.8%	61,837
Stearns County	3.2%	14.8%	41.6%	32.4%	8.1%	115,531
Entire five-county region	3.9%	15.8%	40.8%	31.8%	7.7%	261,806

**127. In your opinion, how much of a problem is each of these issues in your county?
Unhealthy eating habits**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	2.5%	22.5%	42.6%	24.0%	8.5%	6,011
Gender						
Female	3.8%	17.3%	41.1%	26.2%	11.6%	3,020
Male	1.1%	27.7%	44.2%	21.8%	5.2%	2,991
Age						
18-34	3.1%	33.7%	32.9%	24.8%	5.5%	1,837
35-44	1.3%	16.9%	45.1%	32.0%	4.7%	1,556
45-54	0.0%	20.7%	52.6%	14.0%	12.6%	1,289
55-64	0.0%	14.3%	58.4%	22.2%	5.2%	681
65-74	0.0%	23.1%	28.0%	27.0%	21.9%	355
75+	25.8%	8.2%	25.1%	19.8%	21.1%	275
Highest level of education						
Less than high school diploma/GED	0.0%	60.1%	32.9%	0.0%	7.0%	68
High school diploma/GED	10.2%	29.6%	17.8%	25.7%	16.7%	870
Some college or AA degree	1.9%	16.5%	57.4%	14.5%	9.7%	2,043
Bachelor's degree or higher	0.7%	23.9%	39.1%	30.9%	5.4%	2,988
Household income (in 2012)						
Less than \$20,000	2.8%	26.6%	38.6%	8.3%	23.8%	272
\$20,000 - \$34,999	5.1%	26.8%	30.1%	30.2%	7.9%	297
\$35,000 - \$49,999	1.9%	27.1%	45.8%	9.8%	15.4%	501
\$50,000 - \$99,999	1.8%	19.8%	44.3%	26.7%	7.4%	3,139
\$100,000+	1.4%	27.0%	46.1%	23.4%	2.0%	1,450
Household type						
Single adult, no children	1.9%	27.1%	39.7%	19.2%	12.2%	404
2+ adults, no children	2.1%	32.0%	34.3%	22.7%	8.9%	2,330
Single adult, 1+ children	0.0%	7.2%	30.4%	57.8%	4.7%	156
2+ adults, 1+ children	2.5%	14.7%	50.7%	24.1%	8.0%	3,065
All areas included in the study						
Benton County	5.5%	18.8%	30.5%	39.9%	5.3%	26,374
Chisago County	4.3%	9.6%	41.2%	36.8%	8.1%	38,883
Mille Lacs County	1.2%	8.9%	41.5%	42.9%	5.5%	19,012
Sherburne County	3.1%	13.5%	37.4%	36.8%	9.3%	61,855
Stearns County	2.5%	11.5%	34.1%	44.8%	7.1%	115,261
Entire five-county region	3.1%	12.2%	36.1%	41.1%	7.5%	261,385

128. In your opinion, how much of a problem is each of these issues in your county? Lack of access to healthy food

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	28.2%	29.0%	25.3%	12.2%	5.3%	5,981
Gender						
Female	20.5%	28.3%	26.8%	15.4%	8.9%	2,990
Male	35.9%	29.7%	23.8%	8.9%	1.7%	2,991
Age						
18-34	41.1%	20.1%	21.9%	13.1%	3.7%	1,814
35-44	20.3%	28.1%	28.0%	18.8%	4.7%	1,556
45-54	16.9%	43.3%	29.0%	7.4%	3.4%	1,289
55-64	21.2%	30.4%	33.8%	9.4%	5.2%	681
65-74	37.7%	35.1%	11.7%	3.9%	11.7%	355
75+	44.1%	16.6%	9.2%	8.4%	21.7%	268
Highest level of education						
Less than high school diploma/GED	0.0%	21.9%	71.1%	0.0%	7.0%	68
High school diploma/GED	40.7%	24.9%	17.8%	10.1%	6.5%	863
Some college or AA degree	26.0%	27.0%	32.1%	8.0%	6.9%	2,021
Bachelor's degree or higher	27.1%	32.2%	20.7%	16.0%	4.0%	2,988
Household income (in 2012)						
Less than \$20,000	22.4%	14.0%	35.9%	18.5%	9.3%	264
\$20,000 - \$34,999	23.8%	28.8%	33.5%	6.1%	7.9%	297
\$35,000 - \$49,999	31.5%	37.3%	18.6%	5.3%	7.2%	501
\$50,000 - \$99,999	24.7%	26.9%	29.8%	12.8%	5.8%	3,139
\$100,000+	36.6%	38.7%	15.6%	9.0%	0.0%	1,428
Household type						
Single adult, no children	30.2%	27.7%	27.8%	1.9%	12.4%	396
2+ adults, no children	40.3%	28.4%	19.7%	7.5%	4.1%	2,330
Single adult, 1+ children	6.7%	9.4%	13.9%	70.0%	0.0%	156
2+ adults, 1+ children	19.8%	31.2%	29.2%	14.1%	5.7%	3,042
All areas included in the study						
Benton County	27.5%	31.8%	22.0%	10.7%	8.1%	26,402
Chisago County	23.4%	31.1%	19.4%	17.4%	8.7%	38,592
Mille Lacs County	20.1%	29.4%	25.0%	18.5%	7.0%	19,016
Sherburne County	23.7%	28.4%	25.7%	13.1%	9.1%	61,813
Stearns County	20.0%	33.3%	28.7%	9.7%	8.3%	115,018
Entire five-county region	22.2%	31.4%	25.7%	12.4%	8.4%	260,841

Injury and violence

129. In your opinion, how much of a problem is each of these issues in your county? Falls among the elderly

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	10.9%	41.9%	18.9%	4.1%	24.2%	5,990
Gender						
Female	5.6%	33.7%	22.4%	5.1%	33.2%	2,999
Male	16.2%	50.0%	15.4%	3.1%	15.3%	2,991
Age						
18-34	13.8%	47.3%	12.4%	0.0%	26.6%	1,837
35-44	10.0%	43.3%	20.3%	4.1%	22.3%	1,535
45-54	13.9%	38.3%	20.1%	1.1%	26.7%	1,289
55-64	2.7%	39.3%	19.7%	17.9%	20.4%	681
65-74	0.0%	39.0%	23.8%	5.8%	31.4%	355
75+	17.6%	23.3%	40.2%	8.9%	9.9%	275
Highest level of education						
Less than high school diploma/GED	0.0%	7.0%	32.9%	0.0%	60.1%	68
High school diploma/GED	16.8%	39.4%	16.8%	5.8%	21.1%	870
Some college or AA degree	9.2%	40.0%	20.1%	6.2%	24.6%	2,022
Bachelor's degree or higher	10.8%	43.8%	18.7%	2.3%	24.4%	2,988
Household income (in 2012)						
Less than \$20,000	11.5%	52.6%	11.0%	2.8%	22.0%	272
\$20,000 - \$34,999	12.1%	41.7%	27.1%	7.6%	11.5%	297
\$35,000 - \$49,999	9.3%	35.4%	13.9%	2.6%	38.7%	501
\$50,000 - \$99,999	14.6%	37.7%	18.7%	5.0%	24.0%	3,139
\$100,000+	5.5%	56.0%	17.7%	1.3%	19.5%	1,450
Household type						
Single adult, no children	17.2%	38.3%	14.0%	7.7%	22.9%	404
2+ adults, no children	13.5%	45.0%	20.0%	5.8%	15.6%	2,330
Single adult, 1+ children	0.0%	37.6%	51.1%	0.0%	11.4%	156
2+ adults, 1+ children	8.8%	39.1%	17.4%	2.5%	32.1%	3,044
All areas included in the study						
Benton County	7.0%	32.6%	25.8%	9.4%	25.3%	26,262
Chisago County	11.0%	37.1%	24.4%	10.5%	16.9%	38,877
Mille Lacs County	4.3%	24.0%	36.1%	12.2%	23.5%	19,031
Sherburne County	10.8%	27.5%	24.1%	8.3%	29.2%	61,697
Stearns County	7.0%	28.9%	32.2%	8.8%	23.2%	115,797
Entire five-county region	8.3%	29.8%	28.7%	9.2%	23.9%	261,664

**130. In your opinion, how much of a problem is each of these issues in your county?
Motor vehicle crashes**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	9.0%	38.4%	31.4%	9.4%	11.8%	5,970
Gender						
Female	4.6%	32.4%	34.6%	11.0%	17.3%	2,979
Male	13.4%	44.3%	28.2%	7.9%	6.3%	2,991
Age						
18-34	12.6%	49.1%	21.7%	7.5%	9.2%	1,837
35-44	8.5%	34.4%	33.7%	10.6%	12.7%	1,535
45-54	5.5%	37.5%	37.6%	5.1%	14.4%	1,289
55-64	3.7%	30.2%	37.0%	19.0%	10.1%	668
65-74	3.2%	39.5%	33.5%	5.8%	18.0%	355
75+	26.5%	12.8%	40.6%	12.0%	8.2%	268
Highest level of education						
Less than high school diploma/GED	0.0%	67.1%	32.9%	0.0%	0.0%	68
High school diploma/GED	11.8%	41.4%	21.3%	6.7%	18.7%	863
Some college or AA degree	5.4%	33.7%	39.8%	7.1%	14.0%	2,009
Bachelor's degree or higher	11.0%	39.1%	29.1%	12.1%	8.7%	2,988
Household income (in 2012)						
Less than \$20,000	2.8%	47.8%	39.4%	5.5%	4.5%	272
\$20,000 - \$34,999	15.9%	30.8%	32.5%	16.1%	4.6%	297
\$35,000 - \$49,999	5.8%	44.8%	27.1%	2.2%	20.1%	501
\$50,000 - \$99,999	9.5%	38.3%	35.5%	5.5%	11.1%	3,126
\$100,000+	9.9%	41.0%	24.6%	14.0%	10.6%	1,450
Household type						
Single adult, no children	23.9%	39.2%	13.0%	14.0%	9.9%	396
2+ adults, no children	11.5%	36.7%	37.0%	6.6%	8.2%	2,317
Single adult, 1+ children	0.0%	37.6%	6.7%	51.1%	4.7%	156
2+ adults, 1+ children	5.4%	39.2%	31.1%	9.0%	15.3%	3,044
All areas included in the study						
Benton County	8.5%	33.5%	33.7%	7.8%	16.5%	26,339
Chisago County	11.1%	39.6%	32.4%	6.7%	10.2%	38,805
Mille Lacs County	5.7%	30.4%	37.3%	17.0%	9.6%	19,135
Sherburne County	7.0%	34.4%	33.6%	10.1%	14.9%	61,886
Stearns County	7.3%	28.6%	43.2%	11.0%	9.9%	115,093
Entire five-county region	7.8%	32.3%	37.9%	10.3%	11.8%	261,258

131. In your opinion, how much of a problem is each of these issues in your county? Improper use of or not using child car seats

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	20.6%	36.3%	14.8%	6.8%	21.5%	5,968
Gender						
Female	12.0%	35.9%	17.9%	9.1%	25.0%	2,977
Male	29.1%	36.7%	11.7%	4.5%	17.9%	2,991
Age						
18-34	37.6%	26.6%	15.4%	1.2%	19.2%	1,837
35-44	13.3%	38.4%	19.8%	9.9%	18.6%	1,535
45-54	15.1%	43.6%	6.8%	9.5%	24.9%	1,289
55-64	6.0%	45.8%	25.9%	3.8%	18.5%	681
65-74	7.1%	40.9%	0.0%	13.6%	38.4%	355
75+	25.1%	27.9%	12.7%	10.8%	23.5%	253
Highest level of education						
Less than high school diploma/GED	0.0%	18.0%	21.9%	0.0%	60.1%	68
High school diploma/GED	23.4%	33.4%	6.1%	11.6%	25.5%	848
Some college or AA degree	10.9%	40.1%	22.6%	4.4%	21.9%	2,022
Bachelor's degree or higher	27.1%	34.1%	12.0%	7.3%	19.5%	2,988
Household income (in 2012)						
Less than \$20,000	17.1%	44.4%	8.3%	8.3%	22.0%	272
\$20,000 - \$34,999	15.9%	63.1%	7.6%	0.0%	13.4%	297
\$35,000 - \$49,999	16.1%	33.8%	12.6%	3.7%	33.8%	501
\$50,000 - \$99,999	21.2%	33.6%	15.7%	7.2%	22.3%	3,139
\$100,000+	25.3%	41.8%	14.9%	1.4%	16.6%	1,450
Household type						
Single adult, no children	28.8%	32.7%	1.9%	8.5%	28.0%	396
2+ adults, no children	24.6%	32.8%	16.4%	4.5%	21.6%	2,330
Single adult, 1+ children	0.0%	25.3%	63.3%	0.0%	11.4%	156
2+ adults, 1+ children	17.8%	40.5%	11.6%	8.7%	21.3%	3,044
All areas included in the study						
Benton County	14.8%	32.7%	24.1%	6.4%	22.0%	26,297
Chisago County	22.2%	28.4%	22.6%	5.7%	21.2%	38,841
Mille Lacs County	9.7%	28.9%	26.9%	9.2%	25.2%	19,114
Sherburne County	15.0%	35.4%	18.8%	7.1%	23.7%	61,770
Stearns County	13.8%	32.1%	17.8%	11.8%	24.5%	115,495
Entire five-county region	15.1%	32.2%	20.0%	9.0%	23.6%	261,517

132. In your opinion, how much of a problem is each of these issues in your county? Bullying

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	13.8%	24.3%	29.4%	17.9%	14.6%	5,886
Gender						
Female	6.7%	21.4%	36.7%	18.8%	16.3%	2,954
Male	20.9%	27.2%	22.0%	17.0%	12.9%	2,932
Age						
18-34	24.8%	20.7%	21.1%	17.1%	16.3%	1,814
35-44	13.8%	16.7%	45.9%	11.8%	11.8%	1,476
45-54	4.3%	33.7%	29.4%	24.3%	8.3%	1,289
55-64	1.9%	37.5%	26.1%	19.6%	14.9%	681
65-74	9.5%	33.9%	11.7%	19.9%	25.0%	355
75+	22.2%	0.0%	23.8%	18.6%	35.4%	253
Highest level of education						
Less than high school diploma/GED	0.0%	60.1%	21.9%	11.0%	7.0%	68
High school diploma/GED	20.4%	27.5%	19.7%	16.2%	16.3%	848
Some college or AA degree	8.4%	23.3%	35.4%	16.7%	16.2%	1,941
Bachelor's degree or higher	16.0%	22.3%	28.8%	19.6%	13.4%	2,988
Household income (in 2012)						
Less than \$20,000	18.3%	15.7%	18.0%	33.5%	14.5%	213
\$20,000 - \$34,999	15.9%	23.1%	32.5%	7.6%	20.9%	297
\$35,000 - \$49,999	1.9%	25.0%	47.7%	9.7%	15.7%	501
\$50,000 - \$99,999	10.5%	27.7%	24.6%	22.4%	14.8%	3,116
\$100,000+	25.3%	22.0%	31.5%	9.8%	11.5%	1,450
Household type						
Single adult, no children	22.2%	11.9%	32.5%	13.0%	20.4%	396
2+ adults, no children	20.5%	21.7%	25.9%	22.6%	9.3%	2,330
Single adult, 1+ children	0.0%	7.2%	48.4%	44.4%	0.0%	156
2+ adults, 1+ children	8.4%	29.3%	29.7%	13.8%	18.9%	2,962
All areas included in the study						
Benton County	6.5%	23.1%	33.6%	21.9%	15.0%	26,333
Chisago County	13.6%	20.8%	35.2%	13.3%	17.1%	38,757
Mille Lacs County	8.5%	14.0%	37.8%	24.4%	15.4%	19,132
Sherburne County	7.2%	20.9%	32.9%	19.9%	19.1%	61,548
Stearns County	4.4%	22.8%	30.8%	31.9%	10.1%	115,163
Entire five-county region	6.9%	21.4%	32.7%	24.8%	14.1%	260,933

133. In your opinion, how much of a problem is each of these issues in your county? Abuse and neglect of children

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	12.7%	35.7%	19.5%	14.7%	17.5%	5,960
Gender						
Female	8.8%	32.3%	20.0%	19.2%	19.6%	2,969
Male	16.5%	39.0%	18.9%	10.2%	15.3%	2,991
Age						
18-34	25.6%	33.6%	22.9%	9.3%	8.6%	1,837
35-44	6.1%	31.7%	22.4%	14.7%	25.1%	1,535
45-54	9.7%	43.8%	16.4%	15.7%	14.4%	1,289
55-64	0.0%	43.1%	17.9%	23.2%	15.8%	681
65-74	3.2%	39.7%	5.8%	19.9%	31.4%	355
75+	22.8%	10.0%	9.2%	19.2%	38.7%	245
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	32.9%	0.0%	67.1%	68
High school diploma/GED	19.6%	31.6%	18.7%	13.7%	16.3%	848
Some college or AA degree	6.9%	39.7%	21.4%	12.1%	19.9%	2,015
Bachelor's degree or higher	15.1%	34.1%	18.3%	17.2%	15.3%	2,988
Household income (in 2012)						
Less than \$20,000	14.3%	42.6%	8.3%	23.5%	11.3%	272
\$20,000 - \$34,999	15.9%	40.5%	14.5%	12.6%	16.5%	297
\$35,000 - \$49,999	9.3%	26.3%	40.4%	5.3%	18.6%	501
\$50,000 - \$99,999	17.9%	38.8%	15.9%	13.0%	14.5%	3,131
\$100,000+	4.4%	37.6%	23.2%	13.3%	21.4%	1,450
Household type						
Single adult, no children	22.7%	24.9%	20.4%	11.3%	20.8%	389
2+ adults, no children	12.7%	43.2%	19.9%	12.8%	11.4%	2,330
Single adult, 1+ children	0.0%	32.0%	19.0%	44.4%	4.7%	156
2+ adults, 1+ children	12.0%	32.0%	18.2%	15.2%	22.6%	3,044
All areas included in the study						
Benton County	6.7%	24.9%	29.2%	19.1%	20.2%	26,309
Chisago County	8.5%	28.8%	27.1%	13.4%	22.2%	38,648
Mille Lacs County	4.5%	29.7%	26.6%	24.8%	14.4%	19,111
Sherburne County	7.4%	30.0%	24.3%	16.4%	21.9%	61,683
Stearns County	6.4%	27.4%	29.6%	25.9%	10.6%	115,641
Entire five-county region	6.8%	28.1%	27.7%	21.1%	16.2%	261,392

134. In your opinion, how much of a problem is each of these issues in your county? Abuse and neglect of vulnerable adults

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	15.9%	42.1%	12.3%	7.5%	22.2%	5,975
Gender						
Female	9.3%	36.7%	15.3%	12.3%	26.5%	2,984
Male	22.5%	47.5%	9.3%	2.7%	18.0%	2,991
Age						
18-34	33.2%	37.3%	13.0%	4.3%	12.3%	1,837
35-44	7.5%	46.7%	14.5%	4.1%	27.2%	1,535
45-54	9.1%	47.2%	8.2%	12.9%	22.7%	1,289
55-64	4.1%	52.6%	11.7%	11.3%	20.4%	681
65-74	3.2%	36.5%	9.7%	12.2%	38.4%	355
75+	21.5%	6.6%	17.3%	8.7%	45.9%	260
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	32.9%	0.0%	67.1%	68
High school diploma/GED	25.1%	40.2%	6.4%	8.3%	19.9%	855
Some college or AA degree	6.9%	45.5%	12.2%	7.9%	27.5%	2,022
Bachelor's degree or higher	19.9%	40.4%	13.7%	7.3%	18.6%	2,988
Household income (in 2012)						
Less than \$20,000	14.3%	42.6%	13.8%	17.9%	11.3%	272
\$20,000 - \$34,999	15.9%	52.5%	0.0%	6.9%	24.7%	297
\$35,000 - \$49,999	11.6%	40.9%	19.2%	5.3%	23.0%	501
\$50,000 - \$99,999	23.6%	39.9%	8.4%	8.5%	19.7%	3,139
\$100,000+	4.4%	51.2%	13.5%	4.2%	26.7%	1,450
Household type						
Single adult, no children	24.6%	26.6%	9.5%	9.1%	30.1%	404
2+ adults, no children	19.9%	46.7%	11.7%	7.6%	14.1%	2,330
Single adult, 1+ children	0.0%	25.3%	63.3%	0.0%	11.4%	156
2+ adults, 1+ children	12.7%	41.8%	9.5%	7.8%	28.3%	3,044
All areas included in the study						
Benton County	9.4%	30.9%	22.6%	13.7%	23.5%	26,329
Chisago County	11.9%	33.2%	17.9%	14.6%	22.4%	38,453
Mille Lacs County	7.7%	29.0%	22.9%	17.9%	22.5%	19,050
Sherburne County	10.0%	31.8%	19.9%	13.1%	25.1%	61,780
Stearns County	8.7%	33.0%	21.9%	17.4%	19.1%	115,543
Entire five-county region	9.5%	32.2%	21.0%	15.6%	21.7%	261,154

135. In your opinion, how much of a problem is each of these issues in your county?
Domestic violence

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	9.5%	32.2%	24.8%	13.7%	19.8%	5,936
Gender						
Female	7.4%	29.8%	24.5%	17.5%	20.8%	2,945
Male	11.5%	34.6%	25.2%	9.9%	18.8%	2,991
Age						
18-34	16.9%	34.2%	22.4%	9.2%	17.4%	1,837
35-44	6.3%	27.6%	35.7%	8.7%	21.7%	1,504
45-54	8.0%	35.6%	19.4%	18.9%	18.1%	1,289
55-64	0.0%	40.3%	24.5%	22.2%	13.0%	681
65-74	3.9%	29.4%	12.2%	19.9%	34.6%	355
75+	16.2%	12.7%	18.6%	18.6%	33.8%	253
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	32.9%	0.0%	67.1%	68
High school diploma/GED	17.9%	29.5%	23.4%	12.9%	16.3%	848
Some college or AA degree	5.2%	36.1%	23.3%	12.7%	22.7%	1,991
Bachelor's degree or higher	10.2%	30.3%	26.4%	15.1%	18.1%	2,988
Household income (in 2012)						
Less than \$20,000	14.3%	38.5%	12.4%	23.5%	11.3%	272
\$20,000 - \$34,999	7.1%	43.0%	15.3%	17.5%	17.1%	297
\$35,000 - \$49,999	6.4%	22.4%	46.9%	5.7%	18.6%	501
\$50,000 - \$99,999	14.4%	29.4%	19.9%	14.9%	21.4%	3,108
\$100,000+	1.4%	42.3%	35.1%	5.1%	16.1%	1,450
Household type						
Single adult, no children	19.4%	30.0%	18.2%	9.3%	23.2%	396
2+ adults, no children	12.2%	38.0%	24.1%	13.6%	12.1%	2,299
Single adult, 1+ children	0.0%	18.1%	77.2%	0.0%	4.7%	156
2+ adults, 1+ children	6.7%	29.1%	22.8%	15.2%	26.2%	3,044
All areas included in the study						
Benton County	8.4%	26.2%	26.4%	19.5%	19.5%	26,244
Chisago County	8.4%	29.5%	26.3%	11.4%	24.4%	38,463
Mille Lacs County	4.7%	27.7%	35.9%	18.3%	13.4%	19,039
Sherburne County	6.7%	29.0%	26.5%	16.2%	21.6%	61,774
Stearns County	6.1%	27.6%	32.9%	21.4%	11.9%	115,756
Entire five-county region	6.7%	28.1%	30.0%	18.3%	16.9%	261,277

**136. In your opinion, how much of a problem is each of these issues in your county?
Rape and sexual assault**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	17.2%	36.1%	14.2%	9.9%	22.7%	5,963
Gender						
Female	11.5%	31.0%	17.4%	14.1%	25.9%	2,977
Male	22.8%	41.1%	11.0%	5.6%	19.4%	2,986
Age						
18-34	26.9%	34.2%	10.5%	8.0%	20.4%	1,837
35-44	13.4%	35.6%	20.6%	8.5%	21.9%	1,535
45-54	12.3%	44.8%	9.7%	8.5%	24.7%	1,289
55-64	11.4%	36.1%	22.6%	16.7%	13.2%	681
65-74	6.3%	29.4%	9.7%	16.1%	38.4%	355
75+	22.6%	16.8%	9.9%	12.1%	38.6%	248
Highest level of education						
Less than high school diploma/GED	0.0%	23.6%	11.8%	0.0%	64.6%	64
High school diploma/GED	26.1%	27.9%	16.0%	7.4%	22.6%	855
Some college or AA degree	9.5%	41.8%	15.1%	7.5%	26.1%	2,015
Bachelor's degree or higher	19.1%	35.3%	13.3%	12.5%	19.8%	2,988
Household income (in 2012)						
Less than \$20,000	14.6%	46.6%	2.8%	21.1%	15.0%	267
\$20,000 - \$34,999	33.5%	34.4%	10.7%	6.9%	14.5%	297
\$35,000 - \$49,999	13.2%	23.1%	28.7%	0.0%	35.0%	501
\$50,000 - \$99,999	22.6%	29.9%	14.1%	10.3%	23.1%	3,131
\$100,000+	6.3%	57.1%	11.6%	5.1%	19.9%	1,450
Household type						
Single adult, no children	28.3%	27.7%	8.0%	7.5%	28.6%	392
2+ adults, no children	15.6%	35.1%	16.7%	9.8%	22.7%	2,330
Single adult, 1+ children	11.4%	32.9%	44.4%	0.0%	11.4%	156
2+ adults, 1+ children	17.3%	38.5%	10.6%	10.8%	22.8%	3,044
All areas included in the study						
Benton County	11.6%	28.8%	22.8%	12.4%	24.4%	26,164
Chisago County	17.5%	29.7%	22.5%	5.8%	24.4%	38,721
Mille Lacs County	7.3%	30.2%	25.9%	12.9%	23.7%	19,068
Sherburne County	13.0%	32.1%	15.3%	13.4%	26.2%	61,580
Stearns County	7.6%	30.1%	25.0%	23.2%	14.0%	115,481
Entire five-county region	10.7%	30.4%	22.2%	16.5%	20.2%	261,015

Mental health

137. In your opinion, how much of a problem is each of these issues in your county? Depression among youth

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	8.3%	21.1%	34.3%	15.9%	20.4%	5,975
Gender						
Female	4.6%	25.4%	32.9%	22.0%	15.1%	2,984
Male	12.0%	16.7%	35.7%	9.9%	25.7%	2,991
Age						
18-34	14.4%	18.4%	36.8%	10.4%	20.0%	1,837
35-44	12.5%	16.1%	35.8%	14.0%	21.6%	1,535
45-54	0.0%	27.7%	35.3%	23.2%	13.8%	1,289
55-64	0.0%	29.5%	30.6%	20.0%	20.0%	681
65-74	0.0%	16.6%	31.4%	17.5%	34.6%	355
75+	15.8%	21.8%	14.4%	16.0%	32.0%	260
Highest level of education						
Less than high school diploma/GED	0.0%	21.9%	11.0%	0.0%	67.1%	68
High school diploma/GED	17.7%	21.2%	31.3%	14.6%	15.2%	855
Some college or AA degree	6.3%	23.1%	31.2%	21.3%	18.2%	2,022
Bachelor's degree or higher	7.3%	18.6%	38.2%	13.3%	22.6%	2,988
Household income (in 2012)						
Less than \$20,000	36.1%	12.4%	22.6%	15.2%	13.7%	272
\$20,000 - \$34,999	7.1%	20.1%	29.1%	17.5%	26.2%	297
\$35,000 - \$49,999	6.4%	16.6%	49.5%	11.4%	16.1%	501
\$50,000 - \$99,999	10.4%	22.6%	25.0%	19.6%	22.4%	3,139
\$100,000+	1.4%	22.5%	55.3%	10.5%	10.2%	1,450
Household type						
Single adult, no children	19.0%	7.6%	34.9%	13.2%	25.2%	404
2+ adults, no children	9.7%	19.9%	35.1%	14.5%	20.8%	2,330
Single adult, 1+ children	0.0%	16.6%	64.4%	19.0%	0.0%	156
2+ adults, 1+ children	6.4%	22.9%	32.5%	17.5%	20.8%	3,044
All areas included in the study						
Benton County	5.5%	26.8%	32.4%	16.9%	18.5%	26,366
Chisago County	12.3%	16.0%	38.5%	13.0%	20.2%	38,523
Mille Lacs County	4.2%	23.6%	33.4%	20.4%	18.4%	19,132
Sherburne County	4.8%	24.7%	27.9%	20.9%	21.8%	61,893
Stearns County	4.1%	25.1%	32.5%	23.0%	15.4%	115,565
Entire five-county region	5.6%	23.7%	32.3%	20.2%	18.1%	261,478

138. In your opinion, how much of a problem is each of these issues in your county? Depression among adults

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	7.3%	27.5%	35.2%	13.7%	16.3%	5,975
Gender						
Female	4.6%	23.9%	35.4%	19.6%	16.5%	2,984
Male	10.1%	31.0%	35.1%	7.8%	16.0%	2,991
Age						
18-34	14.4%	32.9%	28.6%	11.7%	12.5%	1,837
35-44	8.6%	20.6%	47.4%	10.7%	12.7%	1,535
45-54	0.0%	27.1%	36.3%	19.0%	17.5%	1,289
55-64	0.0%	35.8%	27.7%	19.3%	17.2%	681
65-74	0.0%	16.6%	39.9%	5.8%	37.7%	355
75+	15.8%	22.8%	18.1%	16.0%	27.3%	260
Highest level of education						
Less than high school diploma/GED	0.0%	21.9%	11.0%	0.0%	67.1%	68
High school diploma/GED	17.7%	19.7%	36.2%	11.2%	15.2%	855
Some college or AA degree	3.3%	22.1%	36.8%	16.3%	21.4%	2,022
Bachelor's degree or higher	7.3%	32.5%	34.9%	13.1%	12.2%	2,988
Household income (in 2012)						
Less than \$20,000	14.3%	8.3%	37.0%	26.7%	13.7%	272
\$20,000 - \$34,999	7.1%	20.1%	32.3%	17.5%	23.0%	297
\$35,000 - \$49,999	6.4%	17.9%	51.1%	7.5%	17.1%	501
\$50,000 - \$99,999	10.4%	27.2%	28.3%	14.0%	20.0%	3,139
\$100,000+	1.4%	40.9%	39.4%	13.4%	4.9%	1,450
Household type						
Single adult, no children	19.0%	11.1%	28.9%	13.7%	27.3%	404
2+ adults, no children	9.7%	25.1%	40.5%	11.0%	13.7%	2,330
Single adult, 1+ children	0.0%	4.7%	90.6%	0.0%	4.7%	156
2+ adults, 1+ children	4.4%	31.6%	29.6%	16.6%	17.6%	3,044
All areas included in the study						
Benton County	5.4%	24.6%	35.8%	16.6%	17.6%	26,343
Chisago County	9.4%	16.1%	42.2%	13.9%	18.5%	38,523
Mille Lacs County	4.8%	22.3%	39.8%	20.2%	13.0%	19,132
Sherburne County	5.5%	25.2%	29.7%	19.4%	20.3%	61,877
Stearns County	3.8%	24.8%	32.7%	24.9%	13.8%	115,647
Entire five-county region	5.3%	23.4%	34.2%	20.8%	16.4%	261,522

**139. In your opinion, how much of a problem is each of these issues in your county?
Suicide among youth**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	11.3%	24.9%	34.3%	13.9%	15.6%	5,970
Gender						
Female	5.0%	30.5%	28.3%	21.4%	14.8%	2,984
Male	17.6%	19.3%	40.2%	6.3%	16.5%	2,986
Age						
18-34	23.2%	24.1%	38.6%	9.2%	4.9%	1,837
35-44	11.8%	23.6%	30.2%	8.2%	26.1%	1,535
45-54	0.0%	31.8%	35.1%	20.5%	12.6%	1,289
55-64	4.1%	27.3%	35.9%	21.9%	10.8%	681
65-74	0.0%	16.6%	31.4%	17.5%	34.6%	355
75+	16.1%	10.7%	25.1%	15.5%	32.6%	255
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	32.9%	0.0%	67.1%	68
High school diploma/GED	17.3%	24.6%	30.0%	14.3%	13.8%	855
Some college or AA degree	6.3%	28.0%	35.9%	14.9%	15.0%	2,022
Bachelor's degree or higher	13.4%	22.4%	34.9%	13.6%	15.6%	2,983
Household income (in 2012)						
Less than \$20,000	24.6%	26.6%	17.2%	17.9%	13.7%	272
\$20,000 - \$34,999	7.1%	20.1%	28.0%	17.5%	27.3%	297
\$35,000 - \$49,999	6.5%	24.1%	40.8%	13.8%	14.9%	496
\$50,000 - \$99,999	16.4%	28.5%	28.5%	15.0%	11.6%	3,139
\$100,000+	2.9%	16.9%	56.4%	9.5%	14.3%	1,450
Household type						
Single adult, no children	19.3%	9.4%	29.7%	18.1%	23.7%	399
2+ adults, no children	9.6%	30.4%	36.3%	11.3%	12.4%	2,330
Single adult, 1+ children	0.0%	13.9%	74.7%	0.0%	11.4%	156
2+ adults, 1+ children	12.4%	22.3%	31.7%	16.2%	17.5%	3,044
All areas included in the study						
Benton County	12.5%	27.3%	21.5%	10.2%	28.5%	26,246
Chisago County	16.6%	27.6%	21.1%	15.6%	19.2%	38,844
Mille Lacs County	8.5%	32.2%	24.9%	11.5%	22.7%	19,132
Sherburne County	8.2%	29.3%	22.8%	15.7%	24.0%	61,777
Stearns County	9.3%	33.9%	22.2%	16.5%	18.1%	115,287
Entire five-county region	10.4%	31.1%	22.3%	15.2%	21.0%	261,286

**140. In your opinion, how much of a problem is each of these issues in your county?
Suicide among adults**

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	12.7%	32.4%	26.8%	10.8%	17.3%	5,901
Gender						
Female	6.1%	36.7%	25.1%	16.9%	15.2%	2,969
Male	19.4%	28.1%	28.5%	4.6%	19.4%	2,932
Age						
18-34	23.2%	34.1%	27.4%	9.2%	6.1%	1,837
35-44	10.4%	32.9%	24.6%	5.7%	26.5%	1,476
45-54	8.0%	32.0%	29.6%	14.6%	15.8%	1,289
55-64	4.1%	36.6%	25.9%	19.8%	13.6%	681
65-74	0.0%	22.9%	33.5%	5.8%	37.7%	355
75+	16.7%	18.9%	12.2%	16.1%	35.9%	245
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	14.1%	0.0%	85.9%	53
High school diploma/GED	21.0%	18.3%	31.6%	12.7%	16.4%	855
Some college or AA degree	9.3%	35.8%	26.4%	12.0%	16.5%	2,022
Bachelor's degree or higher	13.1%	33.8%	26.2%	9.7%	17.1%	2,929
Household income (in 2012)						
Less than \$20,000	38.2%	15.9%	12.4%	19.0%	14.5%	257
\$20,000 - \$34,999	7.1%	33.9%	18.5%	13.2%	27.3%	297
\$35,000 - \$49,999	6.4%	28.7%	44.6%	4.6%	15.7%	501
\$50,000 - \$99,999	18.1%	33.4%	21.7%	13.4%	13.4%	3,080
\$100,000+	2.9%	36.1%	40.6%	5.3%	15.1%	1,450
Household type						
Single adult, no children	19.0%	12.0%	28.3%	13.2%	27.3%	404
2+ adults, no children	12.7%	33.7%	31.2%	9.0%	13.3%	2,315
Single adult, 1+ children	0.0%	25.3%	70.0%	0.0%	4.7%	156
2+ adults, 1+ children	12.7%	33.6%	21.2%	12.5%	20.0%	2,984
All areas included in the study						
Benton County	12.6%	29.2%	22.8%	9.7%	25.6%	26,337
Chisago County	19.7%	32.5%	16.4%	11.6%	19.7%	38,800
Mille Lacs County	7.2%	37.0%	20.4%	11.4%	24.1%	18,888
Sherburne County	10.9%	32.2%	22.0%	10.5%	24.5%	61,655
Stearns County	10.5%	31.7%	23.7%	16.4%	17.7%	115,232
Entire five-county region	12.0%	32.1%	21.9%	13.3%	20.8%	260,911

141. In your opinion, how much of a problem is each of these issues in your county? Eating disorders such as anorexia, bulimia, or binge eating

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	12.2%	38.7%	12.3%	10.3%	26.6%	5,969
Gender						
Female	10.1%	29.7%	20.3%	13.6%	26.3%	2,978
Male	14.4%	47.5%	4.3%	7.0%	26.8%	2,991
Age						
18-34	15.6%	51.7%	11.0%	5.5%	16.1%	1,837
35-44	9.5%	36.2%	10.0%	11.2%	33.0%	1,535
45-54	16.2%	33.7%	10.8%	14.9%	24.4%	1,289
55-64	0.0%	35.7%	22.2%	11.2%	30.9%	675
65-74	0.0%	28.7%	16.1%	13.6%	41.6%	355
75+	29.9%	9.4%	11.5%	8.7%	40.4%	260
Highest level of education						
Less than high school diploma/GED	21.9%	0.0%	11.0%	0.0%	67.1%	68
High school diploma/GED	23.3%	29.1%	7.7%	15.4%	24.5%	855
Some college or AA degree	10.7%	31.3%	16.1%	13.5%	28.4%	2,016
Bachelor's degree or higher	10.0%	46.4%	11.2%	7.0%	25.3%	2,988
Household income (in 2012)						
Less than \$20,000	19.8%	43.0%	8.3%	15.2%	13.7%	272
\$20,000 - \$34,999	8.7%	32.5%	22.5%	2.5%	33.8%	297
\$35,000 - \$49,999	14.5%	27.6%	27.5%	2.8%	27.6%	501
\$50,000 - \$99,999	15.9%	35.3%	8.8%	15.7%	24.4%	3,133
\$100,000+	4.4%	55.5%	14.9%	2.3%	22.8%	1,450
Household type						
Single adult, no children	25.3%	23.8%	13.5%	7.4%	30.1%	397
2+ adults, no children	13.8%	44.9%	9.2%	14.5%	17.6%	2,330
Single adult, 1+ children	0.0%	81.9%	13.4%	0.0%	4.7%	156
2+ adults, 1+ children	10.2%	32.8%	14.6%	8.1%	34.4%	3,044
All areas included in the study						
Benton County	13.6%	27.2%	23.0%	9.4%	26.8%	26,291
Chisago County	14.2%	38.4%	16.1%	8.7%	22.6%	38,735
Mille Lacs County	6.9%	29.6%	21.6%	8.7%	33.2%	19,034
Sherburne County	9.3%	29.6%	21.0%	10.2%	29.9%	61,770
Stearns County	8.7%	38.5%	25.6%	6.4%	20.9%	115,056
Entire five-county region	10.0%	34.6%	22.5%	8.1%	24.8%	260,887

142. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining mental health services for youth

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	14.8%	25.1%	17.7%	13.1%	29.3%	5,931
Gender						
Female	12.6%	21.9%	22.0%	15.0%	28.5%	2,940
Male	17.0%	28.3%	13.4%	11.2%	30.1%	2,991
Age						
18-34	19.9%	33.5%	16.8%	4.3%	25.5%	1,837
35-44	12.0%	11.9%	24.5%	21.0%	30.5%	1,535
45-54	18.8%	27.7%	7.6%	16.6%	29.4%	1,259
55-64	4.6%	35.4%	23.2%	17.1%	19.7%	681
65-74	0.0%	16.6%	22.6%	9.7%	51.1%	355
75+	24.8%	12.2%	12.2%	3.1%	47.6%	245
Highest level of education						
Less than high school diploma/GED	0.0%	21.9%	11.0%	0.0%	67.1%	68
High school diploma/GED	30.6%	20.3%	22.0%	6.6%	20.6%	848
Some college or AA degree	10.3%	26.8%	11.0%	23.2%	28.7%	1,986
Bachelor's degree or higher	13.9%	24.4%	21.3%	8.7%	31.7%	2,988
Household income (in 2012)						
Less than \$20,000	14.3%	23.9%	11.0%	37.0%	13.7%	272
\$20,000 - \$34,999	8.7%	16.4%	26.6%	7.4%	41.0%	297
\$35,000 - \$49,999	28.4%	12.1%	27.2%	2.8%	29.5%	493
\$50,000 - \$99,999	17.8%	23.4%	12.6%	15.5%	30.7%	3,109
\$100,000+	6.7%	39.0%	26.2%	10.0%	18.1%	1,450
Household type						
Single adult, no children	21.8%	19.4%	21.5%	8.3%	29.0%	374
2+ adults, no children	17.4%	32.9%	14.7%	12.2%	22.8%	2,315
Single adult, 1+ children	4.7%	51.6%	32.3%	6.7%	4.7%	156
2+ adults, 1+ children	12.7%	17.8%	18.7%	14.8%	36.0%	3,044
All areas included in the study						
Benton County	16.4%	22.2%	21.7%	13.1%	26.6%	26,403
Chisago County	13.0%	24.6%	20.5%	18.5%	23.3%	38,610
Mille Lacs County	13.9%	26.4%	21.6%	16.9%	21.3%	19,138
Sherburne County	15.4%	23.9%	18.3%	14.0%	28.3%	61,721
Stearns County	16.0%	23.8%	22.1%	15.0%	23.1%	115,451
Entire five-county region	15.3%	24.0%	20.9%	15.2%	24.6%	261,323

143. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining mental health services for adults

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	14.5%	28.2%	15.6%	12.3%	29.4%	5,927
Gender						
Female	11.4%	23.4%	22.5%	13.4%	29.3%	2,977
Male	17.6%	33.0%	8.5%	11.3%	29.5%	2,950
Age						
18-34	17.5%	43.5%	7.4%	4.9%	26.8%	1,837
35-44	12.0%	11.9%	23.2%	19.7%	33.2%	1,535
45-54	20.7%	28.6%	11.8%	14.9%	24.0%	1,248
55-64	4.6%	35.4%	25.1%	15.2%	19.7%	681
65-74	0.0%	16.6%	19.4%	9.7%	54.3%	355
75+	21.1%	11.9%	14.9%	5.9%	46.2%	253
Highest level of education						
Less than high school diploma/GED	0.0%	21.9%	0.0%	11.0%	67.1%	68
High school diploma/GED	27.1%	22.1%	24.6%	5.7%	20.6%	848
Some college or AA degree	11.1%	27.4%	11.4%	22.8%	27.3%	1,981
Bachelor's degree or higher	13.8%	29.6%	16.3%	7.5%	32.9%	2,988
Household income (in 2012)						
Less than \$20,000	11.5%	19.8%	11.0%	43.9%	13.7%	272
\$20,000 - \$34,999	8.7%	16.4%	26.6%	7.4%	41.0%	297
\$35,000 - \$49,999	30.2%	14.9%	28.9%	2.8%	23.2%	501
\$50,000 - \$99,999	18.6%	23.5%	13.4%	13.7%	30.9%	3,098
\$100,000+	5.1%	49.6%	15.2%	9.7%	20.4%	1,450
Household type						
Single adult, no children	21.5%	18.3%	20.2%	9.7%	30.2%	396
2+ adults, no children	17.9%	33.9%	14.6%	11.5%	22.0%	2,330
Single adult, 1+ children	4.7%	44.4%	32.3%	13.9%	4.7%	156
2+ adults, 1+ children	11.4%	23.4%	15.0%	13.4%	36.8%	3,003
All areas included in the study						
Benton County	16.4%	20.6%	23.7%	13.0%	26.3%	26,159
Chisago County	15.1%	27.8%	18.4%	17.4%	21.3%	38,674
Mille Lacs County	15.2%	28.7%	23.7%	13.7%	18.8%	19,086
Sherburne County	15.9%	26.2%	17.1%	13.8%	26.9%	61,509
Stearns County	16.5%	23.7%	23.6%	14.5%	21.8%	115,185
Entire five-county region	16.0%	25.0%	21.3%	14.6%	23.1%	260,613

144. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining alcohol and other drug abuse treatment for youth

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	14.7%	31.7%	14.4%	9.0%	30.1%	5,975
Gender						
Female	12.4%	25.4%	16.9%	14.9%	30.5%	2,984
Male	17.0%	38.1%	11.9%	3.2%	29.8%	2,991
Age						
18-34	18.7%	43.5%	3.1%	5.5%	29.2%	1,837
35-44	12.0%	21.0%	23.7%	12.0%	31.1%	1,535
45-54	20.0%	29.9%	12.8%	9.7%	27.6%	1,289
55-64	5.6%	43.2%	25.1%	6.0%	20.1%	681
65-74	0.0%	16.6%	20.6%	11.7%	51.1%	355
75+	20.5%	9.4%	11.5%	15.2%	43.3%	260
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	21.9%	11.0%	67.1%	68
High school diploma/GED	30.2%	29.4%	9.1%	9.3%	22.0%	855
Some college or AA degree	10.8%	30.8%	21.9%	7.7%	28.8%	2,022
Bachelor's degree or higher	13.4%	32.9%	10.9%	10.0%	32.9%	2,988
Household income (in 2012)						
Less than \$20,000	13.9%	36.8%	11.0%	20.7%	17.5%	272
\$20,000 - \$34,999	8.7%	24.0%	34.0%	3.2%	30.2%	297
\$35,000 - \$49,999	28.0%	17.9%	20.9%	7.1%	26.2%	501
\$50,000 - \$99,999	18.4%	27.2%	13.6%	9.1%	31.7%	3,139
\$100,000+	5.1%	52.5%	12.1%	8.2%	22.1%	1,450
Household type						
Single adult, no children	20.0%	24.8%	12.7%	11.2%	31.3%	404
2+ adults, no children	17.9%	38.9%	14.3%	6.6%	22.2%	2,330
Single adult, 1+ children	4.7%	70.5%	13.4%	0.0%	11.4%	156
2+ adults, 1+ children	12.0%	24.5%	14.9%	11.2%	37.4%	3,044
All areas included in the study						
Benton County	21.9%	25.3%	21.1%	10.0%	21.7%	26,246
Chisago County	19.1%	28.1%	22.3%	11.4%	19.1%	38,763
Mille Lacs County	15.1%	22.2%	25.2%	14.8%	22.7%	19,102
Sherburne County	16.6%	25.6%	19.5%	9.8%	28.5%	61,631
Stearns County	14.1%	23.7%	22.4%	9.4%	30.5%	115,223
Entire five-county region	16.3%	24.8%	21.8%	10.2%	26.9%	260,965

145. In your opinion, how much of a problem is each of these issues in your county? Difficulty obtaining alcohol and other drug abuse treatment for adults

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	18.2%	31.9%	14.8%	7.0%	28.1%	5,966
Gender						
Female	12.6%	27.0%	18.6%	10.5%	31.2%	2,984
Male	23.8%	36.9%	10.9%	3.6%	24.9%	2,981
Age						
18-34	26.2%	43.5%	5.5%	3.1%	21.7%	1,837
35-44	14.0%	19.1%	25.1%	8.0%	33.9%	1,535
45-54	20.0%	32.8%	11.0%	8.5%	27.6%	1,289
55-64	8.3%	45.1%	22.4%	6.0%	18.2%	681
65-74	3.2%	16.6%	17.5%	11.7%	51.1%	355
75+	20.4%	9.8%	12.0%	19.6%	38.2%	250
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	21.9%	11.0%	67.1%	68
High school diploma/GED	31.6%	27.5%	9.2%	9.4%	22.3%	846
Some college or AA degree	12.9%	31.3%	20.9%	5.0%	29.9%	2,022
Bachelor's degree or higher	18.7%	33.4%	12.2%	7.7%	28.0%	2,988
Household income (in 2012)						
Less than \$20,000	13.9%	36.8%	11.0%	20.7%	17.5%	272
\$20,000 - \$34,999	15.0%	31.4%	26.6%	6.4%	20.6%	297
\$35,000 - \$49,999	28.9%	15.9%	21.4%	7.2%	26.7%	491
\$50,000 - \$99,999	23.7%	26.8%	14.6%	6.1%	28.6%	3,139
\$100,000+	6.4%	53.1%	12.9%	5.6%	22.0%	1,450
Household type						
Single adult, no children	34.7%	14.7%	11.7%	9.4%	29.4%	404
2+ adults, no children	24.4%	39.7%	13.5%	6.4%	15.9%	2,321
Single adult, 1+ children	4.7%	70.5%	13.4%	0.0%	11.4%	156
2+ adults, 1+ children	12.0%	25.6%	16.4%	7.6%	38.3%	3,044
All areas included in the study						
Benton County	23.2%	23.8%	21.9%	9.5%	21.6%	26,459
Chisago County	21.3%	30.1%	20.6%	9.5%	18.5%	38,807
Mille Lacs County	15.2%	25.9%	26.2%	12.2%	20.5%	19,081
Sherburne County	17.0%	27.7%	17.8%	9.7%	27.8%	61,643
Stearns County	15.0%	22.9%	23.9%	9.0%	29.2%	115,509
Entire five-county region	17.3%	25.4%	21.9%	9.5%	25.9%	261,500

146. In your opinion, how much of a problem is each of these issues in your county? People not taking prescribed medication for mental health problems

	No problem	Minor problem	Moderate problem	Serious problem	No opinion	N
Sherburne County, Becker area total	10.8%	29.1%	17.3%	13.5%	29.4%	5,953
Gender						
Female	6.2%	24.9%	21.4%	16.1%	31.4%	2,962
Male	15.3%	33.2%	13.2%	10.8%	27.5%	2,991
Age						
18-34	14.0%	41.6%	8.1%	6.8%	29.6%	1,814
35-44	6.1%	18.5%	29.8%	19.7%	25.9%	1,535
45-54	18.8%	26.9%	14.5%	12.9%	27.0%	1,289
55-64	0.0%	36.3%	19.4%	18.1%	26.2%	681
65-74	0.0%	19.0%	21.9%	17.5%	41.6%	355
75+	15.8%	11.5%	11.5%	9.4%	51.7%	260
Highest level of education						
Less than high school diploma/GED	0.0%	0.0%	32.9%	0.0%	67.1%	68
High school diploma/GED	16.2%	28.6%	14.3%	16.7%	24.2%	855
Some college or AA degree	10.0%	24.7%	17.5%	14.4%	33.5%	2,000
Bachelor's degree or higher	10.2%	31.8%	17.9%	12.4%	27.7%	2,988
Household income (in 2012)						
Less than \$20,000	11.5%	21.2%	11.0%	37.0%	19.2%	272
\$20,000 - \$34,999	7.1%	13.8%	22.2%	17.5%	39.4%	297
\$35,000 - \$49,999	11.6%	17.2%	31.2%	19.6%	20.4%	501
\$50,000 - \$99,999	15.7%	25.3%	17.6%	9.0%	32.4%	3,116
\$100,000+	2.5%	49.1%	12.3%	10.6%	25.7%	1,450
Household type						
Single adult, no children	21.8%	16.8%	17.4%	9.5%	34.5%	404
2+ adults, no children	14.5%	30.2%	20.0%	13.4%	21.9%	2,330
Single adult, 1+ children	0.0%	63.0%	6.7%	6.7%	23.7%	156
2+ adults, 1+ children	6.9%	27.3%	16.0%	14.6%	35.2%	3,021
All areas included in the study						
Benton County	10.5%	23.1%	22.1%	17.2%	27.0%	26,102
Chisago County	10.9%	23.5%	32.2%	10.1%	23.3%	38,524
Mille Lacs County	5.0%	24.3%	20.1%	18.2%	32.4%	19,181
Sherburne County	9.9%	23.6%	20.8%	16.2%	29.6%	61,655
Stearns County	10.0%	19.4%	27.1%	18.2%	25.3%	114,729
Entire five-county region	9.8%	21.7%	25.3%	16.4%	26.7%	260,191

About you

147. What is your gender?

	Male	Female	Total
Sherburne County, Becker area total	49.5%	50.5%	6,037
Gender			
Female	0.0%	100.0%	3,046
Male	100.0%	0.0%	2,991
Age			
18-34	49.1%	50.9%	1,837
35-44	49.6%	50.4%	1,556
45-54	51.0%	49.0%	1,289
55-64	52.5%	47.5%	707
65-74	47.6%	52.4%	355
75+	40.0%	60.0%	275
Highest level of education			
Less than high school diploma/GED	67.1%	32.9%	68
High school diploma/GED	47.3%	52.7%	870
Some college or AA degree	35.8%	64.2%	2,056
Bachelor's degree or higher	58.5%	41.5%	3,001
Household income (in 2012)			
Less than \$20,000	28.7%	71.3%	272
\$20,000 - \$34,999	32.7%	67.3%	297
\$35,000 - \$49,999	25.6%	74.4%	501
\$50,000 - \$99,999	53.4%	46.6%	3,165
\$100,000+	60.4%	39.6%	1,450
Household type			
Single adult, no children	56.9%	43.1%	404
2+ adults, no children	57.5%	42.5%	2,356
Single adult, 1+ children	63.3%	36.7%	156
2+ adults, 1+ children	42.7%	57.3%	3,065
All areas included in the study			
Benton County	50.5%	49.5%	27,032
Chisago County	51.7%	48.3%	40,040
Mille Lacs County	48.8%	51.2%	19,183
Sherburne County	51.1%	48.9%	62,547
Stearns County	50.2%	49.8%	117,424
Entire five-county region	50.6%	49.4%	266,226

148. What is your age? (Mean)

	Mean	Total
Sherburne County, Becker area total	44.7	6,018
Gender		
Female	45.0	3,039
Male	44.4	2,980
Age		
18-34	29.4	1,837
35-44	40.0	1,556
45-54	49.7	1,289
55-64	59.0	707
65-74	69.5	355
75+	81.4	275
Highest level of education		
Less than high school diploma/GED	64.4	68
High school diploma/GED	53.6	870
Some college or AA degree	48.8	2,056
Bachelor's degree or higher	38.8	2,982
Household income (in 2012)		
Less than \$20,000	54.8	272
\$20,000 - \$34,999	60.8	297
\$35,000 - \$49,999	47.6	489
\$50,000 - \$99,999	44.1	3,157
\$100,000+	38.4	1,450
Household type		
Single adult, no children	55.8	385
2+ adults, no children	49.2	2,356
Single adult, 1+ children	37.0	156
2+ adults, 1+ children	40.3	3,065
All areas included in the study		
Benton County	45.2	26,624
Chisago County	47.6	39,549
Mille Lacs County	49.9	19,237
Sherburne County	45.1	61,656
Stearns County	44.8	115,795
Entire five-county region	45.7	262,861

149. What is your age?

	18 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75+	Total
Sherburne County, Becker area total	30.5%	25.9%	21.4%	11.7%	5.9%	4.6%	6,018
Gender							
Female	30.8%	25.8%	20.8%	11.1%	6.1%	5.4%	3,039
Male	30.3%	25.9%	22.0%	12.5%	5.7%	3.7%	2,980
Age							
18-34	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1,837
35-44	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	1,556
45-54	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	1,289
55-64	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	707
65-74	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	355
75+	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	275
Highest level of education							
Less than high school diploma/GED	0.0%	0.0%	60.1%	0.0%	0.0%	39.9%	68
High school diploma/GED	19.6%	14.2%	20.1%	16.5%	16.3%	13.3%	870
Some college or AA degree	14.2%	28.4%	27.7%	18.7%	5.6%	5.3%	2,056
Bachelor's degree or higher	46.0%	28.4%	15.5%	6.0%	3.3%	0.7%	2,982
Household income (in 2012)							
Less than \$20,000	16.6%	33.4%	8.1%	5.8%	5.1%	31.1%	272
\$20,000 - \$34,999	0.0%	17.6%	23.7%	8.7%	28.5%	21.4%	297
\$35,000 - \$49,999	23.0%	27.4%	24.9%	9.8%	8.8%	6.0%	489
\$50,000 - \$99,999	30.7%	23.3%	26.5%	13.1%	4.4%	2.1%	3,157
\$100,000+	45.8%	26.3%	13.9%	13.2%	0.8%	0.0%	1,450
Household type							
Single adult, no children	20.9%	18.1%	9.5%	14.7%	12.3%	24.4%	385
2+ adults, no children	29.7%	9.8%	18.3%	22.9%	12.2%	7.0%	2,356
Single adult, 1+ children	51.6%	39.0%	9.4%	0.0%	0.0%	0.0%	156
2+ adults, 1+ children	30.7%	38.9%	26.1%	3.6%	0.7%	0.0%	3,065
All areas included in the study							
Benton County	35.2%	17.7%	19.2%	13.8%	7.4%	6.7%	26,624
Chisago County	25.9%	20.5%	22.7%	15.3%	8.5%	7.0%	39,549
Mille Lacs County	26.0%	16.8%	20.6%	15.2%	11.4%	10.1%	19,237
Sherburne County	31.6%	22.0%	21.3%	13.4%	6.8%	5.0%	61,656
Stearns County	37.3%	15.0%	18.0%	13.9%	7.7%	8.1%	115,795
Entire five-county region	33.2%	17.9%	19.8%	14.0%	7.9%	7.2%	262,861

**150. How many adults (including you) and children live in your household?
Number of adults age 18 or older (including you)**

	1 adult	2 adults	3 more or adults	Total
Sherburne County, Becker area total	9.4%	64.8%	25.9%	5,981
Gender				
Female	7.7%	69.5%	22.8%	2,990
Male	11.0%	60.1%	28.9%	2,991
Age				
18-34	8.9%	73.3%	17.8%	1,803
35-44	8.4%	61.7%	29.9%	1,556
45-54	4.0%	56.1%	39.9%	1,281
55-64	8.0%	61.8%	30.2%	707
65-74	13.4%	80.8%	5.8%	355
75+	36.2%	58.3%	5.5%	260
Highest level of education				
Less than high school diploma/GED	18.0%	82.0%	0.0%	68
High school diploma/GED	20.0%	62.3%	17.6%	855
Some college or AA degree	10.6%	59.5%	29.9%	2,022
Bachelor's degree or higher	5.4%	68.2%	26.4%	2,994
Household income (in 2012)				
Less than \$20,000	30.0%	37.9%	32.1%	272
\$20,000 - \$34,999	20.3%	65.3%	14.4%	297
\$35,000 - \$49,999	20.9%	68.3%	10.9%	467
\$50,000 - \$99,999	6.6%	69.2%	24.3%	3,157
\$100,000+	6.8%	60.2%	33.1%	1,450
Household type				
Single adult, no children	100.0%	0.0%	0.0%	404
2+ adults, no children	0.0%	69.9%	30.1%	2,356
Single adult, 1+ children	100.0%	0.0%	0.0%	156
2+ adults, 1+ children	0.0%	72.7%	27.3%	3,065
All areas included in the study				
Benton County	24.8%	62.0%	13.2%	26,788
Chisago County	11.8%	62.0%	26.3%	39,389
Mille Lacs County	18.0%	69.4%	12.6%	18,919
Sherburne County	13.6%	64.8%	21.6%	62,412
Stearns County	15.1%	57.2%	27.7%	115,986
Entire five-county region	15.4%	61.1%	23.5%	263,494

**151. How many adults (including you) and children live in your household?
Number of children under age 18**

	0 children	1 child	2 children	3 or more children	Total
Sherburne County, Becker area total	28.5%	20.9%	29.7%	20.9%	4,565
Gender					
Female	26.7%	17.1%	32.0%	24.2%	2,530
Male	30.9%	25.6%	26.8%	16.7%	2,035
Age					
18-34	21.3%	4.2%	39.9%	34.7%	1,342
35-44	14.9%	26.9%	31.7%	26.5%	1,474
45-54	19.8%	41.2%	29.6%	9.5%	1,023
55-64	74.1%	14.0%	12.0%	0.0%	425
65-74	86.0%	14.0%	0.0%	0.0%	148
75+	100.0%	0.0%	0.0%	0.0%	147
Highest level of education					
Less than high school diploma/GED	100.0%	0.0%	0.0%	0.0%	20
High school diploma/GED	42.4%	20.5%	16.1%	21.0%	475
Some college or AA degree	38.2%	16.6%	21.8%	23.5%	1,628
Bachelor's degree or higher	19.2%	22.7%	38.5%	19.6%	2,402
Household income (in 2012)					
Less than \$20,000	60.8%	6.3%	0.0%	33.0%	180
\$20,000 - \$34,999	42.2%	57.8%	0.0%	0.0%	199
\$35,000 - \$49,999	38.7%	6.8%	23.2%	31.3%	306
\$50,000 - \$99,999	33.0%	13.4%	33.4%	20.2%	2,422
\$100,000+	9.8%	29.7%	37.9%	22.7%	1,164
Household type					
Single adult, no children	100.0%	0.0%	0.0%	0.0%	193
2+ adults, no children	100.0%	0.0%	0.0%	0.0%	1,110
Single adult, 1+ children	0.0%	32.0%	68.0%	0.0%	156
2+ adults, 1+ children	0.0%	29.5%	39.4%	31.1%	3,065
All areas included in the study					
Benton County	39.9%	27.2%	24.3%	8.5%	19,098
Chisago County	51.9%	23.6%	12.8%	11.7%	31,177
Mille Lacs County	48.6%	11.6%	29.4%	10.5%	13,502
Sherburne County	42.8%	19.4%	23.9%	14.0%	47,277
Stearns County	49.8%	24.4%	17.5%	8.2%	85,615
Entire five-county region	47.4%	22.5%	19.8%	10.3%	196,669

152. Body mass index (BMI)^a (Mean, calculated variable)

	Mean	Total
Sherburne County, Becker area total	27.2	5,992
Gender		
Female	26.4	3,010
Male	27.9	2,981
Age		
18-34	25.1	1,837
35-44	26.6	1,535
45-54	27.4	1,274
55-64	30.8	707
65-74	30.5	355
75+	29.3	265
Highest level of education		
Less than high school diploma/GED	26.4	68
High school diploma/GED	28.5	870
Some college or AA degree	27.8	2,016
Bachelor's degree or higher	26.4	2,996
Household income (in 2012)		
Less than \$20,000	26.5	267
\$20,000 - \$34,999	30.5	297
\$35,000 - \$49,999	28.4	481
\$50,000 - \$99,999	27.7	3,144
\$100,000+	25.7	1,450
Household type		
Single adult, no children	28.9	394
2+ adults, no children	28.1	2,341
Single adult, 1+ children	25.7	156
2+ adults, 1+ children	26.4	3,044
All areas included in the study		
Benton County	27.2	26,326
Chisago County	28.1	39,270
Mille Lacs County	28.7	18,887
Sherburne County	27.3	60,167
Stearns County	26.9	114,285
Entire five-county region	27.3	258,935

153. Weight status according to BMI (calculated variable)

	Not overweight	Overweight but not obese	Obese	Total
Sherburne County, Becker area total	33.2%	42.0%	24.8%	5,992
Gender				
Female	46.4%	31.6%	21.9%	3,010
Male	19.8%	52.5%	27.7%	2,981
Age				
18-34	42.1%	51.8%	6.1%	1,837
35-44	45.3%	32.3%	22.4%	1,535
45-54	24.2%	50.7%	25.1%	1,274
55-64	15.4%	29.2%	55.4%	707
65-74	3.9%	43.0%	53.1%	355
75+	30.6%	24.9%	44.5%	265
Highest level of education				
Less than high school diploma/GED	21.9%	60.1%	18.0%	68
High school diploma/GED	20.5%	42.1%	37.4%	870
Some college or AA degree	31.9%	43.3%	24.8%	2,016
Bachelor's degree or higher	38.5%	39.9%	21.6%	2,996
Household income (in 2012)				
Less than \$20,000	50.3%	30.8%	18.9%	267
\$20,000 - \$34,999	13.5%	32.2%	54.3%	297
\$35,000 - \$49,999	28.0%	34.3%	37.7%	481
\$50,000 - \$99,999	23.2%	50.8%	26.0%	3,144
\$100,000+	45.8%	38.2%	16.0%	1,450
Household type				
Single adult, no children	12.3%	52.8%	34.9%	394
2+ adults, no children	24.0%	45.9%	30.1%	2,341
Single adult, 1+ children	69.6%	19.0%	11.4%	156
2+ adults, 1+ children	39.9%	39.6%	20.5%	3,044
All areas included in the study				
Benton County	37.6%	36.2%	26.3%	26,326
Chisago County	25.8%	44.9%	29.3%	39,270
Mille Lacs County	29.2%	34.0%	36.8%	18,887
Sherburne County	39.0%	35.4%	25.6%	60,167
Stearns County	42.3%	36.0%	21.7%	114,285
Entire five-county region	37.6%	37.1%	25.3%	258,935

154. Race/Ethnicity for Sherburne County, Becker area^a

	Survey respondents (unweighted) ^b		Survey respondents (weighted)	U.S. Census ^c
	N	%	%	%
Sherburne County, Becker area total	247	100%	100%	100%
Race				
White, non-Hispanic	240	97.2%	95.5%	97.1%
American Indian	1	0.4%	0.2%	0.3%
Asian/Pacific Islander	1	0.4%	0.3%	0.8%
Black	0	0.0%	0.0%	0.3%
Somali ^d	0	0.0%	0.0%	0.0%
Hispanic	0	0.0%	0.0%	1.0%
Two or more races	3	1.2%	1.1%	0.6%
Some other race	0	0.0%	0.0%	0.0%
Missing/refused	2	0.8%	3.0%	0.0%

^a Note that survey was conducted by mail and in English only. This may affect the degree to which non-English speaking residents or other residents who are uncomfortable or unfamiliar with mailed surveys may have responded.

^b The data reflected in this column is not adjusted for age, gender, or number of people in the household and reflects the number of survey completes for the Sherburne County, Becker area (N=247).

^c Source: US Census Bureau, Decennial Census, 2010, SF 1.

^d Respondents were asked in a separate question whether or not they identified themselves to be part of the Somali ethnic or cultural group. Somali respondents were counted as Black for the purposes of this table.

155. Which of the following best describes your current relationship status?

	Married	Living with a partner	Divorced	Separated	Widowed	Never married	Total
Sherburne County, Becker area total	76.4%	9.6%	4.3%	0.5%	2.3%	7.0%	5,976
Gender							
Female	78.8%	10.0%	4.6%	1.0%	3.4%	2.2%	3,026
Male	73.9%	9.1%	4.0%	0.0%	1.2%	11.8%	2,950
Age							
18-34	73.2%	10.4%	0.0%	0.0%	0.0%	16.3%	1,837
35-44	75.9%	13.0%	7.2%	0.0%	0.0%	3.9%	1,556
45-54	81.8%	6.1%	4.1%	2.4%	1.8%	3.9%	1,248
55-64	81.6%	9.4%	7.2%	0.0%	0.9%	0.9%	694
65-74	79.5%	10.2%	6.3%	0.0%	3.9%	0.0%	355
75+	63.0%	0.0%	5.6%	0.0%	31.4%	0.0%	268
Highest level of education							
Less than high school diploma/GED	89.0%	0.0%	0.0%	0.0%	11.0%	0.0%	68
High school diploma/GED	70.2%	7.9%	2.1%	0.0%	7.7%	12.1%	816
Some college or AA degree	75.1%	11.5%	8.2%	1.1%	2.5%	1.6%	2,049
Bachelor's degree or higher	79.6%	9.0%	2.4%	0.2%	0.5%	8.1%	3,001
Household income (in 2012)							
Less than \$20,000	25.0%	40.4%	6.3%	8.3%	15.6%	4.3%	264
\$20,000 - \$34,999	48.2%	0.0%	17.2%	0.0%	14.8%	19.8%	297
\$35,000 - \$49,999	64.4%	9.8%	8.2%	0.0%	5.0%	12.6%	460
\$50,000 - \$99,999	81.9%	10.6%	4.5%	0.2%	0.2%	2.5%	3,165
\$100,000+	80.1%	4.8%	0.7%	0.0%	0.0%	14.4%	1,450
Household type							
Single adult, no children	11.3%	0.0%	31.9%	0.0%	22.9%	34.0%	396
2+ adults, no children	75.7%	11.1%	2.7%	1.0%	0.4%	9.0%	2,302
Single adult, 1+ children	49.1%	0.0%	30.4%	0.0%	0.0%	20.6%	156
2+ adults, 1+ children	87.0%	10.3%	0.7%	0.0%	0.7%	1.3%	3,065
All areas included in the study							
Benton County	60.2%	9.6%	10.6%	1.1%	5.3%	13.2%	26,839
Chisago County	70.8%	8.8%	7.0%	1.2%	3.9%	8.3%	40,003
Mille Lacs County	64.0%	15.7%	4.4%	1.6%	7.0%	7.3%	19,314
Sherburne County	71.8%	6.9%	6.4%	1.1%	3.4%	10.3%	61,438
Stearns County	60.8%	13.6%	5.0%	0.5%	4.3%	15.8%	116,432
Entire five-county region	65.0%	11.1%	6.2%	0.9%	4.3%	12.5%	264,027

156. Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit?

	Yes	No	Total
Sherburne County, Becker area total	12.6%	87.4%	6,037
Gender			
Female	2.0%	98.0%	3,046
Male	23.3%	76.7%	2,991
Age			
18-34	6.2%	93.8%	1,837
35-44	9.5%	90.5%	1,556
45-54	17.5%	82.5%	1,289
55-64	6.6%	93.4%	707
65-74	28.5%	71.5%	355
75+	40.2%	59.8%	275
Highest level of education			
Less than high school diploma/GED	28.9%	71.1%	68
High school diploma/GED	13.7%	86.3%	870
Some college or AA degree	14.6%	85.4%	2,056
Bachelor's degree or higher	9.2%	90.8%	3,001
Household income (in 2012)			
Less than \$20,000	10.7%	89.3%	272
\$20,000 - \$34,999	25.7%	74.3%	297
\$35,000 - \$49,999	5.1%	94.9%	501
\$50,000 - \$99,999	11.6%	88.4%	3,165
\$100,000+	15.8%	84.2%	1,450
Household type			
Single adult, no children	18.8%	81.2%	404
2+ adults, no children	12.1%	87.9%	2,356
Single adult, 1+ children	44.4%	55.6%	156
2+ adults, 1+ children	10.7%	89.3%	3,065
All areas included in the study			
Benton County	10.5%	89.5%	26,911
Chisago County	9.9%	90.1%	39,917
Mille Lacs County	9.1%	90.9%	19,250
Sherburne County	10.8%	89.2%	62,420
Stearns County	8.2%	91.8%	116,854
Entire five-county region	9.4%	90.6%	265,353

157. What is the highest level of education you have completed?

	Less than high school	High school graduate or GED	Some college/ vocational school	Associate's degree (2-year degree)	College graduate (4-year degree)	Graduate school and beyond	Total
Sherburne County, Becker area total	1.1%	14.5%	24.1%	10.2%	37.1%	13.0%	5,996
Gender							
Female	0.7%	15.0%	29.0%	14.4%	26.9%	14.0%	3,046
Male	1.6%	14.0%	19.1%	5.8%	47.6%	11.9%	2,950
Age							
18-34	0.0%	9.3%	11.7%	4.3%	58.0%	16.8%	1,837
35-44	0.0%	8.0%	25.6%	12.0%	39.5%	15.0%	1,556
45-54	3.3%	14.0%	28.6%	17.1%	29.4%	7.7%	1,248
55-64	0.0%	20.3%	41.6%	12.7%	16.9%	8.5%	707
65-74	0.0%	39.9%	23.6%	9.0%	7.8%	19.7%	355
75+	9.9%	42.2%	36.5%	3.5%	4.5%	3.5%	275
Highest level of education							
Less than high school diploma/GED	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	68
High school diploma/GED	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	870
Some college or AA degree	0.0%	0.0%	70.4%	29.6%	0.0%	0.0%	2,056
Bachelor's degree or higher	0.0%	0.0%	0.0%	0.0%	74.1%	25.9%	3,001
Household income (in 2012)							
Less than \$20,000	10.0%	27.7%	49.8%	0.0%	12.4%	0.0%	272
\$20,000 - \$34,999	0.0%	27.4%	36.1%	25.3%	2.9%	8.3%	256
\$35,000 - \$49,999	0.0%	29.2%	22.9%	19.1%	15.8%	13.0%	501
\$50,000 - \$99,999	1.3%	14.1%	29.5%	12.0%	35.4%	7.7%	3,165
\$100,000+	0.0%	2.2%	6.3%	4.3%	58.6%	28.7%	1,450

157. What is the highest level of education you have completed? (continued)

	Less than high school	High school graduate or GED	Some college/ vocational school	Associate's degree (2-year degree)	College graduate (4-year degree)	Graduate school and beyond	Total
Household type							
Single adult, no children	3.0%	42.4%	20.1%	15.3%	9.2%	10.0%	404
2+ adults, no children	2.4%	17.4%	31.8%	6.7%	35.1%	6.6%	2,356
Single adult, 1+ children	0.0%	0.0%	32.9%	13.4%	49.1%	4.7%	156
2+ adults, 1+ children	0.0%	9.1%	18.7%	11.1%	42.2%	19.0%	3,024
All areas included in the study							
Benton County	3.2%	17.4%	31.0%	19.3%	18.6%	10.5%	26,816
Chisago County	2.0%	15.5%	30.5%	12.0%	24.0%	16.0%	39,693
Mille Lacs County	4.5%	17.6%	33.9%	11.4%	18.0%	14.6%	19,274
Sherburne County	1.6%	16.7%	29.1%	13.2%	25.5%	13.9%	62,424
Stearns County	2.7%	23.0%	22.5%	15.5%	24.3%	12.0%	116,795
Entire five-county region	2.5%	19.4%	27.0%	14.5%	23.5%	13.1%	265,002

158. What was your household's total income from all earners and all sources in 2012?

	Less than \$20,000	\$20,000 - \$34,999	\$35,000 - \$49,999	\$50,000 - \$74,999	\$75,000 - \$99,999	\$100,000 - \$149,999	\$150,000 or more	Total
Sherburne County, Becker area total	4.8%	5.2%	8.8%	30.5%	25.1%	17.5%	8.0%	5,684
Gender								
Female	6.9%	7.1%	13.2%	30.6%	21.8%	15.3%	5.1%	2,814
Male	2.7%	3.4%	4.5%	30.5%	28.4%	19.6%	10.9%	2,870
Age								
18-34	2.5%	0.0%	6.3%	28.6%	25.5%	22.9%	14.1%	1,792
35-44	6.5%	3.8%	9.6%	24.9%	27.8%	21.7%	5.8%	1,394
45-54	1.8%	5.6%	9.7%	34.3%	32.5%	12.0%	4.1%	1,252
55-64	2.3%	3.7%	6.9%	36.3%	23.2%	17.2%	10.4%	694
65-74	4.7%	29.0%	14.8%	47.5%	0.0%	3.9%	0.0%	291
75+	34.8%	26.1%	12.1%	23.0%	3.9%	0.0%	0.0%	243
Highest level of education								
Less than high school diploma/GED	39.9%	0.0%	0.0%	60.1%	0.0%	0.0%	0.0%	68
High school diploma/GED	9.8%	9.1%	19.0%	39.8%	18.2%	2.4%	1.7%	770
Some college or AA degree	6.9%	8.0%	10.7%	44.4%	22.3%	5.2%	2.6%	1,968
Bachelor's degree or higher	1.2%	1.0%	5.1%	18.1%	30.0%	30.8%	13.8%	2,836
Household income (in 2012)								
Less than \$20,000	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	272
\$20,000 - \$34,999	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	297
\$35,000 - \$49,999	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	501
\$50,000 - \$99,999	0.0%	0.0%	0.0%	54.8%	45.2%	0.0%	0.0%	3,165
\$100,000+	0.0%	0.0%	0.0%	0.0%	0.0%	68.5%	31.5%	1,450


158. What was your household's total income from all earners and all sources in 2012? (continued)

	Less than \$20,000	\$20,000 - \$34,999	\$35,000 - \$49,999	\$50,000 - \$74,999	\$75,000 - \$99,999	\$100,000 - \$149,999	\$150,000 or more	Total
Household type								
Single adult, no children	18.1%	12.8%	25.0%	35.3%	5.9%	2.9%	0.0%	389
2+ adults, no children	5.8%	5.9%	9.6%	37.1%	24.4%	6.9%	10.4%	2,247
Single adult, 1+ children	7.2%	6.7%	0.0%	30.4%	0.0%	55.8%	0.0%	156
2+ adults, 1+ children	2.1%	3.7%	5.4%	24.9%	30.1%	26.0%	7.8%	2,850
All areas included in the study								
Benton County	13.7%	12.1%	15.9%	23.7%	15.3%	17.2%	2.0%	26,196
Chisago County	8.8%	11.1%	13.1%	15.8%	14.0%	19.2%	17.8%	37,926
Mille Lacs County	12.9%	17.1%	11.1%	29.8%	12.4%	13.6%	3.1%	18,766
Sherburne County	6.5%	7.8%	16.1%	24.1%	21.6%	17.9%	6.0%	60,276
Stearns County	8.4%	12.3%	16.8%	26.9%	13.5%	16.7%	5.4%	112,017
Entire five-county region	8.9%	11.4%	15.6%	24.4%	15.6%	17.2%	6.9%	255,181

Appendix

Survey instrument

Codebook for open-ended responses



Central Minnesota Community Health Survey

Survey instrument

GENERAL HEALTH AND HEALTH CARE

1. **In general, would you say that your health is:**
 Excellent Very good Good Fair Poor

2. **About how long has it been since you last visited a doctor or other health care professional for a routine check-up?**
 Within the past year
 Within the past 2 years
 Within the past 5 years
 5 or more years ago
 Never

3. **During the past 12 months, was there a time when you thought you needed medical care but did not get it or delayed getting it?**
 Yes No ➔ IF NO, GO TO QUESTION 5

4. **Why did you not get or delay getting the medical care you thought you needed? Please check all that apply.**

<input type="checkbox"/> The care I needed cost too much	<input type="checkbox"/> I could not get an appointment
<input type="checkbox"/> My co-pay was too expensive	<input type="checkbox"/> I did not think it was serious enough
<input type="checkbox"/> My deductible was too expensive	<input type="checkbox"/> I had transportation problems
<input type="checkbox"/> My insurance did not cover it	<input type="checkbox"/> Other reason: <input type="text"/>
<input type="checkbox"/> I did not have insurance	

5. **How would you rate your overall level of stress?**
 High Medium Low

6. **During the past 30 days, for about how many days have you felt sad, blue, or depressed?** days

7. **During the past 12 months, was there a time when you wanted to talk with or seek help from a health professional about emotional problems such as stress, depression, excess worrying, troubling thoughts, or emotional problems, but did not or delayed talking with someone?**
 Yes No ➔ IF NO, GO TO QUESTION 9 ON NEXT PAGE

8. **Why did you not get or delay getting the care you thought you needed? Please check all that apply.**

<input type="checkbox"/> The care I needed cost too much	<input type="checkbox"/> I could not get an appointment
<input type="checkbox"/> My co-pay was too expensive	<input type="checkbox"/> I did not think it was serious enough
<input type="checkbox"/> My deductible was too expensive	<input type="checkbox"/> I had transportation problems
<input type="checkbox"/> My insurance did not cover it	<input type="checkbox"/> I did not know where to go
<input type="checkbox"/> I did not have insurance	<input type="checkbox"/> Other reason: <input type="text"/>
<input type="checkbox"/> I was too nervous or afraid	

9. Which statement best describes the medications prescribed for you in the past 6 months?

- I had no medications prescribed for me (GO TO QUESTION 11)
- I had medications prescribed for me and I filled them all (GO TO QUESTION 11)
- I had medications prescribed for me and I did not fill at least one of them

10. Why did you not fill at least one prescription? Please check all that apply.

- The medication I needed cost too much
- My co-pay was too expensive
- My deductible was too expensive
- My insurance did not cover it
- I did not have insurance
- I do not like taking medications
- I did not like the side effects
- I had transportation problems
- Pharmacy services are not available in my community
- Other reason:

11. Do you currently have any kind of health care coverage, including health insurance or government plans such as Medicaid, Medicare, or Indian Health Services?

- Yes
- No ➔ IF NO, GO TO QUESTION 14

12. Is your health insurance a high deductible plan?

- Yes
- No

13. Which of the following types of health insurance do you have? Please check all that apply.

- a. Health insurance or coverage through your employer or your spouse/partner, parent, or someone else's employer
- b. Health insurance or coverage bought directly by you or your family
- c. Indian or Tribal Health Service
- d. Medicare
- e. Medicaid, Medical Assistance (MA), or Prepaid Medical Assistance Program (PMAP)
- f. Minnesota Comprehensive Health Association (MCHA)
- g. MinnesotaCare
- h. CHAMPUS, TRICARE, or Veterans' benefits
- i. Other health insurance or coverage (please specify):

14. Have you ever been told by a doctor or other health care professional that you have... Yes No

- a. Diabetes?
- b. High blood pressure?
- c. High blood cholesterol?

HEALTH HABITS

15. About how often do you drink...	Never	Occasionally but not every week	At least once per week but not daily	Once per day	More than once per day
a. Pop or soda (regular)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Pop or soda (diet)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. Energy drinks such as Red Bull, 5-hour Energy, or Monster?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. Other sugar-sweetened drinks such as sweet tea, coffee drinks, juice drinks, Kool-Aid, or Gatorade?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
e. Water?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
f. Milk?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

16a. A serving of fruit is one medium sized fruit, or a half cup chopped, cut, or canned fruit. Yesterday, how many servings of fruit did you eat? Do NOT include fruit juice.

servings

16b. Yesterday, how many 6 ounce servings of 100% fruit juice did you drink?

servings

16c. A serving of vegetables is a half cup of any vegetable or one cup of salad greens. Yesterday, how many servings of vegetables did you eat? Do NOT include vegetable juice, french fries or other fried potatoes.

servings

17. During the past 7 days, how many times did you eat from a fast food restaurant, including carry-out or delivery?

- 0 times 7-10 times
 1-2 times 11-14 times
 3-6 times 15 or more times

18. On average, while you are not at work or school, how many hours or minutes per day do you use a computer, tablet, TV, or smart phone for reading, playing games, surfing the Internet, or watching programs or movies?

hours minutes

19. During an average week, whether at work, at home, or anywhere else, on how many days do you get at least 30 minutes of moderate physical activity? Moderate activities cause light sweating and a small increase in breathing or heart rate.

days per week

20. How often do you feel safe in your community?

- Always Often Sometimes Never

21. Are you in a relationship where you are (or have ever been) physically hurt, threatened, or made to feel afraid?

- Yes No

22. How often do you wear a seat belt when you drive or ride in a car or other vehicle?

- Always Often Sometimes Never

23. Do you ever drive a car or other vehicle?

- Yes No ➔ IF NO, GO TO QUESTION 25

24. When DRIVING a car or other vehicle, how often do you...

	Often	Sometimes	Never	Not applicable: I don't have a cell phone
a. Read incoming text messages or emails?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Send text messages or emails?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. Make or answer a phone call?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. Do other activities such as eat, read, or apply makeup or shave?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

25. In general, how often do you...

	Every day	Some days	Never
a. Smoke cigarettes?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Chew tobacco?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. Smoke cigars, cigarillos, or little cigars?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. Use marijuana?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
e. Use other illegal drugs such as cocaine, heroin, or meth?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
f. Use prescription drugs that are not prescribed for you or that you take only to get high?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

26. During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage, or liquor?

- Yes No ➔ IF NO, GO TO QUESTION 31 ON NEXT PAGE

27. During the past 30 days, on how many days did you have at least one drink of any alcoholic beverage?

Days during the past 30 days

28. During the past 30 days, on the days when you drank, about how many drinks did you drink on average? A drink is one can of beer, one glass of wine, or a drink with one shot of liquor.

Number of drinks

29. Considering all types of alcoholic beverages, how many times during the past 30 days did you have...

FOR FEMALES: 4 or more drinks on one occasion Number of times

FOR MALES: 5 or more drinks on one occasion Number of times

30. During the past 30 days, how many times have you driven when you've had perhaps too much to drink?

Number of times

31. Do you...	Yes	No
a. Perform monthly self-exams for cancer (self-breast exam or self-testicular exam)?	<input type="checkbox"/>	<input type="checkbox"/>
b. Get a yearly flu shot or flu immunization?	<input type="checkbox"/>	<input type="checkbox"/>
c. Need medication to control a chronic physical or mental condition?	<input type="checkbox"/>	<input type="checkbox"/>
d. Have a family emergency plan?	<input type="checkbox"/>	<input type="checkbox"/>
e. Live with someone who smokes?	<input type="checkbox"/>	<input type="checkbox"/>

COMMUNITY CONCERNS

32. In your opinion, how much of a problem is each of these issues in your county?	No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
A. HEALTH CARE DELIVERY					
1. People without health insurance or medical coverage	<input type="checkbox"/>				
2. People not getting needed care because of inadequate health insurance or high deductibles	<input type="checkbox"/>				
3. Too few health care providers	<input type="checkbox"/>				
4. Too few dental providers	<input type="checkbox"/>				
5. Language barriers in getting health care	<input type="checkbox"/>				
6. Lack of provider knowledge about the health care needs of people of different cultures	<input type="checkbox"/>				
7. Ambulance/rescue squad response time to 911	<input type="checkbox"/>				
8. County government's lack of preparation for a disaster, disease outbreak, or terrorist event	<input type="checkbox"/>				
9. Difficulty obtaining family planning services	<input type="checkbox"/>				
10. Lack of services to allow people to continue living at home	<input type="checkbox"/>				
B. SOCIAL CONDITIONS					
1. Crime	<input type="checkbox"/>				
2. Unemployment	<input type="checkbox"/>				
3. Children in poverty	<input type="checkbox"/>				
4. Families experiencing financial stress	<input type="checkbox"/>				
5. Youth not graduating high school	<input type="checkbox"/>				
C. PREGNANCY, BIRTH, AND CHILD DEVELOPMENT					
1. Parents with inadequate or poor parenting skills	<input type="checkbox"/>				
2. Teen pregnancy	<input type="checkbox"/>				
3. Unplanned pregnancy	<input type="checkbox"/>				
4. Infant death or premature birth	<input type="checkbox"/>				

COMMUNITY CONCERNS continued

32. In your opinion, how much of a problem is each of these issues in your county?

No Problem Minor Problem Moderate Problem Serious Problem No Opinion

D. INFECTIOUS DISEASES

1. Adults not getting their immunizations such as flu, tetanus, or pneumonia	<input type="checkbox"/>				
2. Children not getting their immunizations such as pertussis, flu, or tetanus	<input type="checkbox"/>				
3. Infectious diseases such as flu, pneumonia, or whooping cough	<input type="checkbox"/>				
4. Sexually transmitted diseases such as chlamydia, syphilis, or HIV/AIDS	<input type="checkbox"/>				
5. Insect-borne diseases such as Lyme disease or West Nile virus	<input type="checkbox"/>				

E. ENVIRONMENT

1. Indoor air pollution related to radon	<input type="checkbox"/>				
2. Unsafe drinking water	<input type="checkbox"/>				
3. Unsafe food in restaurants	<input type="checkbox"/>				
4. Extreme heat – days of high heat and humidity	<input type="checkbox"/>				
5. Extreme weather such as drought, floods, or tornadoes	<input type="checkbox"/>				
6. Lack of access to public space for no-cost recreational use	<input type="checkbox"/>				
7. Lack of safe places to walk or bike	<input type="checkbox"/>				

F. ALCOHOL, TOBACCO, AND OTHER DRUG USE

1. Smoking or other tobacco use	<input type="checkbox"/>				
2. Abuse of prescription drugs	<input type="checkbox"/>				
3. Alcohol abuse among those aged 21 or over	<input type="checkbox"/>				
4. Alcohol use among those under 21	<input type="checkbox"/>				
5. Adults allowing or tolerating youth alcohol use	<input type="checkbox"/>				
6. Drinking and driving	<input type="checkbox"/>				
7. Illegal drug use among youth	<input type="checkbox"/>				
8. Illegal drug use among adults	<input type="checkbox"/>				

G. CHRONIC DISEASE AND HEALTH HABITS

1. Asthma	<input type="checkbox"/>				
2. Cancer	<input type="checkbox"/>				
3. Chronic pain	<input type="checkbox"/>				
4. Diabetes	<input type="checkbox"/>				
5. Heart disease and stroke	<input type="checkbox"/>				
6. Mental illness	<input type="checkbox"/>				
7. Obesity among adults	<input type="checkbox"/>				
8. Obesity among children	<input type="checkbox"/>				

COMMUNITY CONCERNS continued

32. In your opinion, how much of a problem is each of these issues in your county?

No Problem Minor Problem Moderate Problem Serious Problem No Opinion

G. CHRONIC DISEASE AND HEALTH HABITS (cont'd)

9. Lack of physical exercise	<input type="checkbox"/>				
10. Unhealthy eating habits	<input type="checkbox"/>				
11. Lack of access to healthy food	<input type="checkbox"/>				

H. INJURY AND VIOLENCE

1. Falls among the elderly	<input type="checkbox"/>				
2. Motor vehicle crashes	<input type="checkbox"/>				
3. Improper use of or not using child car seats	<input type="checkbox"/>				
4. Bullying	<input type="checkbox"/>				
5. Abuse and neglect of children	<input type="checkbox"/>				
6. Abuse and neglect of vulnerable adults	<input type="checkbox"/>				
7. Domestic violence	<input type="checkbox"/>				
8. Rape and sexual assault	<input type="checkbox"/>				

I. MENTAL HEALTH

1. Depression among youth	<input type="checkbox"/>				
2. Depression among adults	<input type="checkbox"/>				
3. Suicide among youth	<input type="checkbox"/>				
4. Suicide among adults	<input type="checkbox"/>				
5. Eating disorders such as anorexia, bulimia, or binge eating	<input type="checkbox"/>				
6. Difficulty obtaining mental health services for youth	<input type="checkbox"/>				
7. Difficulty obtaining mental health services for adults	<input type="checkbox"/>				
8. Difficulty obtaining alcohol and other drug abuse treatment for youth	<input type="checkbox"/>				
9. Difficulty obtaining alcohol and other drug abuse treatment for adults	<input type="checkbox"/>				
10. People not taking prescribed medication for mental health problems	<input type="checkbox"/>				

ABOUT YOU

33. What county do you live in?

- Benton Sherburne
- Chisago Stearns
- Mille Lacs Other, please specify:

34. What is your gender?

- Male Female

35. What is your age?

36. How many adults (including you) and children live in your household?

Number of adults age 18 or older (including you):

Number of children under age 18:

37. About how tall are you without shoes?

 feet inches

38. About how much do you weigh without shoes?

 pounds

39. Are you a member of either of the following ethnic or cultural groups?

Yes

No

a. Hispanic or Latino/Latina

b. Somali

40. Which of the following best describe you? Please check all that apply.

American Indian or Alaska Native African native

Asian or Pacific Islander White

Black or African American Other:

41. Which of the following best describes your current relationship status?

Married Separated

Living with a partner Widowed

Divorced Never married

42. Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit?

Yes No

43. What is the highest level of education you have completed?

Less than high school Associate's degree (2-year degree)

High school graduate or GED College graduate (4-year degree)

Some college/vocational school Graduate school and beyond

44. What was your household's total income from all earners and all sources in 2012?

Less than \$20,000 \$75,000 - \$99,999

\$20,000 - \$34,999 \$100,000 - \$149,999

\$35,000 - \$49,999 \$150,000 or more

\$50,000 - \$74,999

THANK YOU!

Codebook for open ended comments

Q4 & Q8 - Why did you not get or delay getting the medical care you thought you needed? Please check all that apply.

- 1 - The care I needed cost too much
- 2 - My co-pay was too expensive
- 3 - My deductible was too expensive
- 4 - My insurance did not cover it
- 5 - I did not have insurance
- 6 - I could not get an appointment
- 7 - I did not think it was serious enough
- 8 - I had transportation problems
- 9 - I did not know where to go (for Q8 only)

- 10 - Cost
- 11 - Previous medical bills weren't paid
- 12 - Trying to minimize health costs
- 13 - Other bills take priority

- 20 - Insurance policy or coverage difficulties
- 21 - Geographic regulations of insurance policy
- 22 - Technical problems (computer, database)
- 23 - Providers in insurance network are not accepting more patients

- 30 - Self-care
- 31 - Pain or ailment went away
- 32 - Diagnosis is always the same
- 33 - Wanted to try self-care before involving doctors
- 34 - Sought advice from friends or relatives in the medical profession/I work in the medical profession
- 35 - No longer sick by appointment
- 36 - Attend counseling
- 37 - Prayer or religious methods to curing sickness

- 40 - Scheduling/busy
- 41 - No time (general)
- 42 - Work or professional conflicts
- 43 - School or education conflicts
- 44 - Timing of ailment (e.g., during vacation, on weekend)
- 45 - Didn't know clinic schedule
- 46 - Appointment too far in the future

- 50 - Problems with medical staff
- 51 - Didn't like or trust medical staff
- 52 - Didn't think medical staff could help
- 53 - Disagreed with medical staff
- 54 - Medical staff refuses to treat specific condition
- 55 - Medical staff refused to treat respondent because of demographic characteristic (homosexual)
- 56 - Familiar with medical staff in personal life
- 57 - Fear of judgment from medical staff

- 60 - Problems with health care system
- 62 - Too much bureaucracy
- 63 - Too much money in medicine
- 64 - Problems switching between providers
- 65 - Unnecessary tests

70 - Fear of medical practices (general)

71 - Fear of diagnosis

72 - Fear of stigma

80 - Family issues

81 - No childcare

82 - Lack of support from family

90 - Other

91 - Non-responsive answer

92 - Mental health kept respondent from visiting doctor

93 - Too sick to visit doctor

94 - Didn't make time/lazy/didn't care

-8 - Don't know

Q10 - Why did you not fill at least one prescription? Please check all that apply.

1 - The medication I needed cost too much

2 - My co-pay was too expensive

3 - My deductible was too expensive

4 - My insurance did not cover it

5 - I did not have insurance

6 - I do not like taking medications

7 - I did not like the side effects

8 - I had transportation problems

9 - Pharmacy services are not available in my community

20 - Other concerns about side effects

21 - Worried about prescription interacting with other medications

30 - Self-care

31 - Did not need prescription medication

32 - Used over-the-counter medication

33 - Alternative/complementary medicine

40 - Problems with medical staff

41 - Didn't like or trust medical staff

42 - Advice from other medical staff against prescription

50 - Problems with health care system

51 - Too much bureaucracy/too much paperwork

52 - Too difficult to schedule a follow-up appointment

90 - Other

91 - Non-response answer

-8 - Don't know

-9 - N/A

Q13: Which of the following types of health insurance do you have? Please check all that apply.

- 1 - Health insurance or coverage through your employer or your spouse/partner, parent, or someone else's employer
- 2 - Health insurance or coverage bought directly by you or your family
- 3 - Indian or Tribal Health Service
- 4 - Medicare
- 5 - Medicaid, Medical Assistance (MA), or Prepaid Medical Assistance Program (PMAP)
- 6 - Minnesota Comprehensive Health Association (MCHA)
- 7 - MinnesotaCare
- 8 - CHAMPUS, TRICARE, or Veterans' benefits

- 10 - Specific insurance provider named - source unknown

- 90 - Other
- 91 - Non-response answer

Q33 - What county do you live in?

- 1 - Benton
- 2 - Chisago
- 3 - Sherburne
- 4 - Stearns
- 5 - Mille Lacs

- 10 - Aitkin
- 11 - Hennepin
- 12 - Kanabec
- 13 - Morrison
- 14 - Watonwan
- 15 - Isanti
- 16 - Carver
- 17 - Pope
- 18 - Todd

91 - Non-responsive answer

*Note: Although respondents were sampled based on their household address being in one of the five target counties, some respondents indicated they actually live in another county. The respondents' original sample information that included the address where the survey was mailed was used to determine their county of residence for the purposes of reporting results.

Q40 - Which of the following best describe you? Please check all that apply.

- 1 - American Indian
- 2 - Asian or Pacific Islander
- 3 - Black or African American
- 4 - African native
- 5 - White

- 10 - American/Human
- 11 - Latino

- 91 - Non-responsive answer

- 7 - Refused